

BID NUMBER: LDPWRI-B/20357

APPOINTMENT OF CONTRACTOR FOR CONSTRUCTION OF NEW MAMAILA KOLOBETONA TRADITIONAL COUNCIL OFFICES THROUGH THE FRAMEWORK CONTRACT CATEGORY B

for the

THE DEPARTMENT OF COPERATIVE GOVERNANCE, HUMAN SETTLEMENTS AND TRADITIONAL AFFAIRS LIMPOPO PROVINCE

Issued by:

Limpopo Department of Public Works, Roads and Infrastructure Works Towers Building 43 Church Street Polokwane 0700


Contact Person: General Queries
Name : Mr NJ Motsopye,
Tel No. : 015 284 7126

Email : <u>motsopyen@dpw.limpopo.gov.za</u>

Technical: Technical QueriesName : Mr. Maluleke ZV
Tel No. : 015 284 7219

Email : MalulekeZV@dpw.limpopo.gov.za

Name of the Bidder:.....



CONTENTS

THE TENDER

Part T1: Tendering procedures

T1.1 Tender notice and invitation to tender

T1.2 Tender data

Part T2: Returnable documents

T2.1 List of returnable documents

T2.2 Returnable schedules

THE CONTRACT

Part C1: Agreements and Contract data

C1.1 Form of offer and acceptance

C1.2 Contract data

Joint Venture Agreement (If Applicable)


Part C2: Pricing data

C2.1 Part 1 - Pricing Instructions C2.2 Part 2 - Bills of Quantities


Part C3: Scope of Works

C3.1 Special Notes to Bidders
C3.2 OHS Specifications

Part C4 Drawings



PART T1: TENDERING PROCEDURE




T1.1 Tender Notice and Invitation to Tender

The Limpopo Department of Public Works, Roads and Infrastructure invites tenderers from contractors appointed on the framework agreement on category B **for CONSTRUCTION OF A NEW MAMAILA KOLOBETONA TRADITIONAL COUNCIL OFFICE** for a period of 12 months. It is estimated that tenderers must have a CIDB contractor grading designation of **6 GB** or higher.

The conditions of the CIDB Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts **Gazette Notice No. 36190 of 25 February 2013** will be applicable on this project

Project Name	CONSTRUCTION OF NEW MAMAILA KOLOBETONA TRADITIONAL		
	COUNCIL OFFICE for a period of 12 months.		
Tender Number	LDPWRI-B/20357		
Tender documents	Limpopo Department of Public Works, Roads and Infrastructure website		
availability			
Address for submission	DEPARTMENT OF PUBLIC WORKS, ROADS & INFRASTRUCTURE.		
of tenders			
	Physical address: Corner River and Blaauwberg Streets, Ladanna, 0699.		
Closing date of the	As per Tender invite		
tender	·		
Closing time of the	As per Tender invite		
tender	·		
Compulsory briefing	Yes ⊠ N	∕es ⊠ No □	
meeting (Tenderers must	Meeting venue	As per Tender invite	
sign the attendance register in the name of the tendering		'	
entity. Addenda (if any) will			
be issued only to those	Date	As per Tender invite	
tendering entities appearing	Time:	As per Tender invite	
on the attendance register)		•	
Evaluation criteria	 Compliance w 	ith mandatory or compulsory requirements	
		ent on current projects	
	3. Price		
	4. Preference		
Mandatory or	Only tenderers who are appointed on category B registered with the		
Compulsory	Construction Industry Development Board (CIDB) with designation of 6GB or		
Requirements (failure to	higher than a contractor grading designation determined in accordance with		
submit or comply with these requirements will lead to	the sum tendered, or a value determined in accordance with Regulation 25		
automatic disqualification)	(1B) or 25(7A) of the Construction Industry Development Regulations are		
automatic disqualification)	eligible to have their tenders evaluated		
	Completed and signed Form of Offer		



T1.2 Tender Data

Clause number	Tender Data
	The conditions of tender are the Standard Conditions of Tender as contained in Annex C of Board Notice 423 of 2019 in Government Gazette No. 42622 of 08 August 2019, Construction Industry Development Board (CIDB) Standard for Uniformity in Construction Procurement. (See www.cidb.org.za) which are reproduced without amendment or alteration for the convenience of tenderers as an Annex to this Tender Data.
	The Standard Conditions of Tender make several references to the Tender Data for details that apply specifically to this tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the standard conditions of tender. Each item of data given below is cross-referenced to the clause in the Standard Conditions of Tender to which it mainly applies.
	The contractor shall achieve in the performance of the contract the Contract Participation Goals (CPG) relating to the engagement of targeted enterprises as established in the CIDB Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts Gazette Notice <i>No. 36190 of 25 February 2013</i> . In this case, contractor shall provide a <i>minimum Contract Participation Goal (CPG) of 5%</i> of the total project value and develop targeted enterprises stated under C3 of this document.
	The following variations, amendments and additions to the Standard Conditions of Tender as set out in the Tender Data below shall apply to this tender. Add the following to clauses in Standard Conditions of Tender:
C.1.1	The Employer is the Department of Public Works, Roads and Infrastructure
C.1.2	The Tender Part T1: Tendering procedures T1.1 Tender notice and invitation to tender T1.2 Tender data
	Part T2: Returnable documents T2.1 List of returnable documents T2.2 Returnable schedules
	The Contract Part C1: Agreements and contract data C1.1 Form of offer and acceptance C1.2 Contract data C1.3 Joint Venture Agreement (If Applicable)
	The Contract Part C2: Pricing data C2.1 Pricing instructions C2.2 Bills of Quantities
	Part 3: Scope of work C3.1 Special Notes to Bidders C3.2 OHS Specifications
	Part 4: Site information C4 Drawings

C.1.4	The employer's representative is :
	Name : Tel No. : Email :
	However, all communications related to this bid should be directed to the persons indicated under Enquires on this tender document.
	Attention is also drawn to the fact that verbal information, given by the Employer's agent during site visits/clarification meetings or at any other time prior to the award of the Contract, will not be regarded as binding on the Employer. Only information issued formally by the Employer in writing to Tenderers will be regarded as amending the Tender Documents
C.1.5	The employer reserve to cancel the tender prior to the award of the tender.
C1.6.2	A competitive negotiation procedure will not be followed.
C1.6.3	A two-stage system will not be followed.
C.2.1	Eligibility in respect of CIDB grading
	Only tenderers who are appointed on framework agreement category A and registered with the Construction Industry Development Board (CIDB) with designation of 6 GB or higher than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations, are eligible to have their tenders evaluated
C2.2	Cost of tendering
	The tenderer accept that, unless otherwise stated in the tender data, the employer will not compensate the tenderer for any costs incurred in the preparation and submission of a tender offer, including the costs of any testing necessary to demonstrate that aspects of the offer complies with requirements
C.2.7	Compulsory site briefing
	A compulsory briefing meeting will be held as per Tender invite
	Tenderers must sign the attendance list in the name of the tendering entity. Addenda (if any) will be issued only to those tendering entities appearing on the attendance list
C.2.11	Alterations to the documents
	Bidders are required to not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations
C.2.12	Alternative tender offer
	No alternative tender offer is permitted in this tender.
C.2.13.2	Replace sub-clause C.2.13.2 with the following; Return all returnable documents to the employer after completing them in their entirety by writing in non-erasable black ink
C.2.13.3	Parts of each tender offer communicated on paper shall be submitted as an original

C.2.13.4	The tender shall be signed by a person duly authorized to do so.
C.2.13.5	The employer's details and address for delivery of tender offers and identification details that are to be shown on each tender offer package are:
	Location of tender box: DEPARTMENT OF PUBLIC WORKS, ROADS & INFRASTRUCTURE. Physical address: Corner River and Blaauwberg Streets, Ladanna, 0699 Identification details: Sealed Tender with Tender reference number, Title of Tender and the closing date and time of the tender.
C.2.15.1	The closing time for submission of tender offers is as stated in the Tender Notice and Invitation to Tender. Telephonic, telegraphic, telex, facsimile or e-mailed tender offers will not be accepted.
C.2.16.1	The tender offer validity period is 12 weeks or 90 days.
C.2.16.2	The tender accepts that a tender submission that has been submitted to the employer may only be withdrawn or substituted by giving the employer's agent written notice before the closing time for tenders that a tender is to be withdrawn or substituted. If the validity period stated in C.2.16 lapses before the employer evaluating tender, the contractor reserves the right to review the price based on Consumer Price Index (CPI).
C.3.1	The tenderer is required to indicate how they claim points for each preference point system and attached relevant supporting documents. The specific goals for claiming of preference points include the following:
	 Persons who had no franchise in national elections prior to 1983 and 1993 Women Disabled persons Promotion of SMMEs Enterprise located in Limpopo Province Promotion of youth
	CIDB Grading Certificate
	Tenders are required to provide proof of registration with the CIDB register of contractors indicating the category of registration, grading as well as the CRS number of the tenderer.
	Letter of Good Standing
	Tender are required to submit, bound with the tender submission, a letter of good from the compensation commissioner indicating that the bidder is in good standing.
C3.2	Notwithstanding any requests for confirmation of receipt of Addenda issued, the tenderer shall be deemed to have received such addenda if the employer can show proof of transmission thereof (or a notice in respect thereof) via electronic mail, facsimile or registered post.
C.3.4.1	Tenders will not be opened immediately after the closing time for tenders.

Bidder's initials	

C.3.11	The tende (i) (ii) (iii) (iv)	erers will be evaluated in four stages Stage 1: Compliance with mandatory requirements as stated in Part T1.1 Stage 2: Risk assessment on current projects Stage 3: Price Stage 4: Preference
	evaluation and any a should pro skills, qual be expecte	nical capacity (functionality) of the contractors will not be evaluated any further during of the RFQ. However, the contractors will be required to declare the status of their key staff administrative compliance. In cases where there are changes in the key staff, the contractor evide CVs and qualifications of the new staff to LDPWRI. The new staff should have similar lifications and experience as the staff submitted during tender. Similarly, the contractors will seed to provide an update on any changes in their administrative compliances — and should be required SBD document in such cases.
	and the co	d will only be issued to contractors with valid Tax Clearance certificates, active CIDB grading ontractor who meets all the legislative requirement – this shall be verified by SCM in line with tmental SCM Policy.
		value of current projects for a contractor under consideration cannot exceed the twice the value of their relevant CIDB grade.1
	a)	Stage 1: Administrative Compliance: The Compliance or compulsory documents and returnables are detailed in Section T.2.1 of this tender document. Failure to submit, complete or comply with these requirements will lead to automatic disqualification.
	b)	Stage 2: Risk assessment on current projects
		The total value of current projects for a contractor under consideration cannot exceed the twice the maximum value of their relevant CIDB grade.

Stage 3 and 4:

The procedure for final evaluation of responsive tenders is Method 2 (Financial offer and preference). The total number of tender evaluation points (T_{EV}) shall be determined in accordance with the following formula.

$$T_{EV} = N_{FO} + N_P$$

a) *N_{FO}* is the number of tender evaluation points awarded for the financial offer made. The score for financial offer is calculated using the following formula:

$$P = A * \left(1 - \frac{(P_o - P_m)}{P_m}\right)$$

Where:


A is 80 since the estimated financial value of works inclusive of VAT is equals or is less than R 50,000,000.00.

P is the points awarded to the bid under consideration


 P_m is the lowest Comparative bid price

 P_o is the comparative price under consideration

 N_P is the number of tender evaluation points awarded for preferences claimed in accordance with the Preferencing Schedule in 3.18



PART T2: RETURNABLE DOCUMENTS



T2,1: LIST OF RETURNABLE DOCUMENTS


The following documents will form part of the documents submitted to the Contractors as part of the Request for Proposals:

- 2.1 Fully completed Form of Offer
- 2.2 Bills of Quantities
- 2.3 Proof of specific goal for award of the preference points as determined on the Request for Proposal
- 2.4 SBD 6.1.
- 2.5 Declaration on the status of Administration compliance.
- 2.6 CIDB grading certificate
- 2.7 CSD Report
- 2.8 Tax clearance certificate
- 2.9 Declaration of current projects

Failure by the service provider to submit or complete item 2.1 or 2.2 will render their proposal not responsive and will not be considered.


The bidder should also not appear on the National Treasury's list of black listed entities

Bidder's initia l s	




T 2.2: RETURNABLE SCHEDULE

	Document Name	Retur docu	nable ment
1.	Preferencing schedule:	□Yes	□ No
2.	Proposed amendments and qualifications (if applicable)	□Yes	□ No
3.	SBD 1: Invitation to tender	□Yes	□ No
4.	SBD 6.1: Reference Points claim form in terms of the Preferential Procurement Regulations 2017 or amended	□Yes	□ No
5.	Form of offer	□Yes	□ No
6.	CSD summary report	□Yes	□ No
7.	Original tax clearance certificate or tax pin	□Yes	□ No
8.	Priced bills of quantities	□Yes	□ No
9.	Proof of CIDB class grading: 6GB or higher.	□Yes	□ No
10.	Declaration with regard to current projects	□Yes	□ No




Declaration on the status of administrative compliance

>	lease indicate, b	y circling either Yes o	or No , whether the	administrative inf	ormation submitted	I with the
וכ	riginal framework	tender documents h	nas changed or no	ot. If yes, kindly p	rovide the particula	rs below
a	nd any supportin	g documents.				
	Signed		Date	•		
	Name		Posi	tion		
	Enterprise					



Record of Addenda to tender documents

	ate	Title or Details
l.		
2.		
-		
j.		
·		
) <u> </u>		
0.		
uttach ad	dditional pages if	more space is required.
Signed		Date
lame		Position
enderei		




Proposed amendments and qualifications

The Tenderer should record any deviations or qualifications he may wish to make to the tender documents in this Returnable Schedule. Alternatively, a tenderer may state such deviations and qualifications in a covering letter to his tender and reference such letter in this schedule.

The Tenderer's attention is drawn to clause 5.8 of SANS 10845-3 regarding the employer's handling of material deviations and qualifications.

Page	Clause or item	Proposal
Signe	ed .	Date
Name	e -	Position
Tend	erer	
		



SBD 1 PART A: INVITATION TO BID

YOU ARE HEREBY INVITED TO BID FOR REQUIREMENTS OF THE LIMPOPO DEPARTMENT OF PUBLIC WORKS, ROADS AND INFRASTRUCTURE								
			CLOSING D	DATE	As per Tender			
BID NUMBER:	LDPWRI-B/20357				Advert	CLOSII	NG TIME:	11:00am
DECODIDATION	CONSTRUCTIO		IAILA KOL	OBETONA	TRADITIONA	AL COU	NCIL OFFICE	S IN THE
DESCRIPTION BID RESPONSE	MOPANI DISTRI DOCUMENTS MAY E		THE BID BOX	SITUATED A	AT (STREET ADD	RESS)		
	T OF PUBLIC WC					,		
	ess: Corner River							
BIDDING PROCE	EDURE ENQUIRIES N	MAY BE DIRECTED	ТО					
CONTACT PERS	ON	Mr. NJ Motsopye						
TELEPHONE NU	MBER	0152847126	E-MAIL AI	DDRESS		motsop	oyen@dpw.limpopo.gov.za	
CONTACT PERS	ON (TECHNICAL)	Mr. Vincent Malule	eke					
TELEPHONE NU		0152847219	E-MAIL AI	DDRESS		malulek	ev@dpw.limpopo	.gov.za
SUPPLIER INFO		<u> </u>						
NAME OF BIDDE								
POSTAL ADDRE	SS							
STREET ADDRE	SS							
TELEPHONE NU	MBER	CODE		NUMBER				
CELLPHONE NU	MBER							
E-MAIL ADDRES	S							
VAT REGISTRAT								
SUPPLIER COMI	PLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE No	ı: MA	AΑ	
ARE YOU THE A	CCREDITED	□V ₂ a	□N ₂	ARE YOU A	FOREIGN BASE	D	□Yes	□No
REPRESENTATI		│□Yes	Пио	SUPPLIER FOR THE GOODS IIF Y		 [IF YES, ANSW	ER THE	
AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?		[IF YES ENCLOSE PROOF] /SERVICES			/WORKS OFFERED?		QUESTIONNAII	RE BELOW]
QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS								
IS THE ENTITY A	RESIDENT OF THE	REPUBLIC OF SOL	JTH AFR I CA	(RSA)?			☐ YE	ES NO
DOES THE ENTITY HAVE A BRANCH IN THE RSA?							☐ YI	ES NO
DOES THE ENTITY HAVE A PERMANENT ESTABLIS			ENT IN THE F	RSA?				ES NO
DOES THE ENTI	E OF INCOME IN THE RSA?				☐ YI	ES NO		
IS THE ENTITY L	IABLE IN THE RSA F	FOR ANY FORM OF TAXATION?				YE	S NO	
IF THE ANSWER SYSTEM PIN CO	IS "NO" TO ALL OF	THE ABOVE, THEN	I IT IS NOT A NUE SERVIC	REQUIREME E (SARS) AN	ENT TO REGISTE ND IF NOT REGIS	R FOR A	TAX COMPLIAN PER 2.3 BELOW	ICE STATUS

PART B: TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:


- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED—(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND. IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolution)	
DATE:	



SBD 6.1

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 90/10 preference point system.
- b) The applicable preference point system for this tender is the 80/20 preference point system.
- c) Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "**the Act**" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

(f)

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80\left(1-rac{Pt-P\,min}{P\,min}
ight)$$
 or $Ps = 90\left(1-rac{Pt-P\,min}{P\,min}
ight)$

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration
Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80\left(1+rac{Pt-P\,max}{P\,max}
ight)$$
 or $Ps = 90\left(1+rac{Pt-P\,max}{P\,max}
ight)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Persons who had no franchise in national elections prior to 1983 and 1993 (Attach certified copy of South African ID as proof)	2	6		
Women (Attach Director's certified copy of South African ID as proof + company registration documents)	1	3		
Disabled persons (Attach letter from Health Professional as proof)	1	2		
Promotion of SMMEs (Attach financial statement as proof)	1	2		
Enterprises located in Limpopo Province (Attach proof of address / Lease agreement)	1	2		
Promotion of enterprises located in the relevant District (Attach proof of address / Lease agreement)	1	2		
Promotion of youth (Attach Director's	1	1		

certified copy of South African ID as proof)			
Promotion of enterprises located in rural areas (Attach letter from Traditional Council/ Chief/Ward Councilor if not Traditional Council)	2	2	

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3.	Name of company/firm
4.4.	Company registration number:
4.5.	TYPE OF COMPANY/ FIRM
	□ Partnership/Joint Venture / Consortium □ One-person business/sole propriety □ Close corporation □ Public Company □ Personal Liability Company □ (Pty) Limited □ Non-Profit Company □ State Owned Company [TICK APPLICABLE BOX]

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
 - i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
 - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any
 of the conditions of contract have not been fulfilled, the organ of state may, in
 addition to any other remedy it may have
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;


- (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
- (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE:	
ADDRESS:	




DECLARATION OF CURRENT PROJECTS	IT PROJECTS					
Current value refers to current value of projects for both General Building (GB) and Civil Engineering (CE).	lue of projects for l	ooth General Building (C	3B) and Civil Engineering	(CE).		
Please list the current projects which your company is busy executing in the table below.	nich your company	is busy executing in the	table below.			
If no projects at the moment the tender must indicate/write on this table	ender must indicat	e/write on this table				
Table 1 List of current projects executed by the bidder	executed by the	bidder				
1. Do you have the current projects being executed	projects being exe	cuted Yes/No?				
2. If Yes, please indicate the details on the table below.	e details on the tab		nat it is compulsory to ansv	Please note that it is compulsory to answer the question and if the answer is yes, complete	inswer is yes, complete	
the table. If the question not answered or the table r	not answered or th	ne table not completed t	not completed the points will not be allocated.	ıted.		
Project Description	Project Value	Start date	Planned end date	Client Name	Contact Person number	


Bidder's initials



THE CONTRACT



PART C1: AGREEMENT AND CONTRACT DATA



C1.1. FORM OF OFFER AND ACCEPTANCE

Offer

The employer, identified in the acceptance signature block, has solicited offers to enter into a contract in respect of the following works:

CONSTRUCTION OF NEW MAMAILA KOLOBETONA TRADITIONAL COUNCIL OFFICES AT MOPANI DISTRICT

The tenderer, identified in the offer signature block, has examined the documents listed in the tender data and addenda thereto as listed in the tender schedules, and by submitting this offer has accepted the conditions of tender.

By the representative of the tenderer, deemed to be duly authorized, signing this part of the Form of Offer and Acceptance, the tenderer offers to perform all of the obligations and liabilities of the contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the contract data.

THE OFFERED TOTAL OF THE PRICE INCLUSIVE OF VALUE ADDED TAX IS (CONTRACT PRICE)

Rand (in words); R	
(in figures) R	
This offer may be accepted by the employer by signing the accepta and returning one copy of this document to the tenderer before the tender data, whereupon the tenderer becomes the party named as identified in the contract data.	he end of the period of validity stated in the
Signature(s)	
Name(s)	
Capacity	
For the tenderer:	
Name & signature of witness	Date

Acceptance (To be completed by the employer – not the bidder)

By signing this part of this Form of Offer and Acceptance, the *Employer* identified below accepts the tenderer's Offer. In consideration thereof, the *Employer* shall pay the Consultant the amount due in accordance with the *conditions of contract* identified in the Contract Data. Acceptance of the tenderer's Offer shall form an agreement between the *Employer* and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The	terms	of the	contract.	are	contained	in:
1110	terris	OI LIIC	Contract,	aic	Contanica	111.

Part C1	Agreements and Contract Data, (which includes this Form of Offer and Acceptance)
Part C2	Pricing Data

Part C3 Scope of Work

and drawings and documents (or parts thereof), which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Returnable Schedules as well as any changes to the terms of the Offer agreed by the tenderer and the *Employer* during this process of offer and acceptance, are contained in the Schedule of Deviations attached to and forming part of this Form of Offer and Acceptance. No amendments to or deviations from said documents are valid unless contained in this Schedule.


The tenderer shall within two weeks of receiving a completed copy of this agreement, including the Schedule of Deviations (if any), contact the *Employer's* agent (whose details are given in the Contract Data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the *conditions* of contract identified in the Contract Data. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed original copy of this document, including the Schedule of Deviations (if any). Unless the tenderer (now *Consultant*) within five working days of the date of such receipt notifies the *Employer* in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the Parties.

For the Em	ployer
Signature	
Name	
Capacity	
Name and	address of organization
Signature a	and Name of Witness
Signature	
Name	
Capacity	

Schedule of Deviations

Ochicat	die of Deviations
•	
2 Subject	
Details	
3 Subject	
Details	
4 Subject	
foregoing addenda t	Ily authorised representatives signing this agreement, the <i>Employer</i> and the Tenderer agree to and accept the schedule of deviations as the only deviations from and amendments to the documents listed in the Tender Data and hereto as listed in the returnable schedules, as well as any confirmation, clarification or changes to the terms of the ed by the Tenderer and the <i>Employer</i> during this process of offer and acceptance.
issue of th	ssly agreed that no other matter whether in writing, oral communication or implied during the period between the ne tender documents and the receipt by the tenderer of a completed signed copy of this Agreement shall have any or effect in the contract between the parties arising from this agreement.



PART C2: PRICING DATA


C2.1 CONTRACT DATA

The Conditions of Contract are clauses 1 to 41 of the **JBCC Series 2000 Principal Building Agreement (Edition 4.1 of March 2005)** published by the Joint Building Contracts Committee.

Copies of these conditions of contract may be obtained from the Association of South African Quantity Surveyors (011-3154140), Master Builders Association (011-205-9000; 057- 3526269) South African Association of Consulting Engineers (011-4632022) or South African Institute of Architects (051-4474909; 011-4860684; 053-8312003;)

The JBCC Principal Building Agreement makes several references to the Contract Data for specific data, which together with these conditions collectively describe the risks, liabilities, and obligations of the contracting parties and the procedures for the administration of the Contract. The Contract Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the JBCC Principal Building Agreement.

The contractor shall achieve in the performance of the contract the Contract Participation Goals (CPG) relating to the engagement of targeted enterprises as established in the CIDB Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts Gazette Notice No. 36190 of 25 February 2013."



PART C2.2: BILLS OF QUANTITIES

	Qu	uantity	Rate	Amoun
SEC	TION No. 1 BILL No. 1			
PRE	ELIMINARIES			
i)	The agreement is to be the JBCC Series 2000 Principal Building Agreement (Edition 4.1 Code 2101 March 2005) prepared by the Joint Building Contracts Committee			
ii)	The preliminaries are to be the JBCC Series 2000 Preliminaries prepared by the Joint Building Contracts Committee, Code 2103 May 2005 Edition and shall be deemed to be incorporated herein			
iii)	Tenderers are referred to the above mentioned documents for the full intent and meaning of each clause thereof (hereinafter referred to by heading and clause number only) for which such allowance must be made as may be considered necessary			
iv)	Where standard clauses or alternatives are not entirely applicable to this contract such modifications, corrections or supplements as will apply are given under each relevant clause heading			
v)	Where any item is not relevant to this specific contract such item is marked N/A (signifying "not applicable")			
vi)	If Alternative A as set out in clause B10.3 hereinafter is to be used for the adjustment of the preliminaries each item priced is to be allocated to one or more of the three categories, where "F" denotes a fixed amount (amount not to be varied), "V" denotes an amount variable in proportion to value and "T" denotes an amount in proportion to time			
	TION A: PRINCIPAL BUILDING AGREEMENT D IN CONJUCTION WITH THE CONTRACT DATA			
Section	Carried to Collection on No. 1		R	
Bill N Prelir		CII OEE	ICE	
	COGHSTA	OIL OFF	ICE	

	Definitions (A1)			
1	Definitions and interpretation (clause 1) Fixed	Item		
2	Value Related	Item		
3	Time Related	Item		
	Objective (A2)			
4	Offer acceptance and performance (clause 2)			
	Fixed	Item		
5	Value Related	Item		
6	Time Related	Item		
	Preparation (A3-A14)			
7	Documents (clause 3) Fixed			
		Item		
8	Value Related	Item		
9	Time Related	Item		
10	Design responsibility (clause 4) Fixed	Item		
11	Value Related	Item		
12	Time Related	Item		
13	Employer's agents (clause 5) Fixed	Item		
14	Value Related	Item		
15	Time Related	Item		
16	Site representative (clause 6) Fixed	Item		
	· · · · · ·	Item		
17	Value Related	пет		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COL FOR COGHSTA	JNCIL OFF	ICE	

	1	ı	1	ı
Time Related	Item			
Compliance with regulations (clause 7) Fixed	Item			
Value Related	Item			
Time Related	Item			
Works risk (clause 8) Fixed	Item			
Value Related	Item			
Time Related	Item			
Indemnities (clause 9) Fixed	Item			
Value Related	Item			
Time Related	Item			
Works insurance (clause 10) Fixed	Item			
Value Related	Item			
Time Related	Item			
Liability insurances (clause 11) Fixed	Item			
Value Related	Item			
Time Related	Item			
Effecting insurance (clause 12) Fixed	Item			
Value Related	Item			
Time Related	Item			
No clause (clause 13) Fixed	Item			
Value Related	Item			
Time Related	Item			
Carried to Collection		R		
Section No. 1				Ħ
Preliminaries		_		
FOR COGHSTA	NCIL OFFICE	:		
	Compliance with regulations (clause 7) Fixed Value Related Time Related Works risk (clause 8) Fixed Value Related Time Related Indemnities (clause 9) Fixed Value Related Time Related Works insurance (clause 10) Fixed Value Related Time Related Time Related Liability insurances (clause 11) Fixed Value Related Time Related Effecting insurance (clause 12) Fixed Value Related Time Related No clause (clause 13) Fixed Value Related Time Related Time Related Carried to Collection Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COURT	Compliance with regulations (clause 7) Fixed Value Related Time Related Value Related Item Value Related Item Item Value Related Item Item Value Related Item Time Related Item Value Related Item Value Related Item Value Related Item Time Related Item Value Related Item Time Related Item Value Rel	Compliance with regulations (clause 7) Fixed Value Related Time Related Value Related Item Value Related Item Value Related Item Indemnities (clause 9) Fixed Value Related Item Time Related Item Value Related Item Value Related Item Time Related Item Value Relat	Compliance with regulations (clause 7) Fixed Value Related Item Time Related Item Value

40	Security (clause 14) Fixed	Item		
41	Value Related	Item		
42	Time Related	Item		
	Execution (A15-A22)			
43	Preparation for and execution of the works (clause 15) Fixed	Item		
44	Value Related	Item		
45	Time Related	Item		
46	Access to the works (clause 16) Fixed	Item		
47	Value Related	Item		
48	Time Related	Item		
49	Contract instructions (clause 17) Fixed	Item		
50	Value Related	Item		
51	Time Related	Item		
52	Assignment (clause 19) Fixed	Item		
53	Value Related	Item		
54	Time Related	Item		
55	Setting out of the works (clause 18) Fixed	Item		
56	Value Related	Item		
57	Time Related	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COLFOR COGHSTA	JNCIL OFF		

	The contractor shall notify the principal agent if any encroachments of adjoining foundations, buildings, structures, pavements, boundaries, etc. exist in order that the necessary arrangements may be made for the rectification of any such encroachments.			
58	Nominated subcontractors (clause 20) Fixed	Item		
59	Value Related	Item		
60	Time Related	Item		
61	Selected subcontractors (clause 21) Fixed			
		Item		
62	Value Related	Item		
63	Time Related	Item		
64	Employer's Direct Contractors (clause 22) Fixed	Item		
65	Value Related	Item		
66	Time Related	Item		
67	Contractor's Domestic Sub-Contractors (Clause 23)			
	Fixed	Item		
68	Value Related	Item		
69	Time Related	Item		
	Completion (A24-A30)			
70	Practical completion (clause 24) Fixed	Item		
71	Valua Balatad			
71	Value Related	Item		
72	Time Related	Item		
	Carried to Collection Section No. 1		R	
	Bill No. 1 Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COLFOR COGHSTA	JNCIL OFF	ICE	

73	Works completion (clause 25) Fixed	Item		
74	Value Related	Item		
75	Time Related	Item		
76	Final completion (clause 26) Fixed	Item		
77	Value Related	Item		
78	Time Related	Item		
79	Latent defects liability period (clause 27) Fixed	Item		
80	Value Related	Item		
81	Time Related	Item		
82	Sectional completion (clause 28) Fixed	Item		
83	Value Related	Item		
84	Time Related	Item		
85	Revision of date of practical completion (clause 29) Fixed			
		Item		
86	Value Related	Item		
87	Time Related	Item		
88	Penalty for non-completion (clause 30) Fixed	Item		
89	Value Related	Item		
90	Time Related	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COLFOR COGHSTA	UNCIL OFF	ICE	

	Payment (A31 - A35)			
91	Interim payment to the contractor (clause 31) Fixed	Item		
92	Value Related	Item		
93	Time Related	Item		
94	Adjustment to the contract value (clause 32) Fixed	Item		
95	Value Related	Item		
96	Time Related	Item		
	Notwithstanding the provisions of clause 32.13 fluctuations in costs shall not be adjusted as per heyllet formular (CPA)			
97	Recovery of expense and loss (clause 33) Fixed	Item		
98	Value Related	Item		
99	Time Related	Item		
100	Final account and final payment (clause 34) Fixed	Item		
101	Value Related	Item		
102	Time Related	Item		
103	Payment to other parties (clause 35) Fixed	Item		
104	Value Related	Item		
105	Time Related	Item		
	Cancellation (A36-A39)			
106	Cancellation by employer - contractor's default (clause 36) Fixed	Item		
107	Value Related	Item		
	Carried to Collection		R	<u></u>
	Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COL FOR COGHSTA	JNCIL OFFICE		

108	Time Related	Item		
109	Cancellation by employer - loss and damage (clause 37) Fixed			
		Item		
110	Value Related	Item		
111	Time Related	Item		
112	Cancellation by contractor - employer's default (clause 38) Fixed			
		Item		
113	Value Related	Item		
114	Time Related	Item		
115	Cancellation - cessation of the works (clause 39) Fixed	Item		
116	Value Related	Item		
117	Time Related	Item		
	Dispute (A40)			
118	Settlement of disagreements and disputes (clause 40) Fixed	Itam		
		Item		
119	Value Related	Item		
120	Time Related	Item		
	Contract variables (A41)			
121	The schedule:Pre-tender information (clause 41) Fixed	Item		
122	Value Related	Item		
123	Time Related	Item		
	Carried to Collection		R	
	Section No. 1		"	
	Bill No. 1 Preliminaries			
	CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA	UNCIL OFF	ICE	

Information necessary for completion of those clauses contained in the schedule which are necessary for tender purposes is given hereunder			
41.1.1 Employer:			
DEPARTMENT OF PUBLIC WORKS ROADS AND INFRASTRUCTURE LIMPOPO			
Postal Address: Private Bag x 9490 POLOKWANE 0700			
Physical Address: 43 Church Street Polokwane 0699			
Tel . (015) 284-7000 Fax (015) 284 7044 E-mail :			
41.1.2 Principal Agent:			
DEPARTMENT OF PUBLIC WORKS ROADS AND INFRASTRUCTURE LIMPOPO			1
Postal Address: Private Bag x 9490 POLOKWANE 0700			
Physical Address: 43 Church Street Polokwane 0699			
Tel . (015) 284-7000 Fax (015) 284 7044 E-mail :			
Carried to Collection		R	
Section No. 1 Bill No. 1			_
Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO FOR COGHSTA	UNCIL OFF	ICE	
			i I

41.1.3 Other Agents: Architect			
DEPARTMENT OF PUBLIC WORKS ROADS AND INFRASTRUCTURE LIMPOPO			
Postal Address: Private Bag x 9490 POLOKWANE 0700			
Physical Address: 43 Church Street Polokwane 0699			
Tel . (015) 284-7000 Fax (015) 284 7044 E-mail :			
41.1.4 Other Agents : Quantity Surveyors			
DEPARTMENT OF PUBLIC WORKS ROADS AND INFRASTRUCTURE LIMPOPO			
Postal Address: Private Bag x 9490 POLOKWANE 0700			
Physical Address: 43 Church Street Polokwane 0699			
Tel . (015) 284-7000 Fax (015) 284 7044 E-mail :			
Carried to Collection		R	
Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO	UNCIL OFF	ICE	
FOR COGHSTA			

41.2	CONTRACT DETAILS			
41.2.1	Works Description:			
	The work consist of the construction of a new single storey traditional council building approximately 550m2 , guardhouse approximately 30m2 and general site works			
41.2.2	Site Description:			
	The site is at Manangeng Village			
41.2.3	Work for installation by direct contractors:			
	N/A			
41.2.4 are	This agreement is for a government contract: contract where there are specific option that			
	applicable to a state organ only Yes			
41.2.5	Date on which possession of the site is intended to be given: Approximately within 14 (fourteen) calender days from the date of the letter of acceptance			
	Period for the commencement of the works is ately after the contractor takes possession of the			
41.2.7	Completion in sections are required No			
	Carried to Collection		R	
Section Bill No.	No. 1			_
Prelimir CONST		UNCIL OFF	ICE	

	41.2.8	Intended date of practical completion and the penalty per calender day for the works as a whole: 12 calendar months from the date of the possession of the site and penalties will be 0.05% of the contract sum			
	which	Penalty per calender day: 0.05% of the Contract Sum per calendar day on the completion of the work may be in arrears			
		SPECIAL COMPLETION REQUIREMENTS			
		Not applicable			
124		Arbitration rules as recommended by the ation of Arbitrators (SA) Fixed			
		,	Item		
125		Value Related	Item		
126		Time Related	Item		
127	41.2.10 that of	The law applicable to this agreement shall be			
		South Africa Fixed	Item		
128		Value Related	Item		
129		Time Related	Item		
		Carried to Collection		R	
	Section Bill No.	. 1			
		naries TRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO OGHSTA	UNCIL OFF	ICE	

	41.3	INSURANCES				
130	41.3.1	Contract work's insurance				
		All risk and Public Liability Insurance for this contract shall be taken out by the Contractor in the joint names of the contractor and the employer. The cost of this insurance will be paid by the Contractor. Any excess in respect of a claim is to be paid for by the contractor				
			Item			
131	41.3.2	Supplementary insurance:				
		Contractor shall be responsible for the taking out his own insurances for all plant and machinery used in the execution of this contract. The cost of this insurance shall be borne by the contractor. Fixed				
			Item			
132		Value Related	Item			
133		Time Related	Item			
134		Public liability insurance to be effected by				
	contrac	See clause 42.3.1 Fixed	Item			
135		Value Related	Item			
136		Time Related	Item			
	41.4	DOCUMENTS				
	41.4.1	Waivers of contractors lien is required Yes				
	41.4.2	Number of construction document copies to be supplied free of charge: Three				
		Carried to Collection		R		
		1	JNCIL OFF	ICE		
					1	

	41.4.3 State other system if document is not drawn up in accordance with the Standard System of Measuring Building Work (6th Edition) (Revised) 1999			
	41.4.4 Number of days for submission of priced documents:			
	7 working days			
	Notwithstanding the provisions of Clause 41.4.4, no payments will be certified unless the priced document			
	are agreed with the Quantity surveyors.			
	41.4.5 JBCC N/S Subcontract Agreement are to be included in the documents:			
	No			
	41.4.6 Alternative if contract value is not adjusted using CPAP:			
	Prices and rates shall remain firm and fixed, there shall be no adjustment of the tender amounts			
	41.4.7 Details of changes made to the provision of JBCC standard documentation:			
	Payment will be made 21 days after issue of a payment certificate.			
	The Contractor shall issue a Tax Invoice immediately to enable the Employer to process payment. For accounting purposes, the Employer's VAT number as required by current legislation on the Tax invoice is to be advised			
	SECTION B: PRELIMINARIES			
	·			
	<u>Definition and interpretation (B1)</u>			
137	Definition and interpretation (B1.1 - B1.6.5) Fixed	Item		
138	Value Related	Item		
139	Time Related	Item		
				$oxed{igspace}$
	Carried to Collection		R	
	Section No. 1			Ħ
	Bill No. 1 Preliminaries			
	CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA	UNCIL OFF	ICE	

	Documents (B2)			
140	Checking of documents (B2.1) Fixed	Item		
141	Value Related	Item		
142	Time Related	Item		
143	These bills of quantities contain pages and annexures as indexed on the flyleaf			
	The items in these bills of quantities are to be read and priced in conjunction with and the descriptions regarded as amplified by the Model Preambles for Trades as recommended and published by the Association of South African Quantity Surveyors, 2008 edition, and no claim arising from brevity of description of items fully described in the said Model Preambles for Trades will be entertained			
		Item		
144	Provisional bills of quantities (B2.2) Fixed	N/A		
145	Value Related	Item		
146	Time Related	Item		
147	Availability of construction documentation for contracts based on provisional bills of quantities (B2.3) Fixed	Item		
148	Value Related	Item		
149	Time Related	Item		
150	Interests of agents (B2.4) Fixed	Item		
151	Value Related	Item		
152	Time Related	Item		
153	Priced documents (B2.5) Fixed	Item		
154	Value Related	Item		
155	Time Related	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries		K	
	CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COL FOR COGHSTA	UNCIL OFF	ICE	

156	Tender submission (B2.6) Fixed	Item		
157	Value Related	Item		
158	Time Related	Item		
159	Notwithstanding anything contained in this clause tenders shall be valid for a period of 45 days from the closing date of tenders Fixed	Item		
160	Value Related	Item		
161	Time Related	Item		
	The site (B3)			
162	Defined works area (B3.1) Fixed	Item		
163	Value Related	Item		
164	Time Related	Item		
165	The area of the works to be occupied by the contractor, any restriction on the area and the limit of access or exit will be pointed out to the contractor by the principal agent at the official site briefing meeting.			
		Item		
166	Geotechnical investigation (B3.2)			
	Geotechnical information will be made available to the successful bidder at the site handover meeting Fixed	Item		
167	Value Related	Item		
168	Time Related	Item		
	Carried to Collection		R	
	Section No. 1			
	Bill No. 1 Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO	UNCIL OFF	ICE	
	FOR COGHSTA			

169	Inspection of the site (B3.3)			
	It remains the responsibility of the bidder to visit the project site on his / her own to check and acquaint themselves with the site and its conditions before submitting a tender as no claims will be entertained later.			
		Item		
170	No claims for extras arising from the contractor having failed to comply with this clause will be entertained Fixed	Item		
171	Value Related	Item		
172	Time Related	Item		
173	Existing premises occupied (B3.4) Fixed	Item		
174	Value Related	Item		
175	Time Related	Item		
176	Previous work - dimensional accuracy (B3.5) Fixed	Item		
177	Value Related	Item		
178	Time Related	Item		
179	Previous work - defects (B3.6) Fixed	Item		
180	Value Related	Item		
181	Time Related	Item		
182	Services - known (B3.7) Fixed	Item		
183	Value Related	Item		
184	Time Related	Item		
185	Services - unknown (B3.8) Fixed	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COLFOR COGHSTA	JNCIL OFF		

186	Value Related	Item			
187	Time Related	Item			
188	Protection of trees etc (B3.9) Fixed	Item			
189	Value Related	Item			
190	Time Related	Item			
191	Articles of value (B3.10) Fixed	Item			
192	Value Related	Item			
193	Time Related	Item			
194	Inspection of adjoining properties etc (B3.11) Fixed	Item			
195	Value Related	Item			
196	Time Related	Item			
	Management of contract (B4)				
197	Management of the works (B4.1) Fixed	Item			
198	Value Related	Item			
199	Time Related	Item			
200	Progress meetings (B4.3) Fixed	Item			
201	Value Related	Item			
202	Time Related	Item			
203	Technical meetings (B4.4) Fixed	Item			
204	Value Related	Item			
205	Time Related	Item			
	Samples and shop drawings and manufacturer's instructions (B5)				
206	Samples of materials (B5.1) Fixed	Item			
					\vdash
	Carried to Collection		R		$ \downarrow $
	Section No. 1 Bill No. 1				
	Preliminaries	INOU OF	ICE		
	CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COLFOR COGHSTA	JNCIL OFF	ICE		
		l	l	l	1

207	Value Related	Item		
208	Time Related	Item		
209	Workmanship samples (B5.2) Fixed	Item		
210	Value Related	Item		
211	Time Related	Item		
212	Shop drawings (B5.3) Fixed	Item		
213	Value Related	Item		
214	Time Related	Item		
	Temporary works and plant (B6)			
215	Deposits and fees (B6.1) Fixed	Item		
216	Value Related	Item		
217	Time Related	Item		
218	Enclosure of the works (B6.2) Fixed	Item		
219	Value Related	Item		
220	Time Related	Item		
221	Advertising (B6.3) Fixed			
		Item		
222	Value Related	Item		
223	Time Related	Item		
224	Plant, equipment, sheds and offices (B6.4) Fixed	Item		
225	Value Related	Item		
226	Time Related	Item		
227	Main notice board (B6.5) Fixed	Item		
				<u></u>
	Carried to Collection		R	
	Section No. 1 Bill No. 1			
	Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO	UNCIL OFFICE		
	FOR COGHSTA			
		1		İ

228	Value Related	Item		
229	Time Related	Item		
230	Subcontractors notice board (B6.6) Fixed	Item		
231	Value Related	Item		
232	Time Related	Item		
	Temporary services (B7)			
233	Location (B7.1) Fixed	Item		
234	Value Related	Item		
235	Time Related	Item		
236	Water (B7.2) Fixed	Item		
237	Value Related	Item		
238	Time Related	Item		
239	Electricity (B7.3) Fixed	Item		
240	Value Related	Item		
241	Time Related	Item		
242	Telecommunication equipment (B7.4) Fixed	Item		
243	Value Related	Item		
244	Time Related	Item		
245	Ablution facilities (B7.5) Fixed	Item		
246	Value Related	Item		
247	Time Related	Item		
	Prime cost amounts (B8)			
248	Responsibility for prime cost amounts (B8.1) Fixed	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1			
	Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO	JNCIL OFF	ICE	
	FOR COGHSTA			

249	Value Related	Item			
250	Time Related	Item			
	Attendance on N/S Subcontractors (B9)				
251	General attendance (B9.1) Fixed	Item			
252	Value Related	Item			
253	Time Related	Item			
254	Special attendance (B9.2) Fixed	Item			
255	Value Related	Item			
256	Time Related	Item			
257	Commissioning - Fuel, water and power (B9.3) Fixed	Item			
258	Value Related	Item			
259	Time Related	Item			
	Financial aspects (B10)				
260	Statutory taxes, duties and levies (B10.1) Fixed	Item			
261	Value Related	Item			
262	Time Related	Item			
263	Provision for Value Added Tax (VAT) is made in the Final Summary. Fixed				
		Item			
264	Value Related	Item			
265	Time Related	Item			
266	Payment of preliminaries (B10.2) Fixed	Item			
267	Value Related	Item			
268	Time Related	Item			
					_
	Carried to Collection		R		
	Section No. 1 Bill No. 1				
	Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COL	JNCIL OFFIC	E		
	FOR COGHSTA				
				1	

269	Adjustment of preliminaries (B10.3) Fixed	Item		
270	Value Related	Item		
271	Time Related	Item		
272	Payment certificate cash flow (B10.4) Fixed	Item		
273	Value Related	Item		
274	Time Related	Item		
275	Contractor information supply (B10.5) Fixed	Item		
276	Value Related	Item		
277	Time Related	Item		
	General (B11)			
278	Protection of works (B11.1) Fixed	Item		
279	Value Related	Item		
280	Time Related	Item		
281	Protection/isolation of existing/sectionally occupied works (B11.2) Fixed	Item		
282	Value Related	Item		
283	Time Related	Item		
284	Site security (B11.3) Fixed	Item		
285	Value Related	Item		
286	Time Related	Item		
287	Notice before covering work (B11.4) Fixed	Item		
288	Value Related	Item		
289	Time Related	Item		
	Carried to Collection Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COLFOR COGHSTA	JNCIL OFFIC	R CE	_
	Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO	JNCIL OFFIC	CE	

290	Disturbance (B11.5) Fixed	Item		
291	Value Related	Item		
292	Time Related	Item		
293	Works cleaning and clearing (B11.6) Fixed	Item		
294	Value Related	Item		
295	Time Related	Item		
296	Vermin (B11.7) Fixed	Item		
297	Value Related	Item		
298	Time Related	Item		
299	Overhand work (B11.8) Fixed			
		Item		
300	Value Related	Item		
301	Time Related	Item		
	Schedule of variables (B12)			
302	Pre-tender information (B12.1) Fixed	Item		
303	Value Related	Item		
304	Time Related	Item		
	Information necessary for elections and completion of those clauses contained in the schedule which are necessary for tender purposes is given hereunder. Where no information is given it shall mean that either no details or specific requirements are available or that the clause is not relevant to this specific contract			
	Carried to Collection Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COLFOR COGHSTA	JNCIL OFF	R ICE	

12.1.1 Provisional bills of quantities (B2.2) The quantities are provisional: Yes	
12.1.2 Availability of construction documentation (B2.3) Construction documentation is complete Yes	
12.1.3 Interest of agents (B2.4) N/A	
12.1.4 Defined works area (B3.1)	
See site information	
12.1.5 Geotechnical investigation (B3.2)	
To obtain from the Project Geotechnical Specialist	
Geotechnical information will be made available to the successful bidder at the site handover meeting	
12.1.6 Existing premises occupied (B3.4)	
12.1.7 Services - known (B3.7)	
Existing services and points of connection will be pointed out to the successful contractor by the principal agent	
12.1.8 Protection of trees (B3.9)	
12.1.9 Inspection of adjoining properties (B3.11)	
12.1.10 Enclosure of the works (B6.2)	
Carried to Collection R	_
Section No. 1	_
Bill No. 1 Preliminaries	
CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COUNCIL OFFICE FOR COGHSTA	

12.1.11 Offices (B6.4.3) The contractor shall provide, maintain and remove on completion of the work an office minimum size 4 x 6 x 3m high internally, suitably insulated and ventilated, provided with electric lighting and fitted with boarded floor, desk, chair, and lockup drawer for drawings. The office shall be kept clean and fit for use at all times				
12.1.12 Main notice board (B6.5) The contractor shall provide, erect where directed, maintain and remove on completion of the works a notice board size 3 x 3m, all constructed of suitable boarding with flat smooth surface and with edging bead 19mm thick all round outer edges and projecting 12mm from face of boarding and rounded on front edge. The board shall be securely fixed to hoarding, where hoarding is provided, or fixed to and including a suitable supporting structure of timber or tubular posts and braces. The board is to be painted ivory white and the bead and and 12mm wide dividing lines, deep blue. All wording shall be inscribed in deep blue painted "sans serif" lettering				
12.1.13 Subcontractors notice board (B6.6) A notice board is required				
No No				
12.1.14 Water (B7.2)				
Contractor to provide				
12.1.15 Electricity (B7.3)				
Contractor to provide				
12.1.16 Telecommunications (B7.4)				
Contractor to provide				
12.1.17 Ablution facilities (B7.5)				
Contractor to provide				
12.1.18 Special attendance (B9.2)				
Carried to Collection		R		
Section No. 1 Bill No. 1				
Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA	UNCIL OFF	ICE		
	1		1	

	12.1.19 Protection of the works (B11.1)			
	12.1.20 Protection of existing/sectionally occupied works			
	(B11.2) Protection is required			
	Yes			
	12.1.21 Disturbance (B11.5)			
	The contractor's attention is drawn to the fact that certain portions of the Works will be constructed in the vicinity of built up areas, The contractor shall exercise all necessary precautions to ensure the safety and convenience of the public.			
305	Post tender information (B12.2) Fixed			
		Item		
306	Value Related	Item		
307	Time Related	Item		
	12.2.1 Payment of preliminaries			
	Alternative selected: (B)			
	12.2.2 Adjustment of preliminaries			
	Alternative selected: (A)			
	12.2.3 Additional agreed preliminaries item N/A			
	SECTION C: SPECIFIC PRELIMINARIES			
308	PROPRIETARY BRANDED PRODUCTS			
	The contractor shall take delivery of, handle, store, use apply and/or fix all proprietary branded products in strict accordance with the manufacturers' instruction after consultation with the manufacturer's authorized representative Fixed			
		Item		
	Comicel to Collection			
	Carried to Collection Section No. 1		R	
	Bill No. 1 Preliminaries			
	CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO	UNCIL OFF	ICE	
	FOR COGHSTA			

309	Value Related	Item			
310	Time Related	Item			
311	OVERTIME				
	Should overtime be required to be worked for any reason whatsoever, the costs of such overtime are to be borne by the contractor unless the principal agent has specifically authorized in writing, prior to the execution thereof, that costs for such overtime are to be borne by the employer. Fixed				
		Item			
312	Value Related	Item			
313	Time Related	Item			
314	AS BUILT DRAWINGS				
	The position of construction breaks and the extent of individual concrete pours are to be recorded by the contractor on the structural engineer's drawings and are to be submitted to the principal agent and the structural engineer for their records. Fixed				
		Item			
315	Value Related	Item			
316	Time Related	Item			
317	SITE INSTRUCTIONS				
	Site instructions issued on site are to be recorded in triplicate in a site instruction book which is to be maintained on site by the contractor Fixed				
		Item			
318	Value Related	Item			
319	Time Related	Item			
	Carried to Collection Section No. 1		R		\vdash
	Bill No. 1 Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COLFOR COGHSTA	JNCIL OFFIC	E		
		ı I	l	l	1

320	LABOUR RECORD				
	At the end of each week the contractor shall provide the principal agent with a written record, in schedule form, reflecting the number and description of tradesmen and labourers employed by him and all subcontractors on the works each day. Fixed	Item			
321	Value Related	Item			
322	Time Related	Item			
323	PLANT RECORD				
	At the end of each week the contractor shall provide the principal agent with a written record, in schedule form, reflecting the number, type and capacity of all plant, excluding hand tools, currently used on the works. Fixed	Item			
324	Value Related	Item			
325	Time Related	Item			
326	NON CESSION OF MONIES				
	The contractor shall not cede nor assign his rights or claims to any monies due or to become due under this contract Fixed	Item			
327	Value Related	Item			
328	Time Related	Item			
329	BLACK ECONOMIC EMPOWERMENT				
	The contractor shall study and acquaint himself with the guidelines of the Black Economic Empowerment Act, and demonstrate his compliance with the requirements of the Act. Fixed	Item			
330	Value Related	Item			
331	Time Related	Item			
	Section No. 1		R		
	Bill No. 1 Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA	UNCIL OFF	ICE		
					ı

332	LOCAL LABOUR			
	The contractor shall make use of local labour. It is desirable by the Employer that all unskilled labour be recruited from the local areas of the vicinity of the Works. The contractor will demonstrate his effort to fulfill compliance with this requirement Fixed	Item		
333	Value Related	Item		
334	Time Related	Item		
335	LABOUR DESK			
	The contractor shall establish a labour desk on site with a dedicated office of maximum 9m2 with and including a desk, 2 chairs and electricity. From the labour desk, the contractor will appoint a dedicated community liaison officer. The community liaison officer will be employed by and will report to the contractor, who will in turn forward such reports to the Principal Agent. Fixed	Item		
336	Value Related	Item		
337	Time Related	Item		
338	SITE ACCOMMODATION STORAGE			
	Provide an office facilities for Principal Agent Representative (to include desk, 2chairs and Electricity per office) Provide meeting Facility to accommodate 12 chairs Provide Ablution facilities for the above Fixed	Item		
339	Value Related	Item		
340	Time Related	Item		
341	HEALTH AND SAFETY ACT (Act 85 of 1993)			
	Compliance with the Occupational Health and Safety Act (Act 85 of 1993) and all relevant and applicable regulations, especially the Construction Health & Safety Act (Act 85 of 1993) (as amended) for the duration of the contract Fixed	Item		
342	Value Related	Item		
	Carried to Collection Section No. 1		R	
	Bill No. 1			
	Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COL FOR COGHSTA	JNCIL OFFIC	E	

343	Time Related	Item	
344	Provisions of OH&S Plan prior to commencement of works as well as a full consolidated copy of such plan at the completion of construction work inclusive of a record of all drawings, designs, copies of statutory appointments, material used and other similar information concerning completed contract	ltem	
345	Implementation of approved OHS Plan for duration of contract, including daily/weekly inspections, monthly meetings, required audits, consolidated health and safety file, etc	Item	
346	Registration with Compensation Fund or approved /licensed compensation insurer	Item	
347	Full time competent employee of the Contractor as safety construction supervisor and assistant safety construction supervisors for duration of contract	Item	
348	Health and safety training and induction requirements of all persons entering the site	Item	
349	HIV AND AIDS POLICY		
	Observation of all legislation, policies and by-laws regulating the "AIDS" endemic and "HIV" prevention, treatment and observation	Item	
	Provision of Training Allowance in terms of EPWP prescipts		
350	Training allowance paid to targeted labour in terms of formal training days PDT		
351	Extra over for the administration payment of training allowances to targeted labour (25% of training allowance)	Item	10 000.00
352	Transport and accommodation of workers for training where it is not possible to undertake the training in close proximity to the site (Provisional Sum)	Item	1 000.00
	Carried to Collection Section No. 1 Bill No. 1	R	
	Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO FOR COGHSTA	UNCIL OFFICE	

Section No. 1				
Bill No. 1				
Preliminaries				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	1			
	2			
	3			
	4			
	5			
	6			
	7			
	8			
	9			
	10			
	11			
	12			
	13			
	14			
	15			
	16			
	17			
	18			
	19		 	
	20			
Carried Forward Section No. 1		R		
Bill No. 1 Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COLFOR COGHSTA	JNCIL OFF	ICE		

Section No. 1				
Bill No. 1				
Preliminaries				
COLLECTION				
	Page		Amount	
Brought Forward	No	R		
Total Brought Forward from Page No.	21			
	22			
	23			
	24			
	25			
	26			·
	27			
	28			
	29			
	30			
Carried to Final Summary		R		
Section No. 1 Bill No. 1				
Preliminaries CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO	INCII OFF	ICE		
FOR COGHSTA	DINGIL OFF			

Item No		Quantity	Rate	Amount
	SECTION No. 2BILL No. 1			
	EARTHWORKS (PROVISIONAL)			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			
	EXCAVATION, FILLING, ETC OTHER THAN BULK			
	SITE CLEARANCE			
	Site Clearance, etc			
1	Digging up and removing rubbish, debris and trees n.e 200mm girth, bush,etc m2	2 638		
	Excavation in earth not exceeding 2m deep			
2	Trenches m3	254		
3	Holes m3	6		
	Extra over bulk excavation in earth for excavation in			
4	Soft rock m3	25		
5	Hard rock m3	27		
	Extra over all excavations for carting away			
6	Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor m3	116		
	Risk of collapse of excavations			
7	Sides of excavations not exceeding 1,5m deep m2	757		
	Keeping excavations free of water			
8	Keeping excavations free of water	Item		
	Carried to Collection Section No. 2 Bill No. 1 Earthworks (Provisional) CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFOR COGHSTA	OUNCIL OFF	R ICE	

	Earth filling obtained from the excavations and/or prescribed stock piles on site compacted to 93% Mod AASHTO density					
9	As backfilling to foundations	m3	127			
10	Under floors, steps, pavings, etc	m3	117			
	Earth filling supplied by the contractor compacted to 93% Mod AASHTO density					
11	Under floors, steps, pavings, etc	m3	167			
	Compaction of surfaces					
12	Compaction of ground surface under floors etc including scarifying for a depth of 100mm, breaking down oversize material, adding suitable material where necessary and compacting to 93% Mod AASHTO	2	050			
	density	m2	650			
	Prescribed density tests on filling					
13	"Modified AASHTO Density" test	No	16			
	PROTECTION AGAINST TERMITES					
	Soil insecticide					
14	Poisoning surface of ground in bottoms of trenches, bases, etc	m2	1 014			
15	Poisoning surface of ground or filling under floors, steps, etc. including raking out 75mm deep V-shaped channels against the walls, etc., treated with poison solution, backfilling and ramming	m2	650			
	BUDGETARY ALLOWANCES					
16	Provide the sum of R 350 000-00 (Three hundred and Fifty thousand Rand) for unforeseen foundation conditions- Main Building and Gatehouse		Item		350 000.00)
	Carried to Collection Section No. 2 Bill No. 1 Earthworks (Provisional) CONSTRUCTION OF NEW TAU NKADIMENG TRADITION FOR COGHSTA		JNCIL OFF	R ICE		_

Section No. 2				
Bill No. 1				
Earthworks (Provisional)				
COLLECTION				
Total Brought Forward from Page No.	Page No 33 34		Amount	
Carried Femulard to Summary of Section No. 2		R		
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 1 Earthworks (Provisional) CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA	UNCIL OFF			

Item No			Quantity	Rate	Amount	
	SECTION No. 2BILL No. 2					
	CONCRETE, FORMWORK AND REINFORCEMENT					
	PREAMBLES					
	For Preambles see "Model Preambles For Trades"					
	UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES					
	15Mpa/19mm Concrete					
1	Surface blinding under footings and bases	m3	13			
2	Apron r	m3	19			
	REINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES					
	30 MPa/19mm Concrete					
3	Strip footings	m3	58			
4	Base	m3	3			
	REINFORCED CONCRETE					
	30 MPa/19mm Concrete					
5	Slab	n3	1			
6	Surface beds	m3	60			
7	Columns	m3	6			
	25 MPa/19mm Concrete					
8	Ring beam	m3	8			
						_
	Carried to Collection			R		
	Section No. 2 Bill No. 2					=
	Concrete, Formwork & Reinforcement CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL OF FOR COGHSTA	cou	JNCIL OFF	ICE		

	TEST BLOCKS				
9	Making and testing a set of three 150 x 150 x 150mm concrete strength test cube (Provisional)	No	24		
	Finishing top surfaces of concrete smooth with a wood float				
10	Surface beds, slabs, etc	m2	822		
	SMOOTH FORMWORK (DEGREE OF ACCURACY II)				
	Smooth formwork to sides				
11	Edges, risers, ends and reveals not exceeding 300mm high or wide	m	346		
12	Edges, risers, ends and reveals, exceeding 300mm high or wide	m	14		
13	Columns propped up exceeding 1,50m and not exceeding 3,50m high	m2	44		
	Smooth formwork to soffits				
14	Slabs propped up exceeding 1,50m and not exceeding 3,50m high	m2	11		
	REINFORCEMENT				
	Mild steel reinforcement to structural concrete work				
15	Steel bar reinforcement of various diameters (100kg/m3)	t	8.24		
	Fabric reinforcement				
16	Ref 395 mesh steel reinforcement in foundation, etc	m2	1		
17	Ref 395 mesh steel reinforcement in surface beds, etc	m2	651		
	Carried to Collection			R	
	Section No. 2 Bill No. 2 Concrete, Formwork & Reinforcement CONSTRUCTION OF NEW TAU NKADIMENG TRADITION FOR COGHSTA	NAL COUN	CIL OFFICE		

Section No. 2				Ī
Bill No. 2				
Concrete, Formwork & Reinforcement				
COLLECTION				
Total Brought Forward from Page No.	Page No 36 37		Amount	
Carried Forward to Summary of Section No. 2 Section No. 2		R		
Bill No. 2 Concrete, Formwork & Reinforcement CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA	UNCIL OFF	ICE		

Item No			Quantity	Rate	Amount	
140	SECTION No. 2BILL No. 3					
	MASONRY					
	PREAMBLES					
	For Preambles see "Model Preambles For Trades"					
	SUPPLEMENTARY PREAMBLES					
	BRICKWORK					
	Sizes in descriptions					
	Where sizes in descriptions are given in brick units, "one brick" shall represent the length and "half brick" the width of a brick					
	Face bricks					
	Bricks shall be ordered timeously to obtain uniformity in size and colour					
	<u>Pointing</u>					
	Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc					
	<u>FOUNDATIONS</u>					
	Brickwork of NFXE bricks (14 MPa nominal compressive strength) in class I mortar in loadbearing walls etc					
1	Brick piers	m3	1			
2	Half brick wall	m2	105			
3			322			
3	One brick walls	m2	322			
	Comical to Collection					_
	Carried to Collection Section No. 2			R		=
	Bill No. 3 Masonry CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL	L COI	JNCIL OFF	ICE		
	FOR COGHSTA					

١	Brickwork reinforcement	1	1		1
			045		
4	75mm Wide reinforcement built in horizontally	m	615		
5	150mm Wide reinforcement built in horizontally	m	1 876		
	SUPERSTRUCTURE				
	Brickwork of NFXE bricks (14 MPa nominal compressive strength) in class I mortar in loadbearing walls etc				
6	Brick piers	m3	3		
7	Half brick walls	m2	208		
8	Half brick wall in beamfilling	m2	41		
9	One brick walls	m2	706		
	BRICKWORK SUNDRIES				
	Galvanised hoop iron cramps, ties, etc				
10	30 x 1,6mm Roof tie 1,5m long with one end fixed to timber and other end built into brickwork	No	172		
	Brickwork reinforcement				
11	75mm Wide reinforcement	m	906		
12	150mm Wide reinforcement	m	2 035		
	Prestressed precast concrete fabricated lintels				
13	110 x 75mm Lintels in lengths exceeding 3m	m	90		
	Turning pieces to lintels etc				
14	110mm Wide turning pieces	m	143		
		""	143		
	FIBRE-CEMENT WINDOW SILLS				
					_
	Carried to Collection	on		R	
	Section No. 2 Bill No. 3				
	Masonry CONSTRUCTION OF NEW TAU NKADIMENG TRADIT	IONAL COL	INCIL OFFIC	E	
	FOR COGHSTA			_	

	Natural grey sills in single lengths bedded in class II mortar including metal fixing lugs etc				
15	15 x 150mm Wide sills set flat and slightly projecting	m	66		
	Joint forming material in movement joints				
16	12mm Fibre board built in vertically between concrete surface and brick skins	m2	16		
	FACE BRICKWORK				
	External facings in approved face bricks (FBS) with a PC Amount of R 5 500.00 per thousand bricks delivered to site (excluding VAT) pointed with square recessed horizontal and vertical joints				
17	Extra over brickwork for face brickwork in foundation	m2	154		
18	Extra over brickwork for external face brickwork	m2	378		
19	Extra over brickwork for brick-on-edge header course lintels one course high, pointed on face and 110mm soffit	m	67		
	Brick-on-edge header course copings, sills, etc of Approved face bricks (FBS) with a PC Amount of R 3 500.00 per thousand bricks delivered to site (excluding VAT) pointed with polished recessed joints on all exposed faces				
20	180mm Wide sill sloping and slightly projecting	m	66		
	Carried to Collection			R	
	Section No. 2 Bill No. 3 Masonry CONSTRUCTION OF NEW TAU NKADIMENG TRADITION FOR COGHSTA	IAL COL	JNCIL OFF	ICE	

Section No. 2				
Bill No. 3				
Masonry				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	39			
	40			
	41			
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 3				
Masonry CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO	UNCIL OFF	ICE		
FOR COGHSTA				

Item No			Quantity	Rate	Amount
	SECTION No. 2 BILL No. 4				
	WATERPROOFING				
	PREAMBLES				
	For Preambles see "Model Preambles For Trades"				
	SUPPLEMENTARY PREAMBLES				
	Waterproofing				
	Waterproofing of roofs, basements, etc shall be laid under a ten year guarantee. Waterproofing to roofs shall be laid to even falls to outlets etc with necessary ridges, hips and valleys. Descriptions of sheet or membrane waterproofing shall be deemed to include additional labour to turn-ups and turn-downs				
	Waterproofing to roofs shall be laid to even falls to outlets etc with necessary ridges, hips and valleys. Descriptions of sheet or membrane waterproofing shall be deemed to include additional labour to turn - ups and turn - downs				
	DAMP-PROOFING OF WALLS AND FLOORS				
	One layer of 375 micron "Consol Plastics Brikgrip DPC" embossed damp proof course				
1	In walls	m2	75		
2	In walls under cills	m2	29		
	One layer of 250 micron "Consol plastics Gunplas black" waterproof sheeting sealed at laps " Gunplas pressure sensitive tape"				
3	Under surface beds	m2	650		
	WATERPROOFING TO ROOFS, BASEMENTS, ETC				
	Carried to Collection			R	
	Section No. 2 Bill No. 4 Waterproofing CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONA FOR COGHSTA	IL COI	JNCIL OFF	ICE	

	4mm "Derbigum SP" waterproofing				
4	To upstands, etc	m2	11		
	JOINT SEALANTS ETC				
	Two-part grey polysulphide sealing compound including backing cord, bond breaker, primer, etc				
5	10 x 15mm In expansion joints in floors including raking out expansion joint filler as necessary	m	28		
]
	Carried to Collection	on		R	<u></u>
	Section No. 2 Bill No. 4 Waterproofing CONSTRUCTION OF NEW TAU NKADIMENG TRADIT	FIONAL COL	JNCIL OFF	ICE	
	FOR COGHSTA]

Section No. 2				
Bill No. 4				
Waterproofing				
COLLECTION				
Total Brought Forward from Page No.	Page No 43 44		Amount	
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 4 Waterproofing CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO FOR COGHSTA	UNCIL OFF	ICE		

Item No		Quantity	Rate	Amount
	SECTION No. 2BILL No. 5			
	ROOF COVERING			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			
	PROFILED METAL SHEETING AND ACCESSORIES			
	0,6mm "Brownbuilt Kliplock" steel sheet in single lengths fixed to steel rails and 900mm centres embossed galvanised sheet steel accessories			
1	Roof covering with 25 degrees pitch m2	816		
2	Ridge_capping 550mm girth m	83		
3	Valley cappings 550mm girth m	21		
4	Hip capping 550mm girth m	27		
	SHEET METAL FLASHINGS, LININGS, COPINGS, ETC			
	0,6mm Galvanised sheet iron			
5	Flashings m2	1		
	ROOF AND WALL INSULATION			
	"Sisalation 410" housing grade glass fibre reinforced aluminium foil bonded insulation			
6	Insulation laid taut over purlins (at approximately 1,20mm centres) and fixed concurrent with roof covering including galvanised steel straining wires m2	803		
	Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 5 Roof Coverings CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFOR COGHSTA	UNCIL OFF	R I CE	

Item No		Quantity	Rate	Amount
	SECTION No. 2BILL No. 6			
	CARPENTRY AND JOINERY			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			
	ROOFS ETC			
	Roof guarantee			
1	Allow for certificate under the control of a registered structural Engineer in accordance with SABS 0160 AND 0163		SUM	
	Plate nailed timber roof truss construction			
	The following is applicable in respect of roof trusses:			
	Trusses are at maximum 760mm centres Roof covering is Double Roman Concrete Tiles on 38 x 38mm battens on Ceilings are 4mm Fibre Cement board ceiling The references given in the descriptions are to the respective types of trusses detailed on the architect's drawings numbered annexed to these bills of quantities/accompanying these bills of quantities for tender purposes The dimensions in the descriptions of the trusses are nominal and actual measurements are to be obtained from the architect and/or the site before design or fabrication commences			
	ROOFS, ETC			
	Carried to Collection Section No. 2 Bill No. 6		R	
	Carpentry CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COL FOR COGHSTA	JNCIL OFF	ICE	

	Sawn softwood				
2	Roof construction to double pitched roof with three hipped ends and one valley, 14.04 x 6.96m overall on plan x 1251mm high overall, including trusses, jack rafters, permanent bracing and 50 x 76mm purlins at 1000mm centres for roof covering (wall plates elsewhere)				
		No	2		
3	Roof construction to double pitched roof one valley ends, 14.15 x 10.19m overall on plan x 1846mm high overall, including trusses, jack rafters, permanent bracing and 50 x 76mm purlins at 1000mm centres for roof covering (wall plates elsewhere)	No	1		
4	Poof construction to double pitched roof with one valley				
4	Roof construction to double pitched roof with one valley ends, 13.92 x 10.19m overall on plan x 1846mm high overall, including trusses, jack rafters, permanent bracing and 50 x 76mm purlins at 1000mm centres for roof covering (wall plates elsewhere)				
	ice. severing (wan places sleeming)	No	1		
5	Roof construction to double pitched roof with gable ends, 9.97 x 6.96m overall on plan x 1251mm high overall, including trusses, jack rafters, permanent bracing and 50 x 76mm purlins at 1000mm centres for roof covering (wall plates elsewhere)	No	1		
	Wrought laminated Saligna				
			l l	ll l	II
	D D. W. and a second of Co				
6	Purpose made pergola 50 x 150mm Boltedto steel beams and steel columns beams, etc	m	4		
6		m	4		
7	beams and steel columns beams, etc	m m	235		
	beams and steel columns beams, etc FACIAS, BARGE BOARDS, ETC: 12 x 225 mm Fibre cement barge board drilled and brass screwed and including steel jointing strips				
	beams and steel columns beams, etc FACIAS, BARGE BOARDS, ETC: 12 x 225 mm Fibre cement barge board drilled and brass screwed and including steel jointing strips between lengths.				
7	FACIAS, BARGE BOARDS, ETC: 12 x 225 mm Fibre cement barge board drilled and brass screwed and including steel jointing strips between lengths. SKIRTINGSWrought Meranti 19 x 76mm Skirting nailed to walls with heads of nails punched and filled including 19mm quadrant bead planted on at junction with floor	m	235	R	
7	beams and steel columns beams, etc FACIAS, BARGE BOARDS, ETC: 12 x 225 mm Fibre cement barge board drilled and brass screwed and including steel jointing strips between lengths. SKIRTINGSWrought Meranti 19 x 76mm Skirting nailed to walls with heads of nails punched and filled including 19mm quadrant bead planted on at junction with floor Carried to Collection Section No. 2	m	235	R =	
7	beams and steel columns beams, etc FACIAS, BARGE BOARDS, ETC: 12 x 225 mm Fibre cement barge board drilled and brass screwed and including steel jointing strips between lengths. SKIRTINGSWrought Meranti 19 x 76mm Skirting nailed to walls with heads of nails punched and filled including 19mm quadrant bead planted on at junction with floor Carried to Collection Section No. 2 Bill No. 6	m	235	R	
7	beams and steel columns beams, etc FACIAS, BARGE BOARDS, ETC: 12 x 225 mm Fibre cement barge board drilled and brass screwed and including steel jointing strips between lengths. SKIRTINGSWrought Meranti 19 x 76mm Skirting nailed to walls with heads of nails punched and filled including 19mm quadrant bead planted on at junction with floor Carried to Collection Section No. 2	m m	235	R _	

000.00

Section No. 2				
Bill No. 6				
Carpentry				
COLLECTION				
Total Brought Forward from Page No.	Page No 47 48 49		Amount	
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 6 Carpentry CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA	UNCIL OFF	R I CE		

Item No		Quantity	Rate	Amount
NO	SECTION No. 2BILL No. 7			
	CEILINGS, PARTITIONS AND ACCESS FLOORING			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			
	SUPPLEMENTARY PREAMBLES			
	Descriptions:			
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete			
	Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 600mm centres, and where described as "bolted" the bolts have been given elsewhere			
	CEILINGS ETC			
	NAILED UP CEILINGS			
	12,5mm "Rhino" gypsum plasterboard with taped and skimmed joints finished with one coat rhinolite plaster			
1	Ceilings including 38 x 38mm sawn softwood brandering at 350mm centres m2	447		
2	Extra over ceiling for opening of 650 x 650mm trap door complete with trimmers, frame,etc No	11		
	<u>Cornices</u>			
3	50 mm Fibre cement coved cornice planted on including mitres, etc.	456		
	SUSPENDED CEILINGS			
	Carried to Collection Section No. 2 Bill No. 7 Ceilings, partitions and Access Flooring CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFOR COGHSTA	UNCIL OFF	R F ICE	

	Pre-painted 600 x 1200 x 17mm "Armstrong Fine Fissured 95% RH" or equally approved acoustic panels on aluminium pre-painted exposed tee suspension system including main and cross tees, necessary hangers, grids, etc				
4	Ceilings suspended not exceeding 1m below steel trusses	m2	205		
	Cornices to suspended ceilings				
5	25 x 25mm Angle profile cornice	m	103		
	Aerolite insulation				
6	50mm Thick insulation laid on ceiling boards	m2	650		
	Carried to Collection			R	
	Section No. 2 Bill No. 7				
	Ceilings, partitions and Access Flooring CONSTRUCTION OF NEW TAU NKADIMENG TRADITION FOR COGHSTA	ONAL COL	JNCIL OFF	ICE	
					١

Section No. 2				
Bill No. 7				
Ceilings, partitions and Access Flooring				
COLLECTION				
Total Brought Forward from Page No.	Page No 51 52		Amount	,
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 7 Ceilings, partitions and Access Flooring CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA	UNCIL OFF			

item No		Quantity	Rate	Amount	
	SECTION No. 2 BILL No. 8				
	FLOOR COVERINGS, WALL LININGS, ETC.				
	PREAMBLES				
	For Preambles see "Model Preambles For Trades"				
	All materials shall be in colours to be selected by the Representative/Agent and, where applicable, laid to approved patterns				
	FLOOR COVERINGS				
	500 x 500mm "Nexus Berber Point" or equally approved carpet tiles				
1	On floors m2	1			
	Carried Forward to Summary of Section No. 2		R		
	Section No. 2 Bill No. 8 Floor Coverings, Wall Linings, etc. CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COLFOR COGHSTA	JNCIL OFF	ICE		

	Quantity	Rate	Amount
IRONMONGERY			
SECTION No. 2 BILL No. 9			
PREAMBLES			
For Preambles see "Model Preambles For Trades"			
SUPPLEMENTARY PREAMBLES			
Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. Items, materials or methods of similar quality may be used with prior approval from the architect			
Finishes to ironmongery			
Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following listBS Satin bronze lacqueredCH Chromium platedSC Satin chromium platedSE Silver enamelledGE Grey enamelledAS Anodised silverAB Anodised bronzeAG Anodised goldABL Anodised blackPB Polished brassPL Polished and lacqueredPT Epoxy coatedSD Sanded			
<u>Fixing</u>			
Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs in brickwork or concrete			
<u>References</u>			
References in brackets at the end of descriptions refer to the Architect's shedules			
LOCKS			
Carried to Collection		R	
Section No. 2 Bill No. 9			
Ironmongery CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFOR COGHSTA	OUNCIL OFF	ICE	

	<u>"Union"</u>				
1	Three lever double cylinder lockset code 2222 or similar with Gower Handel code CZ682-05 SC complete with striking plate fixed to metal	No	36		
2	Four-lever lockset with striking plate fixed to metal	No	7		
3	DMWS-SS-008 or similar Bathroom /WC small case deadlock	No	8		
	LETTERS, NAMEPLATES, ETC				
4	DSS4 'Wheelchair' or similar pictogram on 76mm diameter stainless steel plate	No	2		
5	DSS2 'Female' or similar pictogram on 76mm diameter stainless steel plate	No	2		
6	DSS1 'Male' or similar pictogram on 76mm diameter stainless steel plate	No	3		
	SUNDRIES				
	"Dorma " or similar approved				
7	AL87722AS Hat and coat hook with rubber tip	No	10		
8	Approved Aluminium door stop with rubber insert	No	50		
9	Overhead surface mounted type door closer with aluminium casing	No	8		
	"Kimberley Clark" or similar approved				
10	Approved soap dispenser, top-up system with 800ml capacity fixed against wall in positions as shown on detail layouts and details, all as per manufacturers spec	No	8		
11	Approved stainless steel 3m toilet paper dispenser fixed against wall as per manufacturers specifications	No	8		
12	425792 'Kim dry' 650mm towel dispenser rail fixed against wall as per manufacturers spec	No	8		
	Carried to Collection Section No. 2			R	
	Bill No. 9				
	Ironmongery CONSTRUCTION OF NEW TAU NKADIMENG TRADITION FOR COGHSTA	NAL COUN	ICIL OFFICE		

Section No. 2				
Bill No. 9				
Ironmongery				
COLLECTION				
Total Brought Forward from Page No.	Page No 55		Amount	
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 9 Ironmongery CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA	JNCIL OFF	R I CE		

Item No		Quantity	Rate	Amount	
	SECTION No. 2 BILL No. 10				
	STRUCTURAL STEELWORK				
	PREAMBLES				
	For Preambles see "Model Preambles For Trades"				
	SUPPLEMENTARY PREAMBLES				
	<u>Descriptions</u>				
	Descriptions of bolts shall be deemed to include nuts and washers				
	Descriptions of L-shaped and U-shaped anchor bolts shall be deemed to include bending, threading, nuts and washers and embedding in concrete				
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete				
	Descriptions of L-shaped and U-shaped anchor bolts shall be deemed to include bending, threading, nuts and washers and embedding in concrete. Where anchor bolts are described as embedded in sides or soffits of concrete it shall be deemed to include holes through formwork.				
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete.				
	GLAVANISED STEEL COLUMNS AND BEAMS				
	Welded columns in single length, with flat section base, top, bearer and connection plates bolted to reinforced concrete at bottom and parallel flanged channel top				
1	100mm x 3mm x 4.53kg/m circular hollow section column t	0.53			
	Carried to Collection Section No. 2 Bill No. 10 Structural Steel work CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA		R		

2	150 x 150 x 10mm Base plates including 4 no . holes to suite m16 bolts. bolts included	No	4		
3	150 x 150 x 10mm Top connector plates including 2 no . holes to suite m16 bolts. botls included	No	4		
					_
	Carried to Collection Section No. 2			R	-
	Bill No. 10 Structural Steel work			ICE	
	CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL FOR COGHSTA	COUN	CIL OFF	ICE	

Section No. 2				
Bill No. 10				
Structural Steel work				
COLLECTION				
Total Brought Forward from Page No.	Page No 58 59		Amount	
				—
Carried Forward to Summary of Section No. 2 Section No. 2		R		
Bill No. 10 Structural Steel work CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA	UNCIL OFF	ICE		

Item No		Quantity	Rate	Amount	
l	SECTION No. 2BILL No. 11				
	<u>METALWORK</u>				
	PREAMBLES				
	For Preambles see "Model Preambles For Trades"				
	SUPPLEMENTARY PREAMBLES				
	<u>Descriptions</u>				
	Descriptions of bolts shall be deemed to include nuts and washers				
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete				
	Metalwork described as "bolted" shall be deemed to exclude the bolts unless otherwise described				
	Hot-dipped double spelter galvanised mild steel grab rails formed of 32mm outside diameter x 1,6mm round section rails and 75mm diameter x 3mm flat section fixing flanges each three times holed and bolted to walls with M8 x 50mm expansion bolts				
1	32mm Grab rail 700mm long with two 80mm return ends bolted No	4			
	PRESSED STEEL GATES				
	The following in framed and welded mild steel security gates and fixing in position complete				
2	2100 x 900mm Steel gate comprising of 75 x 50 x 2mm square tubing outer frame and 20 x 20mm square tubing verticals at 120mm centres	6			
	Carried to Collection		R		_
	Section No. 2 Bill No. 11				=
	Metalwork CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA	UNCIL OFF	ICE		

	PRESSED STEEL DOOR FRAMES				
	NOTE				
	The rates for door frames shall include for welding of all hinge pins at completion				
	1,2mm thick Double rebated mild steel door frames suitable for half brick walls. Frame complete with one pair standard butt hinges and factory applied primer				
3	Frame for door 813 x 2032mm high	No	7		
4	Frame for door 813 x 2032mm high and fixed fanlight 305mm high	No	10		
	1,2mm thick Double rebated mild steel door frames suitable for one brick walls. Frame complete with one pair standard butt hinges and factory applied primer				
5	Frame for door 813 x 2 032mm high	No	9		
6	Frame for door 813 x 2032mm high and fixed fanlight 305mm high				
		No	2		
7	Frame for door 914 x 2 032mm high	No	2		
8	Frame for door 1 511 x 2 032mm high	No	1		
	STEEL RECORDROOM AND STRONGROOM DOORS, VENTILATORS, ETC "Mutual" strongroom doors etc suitable for 230mm				
9	walls fixed to brickwork or concrete"Mutual DS3 CAT2" strongroom door and frame 775 x				
J	1875mm high overall with a mass of 380kg	No	2		
	STEEL WINDOWS, DOORS, ETC				
	Carried to Collection			R	
	Section No. 2 Bill No. 11				+
	Metalwork CONSTRUCTION OF NEW TAU NKADIMENG TRADITIO FOR COGHSTA	NAL COU	NCIL OFFIC	E	

	Standard residential windows with 10mm square burglar bars to fixed lights and opening sashes				
10	Window type NE1, 533 x 654mm high	No	9		
11	Window type NCT1S, 533 X 949mm high	No	3		
12	Window type ND2, 1022 x 1245mm high	No	20		
13	Window type ND4, 1511 x 1245mm high	No	8		
14	Window type NE8, 1022 x 654mm high	No	6		
15	Window type NG2, 1022 x 359mm high	No	6		
	ALUMINIUM SLIDING DOORS				
	Natural anodised sliding doors as per "AAMSA specification" system, complete with subframes, ironmongery, glass, sealing, etc and fixing to brickwork or concrete				
16	Standard door type OXXO 147 (4221), 4100 x 2095mm high (W8)	No	1		
	ALUMINUIM SHOPFRONTS				
	Natural anodized shopfronts as per AAMSA spec complete with subframes, ironmongery, glass, sealing, etc and fixing to brickwork or concrete				
17	Purpose made shopfront, 6780 x 2510mm high with one double door 1800 x 2510mm high with two corner and side fixture of 2580 x 2510mm each (W7)	No	1		
	Carried to Collection	1		R	
	Section No. 2 Bill No. 11 Metalwork				
	CONSTRUCTION OF NEW TAU NKADIMENG TRADITION OF COGHSTA	ONAL COUN	ICIL OFFICE		

Section No. 2				
Bill No. 11				
Metalwork				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	61			
	62			
	63			
Operiod Forward to Operation No. 0				
Carried Forward to Summary of Section No. 2 Section No. 2		R		
Bill No. 11 Metalwork				
CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO FOR COGHSTA	UNCIL OFF	ICE		

Item No			Quantity	Rate	Amount
1	SECTION No. 2BILL No. 12				
	PLASTERING				
	PREAMBLES				
	For Preambles see "Model Preambles For Trades"				
	SCREEDS				
	Screeds on concrete				
1	25mm Thick on floors	m2	650		
	INTERNAL PLASTER				
	Cement plaster on brickwork				
2	On vertical surfaces	m2	1 488		
3	On narrow widths	m2	21		
	EXTERNAL PLASTER				
	Cement plaster on brickwork				
4	On walls	m2	26		
5	On narrow width	m2	1		
	CORNER PROTECTORS, DIVIDING STRIPS, ETC				
6	30 X 3mm Flat section brass dividing strip between different floor finishes	m	11		
	Carried Forward to Summary of Section No. 2			R	
	Section No. 2 Bill No. 12				
	Plastering CONSTRUCTION OF NEW TAU NKADIMENG TRADITION FOR COGHSTA	NAL CO	JNCIL OFF	ICE	

Item No		Quantity	Rate	Amount
	SECTION No. 2BILL No. 13			
	TILING			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			
	SUPPLEMENTARY PREAMBLES			
	Unless described as "fixed with adhesive to plaster (plaster elsewhere)" descriptions of tiling on brick or concrete walls columns, etc shall be deemed to include 1:4 cement plaster backing and descriptions of tiling on concrete floors etc shall be deemed to include 1:3 plaster bedding			
	WALL TILING			
	198 x 198 x 6mm White glazed ceramic wall tiles fixed with an approved tile adhesive to plaster (elsewhere measured) and jointed with waterproofing coloured jointing compound			
1	On vertical surfaces m.	149		
	FLOOR TILING			
	Approved 600 x 600mm bodied Porcelain floor tiles (PC Amount of R300 excluding VAT) fixed on 25mm screed (elsewhere measured) flush pointed with tinted waterproof jointing compound and approved adhesive			
2	On floors and landings m.	637		
3	Skirting 75mm high (of cut tiles)	n 358		
	Carried Forward to Summary of Section No. 2 Section No. 2		R	
	Bill No. 13 Tiling			
	CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA	OUNCIL OFF	ICE	

Item No		Quantity	Rate	Amount
	SECTION No. 2BILL No. 14			
	PLUMBING AND DRAINAGE (PROVISIONAL)			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			
	RAINWATER DISPOSAL			
	0.6mm Galvanised sheet steel gutters and rainwater pipes with powder coated finish on outside.			
1	100 x 75mm Rainwater pipes	n 159		
2	Extra over gutter for stopped end	o 2	2	
3	Extra over gutter for angle	0 2	2	
4	Extra over gutter for outlet for 75 x 75mm pipe N	o 13	3	
5	100 x 75mm diameter gutter, etc	n 36	8	
6	Extra over rainwater pipe for bend	o 26	8	
7	Extra over rainwater pipe for eaves or plinth offset N	o 13	3	
8	Extra over rainwater pipes for shoe	o 13	3	
	STORMWATER CHANNEL			
	Rectangular cast in situ concrete surface water channels			
9	100mm Thick shallow equal 'V' shaped rectangular 20MPa concrete drainage channel 1m wide overall including all earthworks, formwork and ref 193 mesh reinforcement cast in panels not exceeding 3m long, backfilling etc and finishing tops and sides smooth with woodfloat	n 1		
	Carried to Collection Section No. 2 Bill No. 14 Plumbing and Drainage (Provisional) CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CFOR COGHSTA	OUNCIL OF	R F ICE	

10	Extra over for angles, intersections, ends, dressing into sides of catchpits, etc No.	1		
	SANITARY FITTINGS			
	Approved Water Tanks, etc			
11	5000 litre Plastic Water tank for rain harvesting including installation	3		
	'Vaal' or equally approved			
12	635 x 485mm "Lotus" White vitreous china basin (code 7026) with three semi-punched tap holes and 301 slotted waste with plug and chain, with intergrated overflow mounted using universal half pedestal and hanger mechanism (code 715221)	12		
	'Vaal' or equally approved			
13	"Concorde" White vitreous china close coupled WC suite comprising 90 degrees outlet closed rim washdown pan (product code 7727700) and matching 9 litre top dual flush cistern (product code 7104DT) complete with lid, fitments and purpose made wooden seat (Code 852720)	6		
14	"Protea" Paraplegic white vitreous china floor mounted paraplegic WC pan (product code 750200) comprising 90 degrees outlet pan (product code 750200) and matching 9 litre cistern (product code 710631) including lid, fitment and purpose made chrome plated side flush lever			
	No	2		
	'Vaal' or equally approved			
15	Approved flat back wall mounted bowl urinal fixed with matching brackets, one C.P. flush valve complete with flush pipes as required and one approved C.P. plated bottle trap No	2		
	Carried to Collection		R	
	Section No. 2 Bill No. 14 Plumbing and Drainage (Provisional) CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFOR COGHSTA	UNCIL OFF	ICE	

	'Franke' sink or equally approved				
16	Approved 535 x 455mm Type 304 Stainless steel drip sink with 100mm splash back, grid, etc on 25 x 25mm brackets all as supplied by manufacturers installed 500 mm F.F.L, one 20mm C.P hose bib cock 1000mm F.F.L, one 40mm diameter C.P outlet an one 40mm diameter C.P bottle trap	No	1		
17	Single bowl 900mm x 500mm Type 304 stainless steel inlay type fixed onto kitchen unit, one approved C.P mixer, one 40mm diameter C.P outlet and one one approved 40mm diameter C.P. bottle trap	No	1		
	WASTE UNIONS				
	Cobra Watertech				
18	40mm 316 CP sink waste union	No	3		
	TRAPS ETC				
	Traps, etc. including joints to steel pipes and/or fittings unless otherwise described				
19	40mm Deep seal "P" or "S" trap	No	15		
	Chromium plated				
20	Flexible connectors, etc.	No	24		
	TAPS, VALVES, ETC				
	Valves, etc. including joints to steel pipes and/or fittings unless otherwise described				
21	15mm Chromium plated full way ballcock shut-off control valve with screw type control	No	3		
22	15mm Brass stopcock	No	28		
	Cobra Watertech or equally approved				
23	15mm Chromium sink mixer (Code 266/04/10)	No	1		
24	Selene 953, pillartap	No	22		
	Carried to Collection			R	
	Section No. 2 Bill No. 14 Plumbing and Drainage (Provisional) CONSTRUCTION OF NEW TAU NKADIMENG TRADITIO FOR COGHSTA	NAL CO	JNCIL OFF		

	WATER SUPPLIES				
	Class 1 copper pipes with capillary couplings				
25	15mm Pipe fixed in and including chase in walls	m	184		
26	22mm Pipe fixed in and including chase in walls	m	61		
	Extra over copper pipes for capillary fittings				
27	15mm Fittings	No	60		
28	22mm Fittings	No	22		
	SUBSOIL DRAINAGE				
	uPVC pipes				
29	50mm Pipes fixed to walls, etc.	m	52		
30	110mm Pipes fixed to walls, etc.	m	19		
31	110mm Pipes laid in and including trenches not exceeding 1m deep	m	181		
	Extra over uPVC pipes for fittings				
32	50mm Bend	No	22		
33	50mm Access bend	No	6		
34	110mm Bend	No	25		
35	110mm Tee junction	No	11		
36	110 x 50 mm Reducing junction	No	6		
	THE FOLLOWING IN SEPTIC TANK AND FRENCH DRAIN				
	Earthworks for Septic tank and Conservative drain				
37	Excavation in earth excavation n.e 2m	m3	1		
	Carried to Collection			R	
	Section No. 2 Bill No. 14 Plumbing and Drainage (Provisional) CONSTRUCTION OF NEW TAU NKADIMENG TRADITION FOR COGHSTA	IAL COI	JNCIL OFF	ICE	

38	Excavation in earth excavation 2m and not exceeding 4m deep	m3	1			
	Earth filling of clean drain rock					
39	As backfilling for drain pipe	m3	1			
	Earth filling obtained from the excavations and/or prescribed stock piles on site compacted to 90% Mod AASHTO density					
40	As backfilling to drain pipe	m3	1			
	Concrete, Formwork and Reinforcement for Septic tank					
41	20Mpa Reinforced Concrete in bottoms	m3	1			
42	25Mpa Reinforced Concrete in slab	m3	1			
43	Type 193 fabric reinforcement in concrete bottoms	m2	1			
44	Type 617 fabric reinforcement in concrete bottoms	m2	1			
	Masonry for Septic tank					
45	Half Brick wall	m2	1			
46	One Brick wall	m2	1			
	Plastering for Septic tank					
47	13mm thick Cement plaster on brick walls	m2	1			
48	610 x 610 x 97kg Type 2B Mild steel Manhole cover and frame	No	1			
	<u>Sundries</u>					
49	110 diameter drain	m	1			
50	Double layer of Geofabric	m2	1			
	FIRE SERVICES					
	Carried to Collection			R		
	Section No. 2 Bill No. 14 Plumbing and Drainage (Provisional) CONSTRUCTION OF NEW TAU NKADIMENG TRADITION FOR COGHSTA	NAL COL	JNCIL OFF	ICE		
				i	İ	i

	Fire appliances including piping, etc			
51	4,5kg DCP dry powder portable fire extinguisher on and including wrought Meranti backboard size 520 x 100 x 22mm thick plugged and screwed to wall and finished with two coats of polyurethane varnish, including 120 x 20 x 2mm mild steel strip bent to form hook	lo 7		
52	Fire hose reel complete with 30m rubber hose, chromium plated stopcock, shut-off nozzle and wall bracket bolted to wall with and including expansion bolts	0 2		
	ELECTRIC WATER HEATERS			
53	100 Litre horizontal wall mounted electric water heater	lo 1		
	TESTING			
54	Testing soil drainage system	Item		
55	Testing waste pipe system	Item		
56	Testing water pipe system	Item		
	BUDGETARY ALLOWANCES			
57	Water to supply fire appliances	Item		
58	Provide the sum of R 16 500.00 (Sixteen Thousand five hundred Rand) for the construction of a 3 x Plinths for the Water Tanks (elsewhere measured)			
		Item		16 500.00
59	Provide the sum of R 80 000.00 (Eighty Thousand Rand) for the construction of a Septic Tank and French Drain	Item		80 000.00
	Carried to Collection		R	
	Section No. 2 Bill No. 14 Plumbing and Drainage (Provisional) CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL OF FOR COGHSTA	OUNCIL OFF	ICE	

Section No. 2				
Bill No. 14				
Plumbing and Drainage (Provisional)				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	67			
	68			
	69			
	70			
	71			
	72			
Carried Forward to Summary of Section No. 2 Section No. 2		R		
Bill No. 14 Plumbing and Drainage (Provisional)				
CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COLFOR COGHSTA	UNCIL OFF	ICE		

Item No		Quantity	Rate	Amount
	SECTION No. 2BILL No. 15			
	GLAZING			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			
	GLAZING TO STEEL WITH PUTTY			
	6mm Clear float glass			
1	Panes exceeding 0,1m² and not exceeding 0,5m² m2	3		
2	Panes exceeding 0,5m² and not exceeding 2m² m2	41		
	6mm obscure glass			
3	Panes exceeding 0,1m² and not exceeding 0,5m² m2	6		
	MIRRORS, SHELVES, ETC			
	6 mm Silvered float glass copper backed mirrors			
4	600 x 450 x 6mm Thick SABS Approved mirror with building paper at back fixed against wall with four C.P. capped mirror screens in position as shown on detail layout	12		
	Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 15 Glazing		R	
	CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO FOR COGHSTA	UNGIL OFF		

Item No		Quantity	Rate	Amount
	SECTION No. 2BILL No. 16			
	<u>PAINTWORK</u>			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			
	ON FLOATED PLASTER			
	Prepare, stop and apply one coat alkali resistant primer, one coat universal undercoat and two full coats eggshell enamel paint			
1	On internal plastered walls m2	1 508		
2	On external plastered walls m2	27		
	ON PLASTER BOARD			
	One coat primer and two coats interior quality PVA emulsion paint			
3	On ceilings and cornices m2	650		
	ON FIBRE CEMENT			
	One coat primer and two coats exterior quality PVA emulsion paint			
4	On fascias and barge boards m2	107		
	ON METAL			
	One primer, one undercoat and two coats alkyd enamel paint on steel			
5	On grille gates and screens (both sides measured on flat) m2	21		
	Carried to Collection		R	
	Section No. 2 Bill No. 16			
	Paintwork CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO	UNCIL OFF	ICE	
	FOR COGHSTA			

•	One coat undercoat and two coats polyurethane enamel. Sandpaper lightly between coats. Colour to be determined on site				
6	On windows with burglar bars	m2	98		
7	On door frames	m2	38		
	ON WOOD				
	One coat wood primer, one undercoat and two coats alkyd enamel paint				
8	On doors	m2	83		
	Three coats polyurethane suede varnish				
9	On skirtings, rails, etc. not exceeding 300mm girth	m	2		
10	On doors	m2	24		
	Carried to Collection			R	
	Section No. 2 Bill No. 16				
	Paintwork CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL	COL	JNCIL OFF	ICE	
	FOR COGHSTA				

Section No. 2				
Bill No. 16				
Paintwork				
COLLECTION				
Total Brought Forward from Page No.	Page No 75 76		Amount	
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 16 Paintwork CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA	UNCIL OFF	R ICE		

	SECTION SUMMARY - BUILDING WORK			
Bill No		Page No		Amount
1	Earthworks (Provisional)	35		
2	Concrete, Formwork & Reinforcement	38		
3	Masonry	42		
4	Waterproofing	45		
5	Roof Coverings	46		
6	Carpentry	50		
7	Ceilings, partitions and Access Flooring	53		
8	Floor Coverings, Wall Linings, etc.	54		
9	Ironmongery	57		
10	Structural Steel work	60		
11	Metalwork	64		
12	Plastering	65		
13	Tiling	66		
14	Plumbing and Drainage (Provisional)	73		
15	Glazing	74		
16	Paintwork	77		
	Carried to Final Summary		R	
	Section No. 2			
	CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA	UNCIL OFF	ICE	

ltem No		Quantity	Rate	Amount
	SECTION No. 3 BILL No. 1			
	PLATFORMS			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			
	Open face excavation over sloping site			
1				
	Open face excavation to form platform under parking areas etc and depositing excavated material over site including haulage not exceeding 1km from perimeter of			
	excavations m3	956		
	Extra over all excavations for carting away			
2	Surplus material from stock piles on site to a dumping site to be located by the contractor	717		
	Compaction of surfaces			
3	Compaction of ground surface areas etc. by wetting and compacting with vibratory roller m2	1 593		
	Carried to Collection Section No. 3		R	
	Bill No. 1 Platforms CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA	JNCIL OFF	ICE	

	Keeping excavations free of water				
4	Keeping excavations free of all water other than subterranean water		ltem		
5	Earth filling supplied by the contractor overplatform base etc				
	Over site of G6 material in accordance with SABS 1200 DM compacted to 95% Mod AASHTO density in 150mm layers	m3	956		
	Prescribed density tests on filling				
6	In-situ dry density (sand replacement) test in accordance with method A10 (a) of TMH 1	No	120		
		Carried to Collection		R	
	Section No. 3 Bill No. 1 Platforms CONSTRUCTION OF NEW TAU N FOR COGHSTA	IKADIMENG TRADITIONAL CO	UNCIL OFF	ICE	

Section No. 3			
Bill No. 1			
Platforms			
COLLECTION			
Total Brought Forward from Page No.	Page No 79 80		Amount
Carried Forward to Summary of Section No. 3 Section No. 3 Bill No. 1 Platforms CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFFOR COGHSTA	UNCIL OFF	R P ICE	

Item No		Quantity	Rate	Amount
	SECTION No. 3BILL No. 2			
	ROADS AND PARKING			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			
	EXCAVATION, FILLING, ETC OTHER THAN BULK			
	<u>Excavation</u>			
1	Open face excavation in earth to reduce levels m3	602		
2	Extra over all excavations for carting away surplus material from excavations and/or from stockpiles on site to a dumping site to be located by the Contractor m3	301		
3	Extra over open face excavations in earth for excavations in soft rock m3	60		
4	Extra over open face excavations in earth for excavations in hard rock m3	30		
5	Allow for keeping all excavations entirely free from water and mud	Item		
	Filling, etc.			
6	Earth filling from the excavations to make up levels around buildings compacted to 90% modified AASHTO density	301		
7	Imported natural gravel material (minimum G5/6 material to TRH14) supplied by the Contractor and brought onto site from commercial sources in filling under paving, etc compacted in layers not exceeding 150mm thick to 90% modified AASHTO density	622		
8	Base layer of imported natural gravel material (minimum G1 material to TRH14) supplied by the Contractor and brought onto site from commercial sources and compacted to 100% modified AASHTO density m3	151		
	Carried to Collection		R	
	Section No. 3 Bill No. 2			
	Roads and Parking CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFOR COGHSTA	UNCIL OFF	ICE	

including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compact to 93% modified AASHTO density modified AASHTO modesity modified AASHTO modesity modes where the state of 50 grams per square metre, spread and levelled to receive paving blocks (elsewhere) mp. 1 004 Tests Tests to determine the degree of compaction, etc. of ground or filling No 20 PRECAST CONCRETE Somm Interlocking concrete paving blocks in accordance with SABS Specification 1056 and laid to falls on sand layer (elsewhere) with joints filled in with sand and vibrated, including all straight cutting mp. 1 500 Mountable kerbing to SABS 927 Fig. 3 in 1m lengths with 10mm wide but joints filled in with (1:3) cement/sand mortar and pointed with grooved half round joints and 10mm wide open but joints at 3m centres including 15MPa/19mm mass concrete bedding size 30mm thick x 400mm wide and 20MPa/19mm mass concrete hunching size 112.5mm high x 85mm thick at joints and backfilling at back of kerbs, topsolied and levelled to adjacent surfaces m 180 ROAD MARKINGS Prepare and apply one coat white reflective road marking paint on precast concrete paving blocks, etc 14 100mm Wide line m 60 BUDGETARY ALLOWANCES Provide the sum of R 220 000-00 (Two hundred and Twenty thousand Rand) for Storm water Drainage Item	R	<u></u>
down oversize material, adding suitable material where necessary and compact to 93% modified AASHTO density m2 1 004 10 50mm Thick clean, dry, riversand layer treated with an approved weed killer at the rate of 50 grams per square metre, spread and levelled to receive paving blocks (elsewhere) m2 1 004 Tests 11 Tests to determine the degree of compaction, etc. of ground or filling No 20 PRECAST CONCRETE 12 85mm Interlocking concrete paving blocks in accordance with SABS Specification 1058 and laid to falls on sand layer (elsewhere) with joints filled in with sand and vibrated, including all straight cutting m2 1 500 13 Mountable kerbing to SABS 927 Fig. 3 in 1m lengths with 10mm wide butt joints filled in with (1:3) cement/sand mortar and pointed with grooved half round joints and 10mm wide open butt joints at 3m centres including 15MPa/19mm mass concrete bedding size 30mm thick x 400mm wide and 20MPa/19mm mass concrete hunching size 112.5mm high x 85mm thick at joints and backfilling at back of kerbs, topsoiled and levelled to adjacent surfaces m 180 ROAD MARKINGS Prepare and apply one coat white reflective road marking paint on precast concrete paving blocks, etc 14 100mm Wide line m 60 15 60mm Letter-STOP No 8	220 000).00
down oversize material, adding suitable material where necessary and compact to 93% modified AASHTO density m2 1 004 10 50mm Thick clean, dry, riversand layer treated with an approved weed killer at the rate of 50 grams per square metre, spread and levelled to receive paving blocks (elsewhere) m2 1 004 Tests 11 Tests to determine the degree of compaction, etc. of ground or filling No 20 PRECAST CONCRETE 12 85mm Interlocking concrete paving blocks in accordance with SABS Specification 1058 and laid to falls on sand layer (elsewhere) with joints filled in with sand and vibrated, including all straight cutting m2 1 500 13 Mountable kerbing to SABS 927 Fig. 3 in 1m lengths with 10mm wide butt joints filled in with (1:3) cement/sand mortar and pointed with grooved half round joints and 10mm wide open butt joints at 3m centres including 15MPa/19mm mass concrete bedding size 30mm thick x 400mm wide and 20MPa/19mm mass concrete hunching size 112.5mm long x 112.5mm ligh x 85mm thick at joints and backfilling at back of kerbs, topsoiled and levelled to adjacent surfaces m 180 ROAD MARKINGS Prepare and apply one coat white reflective road marking paint on precast concrete paving blocks, etc 14 100mm Wide line m 60		
down oversize material, adding suitable material where necessary and compact to 93% modified AASHTO density m2 1 004 10 50mm Thick clean, dry, riversand layer treated with an approved weed killer at the rate of 50 grams per square metre, spread and levelled to receive paving blocks (elsewhere) m2 1 004 Tests 11 Tests to determine the degree of compaction, etc. of ground or filling No 20 PRECAST CONCRETE 12 85mm Interlocking concrete paving blocks in accordance with SABS Specification 1058 and laid to falls on sand layer (elsewhere) with joints filled in with sand and vibrated, including all straight cutting m2 1 500 13 Mountable kerbing to SABS 927 Fig. 3 in 1m lengths with 10mm wide butt joints filled in with (1:3) cement/sand mortar and pointed with grooved half round joints and 10mm wide open butt joints at 3m centres including 15MPa/19mm mass concrete bedding size 30mm thick x 400mm wide and 20MPa/19mm mss concrete benching size 112.5mm long x 112.5mm high x 85mm thick at joints and backfilling at back of kerbs, topsoiled and levelled to adjacent surfaces m 180 ROAD MARKINGS Prepare and apply one coat white reflective road marking paint on precast concrete paving blocks, etc		
down oversize material, adding suitable material where necessary and compact to 93% modified AASHTO density m2 1 004 10 50mm Thick clean, dry, riversand layer treated with an approved weed killer at the rate of 50 grams per square metre, spread and levelled to receive paving blocks (elsewhere) m2 1 004 Tests 11 Tests to determine the degree of compaction, etc. of ground or filling No 20 PRECAST CONCRETE 12 85mm Interlocking concrete paving blocks in accordance with SABS Specification 1058 and laid to falls on sand layer (elsewhere) with joints filled in with sand and vibrated, including all straight cutting m2 1 500 13 Mountable kerbing to SABS 927 Fig. 3 in 1m lengths with 10mm wide butt joints filled in with (1:3) cement/sand mortar and pointed with grooved half round joints and 10mm wide open butt joints at 3m centres including 15MPa/19mm mass concrete bedding size 30mm thick x 400mm wide and 20MPa/19mm mass concrete betong size 112.5mm long x 112.5mm high x 85mm thick at joints and backfilling at back of kerbs, topsoiled and levelled to adjacent surfaces m 180		
down oversize material, adding suitable material where necessary and compact to 93% modified AASHTO density m2 1 004 50mm Thick clean, dry, riversand layer treated with an approved weed killer at the rate of 50 grams per square metre, spread and levelled to receive paving blocks (elsewhere) m2 1 004 Tests Tests to determine the degree of compaction, etc. of ground or filling No 20 PRECAST CONCRETE 85mm Interlocking concrete paving blocks in accordance with SABS Specification 1058 and laid to falls on sand layer (elsewhere) with joints filled in with sand and vibrated, including all straight cutting m2 1 500 Mountable kerbing to SABS 927 Fig. 3 in 1m lengths with 10mm wide butt joints filled in with (1:3) cement/sand mortar and pointed with grooved half round joints and 10mm wide open butt joints at 3m centres including 15MPa/19mm mass concrete bedding size 30mm thick x 400mm wide and 20MPa/19mm mass concrete hunching size 112.5mm long x 112.5mm		
down oversize material, adding suitable material where necessary and compact to 93% modified AASHTO density m2 1 004 10 50mm Thick clean, dry, riversand layer treated with an approved weed killer at the rate of 50 grams per square metre, spread and levelled to receive paving blocks (elsewhere) m2 1 004 Tests 11 Tests to determine the degree of compaction, etc. of ground or filling No 20 PRECAST CONCRETE 12 85mm Interlocking concrete paving blocks in accordance with SABS Specification 1058 and laid to falls on sand layer (elsewhere) with joints filled in with		
down oversize material, adding suitable material where necessary and compact to 93% modified AASHTO density m2 1 004 10 50mm Thick clean, dry, riversand layer treated with an approved weed killer at the rate of 50 grams per square metre, spread and levelled to receive paving blocks (elsewhere) m2 1 004 Tests 11 Tests to determine the degree of compaction, etc. of		
down oversize material, adding suitable material where necessary and compact to 93% modified AASHTO density m2 1 004 50mm Thick clean, dry, riversand layer treated with an approved weed killer at the rate of 50 grams per square metre, spread and levelled to receive paving blocks (elsewhere) m2 1 004		
down oversize material, adding suitable material where necessary and compact to 93% modified AASHTO m2 1 004		
9 Compaction of ground surface under pavings, etc.		

Section No. 3				
Bill No. 2				
Roads and Parking				
COLLECTION				
Total Brought Forward from Page No.	Page No 82 83		Amount	
Carried Forward to Summary of Section No. 3 Section No. 3 Bill No. 2 Roads and Parking CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO FOR COGHSTA	UNCIL OFF	R FICE		

Item No		Quantity	Rate	Amount
	SECTION No. 3BILL No. 3			
	FENCING AND GATES			
	PREAMBLES			
	For Preambles see "Model of Preambles For Trades"			
	Reinforced Pre cast concrete palisade fence, finished smooth on exposed surfaces, including site clearance and preparation of ground.			
1	Palisade fence 3.0m high above ground level over flat terrain with 80mm tapering to 220mm x 3m long intermediate and end posts at centres cast into concrete bases, 145 x 80mm x 2m long top and bottom horizontal rails at intersections, including stopping off bolt holes with cement holes m	400		
	<u>Gates</u>			
2	Galvanised mild steel sliding gate size 5,500mm wide x 3,000mm high overall comprising 2mm thick x 76mm wide x 50mm hollow section frame and running on 50 x 50 x 2mm thick angle section track embedded into and including 400mm wide x 600mm deep 25Mpa concrete ground beam and excavations for the same, filling, carting away of excess excavated material,etc No	1		
3	Galvanised mild steel Pedestrian gate size 1,200 mm wide x 3,000mm high overall comprising 2mm thick x 76mm wide x 50mm hollow section frame and running on 50 x 50 x 2mm thick angle section track embedded into and including 400mm wide x 600mm deep 25Mpa concrete ground beam and excavations for the same, filling, carting away of excess excavated material,etc	1		
	Carried Forward to Summary of Section No. 3		R	
	Carried Forward to Summary of Section No. 3 Section No. 3 Bill No. 3 Fencing and gates CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFOR COGHSTA	UNCIL OFF		

Item No		Quantity	Rate	Amount
	Excavation in earth not exceeding 2m deep			
1	Trenches m3	92		
2	Cut to spoil m3	92		
	Extra over trench and hole excavations in earth for excavation in			
3	Soft rock m3	10		
	Extra over all excavations for carting away			
4	Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor	92		
5	Compaction of ground surface under floors etc including scarifying for a depth of 100mm, breaking down oversize material, adding suitable material where necessary and compacting to 93% Mod AASHTO density	34		
6	Soil poisoning to sides and bottom of excavations m2	214		
	Carried to Collection Section No. 3 Bill No. 4 Retaining walls(Provisional) CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COFOR COGHSTA	UNCIL OFF	R ICE	

	Earth filling supplied by the contractor over platform bases etc							
7	Over site of G6 material in accordance with SABS 1200 DM compacted to 95% Mod AASHTO density in 150mm layers		m3	9	112			
	Risk of collapse of excavations							
8	Sides of trench and hole excavation not exceeding 1,5m deep	s	m2	2	96			
	Keeping excavations free of water							
9	Keep excavations free from water			Ite	em			
	<u>Tests</u>							
10	Modified AASHTO Density test compacting to 93% Mod AASHTO density		No		6			
	<u>Filtration</u>							
11	Geofabric class A5		m2	2	245			
		Carried to Collection				F	r	
	Section No. 3 Bill No. 4 Retaining walls(Provisional) CONSTRUCTION OF NEW TAU NOTED TO COGHSTA		. coi	JNCIL C	OFFIC			

1			1	Ì	1
	15MPa/19mm mass concrete				
12	Blinding	 m3	11		
	25MPa/19mm reinforced concrete				
13	Strip footings and base	 m3	72		
14	Retaining wall	m3	103		
	Test blocks				
15	Making and testing a set of three 15 x 150 x 150mm concrete strength te cube		18		
	Smooth formwork to sides				
16	Edges, risers, ends and reveals not exceeding 300mm high or wide	m	122		
17	Sides of retaining wall	 m2	568		
	High tensile steel reinforcement to structural concrete work				
18	10mm Diameter bars	t	0.08		
		Carried to Collection		R	
	Section No. 3 Bill No. 4 Retaining walls(Provisional) CONSTRUCTION OF NEW TAU NK FOR COGHSTA	ADIMENG TRADITIONAL CO	UNCIL OFF	ICE	

19	40mm Diamatan ham	1		
	12mm Diameter bars t	5.86		
20	16mm diameter t	1.66		
21	20mm diameter t	3.15		
22	25mm diameter t	3.15		
	Carried to Collection		R	
	Section No. 3 Bill No. 4			
	Retaining walls(Provisional) CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO	INCII OFF	ICE	
	FOR COGHSTA	DINGIL OFF	IGE	

Section No. 3				
Bill No. 4				
Retaining walls(Provisional)				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	86			
	87			
	88			
	89			
Carried Forward to Summary of Section No. 3		R		
Section No. 3 Bill No. 4 Retaining wells (Provisional)				
Retaining walls(Provisional) CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO FOR COGHSTA	UNCIL OFF	ICE		
FOR COURSTA				
	1		II	l

	SECTION SUMMARY - EXTERNAL WORKS				
Bill No		Page No		Amount	
1	Platforms	81			
2	Roads and Parking	84			
3	Fencing and gates	85			
4	Retaining walls(Provisional)	90			
			_		
	Carried to Final Summary Section No. 3		R		
	CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL COLFOR COGHSTA	UNCIL OFF	ICE		


Item No		Unit	Quantity	Rate	Amount
	SECTION No. 4 BILL No. 1				
	PROVISIONAL SUMS				
	PREAMBLES				
	For Preambles see "Model Preambles For Trades,2008"				
	ELECTRICAL WORKS				
1	Provide the sum of R 1,850 000.00 (One million eight hundred and fifty thousand Rand) for the supply and installation of Electrical Works and Solar.		Item		1 850 000.00
2	Add for profit upon above, if required.		Item		
3	Add for attendance		Item		
	MECHANICAL WORKS				
4	Provide an amount of R400,000.00(Four hundred thousand Rand) for the installation of Mechanical Works including Fire detectors		Item		400 000.00
5	Add for profit upon above, if required		Item		
6	Add for attendance		Item		
	BORE HOLE				
7	Provide the sum of R 200 000.00 (Two Hundred Thousand rand) for the drilling of a Bore Hole including equipping, supply and installation of a 5000 litre "Jojo" or equally approved Tank and a 6m "Jojo" or equally approved Steel Stand including pipe connection to the building and a pressure pump secured in a suitable steel cage complete.		Item		200 000.00
8	Add for profit upon above, if required.		Item		
9	Add for attendance		Item		
	Carried to Collection Section No. 4 Bill No. 1 Provisional Sums CONSTRUCTION OF NEW TAU NKADIMENG TRADITIO FOR COGHSTA	NAL CO	UNCIL OFF	R ICE	

	GEOHYDROLOGICAL SURVEY		
10	Provide the sum of R50 000.00(Fifty Thousand rand) for Geohydrological survey and the production of borehole reports.	Item	50 000.00
11	Add for profit upon above, if required	Item	
12	Add for attendance	Item	
	JOINERY FITTINGS		
13	Provide the sum of R 150 000-00 (One Hundred and Fifty thousand Rand) for the supply, delivery and installation of Joinery Fittings including Granite tops (Kitchen Unit, Fixed Benches, etc) complete.	Item	150 000.00
14	Add for profit upon above, if required.	Item	
15	Add for attendance	Item	
	SIGNAGE		
16	Provide the sum of R 30 000-00 (Thirty thousand rand) for supply and installation signage complete	Item	30 000.00
17	Add for profit upon above, if required.	Item	
18	Add for attendance	Item	
	OCCUPATIONAL HEALTH AND SAFETY CONSULTANT		
19	Provide the sum of R360 000-00(Three Hundred Sixty Thousand Rand) for Occupational health and safety consultant to be appointed by the Employer	Item	360 000.00
20	Add for profit upon above, if required	Item	
21	Add for attendance	Item	
	SOCIAL FACILITATOR		
22	Provide the sum of R300 000-00(Three Hundred Thousand Rand) for Social Facilitator to be appointed by the Employer	Item	300 000.00
	Carried to Collection Section No. 4 Bill No. 1 Provisional Sums CONSTRUCTION OF NEW TAU NKADIMENG TRADITIO FOR COGHSTA	NAL COUNCIL OFFICE	


23	Add for profit upon above, if required		Item			
24	Add for attendance		Item			
	COMMUNITY LAISON OFFICER					
25	Provide the sum of R 72 000-00 (Seventy two thousand rand) for remuneration		Item		72 00	00.00
26	Add for profit upon above, if required.		Item			
27	Add for attendance		Item			
	PROJECT STEERING COMMITTEE					
28	Provide the sum of R 12 000-00 (Twelve thousand Rand) for remuneration		Item		12 00	00.00
29	Add for profit upon above, if required.		Item			
30	Add for attendance		Item			
						\perp
	Carried to Collection			R		\perp
	Section No. 4 Bill No. 1 Provisional Sums CONSTRUCTION OF NEW TAU NKADIMENG TRADITIO FOR COGHSTA	NAL COI	JNCIL OFF	ICE		

Section No. 4				
Bill No. 1				
Provisional Sums				
COLLECTION				
Total Brought Forward from Page No.	92 93 94		Amount	
Carried to Final Summary		R		
Section No. 4 Bill No. 1 Provisional Sums CONSTRUCTION OF NEW TAU NKADIMENG TRADITION FOR COGHSTA	UNCIL OFF			

	FINAL SUMMARY			
Section No		Page No		Amount
1	PRELIMINARIES	32		
2	BUILDING WORK	78		
3	EXTERNAL WORKS	91		
4	PROVISIONAL SUMS	95		
	Sub-total		R	
	<u>Contingencies</u>			
	Allow an Amount of R 400 000.00 (Four hundred Thousand) for contingencies to be used as directed by the Project Manager and to be deducted in full if not used.	Item		400 000.00
	Sub-total		R	
	<u>Value Added Tax</u> Allow for Value Added Tax (15%)		R	
	CARRIED TO FORM OF TENDER		R	
	CONSTRUCTION OF NEW TAU NKADIMENG TRADITIONAL CO	JNCIL OFF		
	FOR COGHSTA			



PART C3 SCOPE OF WORKS




PART C3.1: SPECIAL NOTES TO BIDDERS


The following special conditions are for compliance and attention to bidders:

- 1.1.LDPWRI reserve the right to call interviews with short-listed bidders before final selection.
- 1.2. LDPWRI reserve the right to conduct supplier due diligence prior to final award or at any time during the contract period. This may include surprise site visits.
- 1.3.LDPWRI reserve the right to appoint the bidder that proves to be fully capable and qualified to handle and execute the job.
- 1.4. The proposals submitted must be in line with the detailed specification.
- 1.5. LDPWRI reserve the right to cancel or withdraw this bid if:
 - i. Due to changed circumstances, there is no longer a need for this services; or
 - ii. Funds are no longer available to cover the total envisaged expenditure; or
 - iii. No acceptable bids are received; or
 - iv. There is a material irregularity in the Bid process.
- 1.6. In the case of sub-contracting or joint venture agreement, LDPWRI will enter into a single contract with the principal bidder.
- 1.7. Bidders who are not registered on Central Supplier Database (CSD) must register before submission of bids.
- 1.8. Any completion of the bid document in pencil or erasable ink will not be acceptable and will automatically disqualify the submitted bid.
- 1.9. Successful bidder will be required to sign and enter into a formal contract upon the award.
- 1.10. Notwithstanding shortcomings and/or inconsistencies, if any, in this specification, which is only a minimum specification, a bidder shall make provision for a complete solution that will deliver the required service efficiently and cost-effectively.
- 1.11. Bid documents must be submitted physically to the closing address as reflected on the Request for Quotations.
- 1.12. Quotations received after the closing date and time will not be accepted for consideration.
- 1.13. This request for bid document contains confidential information about LDPWRI, which has been provided to supply potential bidders with the data necessary to provide a holistic response.
- 1.14. No part of the contents may be used, copied, disclosed or conveyed in whole or in part to any party, in any manner whatsoever without the prior written permission of LDPWRI.
- 1.15. Any reproduction or transmission of information contained in this document except for the sole purpose of responding to this bid is strictly prohibited.


References to LDPWRI must not be made in any literature, promotional material, and brochures or sales presentations without the express written consent of LDPWRI




PART C3.2: OHS SPECIFICATIONS




PART C4 SITE INFORMATION




C4.1 DRAWINGS







SECTION A-A 1:100



SECTION B-B 1:100



SECTION C-C 1:100



SECTION D-D 1:100

FOR CONSTRUCTION

COPYRIGHT

In accordance with the relevant clauses of the Copyright Act (Act 98 of 1978) relating to assignment, all documents prepared by DPWL in connection with the project remain the property and copyright of DPWL, subject to their use by the client for the particular project to which this document relates, and the client shall not be entitled, either directly or indirectly, to make use of the document(s) for any additional or similar works or publish the same except with the prior consent from DPWL.

GENERAL NOTES

1. All general notes apply to all drawings, details, specifications & any supplementary information: all contractual documentation.

- 2. The contractor is responsible for checking all levels & dimensions on site when setting out, prior to commencing construction & cross checking all building dimensions during the construction process. Read only figured dimensions, indicated in millimetres, & do not scale. Any discrepancies are to be reported in writing to DPWL prior to continuation of work.
- 3. The contractor is responsible for the works co-ordination & programming of the works. All consultant & shop drawings are to be cross checked with DPWL drawings. Any discrepancies are to be reported in writing to DPWL prior to continuation of
- 4. The contractor is responsible for reporting any deviation from DPWL drawings & specifications. Written approval is required from edifice design prior to construction & installation
- 5. DPWL accepts no responsibility for errors resulting from the misinterpretation of drawings or specifications. If in doubt, query details.
- 6. The contractor is responsible for: compliance with all applicable SABS 0400 standards, manufacturer's installation instructions, procedures & recommendations & local authority regulations in respect of the full scope of the works. This requirement shall not be deemed to be superseded by the
- provisions of any other contract document. 7. The contractor is responsible for construction procedures & methodology being carried out & implemented in strict
- 8. The contractor is responsible for checking all opening sizes & vertical & horizontal position prior to the construction, manufacture & installation of fitted items. Any discrepancies are to be reported in writing to DPWL prior to continuation of work.
- 9. The contractor is responsible for the provision of guarantees for all materials, installations & systems, to be issued to DPWL at practical completion.

accordance with the latest occupational health & safety act &

- 10. All structural work is to be designed, detailed, specified & supervised by the structural engineer & is to be carried out in strict accordance with this. All structural work is to be built from the engineer's drawings and the stability is to be certified by the structural engineer on completion of the works.
- 11. Drawings are only to be read for the purpose intended. 12. Refer to project data sheet for comprehensive notes &
- specifications.
- DOOR AND WINDOWS: Windows glazing to be in accordance with NBR. Bathroom

and WC windows to be obscure. All Glazing unless specified Clear laminated sound control safety

glass, complying with SANS 1263 Part 1, 2 or 3 with name of the manufacturer permanently marked on each sheet visible after glazing, glazed in accordance with NBR N schedule 1 and SABS

Shading Coefficient = 0,47 to 0,70
Light Transmission Level = 61 to 95

Glass Properties:

Specified: Obscure glazed unit, glazed in accordance with NBR N schedule 1 and SABS 0137.

• Shading Coefficient = 0,58 to 0,75

• Light Transmission Level = 59 to 83

ALL Paving to be laid on well compacted AND consolidated ground to engineer's detail. Soil poisoning shall be provided under paving in accordance to Engineer's specifications.

CONCRETE:

water reticulation to be specified, verified and approved by

PLASTER:


1:5 plaster sealed, 1 undercoat, 2 coats 'wall n all' paint. Colour to be approved.

Internal plaster to be 10 to 15mm thick, cement /sand ratio of

EXPANSION JOINTS:

Expansion(control) joints where deemed necessary by engineer to be formed with a continuous strip of 12mm bitumen impregnated soft-board between 230mm brick walls. To be sealed internally and externally with 10mm deep polysulphide

50mm Alutherm AP polyester fibre blanket laminated to 4mm White bubble layer on one side and reinforced foil facing on other, complying with SANS 1381-1:2007, laid and stapled horizontally on top of timber rafters and brandering before fixing of roof sheeting (elsewhere specified).



DEAPARTMENT



PUBLIC WORKS, ROADS & INFRASTRUCTURE

Limpopo Department of Public Works, Roads and Infrastructure's Strategic Planning and Design Hub. 43 Church Street, Polokwane, 0700 (015) 284 7000/1

PROJECT TITLE


TRIBAL OFFICE FOR THE DEPARTMENT OF TRADITIONAL AFFAIRS


DRAWING TITLE


OFFICE: SECTIONS

T.CELE 1:100 **DRAWN** SCALE CHECKED T.CELE SIZE PROJECT NO. STAGE DRAWING NO. REV.

A1 LDPWRI B/17020 C LDPWRI B/170?? _100 0







Section D-D 1:50

GENERAL NOTES

 All general notes apply to all drawings, details, specifications & any supplementary information: all contractual documentation.

- 2. The contractor is responsible for checking all levels & dimensions on site when setting out, prior to commencing construction & cross checking all building dimensions during the construction process. Read only figured dimensions, indicated in millimetres, & do not scale. Any discrepancies are to be reported in writing to DPWL prior to continuation of work.
- The contractor is responsible for the works co-ordination & programming of the works. All consultant & shop drawings are to be cross checked with DPWL drawings. Any discrepancies are to be reported in writing to DPWL prior to continuation of work.
- The contractor is responsible for reporting any deviation from DPWL drawings & specifications. Written approval is required from edifice design prior to construction & installation commencing.
- DPWL accepts no responsibility for errors resulting from the misinterpretation of drawings or specifications. If in doubt, query details.
- 6. The contractor is responsible for: compliance with all applicable SABS 0400 standards, manufacturer's installation instructions, procedures & recommendations & local authority regulations in respect of the full scope of the works. This requirement shall not be deemed to be superseded by the provisions of any other contract document.
- The contractor is responsible for construction procedures & methodology being carried out & implemented in strict accordance with the latest occupational health & safety act & regulations.
- The contractor is responsible for checking all opening sizes & vertical & horizontal position prior to the construction, manufacture & installation of fitted items. Any discrepancies are to be reported in writing to DPWL prior to continuation of work.
- 9. The contractor is responsible for the provision of guarantees for all materials, installations & systems, to be issued to DPWL at practical completion.
- 10. All structural work is to be designed, detailed, specified & supervised by the structural engineer & is to be carried out in strict accordance with this. All structural work is to be built from the engineer's drawings and the stability is to be certified by the structural engineer on completion of the works.
- 11. Drawings are only to be read for the purpose intended.
- Refer to project data sheet for comprehensive notes & specifications.

DOOR AND WINDOWS:

All external doors and windows to have aluminium frames as per SABS specifications. Internal doors to be flush panel semi-solid with hardwood frames provided with one pair 100mm brass butt hinges and lock set. Windows glazing to be in accordance with NBR.

Bathroom and WC windows to be obscure.

LAZING:

All Glazing unless specified Clear laminated sound control safety glass, complying with SANS 1263 Part 1, 2 or 3 with name of the manufacturer permanently marked on each sheet visible after glazing, glazed in accordance with NBR N schedule 1 and SABS 0137.

Glass Properties:
• Shading Coefficient = 0,47 to 0,70
• Light Transmission Level = 61 to 95

Specified: Obscure glazed unit, glazed in accordance with NBR N schedule 1 and SABS 0137.

Glass Properties:

• Shading Coefficient = 0,58 to 0,75

• Light Transmission Level = 59 to 83

EXTERNAL WORKS:

ALL Paving to be laid on well compacted AND consolidated ground to engineer's detail. Soil poisoning shall be provided under paving in accordance to Engineer's specifications.

CONCRETE:

All proposed and existing concrete works, paving AND storm water reticulation to be specified, verified and approved by engineer.

PLASTER: Inter

Internal plaster to be 10 to 15mm thick, cement /sand ratio of 1:5 plaster sealed, 1 undercoat, 2 coats 'wall n all' paint. Colour to be approved.

EXPANSION JOINTS:


Expansion(control) joints where deemed necessary by engineer to be formed with a continuous strip of 12mm bitumen impregnated soft-board between 230mm brick walls. To be sealed internally and externally with 10mm deep polysulphide sealant.

INSULATION: 50mm Aluthe

50mm Alutherm AP polyester fibre blanket laminated to 4mm White bubble layer on one side and reinforced foil facing on other, complying with SANS 1381-1:2007, laid and stapled horizontally on top of timber rafters and brandering before fixing of roof sheeting (elsewhere specified).

COPYRIGHT

In accordance with the relevant clauses of the Copyright Act (Act 98 of 1978) relating to assignment, all documents prepared by DPWL in connection with the project remain the property and copyright of DPWL, subject to their use by the client for the particular project to which this document relates, and the client shall not be entitled, either directly or indirectly, to make use of the document(s) for any additional or similar works or publish the same except with the prior consent from DPWL.



PUBLIC WORKS, ROADS & INFRASTRUCTURE
Limpopo Department of Public Works, Roads and

Infrastructure's Strategic Planning and Design Hub. 43 Church Street, Polokwane, 0700 (015) 284 7000/1

PROJECT TITLE

MASIA: TRIBAL OFFICE FOR THE DEPARTMENT OF TRADITIONAL AFFAIRS

DRAWING TITLE


GUARD HOUSE


SCALE 1:100 DRAWN T.CELE


DATE 14_08_2018 CHECKED T.CELE

SIZE PROJECT NO. STAGE DRAWING NO. REV.

A1 TO_19000 C TO_19000_104 0







GENERAL NOTES

1. All general notes apply to all drawings, details, specifications & any supplementary information: all contractual documentation.

COPYRIGHT

In accordance with the relevant clauses of the Copyright Act (Act 98 of

1978) relating to assignment, all documents prepared by DPWL in

connection with the project remain the property and copyright of DPWL.

subject to their use by the client for the particular project to which this

document relates, and the client shall not be entitled, either directly or

indirectly, to make use of the document(s) for any additional or similar

works or publish the same except with the prior consent from DPWL.

- 2. The contractor is responsible for checking all levels & dimensions on site when setting out, prior to commencing construction & cross checking all building dimensions during the construction process. Read only figured dimensions, indicated in millimetres, & do not scale. Any discrepancies are to be reported in writing to DPWL prior to continuation of work.
- 3. The contractor is responsible for the works co-ordination & programming of the works. All consultant & shop drawings are to be cross checked with DPWL drawings. Any discrepancies are to be reported in writing to DPWL prior to continuation of work.
- 4. The contractor is responsible for reporting any deviation from DPWL drawings & specifications. Written approval is required from edifice design prior to construction & installation commencing.
- 5. DPWL accepts no responsibility for errors resulting from the misinterpretation of drawings or specifications. If in doubt, query details.
- 6. The contractor is responsible for: compliance with all applicable SABS 0400 standards, manufacturer's installation instructions, procedures & recommendations & local authority regulations in respect of the full scope of the works. This requirement shall not be deemed to be superseded by the provisions of any other contract
- 7. The contractor is responsible for construction procedures & methodology being carried out & implemented in strict accordance with the latest occupational health & safety act & regulations.
- 8. The contractor is responsible for checking all opening sizes & vertical & horizontal position prior to the construction, manufacture & installation of fitted items. Any discrepancies are to be reported in writing to DPWL prior to continuation of work.
- 9. The contractor is responsible for the provision of guarantees for all materials, installations & systems, to be issued to DPWL at practical completion.
- 10. All structural work is to be designed, detailed, specified & supervised by the structural engineer & is to be carried out in strict accordance with this. All structural work is to be built from the engineer's drawings and the stability is to be certified by the structural engineer on completion of the works.
- 11. Drawings are only to be read for the purpose intended.
- 12. Refer to project data sheet for comprehensive notes & specifications.

DOOR AND WINDOWS:

All external doors and windows to have aluminium frames as per SABS specifications. Internal doors to be flush panel semi-solid with hardwood frames provided with one pair 100mm brass butt hinges and lock set.

Windows glazing to be in accordance with NBR. Bathroom and WC windows to be obscure.

All Glazing unless specified Clear laminated sound control safety glass, complying with SANS 1263 Part 1, 2 or 3 with name of the manufacturer permanently marked on each sheet visible after glazing, glazed in accordance with NBR N schedule 1 and SABS 0137.

Glass Properties: • Shading Coefficient = 0,47 to 0,70 Light Transmission Level = 61 to 95

Specified: Obscure glazed unit, glazed in accordance with NBR N schedule 1 and SABS 0137.

> Glass Properties: • Shading Coefficient = 0,58 to 0,75

• Light Transmission Level = 59 to 83

EXTERNAL WORKS:

ALL Paving to be laid on well compacted AND consolidated ground to engineer's detail. Soil poisoning shall be provided under paving in accordance to Engineer's specifications.

CONCRETE:

All proposed and existing concrete works, paving AND storm water reticulation to be specified, verified and approved by engineer.

PLASTER:


Internal plaster to be 10 to 15mm thick, cement /sand ratio of 1:5 plaster sealed, 1 undercoat, 2 coats 'wall n all' paint. Colour to be approved.

EXPANSION JOINTS:

Expansion(control) joints where deemed necessary by engineer to be formed with a continuous strip of 12mm bitumen impregnated soft-board between 230mm brick walls. To be sealed internally and externally with 10mm deep polysulphide sealant.

INSULATION:

50mm Alutherm AP polyester fibre blanket laminated to 4mm White bubble layer on one side and reinforced foil facing on other, complying with SANS 1381-1:2007, laid and stapled horizontally on top of timber rafters and brandering before fixing of roof sheeting (elsewhere specified).





PUBLIC WORKS, ROADS & INFRASTRUCTURE

Limpopo Department of Public Works, Roads and Infrastructure's Strategic Planning and Design Hub. 43 Church Street, Polokwane, 0700 (015) 284 7000/1

PROJECT TITLE

MASIA: TRIBAL OFFICE FOR THE DEPARTMENT OF TRADITIONAL AFFAIRS

DRAWING TITLE

DOOR SCHEDULE

T.CELE **SCALE** N/A DRAWN T.CELE 14_08_2018 **CHECKED** SIZE PROJECT NO. STAGE DRAWING NO. REV.

A1 TO_19000 C TO_19000_200 0

FOR CONSTRUCTION