

LIMPOPO DEPARTMENT OF PUBLIC WORKS, ROADS AND INFRASTRUCTURE

BID NUMBER: LDPWRI-B/20103

PROVISIONAL BILL OF QUANTITIES

For the

UPGRADES TO EXISTING MATSOBANE PRIMARY SCHOOL

For the

DEPARTMENT OF EDUCATION, LIMPOPO PROVINCE

CIDB CLASS GRADING: 7 GB OR HIGHER

43 Church Street. Polokwane, 0699, Private Bag X9490, POLOKWANE, 0700 Tel: (015) 284 7001, (015) 284 7030 website: http://www.dpw.limpopo.gov.za



CIDB CLASS GRADING 7 GB OR HIGHER

BID NUMBER: LDPWRI-B/20103

UPGRADES TO EXISTING MATSOBANE PRIMARY SCHOOL

PROCUREMENT DOCUMENT

Name of Tenderer:
CIDB CRS Number:
CSD Registration Number:
Tax Pin:
Tender Amount including Vat:
CLOSING DATE AND TIME:

ISSUED BY:

DEPARTMENT OF PUBLIC WOKS, ROADS AND INFRASTRUCTURE PRIVATE BAG X9491 POLOKWANE 0700

TEL: 015 284 7000/1

CONTENTS

PART A: S	SPEC	IAL NOTES TO BIDDERS	1
PART T1:	TEN	DERING PROCEDURE	14
	T1.1	TENDER NOTICE AND INVITATION TO TENDER	14
	T1.2	TENDER DATA	15
	A.	BID EVALUATION STAGE 3 - FUNCTIONALITY	21
PART T2:	RET	URNABLE DOCUMENTS	29
	T2.1:	LIST OF RETURNABLE DOCUMENTS	30
	T2.2:	RETURNABLE SCHEDULE	32
SBD1: IN	VITAT	TION TO BID	33
CERTIFIC	CATE	OF AUTHORITY	. 36
	A.	CERTIFICATE FOR COMPANY	36
	В.	CERTIFICATE OF PARTNERSHIP	36
	C.	CERTIFICATE FOR JOINT VENTURE	37
	D.	CERTIFICATE FOR THE SOLE PROPRIETOR	37
	E.	CERTIFICATE FOR CLOSE CORPORATION	37
	F.	BROAD-BASED BLACK ECONOMIC EMPOWERMENT	43
SBD 4: DE	ECLA	RATION OF INTEREST	. 46
SBD 6.1:	REFE	RENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL	
	PRO	CUREMENT REGULATIONS 2017	. 49
SBD 6.2:	DECL	ARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT	55
	LOCA	AL CONTENT DECLARATION	58
	GUIDA	ANCE DOCUMENT FOR THE CALCULATION OF LOCAL CONTENT	60
	TREAS	SURY DESIGNATED SECTOR	63
	ANNE	X C: LOCAL CONTENT DECLARATION - SUMMARY SCHEDULE	76
SBD 8: DI	ECLA	RATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES	91
SBD 9: CI	ERTIF	FICATE OF INDEPENDENT BID DETERMINATION	93
DECLARA	OITA	OF SUBCONTRACTING ARRANGEMENTS	96


(i)

TABLE OF CONTENT


	1.	SUBCONTRACTING AS A CONDITION OF TENDER	97
	2.	SUBCONTRACTING AFTER AWARD OF TENDER	98
	3.	SCHEDULE OF PROPOSED SUBCONTRACTING WORK	99
SAFCEC	JOIN.	T VENTURE AGREEMENT	100
	1.	FORMATION OF JOINT VENTURE	. 101
	2.	OBJECT AND MOTIVATION	. 101
	3.	PROFITS AND LOSSES	. 101
	4	DURATION	. 101
	5.	EXCLUSIVITY	. 102
	6.	PRE-CONTRACT COSTS	. 102
	7.	MANAGEMENT COMMITTEE	. 102
	8	POWERS OF THE MANAGEMENT COMMITTEE AND DIRECTION OF THE PROJECT MANAGER	. 103
	9	THE EXECUTIVE BOARD	. 104
	10	PERSONNEL	. 104
	11	FINANCING	. 105
	12.	ACCOUNTS	. 106
	14.	Breach	. 107
	15.	DISPUTES	. 107
	16	ARBITRATION	. 108
	17.	CONFIDENTIALITY	. 109
	18.	Assignment	. 109
	19	GENERAL	. 109
THE CON	NTRAG	CT	.112
PART C1	: AGF	REEMENT AND CONTRACT DATA	.113
	C1.1.	FORM OF OFFER AND ACCEPTANCE	. 114
	C2	CONTRACT DATA	. 117
PART C3	: PRIC	CING DATA	.118
	C3.1	PRICING INSTRUCTION	. 119
PART C4	: PRC	VISIONAL BILLS OF QUANTITIES	.120
	C4.1	PRELIMINARIES	. 121

TABLE OF CONTENT

	C4.2 BUILDING WORKS	162
	C4.3 CIVIL WORKS	337
	C4.4 ELECTRICAL WORKS	359
PART C5	5: SCOPE OF WORKS	374
	C5.1 Scope of Works	375
PART C	S: EPWP INFRASTRUCTURE GUIDELINE 2015	470
	PART C6: EPWP Infrastructure Guideline 2015	470
	PART C6.1: Data Collection Tool	478
PART C7	7: SITE INFORMATION AND DRAWINGS	479
	PART C7.1: SITE INFORMATION	480
	PART C7.2: Drawings	481



PART A: SPECIAL NOTES TO BIDDERS



NOTES TO BIDDERS

1. NAME OF PARTIES

EMPLOYER

Limpopo Province Department of Roads & Infrastructure: Works Towers

43 Church Street

Tel: (015) 284 7000/1 Private BAG X9490

POLOKWANE

0700

Contact:

Makape P. @ 082 460 6271

Principal Agent:

Name: Ruben Reddy Architects

Address: 4 Ismini Office Park, Polokwane 0700

Tel: 015 065 0645 Fax: 011 475 8364

Contact:

Name: G. Francis Cell: 082 528 3932

Email: Geshim.Francis@rubenreddyarch.co.za

Quantity Surveyor:

Name: Phahlana Hunadi Quantity Surveyors

Address: 2760 Zone B, Lebowakgomo 0737 Tel: 015 633 6535 Fax: 015 633 6477

Contact:

NL Pholafudi Cell: 082 494 1583

Email: info@phqs.co.za

SPECIAL NOTES TO TENDERERS

Civil Engineers:

Name: Muteo Consulting

Address: 39 Grobler St, Polokwane Central, Polokwane, 0699

Tel: 015 291 4065 Fax: 015 291 4043

Contact:

Name: Vongani Mhangwane Cell: 076 979 6790

Email: vonganim@muteo.co.za

Mechanical Engineers:

Name: NSKECM

Address: 38 Burger Street, Polokwane 0700

Tel: 015 295 2104 Fax: 015 295 2104

Contact:

Name: M. Shumba Cell: 081 345 3339

Email: mark@nskecm.co.za

Electrical Engineers:

Name: NSKECM

Address: 38 Burger Street, Polokwane 0700

Tel: 015 295 2104 Fax: 015 295 2104

Contact:

Name: M. Shumba Cell: 081 345 3339

Email: mark@nskecm.co.za

2. SPECIAL CONTRACT DOCUMENTS

Note:

The clauses in these Special Contract Conditions form part of the contract requirements and shall have preference over any contradicting clauses in these Bills of Quantities, the preliminaries, and the Conditions of Contract.

2.1 CONTRACT DOCUMENTS

The Contract Document will consist of:

- I. The agreement shall be the JBCC Series 2000 Principal Building Agreement, prepared by the Joint Building Contracts Committee, Edition 4.1, and March 2005 amended as hereinafter described.
- II. Documents to be provided by the Contractor in terms of the requirements of these Provisional Bills of Quantities. Where reference is made to the "subcontract agreement" this is deemed to mean the "JBCC Series 2000 Nominated /Selected Sub-Contract Agreement" (March 2005 Edition)
- III. The JBCC Series 2000 Preliminaries prepared by the Joint Building Contracts Committee (May 2005 edition) amended as hereinafter described, shall be deemed to be incorporated herein.

SPECIAL NOTES TO TENDERERS

- IV. Tenderers are referred to the above -mentioned documents for the full intent and meaning of each clause thereof. These clauses are hereinafter referred to by clause numbers and headings only, for which, such allowance must be made as may be considered necessary.
- V. Where standard clauses or alternatives are not entirely applicable to this contract such modifications, corrections or supplements as will apply are given as far as possible under each relevant clause. Where modifications or amendments as described are made, such modifications and/or amendments shall supersede any conflicting provision in the relevant clauses of the JBCC Series 2000 Preliminaries or the JBCC Series 2000 Principal Building Agreement and the tenderer shall make due allowance for whatever costs and charges he may consider necessary for the carrying out and observance of the provisions of the clauses as modified and/or amended.
- VI. Where any clause is not relevant to this specific contract such clause is marked N/A (signifying "not applicable").
- VII. "The Model Preambles for Trades" as recommended and published by the Association of South Africa Quantity Surveyors -1999 edition, shall be deemed to form part of this contract documentation. Any amendments and/or additional information is listed under the supplementary preambles at the start of each trade in the bills of quantities.
- VIII. Pricing of preliminaries The relevant clause numbers of sections A and B of the preliminaries are listed at the end of the contract preliminaries section for pricing purposes. if Alternative as set out in clause 10 of the preliminaries hereinafter is to be used for the adjustment of the preliminaries, each item priced is to be allocated to one or more of the three categories.
 - IX. The **tenderer** shall allow opposite each of the items for whatever costs and charges he may consider necessary for the carrying out, complying with and due observance of the provisions, conditions, and requirements set out therein.
 - X. Only priced items will be considered in respect of any adjustments to this section. Any items left unpriced will be understood to be provided for in the rates given for other items and no claim for extras arising out of the tenderer's omission to price any item will be entertained.
 - XI. Notwithstanding the period stated in the JBCC form of tenders, tenderers shall hold good for a period of one hundred and eighty (180) calendars days from the date of closing of the tenderers and shall not be altered, amended, or withdrawn during that period.

2.2 QUERIES FROM BIDDERS

The pages of these bills of quantities are numbered consecutively as indexed on the first page.

The Bidder shall check the numbers of the pages and should any be missing or duplicated, or the reproduction be indistinct, or if any doubt exists as to the full intent or meaning of any description or these bills of quantities contain any obvious errors, the Bidder shall notify the Accounting Officer/ Quantity surveyor at once who shall

SPECIAL NOTES TO TENDERERS

promptly give a written directive. No liability whatsoever will be admitted in respect of errors in any BID due to

the abovementioned causes.

On no account should these documents be used for placing orders for materials. Bidders do so at their own

risk and shall not be reimbursed for additional costs so incurred.

2.3 ACQUAINTANCE WITH BID DOCUMENTS

By submission of a BID, the Bidder will be deemed to have acquainted himself/herself fully with the BID

documents, local authority requirements and by-laws and all aspects of the work envisaged in the documents

before pricing and submission of his/ her BID. The employer may appoint a principal Agent to act on his/ her

behalf with full authority and obligations.

2.4 FORMS TO BE COMPLETED

The form of BID together with its appendices must be submitted with the BID.

2.5 SCOPE OF THE WORKS

The project comprises the as well as related services in accordance with the drawings and specifications that

will be provided to the contractor.

The Contractor shall provide sufficient qualified technical staff, field staff, and safety personnel to ensure the

Works under this contract be satisfactorily carried out safely and meeting the performance targets and

programs. The Contractor shall also provide competent attendant(s) to monitor any works concerning the

scope of works.

2.6 PROGRAMMING WITH DIRECT CONTRACTORS

Tenderers must take note that some work may be performed by independent/ direct contractors that will not

form part of this contract. Tenderers, however, must make provision for these installations in their program and

must provide all the necessary assistance to The Limpopo Department of Public Works, Roads and

Infrastructure in completion of the said contracts.

• Any installations by specialists e.g., Security installation, loose furniture

2.7 SITE

The project is located at Matsobane Primary School, Seleteng, Ga-Mphahlele.

2.8 CONTRACT DOCUMENTS

The contract/agreement will be based on the JBCC Series 2000 Principal Building Agreement, prepared by

the Joint Building Contracts Committee, Edition 4.1, and March 2005.

Wherever reference is made to the terms "Client, Employer or Principal Agent) in the documents, it shall be

deemed to mean. The Limpopo Department of Public Works, Roads, and Infrastructure or any person acting

SPECIAL NOTES TO TENDERERS

in such capacity as well as any officer to whom any power vested in terms of these conditions of the contract have been delegated to.

2.9 CONFIDENTIALITY OF BID DOCUMENTS

All the recipients of BID documents shall be whether they submit a bid or not, treat the details of these documents as confidential and their general content shall not be disclosed or discussed with third parties without the prior approval of the **Limpopo Department of Public Works**, **Roads**, and **Infrastructure**.

2.10 BID ALL INCLUSIVE

The Bidder must allow in his/ her BID for all labour, material, transport, handling, construction plant, temporary works, or method of construction where the method of payment allows for various methods of construction, value-added tax and everything else necessary for the execution and completion of the works in accordance with the BID documents

2.11 BILLS OF QUANTITIES

This Bill of Quantities is provisional and subject to be re-measured.

The Contractor / Bidder is warned that if he/ she use any quantities or specifications appearing in these Bills of Quantities for ordering materials, he/ she does so at his/ her own and no liability whatsoever shall be admitted afterward by the **Employer / Limpopo Department of Public Works**, **Roads**, and **Infrastructure** for such correctness of such quantities or specifications.

2.12 STAMP DUTY

If applicable, all stamp duties in connection with the contract shall be paid by the Bidder.

2.13 SIGNING OF BIDDERS

The BID must be signed by a representative of the Bidder being duly authorized to do so and Bidders are to attach a company resolution.

2.14 LODGING AND SCRUTINY OF PRICED BILLS OF QUANTITIES

The Bidder's / Contactor's attention is specifically directed to the provision that, before the contract is signed, he/ she is to submit his/ her priced Bills of Quantities with conditions of contract and cast neatly in black ink for checking. The Accounting Officer / Quantity Surveyor will duly check the priced Bills of Quantities and shall make such adjustment of individual prices and rectify discrepancies as he may consider necessary. No artificial prices shall be acceptable.

2.15 ADDITIONAL INFORMATION REQUIRED

The Employer / Limpopo Department of Public Works, Roads and Infrastructure may ask any Bidder for a clarification/s of his / her BID. Nevertheless, no Bidder will be permitted to alter his / her BID sum after the BIDs have been opened and read to other bidders, although clarification which does not change the BID may be accepted.

SPECIAL NOTES TO TENDERERS

The Employer reserves the right to appoint a firm of public accountants to report on the financial capacity of any Bidder. The Bidder shall provide all reasonable help and information in such an investigation.

All written information submitted by the Bidder together with and in support of his / her BID shall be considered to form the basis on which the BID has been prepared and submitted.

2.16 ARITHMETICAL ERRORS

The Accounting Officer / Quantity Surveyor reserves the right to correct arithmetical or other errors in the bid document for reasons which the Accounting Officer / Quantity Surveyor will indicate, the Bidder will, in terms of Rule 14, be requested to make corrections.

2.17 IMBALANCE IN BIDDED/TENDERED RATES

In the event of there being any rate or rates which are declared to be unacceptable by the Accounting officer/Quantity Surveyor for reasons which the Accounting Officer / Quantity Surveyor will indicate, the Bidder will, in terms of Rule 14, be requested to:

- a) Either justify and specify rate or rates, i.e. to give a financial breakdown on how such rate or rates were obtained or calculated, or
- b) Consider amending and adjusting such rate while retaining the BID sum derived under Sub-rule 15.a unchanged and fixed.

If the Accounting Officer / Quantity Surveyor requests the Bidder to adjust any unacceptable rate or rates, the Accounting Officer / Quantity Surveyor may at his / her discretion limit any such adjustment to rates in specific sections of the bills of quantities. On no account will the Accounting Officer / Quantity Surveyor permit the Bidder to use such an opportunity to re-price extensive sections of the bills of quantities, even though the BID sum remains unchanged.

2.18 ALTERATIONS TO BID DOCUMENTS

No unauthorized alteration or addition shall be made to the form of BID, to the bills of quantities or any other portion of the BID documents. If any such alteration or additions is made and if the bills of quantities of not properly completed, the BID may be rejected, and the Employer will not be bound to by such alterations.

2.19 BID QUALIFICATIONS

BIDs must be submitted strictly in accordance with the BID documents, i.e. without qualifications. Qualifications like statements of interpretation of contract documents must be avoided and any point of doubt or difficulty should be cleared with the Accounting Officer / Quantity Surveyor as early as possible during the BID period. Should any query be found to be of any influence on the BID, all other Bidders shall immediately be informed of the particulars by the Accounting Officer / Quantity Surveyor.

2.20 COSTS INCURRED BY BIDDER

The Employer shall not be responsible to pay for the expenses or losses, which may be incurred by any Bidder in the preparation of the BID or in visiting the site in connection herewith.

20.21 BID ACCEPTANCE

The Employer will not be bound to accept the lowest or any BID. No reason for the acceptance or rejection of any BID will be given.

20.22 WITHDRAWAL OF BID AFTER CLOSING DATE

The Bidder may not withdraw his BID after the time set for opening BIDs without any BID having been accepted.

Should a Bidder amend or withdraw his/her BID after the specified date and hour, but prior to his being notified of the acceptance thereof, or should a Bidder after having been notified that his/her BID has been accepted.

- (a) Give notice of his/her inability to execute the contract in terms of his BID; or
- (b) Fail to sign a contract or furnish the security within the period fixed in the BID Conditions reflected on the form of BID or any extended period fixed by the Employer; or
- (c) Fail to execute the contract;

He shall pay all additional expended, damages and/or losses which the Employer may incur in calling for fresh BIDs or by paying the difference between his/her BID and a less favourable BID accepted in terms of the provisions of the last paragraph of this term: Provided that the Employer may at its discretion exempt a Bidder from the provisions of this sub-rule if he believes that the circumstances justify the exemption.

When in circumstances mentioned in the second paragraph of this item, the Employer deems it not desirable to invite fresh BID; then the Employer may accept another BID from those already received. The provisions of **Rule 2.21 above**, **shall again apply**.

2.23 METHOD OF MEASUREMENT

The Bills of Quantities have been measured in accordance with the 6th Edition of the standard system of Measuring Builders Work.

2.24 AVAILABILITY AND SUBSTITUTION OF MATERIALS

Bidders are urged to make themselves, during BID stage, thoroughly acquainted with the availability of all materials for this project as no claim for non-availability or late delivery of materials will afterward be recognized/considered.

If materials specified are not available or it seems that there will be a delay of materials, then the Bidder must notify the **Employer** at once in writing who will, at his/her discretion, attend to the matter. Once the BIDs are

SPECIAL NOTES TO TENDERERS

handed in it will be taken that all materials specified in these Bills of Quantities are available and will be delivered on-site for completion of the project within the prescribed contract period.

The Substitution will be strictly subject to the **Employer's** approval.

The **Contractor** must, as far as possible, purchase materials available in the Limpopo Province provided the quality is acceptable. Materials of inferior quality shall under no circumstances be accepted. If the **Contractor** cannot comply with these conditions, he/she must substantiate this in writing with documentary proof from suppliers.

2.25 PROPRIETARY TYPES AND TRADE NAMES

Where reference is made in these Bills of Quantities to proprietary types or names, the products, or materials, etc. referred to are to be exactly as described, the prior approval of the **Employer** must be obtained for any substitution and may be the subject to a variation order.

2.26 SABS SPECIFICATIONS

All references in these Bills of Quantities to Specifications of the Bureau of Standards shall be deemed to be a reference to the latest issues of such specifications, and any subsequent amendments thereto. All articles, materials or items described as to conform to the SABS Specification must bear the SABS mark where possible.

2.27 PERFORMANCE GUARANTEE

Where the project is over R 2 000 000.00 the Bidder must submit with this BID proof (using a letter of intent or otherwise) from his/her guarantor that his/her guarantor will issue the guarantee if the BID is accepted.

2.28 BID

While the Employer reserves the right to accept or not accept any BID, the intention is that a BID will be accepted. The successful Bidder will be appointed as the Main Contractor in terms of the JBCC Series 2000 Principal Building Agreement, prepared by the Joint Building Contracts Committee, Edition 4.1, and March 2005. Any condition submitted by the Bidders which is a variance with the provisions of the main contract will not be accepted and may render the BID liable to disqualification.

The BID shall be sealed in an envelope and endorsed as per BID form and be deposited in the BID box as per BID advert.

On no account will BIDS received after the time and date for submission of BIDs be considered and Bidders are advised that postal delays will not constitute a claim for recognition of such BIDS.

Telegraphs or telefaxed BIDS will **NOT** be considered under any circumstances.

2.29 INSPECTION OF SITE

A Compulsory site inspection will not be conducted due to COVID-19 regulations. Tenderers are, however, urged to thoroughly inspect the site, acquaint themselves with the nature and extent of the works, the site conditions about power and water supply, transport facilities, conditions of adjacent existing buildings and also access to the site, availability of working space, etc.; before submitting their BIDs as no extra cost arising out of their failure to price for the above mentioned shall be considered.

2.30 SITE OFFICE

The Contractor shall erect, maintain, and takedown on completion of the work a building for site meetings with a concrete floor, suitable roof, suitable walls, door, and four windows, with tables and chairs (not benches), all suitable to accommodate 12 persons.

It is further a condition that all work or movement of vehicles in the vicinity of this office that creates noise or nuisance during site meetings must be suspended for the duration of the site meetings.

2.31 LOCAL LABOUR

As soon as the site is handed to the Contractor, he/she will be expected to form a joint committee with the local community. This committee will ensure that all unskilled and available semi-skilled labour are employed from the community.

All labour shall apply through the committee for employment on the project and the selection of these labourers shall be made by the Contractor from a list of applicants complied by the community members on the committee.

On all labour-intensive projects, at least 10% of the labourers must be employed from the local community where the project will be executed.

Labourers should be paid in accordance with the provision of the Labour Relations Act, Act 23 of 1956 and the amended Basic Conditions of Employment of 1983, or any latest available Acts.

In accordance with Government Gazette No.16095 of 19 November 1994 wages differ for different areas.

2.32 PROCEDURE OF THE WORK

The Employer reserves the right to direct the order in which the various parts of the contract will be executed should circumstances warrant such action.

2.33 VARIATIONS

Where prices are submitted by the Contractor or Nominated Sub-Contractor during the progress of the works in respect of variations or regarding a claim under the terms of the contract and even though such prices may

SPECIAL NOTES TO TENDERERS

be used in an interim certificate, it is hereby agreed that there is to be no presumption of acceptance. Should the Employer wish to accept any such prices before the issue of the final certificate, he will do so in writing.

2.34 PROVISIONAL WORK

Any increase or decrease of work measured provisionally will not be sufficient grounds for any adjustments in the tendered rates.

2.35 MONEY/BUDGET OR PROVISIONS

Whatever an amount for work is allowed in these Bills of Quantities under the term "Money/budgetary Provision" it shall be taken that such amount is for work to be carried out by Specialists, who will be ordinary domestic Sub-Contractors to the Main Contractor.

2.36 BORROW PITS

It is the responsibility of the Contractor to find the necessary borrow pits for imported filing and also to ascertain the suitability and acceptability of such filling, as no claims in this regard will be entertained afterward.

2.37 TESTS

It is the responsibility of the Contractor to carry out his/her tests during the execution of the contract to check the strength of concrete, mortar, the density of filling, etc., and only those tests as requested by the Employer will be paid for by the Client.

2.38 THE CONTRACT PERIOD

The contract period shall be 20 months (exclusive of builder's holiday) from the date of site handover.

2.39 COMPLETION OF BID DOCUMENTS

Bidders shall ensure that all documents requiring completion are duly completed in ink (black), signed, and witnessed in the spaces provided.

2.40 OCCUPATIONAL HEALTH AND SAFETY

2.40.1 General

In terms of the Occupational Health and Safety Regulations promulgated on 18 July 2003, Bidders are advised that they are required to comply fully with such regulations about this project as no claims in this regard will be entertained.

2.40.2 Covid-19 Related Requirements

- Contactor must have risk assessments and plans in place.
- Procedure on how to conduct worker education on Covid-19.
- Identification and protection of Vulnerable Employees (e.g. workers above 60 years)
- Safe transport of employees.

SPECIAL NOTES TO TENDERERS

- Screening of employees on entering workplace.
- Prevention of viral spread in the workplace.
- Provision of hand sanitisers and face masks.
- Cleaning of surfaces and shared Equipment's.
- Shift arrangements.
- Managing sick employees.
- Monitoring systems must be in place to ensure compliance with safety protocols.
- Contactor provide a Bi-Weekly confirmation of the status of each employee on site.

2.41 VALUE ADDED TAX

Value-added tax must be added to the contract amount in the Final Summary and all amounts, rates, etc. in the Bills of Quantities will, therefore, be exclusive of value-added tax.

2.42 PRICES ALL INCLUSIVE

The Bidder must allow in his/her BID for all labour, material, transport, handling, construction plant, temporary works, or method of constructions where the method of payment allows for various methods of construction, value-added tax and everything else necessary for the execution and completion of the works in accordance with the BID documents.

2.43 PROOF OF PAYMENT OF VALUE ADDED TAX OR ANY APPLICABLE IMPORT DUTY

The Bidder is to provide proof that he/she and all his Sub-Contractors are registered at the Receiver of Revenue for VAT or any applicable import duty purposes and will submit all names of Sub-Contractors to the Employer. The Employer may submit all this information to the Receiver of Revenue.

2.44 WORKMEN'S COMPENSATION

The Contractor must provide valid proof of active registration with the workmen's compensation fund (COIDA).

2.45 CONTRACT PRICE ADJUSTMENT

The BID will be subject to Escalation and the base month will be based on the date of tender closing.

2.46 GENERAL NOTES

Should the tender be awarded to the successful tenderer, the following is to be noted:

- No works shall commence until the Health and Safety Plan has been issued by the successful tenderer and has been approved by the Department of Public Works, Roads and Infrastructure representative.
- No work shall commence on site until all CAR and PL insurances are in place
- No payment shall be made until all guarantees are in place.
- Workers employed by the Contractor will not be allowed to be seen lingering around existing facilities or disturbing classes.
- The Contractor must not render any construction activities that will affect the Client operation before informing the Employer for approval thereof.

SPECIAL NOTES TO TENDERERS

• The Contractor's workers should be noticeable by wearing proper clothing with the company logo.

2.47 PAYMENT PROCEDURE

Payment procedure in terms of this contract shall be as follows:

- The Contractor to submit valuation by the 20th of the Month.
- The payment shall be issued to the Department of Education by the 7th of the following month, with payment being made by the 30th of that month.
- Every effort will be made to achieve payments earlier, but this cannot be guaranteed.
- Interest on late payments shall be charged at the prime rate.
- Payment for unfixed materials (Material on site) on-site shall be allowed.
- Payment for materials off-site shall only be allowed subject to written approval by the Employer, which
 will only be conditional upon the necessary cessions being in place and any other documentation
 which the Employer requests.

2.48 INFORMATION RELEVANT TO INSURANCES


The Contractor will be expected to take the following insurance with a deductible to be determined by the Contractor. In addition to the above-mentioned, the Contractor should take any other insurances relevant to the proper execution of the works.

2.49.1 CONTRACT WORKS

- Estimated Contract Amount plus 20%

2.49.2 PUBLIC LIABILITY

- R 10 000 000.00



PART T1: TENDERING PROCEDURE

T1.1 TENDER NOTICE AND INVITATION TO TENDER

The Limpopo Department of Public Works, Roads and Infrastructure invites tenders for demolitions of existing dilapidated blocks (E, G, H, I, J, K); renovations of toilets, classrooms and hall, construction of 2 x 4 classroom block, 2 x 2 Grade R classroom block, medium administration block, nutritional centre block, 6 seats enviroloo toilets, guard house, water reticulation, borehole drilling, 3 x 10kl + 5kl elevated tanks, sewer reticulation, septic tank, storm water drainage, paving, carports and fencing at Matsobane Primary School

It is estimated that tenderers should have a CIDB class grading of 7GB or higher.

Only tenderers who meet the minimum requirements stated in the tender data are eligible to submit tenders.

A non-refundable tender deposit of as per Tender Advert payable in cash is required on collection of the tender documents.

Administrative queries relating to the issue of these documents may be addressed in writing to **Ms Moloto V, Tel. No.015 284 7142**; email: molotomv@dpw.limpopo.gov.za.

Technical queries relating to the issue of these documents may be addressed in writing to **Mr P. Makape**, **Tel. No. 082 460 6271**; email: makapep@dpw.limpopo.gov.za.

A compulsory briefing meeting with representatives of the Employer will not take place due to the Covid-19 Lockdown restrictions. However, tenderers are welcomed to make arrangements to visit the site on a non-compulsory basis at Matsoabane Primary School.

The closing date and time for receipt of tenders are as per Tender Advert.

Telegraphic, telephonic, scanned documents, facsimile, e-mail, and late tenders will not be accepted.

Tenders must only be submitted on the tender documentation that is issued including priced bills of quantities.

Requirements for sealing, addressing, delivery, opening and assessment of tenders are stated in the Tenders Data.

It remains the responsibility of the bidders that the bid document reaches the tender box by the stipulated closing date and time as advertised on the tender bulletin.



T1.2 TENDER DATA

The conditions of tender are the Standard Conditions of Tender as contained in Annex F of the CIDB Standard for Uniformity in Construction Procurement (July 2015) as published in Government Gazette No 38960, Board Notice 136 of 10 July 2015. (See www.cidb.org.za).

The Standard Conditions of Tender make several preferences to the Tender Data for details that apply specifically to this tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the Standard Conditions of Tender.

Each item of data given below is cross-referenced to the clause in the Standard Conditions of Tender to which it mainly applies.

Clause number	Tender Data	
F.1.1	The Employer is the Limpopo Department of Public Works, Roads and Infrastructure	

T1.2TENDER DATA

F.1.2	For this contract, the following documents will be adopted:
	The single-volume procurement document issued by the employer comprises of the following:
	Part A1: Special Notes to Bidders
	The Tender Part T1: Tendering procedures T1.1 Tender notice and invitation to tender T1.2 Tender data
	Part T2: Returnable documents T2.1 List of returnable documents T2.2 Returnable schedules
	The Contract PartC1: Agreements and contract data C1.1 Form of offer and acceptance C1.2 Contract data
	The Contract PartC3: Pricing data C3.1 Pricing instructions
	The Contract PartC4: Provisional Bills of Quantities C4.1 Preliminaries C4.2 Building Works C4.3 Civil Works C4.5 Electrical Installation
	Part 5: Scope of work C5.1 Scope of work
	Part 6: EPWP Infrastructure Guideline 2015 C6.1 Data Collection Tool
	Part 7: Site information and drawings C7.1 Site information C7.2 Drawings
F.1.3	The employer's representative is:
	Name :Makape P. Address : Department of Public Works, Roads and Infrastructure. Works Towers, 43 Church Street. Tel :082 460 6271
	Email: makapep@dpw.limpopo.gov.za
F.1.4	The language for communications is English
F.2.1	Only those Bidders who satisfy the following eligibility criteria are eligible to submit tenders:
	1. The Bidder is a Firm.
	2. Bidders that satisfy the criteria stated in the tender data and the tenderer or any of his principles is not under any restriction to do business with the employer.
F.2.2	Compulsory site briefing
	A compulsory site briefing meeting with representatives of the Employer will not take place due to the Covid-19 Lockdown restrictions. However, tenderers are welcomed to make arrangements to visit the site on a non-compulsory basis at the Matsobane Primary School, Seleteng, Ga-Mphahlele.

16 T1.2

T1.2TENDER DATA

F.2.3	Tenderers may request clarification of the tender documents by notifying the employer at least five (5) working days before the closing time and date stated in the Tender Advert .			
F.2.4	No alternative tender offers will be considered.			
F.2.5	The list of Returnable Documents identifies which of the documents a tenderer must complete when submitting a tender offer. The tenderer must submit his tender offer by completing the Returnable Documents, signing the "Offer" section in the "Form of Offer and Acceptance" and delivering the Returnable Documents back to the Department.			
F.2.6	Sign the original and all copies of the tender offer where required in terms of the tender data. The employer will hold all authorized signatories liable on behalf of the tenderer. Signatories for tenderers proposing to contract as consortiums shall state which of the signatories the lead is partner whom; the employer shall hold liable for the tender offer.			
F.2.7	The employer's details and address for delivery of tender offers and identification details that are to be shown on each tender offer package are:			
F.2.8	Location of the tender box: Department of Public Works, Roads and Infrastructure,			
	Physical Address: Corner River and Blaauwberg streets, Ladanna, 0699.			
	Identification details : Tender reference number, Title of Tender and the closing date and time of the tender.			
F.2.9	Telephonic, telegraphic, telex, facsimile or e-mailed tender offers will not be accepted.			
F.2.10	Tenderers are alerted that tender offers which do not provide all the data or information requested completely and, in the form, required, may be regarded by the employer as non-responsive.			
F.2.11	The closing time for submission of tender offers is as stated in the Tender Notice and Invitation to Tender.			
F.2.12	The tender offer validity period is 180 Days .			
F.3.1	Tenders will not be opened immediately after the closing time for tenders.			
F.3.2	The tenderers will be evaluated in four stages (i) Compliance documents – refer to the list of returnable documents (Part T2) (ii) Local Content (SBD 6.2) (iii) Functionality (iv) Price and Preference (BBBEE)			

17 T1.2

T1.2TENDER DATA

F.3.3 Scoring Financial Offer:

Tender offers will be scored using the following formula: $NFO = \left(\frac{Pm}{P}\right) \times 100$

Where

NFO = number of tender evaluation points awarded for the financial offer.

W1 = the percentage score given for financial offer as stated in the Notice and Invitation to Tender T1.1

Pm = the comparative offer of the most favourable tender offer. P = the comparative offer of the tender offer under consideration.

where

W1 = the number of tender evaluation points for the financial offer and equals:

- 1) 90 where the financial value inclusive of VAT of all responsive tenders received has a value above R 50 000 000; or
- 2) 80 where the financial value inclusive of VAT of one or more responsive tender offers equals or is less than R 50 000 000.

Scoring Preferences:

Up to 20 points will be awarded to the tenderer who completes the referencing schedule and who is found to be eligible for the preference claimed

The Department is not obliged to award the tender to the bidder with the highest number of tender points.

18 T1.2

TENDER EVALUATION CRITERIA AND WEIGHTINGS

NOTES TO BIDDERS

1.1 CRITERIA USED FOR THE EVALUATION/ ADJUCATION OF INFRASTRUCTURE RELATED BIDS

- 1.1.1 The points are allocated as follows:
- 1.1.2 For projects above R500 000, the distribution of points is used as follows:

A. BID EVALUATION STAGE 2- LOCAL CONTENT (SBD 6.2)

- 1.2 A bid will be disqualified if the Local Content Declaration Certificate and the Annexure C (Local Content Declaration: Summary Schedule) are not submitted or fully completed and signed as part of the bid documentation.
- 1.3 This tender is subject to Regulation 8 "Local Production and Content" of the Preferential Procurement Policy Framework Act, 2017: Preferential Procurement Regulations, 2017 submitting of SBD 6.2 and its declarations is compulsory. Please note a minimum threshold of for local content and production in relation to this bid (refer to the list of Designated Items for Local Production and Content)
- 1.3.1 Evaluation in terms of the stipulated minimum threshold for local production and content. LDPWRI-B/20103 will be evaluated in terms of minimum thresholds for local content stipulated in the LDPWRI-B/20103 document. The declaration made by the BIDDER in the Declaration Certificate for Local Content and Annex C (Local Content Declaration: Summary Schedule) will be used for this purpose.
- 1.3.2 All responses that will not meet the required minimum threshold "Annexure 1 (SBD 6.2" for local content as stipulated in the specifications will be disqualified and not evaluated further. Only Bidders that achieved the minimum threshold for local content and production will be evaluated further in terms of functionality and preference point system prescribed in the Preferential Procurement Regulations, 2017.
- 1.3.3 All Declarations for Local Content and Production must be fully completed and signed.
- **N.B** Bidders will need to meet a minimum threshold percentage for local production and content as stipulated in the Bid Document (refer to the list of Designated Items for Local Production and Content) to be further evaluated in terms of the 80/20 preference point system prescribed in the Preferential Procurement Policy Framework Act, 5/2000 and preferential procurement regulations of 2017.
- 1.2.4 The exchange rate to be used for the calculation of Local Production and Content must be the exchange rate published by the South African Reserve Bank (SARB) during the advertisement period of this **LDPWRI-B/20103**.

TENDER EVALUATION CRITERIA AND WEIGHTINGS

1.2.5 Only the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 will be used to calculate local content.

2.6 The Local Content (LC) expressed, as a percentage of the bid price will be calculated in accordance with the following formula:

$$LC = (1 - x/y)^* 100$$

Where

X is the imported content in Rand

Y is the quotation price in Rand excluding value added tax (VAT)

- 1. The exchange rate to be used for the calculation of local production and content must be the exchange rate published by the South African Reserve Bank (SARB) at 11:00 on Friday, 21 February 2020.
- 2. Only the South African Bureau of Standards (SANS) approved technical specification number SATS 1286:2011 must be used to calculate local content.

A. BID EVALUATION STAGE 3 - FUNCTIONALITY

NOTE: Functionality -A bidder must obtain a minimum of 70%underfunctionality to qualify for final evaluation.

Weighting
15

TENDER EVALUATION CRITERIA AND WEIGHTINGS

Table 1 List of current projects executed by the bidder

1. Do you have the current projects being executed Yes/No?

2. If Yes, please indicate the details on the table below. Please note that it is compulsory to answer the question and if the answer is yes, complete the table. If the question is not answered or the table is not completed the points will not be allocated.

Drainet Decemention	Project Start Planned		Planned	Client Name	Contact Person
Project Description	Value	date	end date	Chefft Name	number

TENDER EVALUATION CRITERIA AND WEIGHTINGS

Profile of key staff (the key staff must be linked to project-specific organogram).	
Organogram, CVs, certified copies of professional registration and certified copies of	
qualifications must be attached for points to be allocated.	Weighting
NB: List the details of key staff in Table 2. Completion of this table is mandatory for points	
to be allocated.	
Project Supervisor/Site Agent	
Qualification	
Registration as professional engineer, technologist, architect, construction	
manager or quantity surveyor = 5	
Degree in built environment = 3	
National Diploma in Built environment = 1	
Relevant experience in general building projects	
More than 5 years' experience = 5	
Between 2 and 5 years' experience = 3	
Less than 2 years = 1	
Construction Manager	
Qualification	
Registration as professional engineer, technologist, architect, construction	
manager or quantity surveyor = 5	
Degree in built environment = 3	
National Diploma in Built environment = 1	30
Relevant experience in general building projects	
More than 5 years' experience = 5	
Between 2 and 5 years' experience = 3	
Less than 2 years = 1	
Site Safety Officer	
Registration with the South African Council for Project and Construction	
Management Professions (SACPCMP) as a Construction Health and Safety	
Officer / Construction Health and Safety Manager= 5	
Degree in built environment = 3	
National Diploma in Built environment=1	
Relevant experience in general building projects	
More than 5 years' experience = 5	
Between 2 and 5 years' experience = 3	
Less than 2 years = 1	
	I

TENDER EVALUATION CRITERIA AND WEIGHTINGS

Table 2 Details of key staff.

			Professional	Experience:	Indicate whether
Name	Position	Qualifications	Registration	Number of	full time or part-
			(if any)	year(s)	time on this project

Experience in similar projects in the last 10 years	Weighting
Number of projects completed within CIDB grade 7 GB or higher. The grading	25
applies at the time of award of the project.	
Completed Projects must be classified as General Building (GB) works in terms of	
CIDB for points to be allocated.	
 Completed 5 or more projects = 25 	
 Completed 4 projects = 20 	
• Completed 3 projects = 15	
 Completed 2 projects = 10 	
• Completed 1 project = 5	
 Bidder submitted no project in CIDB grade 7 GB or higher= 0 	
NB: The details of completed projects must be entered in Table 3. Completion of this table is mandatory for points to be allocated. Appointment letters and	
completion certificates must be attached for points to be allocated. All	
attachments to be on appropriate letterhead and signed off by the client.	

Table 3 Details of projects completed in the last 10 years

Project Description (include type of works- GB, etc.)	Project Value	Completion Certificate attached (Yes/No)	Client Name	Contact Person (Tel)

Proposal and methodology	Weighting
Project Proposal/Method Statement	
The Bidder does not cover any aspect of the scope of work or no information	
submitted/attached = 0	
The bidder does not deal with the critical aspects of the project associated	
with the scope of work =5	
The bidder addresses the scope of work, provides a methodology to deal with	
the critical aspects of the project associated with the works =10	
Project Schedule/programme (acceptable scheduling software)	
Programme not submitted =0	20
Programme not aligned to Bill of Quantities (BOQ) = 2	
Programme is aligned to the Bill of Quantities (BOQ) =5	
Cashflow projections	
Cashflow not submitted =0	
The cash flow projections not aligned to the programme and BOQ=2	
The cash flow projections, programme and BOQ are aligned=5	

TENDER EVALUATION CRITERIA AND WEIGHTINGS

Safety, Health and Environmental Plan (SHEQ)	Weighting
The Bidder does not cover any aspect of the scope of work or no information submitted/attached =0	
The bidder does not address safety and health issues related to the works –	
i.e. there is no cognisance to the safety of the learners, teachers and workers	10
and the impact of their work on the environment=5	10
The safety, health and environment approach provided deals with the critical aspects of the project. Cognisance is taken dealing with safety of the workers, learners and teachers when conducting their works such as barricading of the	
area, conducting safety talk with the affected parties=10	
Total	100
NB: To qualify for final evaluation the bidder must obtain a minimum scor	e of 70% on
functionality	

NB: ADDITIONAL EVALUATION CRITERIA

- 1. This project forms part of the Twenty-Five (25) schools programme (See table below)
- 2. Should one bidder score high points on more than three (3) projects, Bidders will be required to meet the minimum requirements as listed below to qualify for additional appointment:
 - 2.1 Bidder should have a minimum functionality score of 90 points.
 - 2.2 Bidder should have one CIDB grading level above the highest appointed level required grading.
- 3. The department reserves the right to negotiate prices in accordance with regulation 6 (80/20 preference point system for acquisition of goods or services for Rand value equal to or above R30 000 and up to R50 million) and/or 7 (90/10 preference point system for acquisition of goods or services with Rand value above R50 million) of the Preferential Procurement Regulations of 2017.
- 4. Furthermore, the Department "LDPWR&I" is not obliged to award the tender to the bidder with the highest number of tender points.

Item No	Name of school	LDPW Contract Number
1	Diphuti Primary	LDPWRI-20091
2	Kgarahara Secondary	LDPWRI-20096
3	Masikhwa Primary	LDPWRI-20092
4	Napsadi Secondary	LDPWRI-20093
5	Ngwana Makhutswe Secondary	LDPWRI-20094
6	Rasema Secondary	LDPWRI-20115
7	Seale Secondary	LDPWRI-20095
8	Mmaphuti Manamela Secondary (New Site)	LDPWRI-B/20100
9	David Scara Kutumela Primary (Modimolle RDP Settlement)	LDPWRI-B/20102
10	Matsobane Primary	LDPWRI-B/20103
11	Rakgoatha Primary	LDPWRI-B/20099
12	Dikoloi Secondary	LDPWRI-B/20097
13	Matsibe Secondary	LDPWRI-B/20101
14	Sekete Secondary	LDPWRI-B/20104
15	Suswe Primary	LDPWRI-B/2098
16	Matsuokwane Secondary	LDPWRI-B/20106

17	Rebone Secondary	LDPWRI-B/20105
18	Dikgalaopeng Secondary	LDPWRI-B/20107
19	Seboeng Primary (New Site)	LDPWRI-B/20108
20	St. Paul Secondary	LDPWRI-B/20109
21	Chameti Secondary	LDPWRI-B/20110
22	Mphakani Primary	LDPWRI-B/20112
23	Ramatimana Primary School	LDPWRI-B/20111
24	Sehonwe Primary	LDPWRI-B/20114
25	Vutivi Primary (New Site)	LDPWRI-B/20113



PART T2: RETURNABLE DOCUMENTS



T2.1: LIST of RETURNABLE DOCUMENTS

BID EVALUATION STAGE 1- MANDATORY REQUIREMENTS

- 1. The following returnable documents and mandatory requirements are compulsory, failure to comply will be considered non-responsive, and the bid will not be evaluated any further. All returnable documents are incorporated into the bid documents.
 - SBD1: Invitation to Bid (fully completed and signed)
 - Submit a power of attorney/Certificate of Authority (fully completed and signed)
 - Record of Addenda (where applicable)
 - SBD 4: Declaration of Interest
 - SBD 6.1: Reference Points claim form in terms of the Preferential Procurement Regulations 2017 or amended.
 - SBD 6.2 Declaration Certificate for Local Production and Content
 - SBD 8: Declaration of the bidder's past SCM practices
 - SBD 9: Certificate of Bid determination
 - Declaration of Subcontracting Arrangements
 - C1.1: Form of the offer (PART C1)
 - Joint venture certificate (where applicable)
 - Bidding entity must not have any of their directors/shareholders listed on the Register of Tender Defaulters in terms of the Prevention and Combating of Corrupt Activities Act of 2004 as a person prohibited from doing business with the public sector;
 - Bidding entity must not appear on the National Treasury's list of blacklisted entities
 - Completion of the Bid Document must be done with a non-erasable black pen
 - Submission of fully completed original tender document
- 2. The following returnable documents are required for tender evaluation purposes.
 - Curriculum Vitae of all key staff allocated to this project, indicating their experience and qualifications and professional registration with various councils.
 - Certified copies (not older than 6 months from the date of certifying) of all qualifications, professional registrations, and training.
 - Letters of completion for previous or current work on appropriate letterhead and signed off by the client must be attached. The letters must detail the scope of work undertaken, project value is undertaken, date of award and completion, and the location where work was carried out.
 - Proof of ownership of the plant or confirmation of rental agreement thereof.
 - Methodology documentation, detailing the bidder's approach to executing the scope of works, risk, and environmental impact.
 - Proof of Contractor Registration issued by the Construction Industry Development Board -Compulsory.
 - Signed Preferencing Schedule, including submitting the supporting documents
 - ➢ B-BBEE Verification Certificates issued by a verification agency accredited by the South African National Accreditation System "SANAS" (In the case of a consortium and Joint venture, a Joint BBBEE certificate is required, but where sub-contracting only the BBBEE of the bidding entity is required). Or in the case of an Exempted Micro Enterprise or a Qualifying Small Enterprise, if permitted in terms of the relevant code,
 - ➤ A duly completed and valid affidavit on the relevant form obtained from the DTI website (https://www.thedti.gov.za/economic_empowerment/bee_codes.jsp). Failure to submit these documents will result in no points allocated.

30

T2.1B

PART T2: RETURNABLE DOCUMENTS

- Copy of COIDA (Compensation for Occupational Injuries and Diseases) registration certificate, e.g. Letter of Good Standing
- A valid Tax Clearance, unique security Personal Identification Number(PIN) issued by the South African Revenue Services (where Consortium / Joint Venture / Sub- contractors / Sub-consultants are involved, each party to the association must submit a separate Valid Tax Clearance unique security personal Identification number)
- Certified copy of directors' identity documents not older than six months. No copy of a certified copy will be accepted.
- Joint Venture or Consortium submissions are eligible, Joint Venture Agreement must be notarized by the commissioner of oath.
- Submission of fully Completed and Priced Bill of Quantities

KINDLY NOTE THAT FAILURE TO SUBMIT AND OR COMPLETE THE REQUIRED DOCUMENTATION (AS PER MANDATORY REQUIREMENTS INCLUDING COMPLETION OF SBD 1, 4, 6.1, 6.2, 8 and 9) WITH THE TENDER WILL RESULT IN YOUR TENDER BEING REJECTED WITHOUT FURTHER CONSIDERATION.

31 T2.1B

T2.2: RETURNABLE SCHEDULE

	s shall indicate whether the list of returnables has been submitted together following completed documents or attachments (by indicating Yes or No)	Com	olaint
1.	SBD 1: Invitation to Bid	Yes	No
2.	Certificate of Authority	Yes	No
3.	Record of Addenda to the tender	Yes	No
4.	Compulsory Declaration	Yes	No
5.	Preferencing schedule: Broad-based Black Economic Empowerment status	Yes	No
6.	Proposed amendments and qualifications (if applicable)	Yes	No
7.	SBD 4: Declaration of Interest	Yes	No
8.	SBD 6.1: Reference Points claim form in terms of the Preferential Procurement Regulations 2017 or amended	Yes	No
9.	SBD 6.2 Declaration Certificate for Local Production and Content	Yes	No
10.	SBD 8: Declaration of the bidder's past SCM practices	Yes	No
11.	SBD 9: Certificate of Bid determination	Yes	No
12.	Declaration of Subcontracting Arrangements	Yes	No
13.	Form of offer	Yes	No
14.	CSD (Summary)	Yes	No
15.	COIDA	Yes	No
16.	Valid tax clearance or tax pin	Yes	No
17.	Certified copy of Contractor Registration for Incorporation or of Company Registration Document	Yes	No
18.	Joint venture certificate (where applicable)	Yes	No
19.	B-BBEE Verification Certificates issued by a verification agency accredited by the South African National Accreditation System (SANAS)	Yes	No
20.	Certified copies of Qualifications, Professional registration, and Training for Key persons	Yes	No
21.	Methodology/Method statement	Yes	No
22.	Certificates or letters of completed or current similar projects, with Contactable references and on the Client's letterhead	Yes	No
23.	Certified copy of directors' identity documents	Yes	No
24.	Minimum CIDB class grading: 7GB or higher (CIDB Certificate)	Yes	No
25.	Preliminary Programme/schedule and cash flow	Yes	No
26.	Safety, Health and Environmental Plan (SHEQ)	Yes	No

PART T2: RETURNABLE DOCUMENTS

SBD1: INVITATION TO BID

PART A

YOU ARE HEREBY INVITED TO BID F	OR REQUIRE	MENTS	OF THE (NAME OF	DEPAI		,
BID NUMBER:	CLOSING	DATE:			CLOS	SING TIME:
DESCRIPTION						
THE SUCCESSFUL BIDDER WILL BE				ITTEN (CONTRACT F	ORM (SBD7).
BID RESPONSE DOCUMENTS MAY E	BE DEPOSITEL) IN IH	IF BID BOX			
SITUATED AT (STREET ADDRESS)						
SUPPLIER INFORMATION						
NAME OF BIDDER						
POSTAL ADDRESS						
STREET ADDRESS						
TELEPHONE NUMBER	CODE				NUMBER	
CELLPHONE NUMBER						
FACSIMILE NUMBER	CODE				NUMBER	
E-MAIL ADDRESS						
VAT REGISTRATION NUMBER						
	TCS PIN:			OR	CSD No:	
B-BBEE STATUS LEVEL	Yes				E STATUS	Yes
VERIFICATION CERTIFICATE					L SWORN	
[TICK APPLICABLE BOX]	□ No			AFFIC)AVII	No
IF YES, WHO WAS THE CERTIFICATE ISSUED BY?						
AN ACCOUNTING OFFICER AS		AN A		ER AS	CONTEMPLA	TED IN THE CLOSE CORPORATION
CONTEMPLATED IN THE CLOSE CORPORATION ACT (CCA) AND			ERIFICATION AG			D BY THE SOUTH AFRICAN
NAME THE APPLICABLE IN THE	— ACC		REDITATION SYSTE GISTERED AUDITOI		IAS)	
TICK BOX	 	NAME		\		
[A B-BBEE STATUS LEVEL VERII	FICATION CE			FIDAVI	T (FOR FMF	s& QSEs) MUST BE SUBMITTED
IN ORDER TO QUALIFY FOR PRE				, DAVI	. (, OK LINE	da data, maar be dabiiii i leb

PART T2: RETURNABLE DOCUMENTS

ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	☐Yes ☐No [IF YES ENCLOSE PROOF]		ARE YOU A FOREIGN BASED SUPPLIER FOR THE GOODS /SERVICES /WORKS OFFERED?	☐Yes ☐No [IF YES ANSWER PART B:3 BELOW]	
SIGNATURE OF BIDDER			DATE		
CAPACITY UNDER WHICH THIS BID IS SIGNED (Attach proof of authority to sign this bid; e.g. resolution of directors, etc.)					
TOTAL NUMBER OF ITEMS OFFERED			TOTAL BID PRICE (ALL INCLUSIVE)		
BIDDING PROCEDURE ENQUIRIES MAY BE DIRECTED TO:			TECHNICAL INFORMATION MAY BE DIRECTED TO:		
DEPARTMENT/ PUBLIC ENTITY	LDPWR&I	CONT	ACT PERSON	Mr. P. Makape	
CONTACT PERSON	Ms Moloto V.			082 460 6271	
TELEPHONE NUMBER	015 284 7142		MILE NUMBER		
FACSIMILE NUMBER		E-MAII	L ADDRESS	makapep@dpw.limpopo.gov.za	
E-MAIL ADDRESS	molotomv@dpw.limpopo.gov.za				

PART B: TERMS AND CONDITIONS FOR BIDDING

1	BID SUBMISSION:
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR
1.1.	CONSIDERATION.
1.2.	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED— (NOT TO BE RE-TYPED) OR ONLINE
1.3.	BIDDERS MUST REGISTER ON THE CENTRAL SUPPLIER DATABASE (CSD) TO UPLOAD MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/ DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS; AND BANKING INFORMATION FOR VERIFICATION PURPOSES). B-BBEE CERTIFICATE OR SWORN AFFIDAVIT FOR B-BBEE MUST BE SUBMITTED TO BIDDING INSTITUTION.
1.4.	WHERE A BIDDER IS NOT REGISTERED ON THE CSD, MANDATORY INFORMATION NAMELY: (BUSINESS REGISTRATION/DIRECTORSHIP/ MEMBERSHIP/IDENTITY NUMBERS; TAX COMPLIANCE STATUS MAY NOT BE SUBMITTED WITH THE BID DOCUMENTATION. B-BBEE CERTIFICATE OR SWORN AFFIDAVIT FOR B-BBEE MUST BE SUBMITTED TO BIDDING INSTITUTION.
1.5.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER LEGISLATION OR SPECIAL CONDITIONS OF CONTRACT.
2.	TAX COMPLIANCE REQUIREMENTS
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VIEW THE TAXPAYER'S PROFILE AND TAX STATUS.
2.3	APPLICATION FOR TAX COMPLIANCE STATUS (TCS) OR PIN MAY ALSO BE MADE VIA E-FILING. IN ORDER TO USE THIS PROVISION, TAXPAYERS WILL NEED TO REGISTER WITH SARS AS E-FILERS THROUGH THE WEBSITE WWW.SARS.GOV.ZA.
2.4	BIDDERS MAY ALSO SUBMIT A PRINTED TCS TOGETHER WITH THE BID.
2.5	IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE PROOF OF TCS / PIN / CSD NUMBER.
2.6	WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
3.	QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS
3.1.	IS THE BIDDER A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? ☐ YES ☐ NO
3.2.	DOES THE BIDDER HAVE A BRANCH IN THE RSA?
3.3.	DOES THE BIDDER HAVE A PERMANENT ESTABLISHMENT IN THE RSA?
3.4.	DOES THE BIDDER HAVE ANY SOURCE OF INCOME IN THE RSA?
IF TI TAX ABC	HE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN, IT IS NOT A REQUIREMENT TO OBTAIN A TAX COMPLIANCE STATUS / COMPLIANCE SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 IVE.

NB: FAILURE TO PROVIDE ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

CERTIFICATE OF AUTHORITY

Indicate the status of the tenderer by ticking the appropriate box hereunder. The tenderer must complete the certificate set out below for the relevant category.

A	B	C	D	E
Company	Partnership	Joint Venture	Sole Proprietor	Close Corporation

	A.	CERTIF	ICATE FOR	СОМРА	NY							
I,				,	chairperson	of	the	board	of	direc	tors	of
				, her	eby confirm	that by	resolut	ion of the	e board	d (copy	attach	hed)
taken	on		20,	Mr/Mrs	8			acting	in	the	capa	acity
of				,w	as authorized	d to sig	n all do	ocuments	in cor	nection	n with	this
tender	and any	contract r	esulting from	it on beh	alf of the com	pany.						
As witr	ness											
1												
					Chairperson							
2					 Date							
	В.	CERTIF	ICATE OF F	ARTNEI	RSHIP							
We, th	e unders	signed, bei	ng the key pa	rtners in	the business	trading	as					
hereby	, auth	orize M	r/Mrs					, actino	g in	the	capa	acity
of			t	to sign	all docum	ents i	n con	nection	with	the te	ender	for
Contra	ct					and any	/ contra	ct resultir	ng from	it on o	ur beha	alf.
NAM	E		ADDRESS		SIGNA	TURE		DAT	E			

NOTE: This certificate is to be completed and signed by all the key partners upon whom rests the direction of the affairs of the Partnership as a whole.

C. CERTIFICATE FOR JOINT VENTURE

We, the undersigned, are Mr/Mrs	•			_	
capacity of lead partner, Contract	•				offer for
This authorization is evidenced all the partners to the Joint Ven	•	er of attorney signe	d by legally	authorized signa	atories of
NAME OF FIRM	ADDRESS			ZING SIGNATU E & CAPACITY	RE,
D. CERTIFICATI I,		confirm that I am th		er of the busines	s trading
2		Date			
E. CERTIFICATI	FOR CLOSE CO	RPORATION			
We, the undersigned, as	· ·	key members orise Mr/Mrs	in th		trading
in the capacity oftender for Contract		_			
NAME	ADDRESS	SIGNATUR	E	DATE	

PART T2: RETURNABLE DOCUMENTS

NOTE: This certificate is to be completed and signed by all the key members upon whom rests the direction of the affairs of the Close Corporation as a whole

Record of Addenda to tender documents

We co	onfirm that the following comn offer, amending the tender o	nunications received from the Employer before the submission of this ocuments, have been taken into account in this tender offer:
	Date	Title or Details
1.		
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		
Attach	additional pages if more spa	ce is required.
Signe	d	Date
Name		Position
Tende	erer	

Compulsory Declaration

each partner must be comp			e or a joint ventu	re, a separate declaration in respect c		
Section 1: Enterprise Deta	ails					
Name of						
enterprise: Contact person:						
Email:						
Telephone:						
Cell no						
Fax:						
Physical address						
Postal address						
Section 2: Particulars of	f companie	es and close co	rporations			
Company / Close Corpor number	ration regis	stration				
Section 3: SARS Inform	ation					
Tax reference number						
VAT registration number	r:	State Not Registered if not registered for VAT				
Section 4: CIDB registra	ation numb	er				
Section 5: National Treas	ury Centra	I Supplier Data	base			
Supplier number						
Unique registration refer number	rence					
Section 6: Particulars of p	orincipals					
	Companies	Act of 2008 (A	ct No. 71 of 200	sole proprietor, a director of a compan 08) or a member of a close corporation 1984).		
Full name of the principa	al Id	lentity number		Personal tax reference number		
Attach a separate page if no	ecessari,					

Section 7: Record in the	service of the state					
Indicate by marking the relevemenths in the service of any		if any principal	l is currently or ha	is been within the last 12		
□ a member of any munic	ipal council	□an employee of any department, national or provincia				
□ a member of any provin	icial legislature	public entity or constitutional institution within the meaning of the Public Finance Management Act of				
☐ a member of the National Assembly or the National Council of Province		1999 (Act	No. 1 of 1999)	-		
 a member of the boar municipal entity 	☐ a member of the board of directors of any municipal entity		public entity	ithority of any national or		
□ an official of any mur entity	nicipality or municipal	□ an employe	e of Parliament o	r a provincial legislature		
If any of the above boxes a	are marked, disclose th	e following:				
			Status of servi	ce		
Name of principal	Name of institution, pu		(tick appropriate	e column)		
Name of principal	position held	pard or organ of state and position held		Within the last 12 months		
*insert separate page if nece	essarv					
Section 8: Record of a family	<u> </u>	of the state				
family member: a person's sp domestic partner in a civil union or adoption	pouse, whether in a marria	age or in a cus				
Indicate by marking the relevant or has been within the last 12 m				ined in section 5 is currently		
□ a member of any municipa	al council			vincial department, national o		
□ a member of any provincia	-	withi	rovincial public entity or constitutional insti ithin the meaning of the Public Finance Manage			
Council of Province	nal Assembly or the Nati	onal Act, □ a me	1999 (Act 1 of 1999	999 (Act 1 of 1999) mber of an accounting authority of any nation ovincial public entity		
	directors of any municipal e					
□ an official of any municipa	lity or municipal entity	□ an e	mployee of Parliam	ent or a provincial legislature		
	Name of institution	nublic office	Status of se	rvice		
Name of a family member		•		riate column)		
	position held		Current	Within the last 12 m		
*insert separate page if nece	essary					

Enterprise

PART T2: RETURNABLE DOCUMENTS Section 9: Record of termination of previous contracts with an organ of state Was any contract between the tendering entities including any of its joint venture partners terminated during the past 5 years for reasons other than the employer no longer requiring such works or the employer fails to make payment in terms of the contract. □ Yes □ No (Tick appropriate box) If yes, provide particulars (interest separate page if necessary) **Section 10: Declaration** The undersigned, who warrants that he/she is duly authorized to do so on behalf of the tendering entity confirms that the contents of this Declaration are within my knowledge, and save where stated otherwise in an attachment hereto, are to the best of my belief both true and correct, and: i) neither the name of the tendering entity or any of its principals appears on: a) the Register of Tender Defaulters established in terms of the Prevention and Combating of Corrupt Activities Act of 2004 (Act No. 12 of 2004) b) National Treasury's Database of Restricted Suppliers (see www.treasury.gov.za) ii) neither the tendering entity of any of its principals has within the last five years been convicted of fraud or corruption by a court of law (including a court outside of the Republic of South Africa); iii) any principal who is presently employed by the state has the necessary permission to undertake remunerative work outside such employment (attach permission to this declaration); iv) the tendering entity is not associated, linked or involved with any other tendering entities submitting tender offers v) has not engaged in any prohibited restrictive horizontal practices including consultation, communication, agreement, or arrangement with any competing or potential tendering entity regarding prices, geographical areas in which goods and services will be rendered, approaches to determining prices or pricing parameters, intentions to submit a tender or not, the content of the submission (specification, timing, conditions of the contract, etc.) or intention to not win a tender; vi) has no other relationship with any of the tenderers or those responsible for compiling the scope of work that could cause or be interpreted as a conflict of interest; vii) neither the tenderer or any of its principals owes municipal rates and taxes or municipal service charges to any municipality or a municipal entity and are not in arrears for more than 3 months; viii) SARS may, on an on-going basis during the term of the contract, disclose the tenderer's tax compliance status to the Employer and when called upon to do so, obtain the written consent of any subcontractors who are subcontracted to execute a portion of the contract that is entered into more than the threshold prescribed by the National Treasury, for SARS to do likewise. Signed _____ Date Name _____ Position _____

41

- NOTE 2: Section 30(1) of the Public Service Act, 1994, prohibits an employee (person who is employed in posts on the establishment of departments) from performing or engaging remunerative work outside his or her employment in the relevant department, except with the written permission of the executive authority of the department. When in operation, Section 8(2) of the Public Administration Management Act, 2014, will prohibit an employee of the public administration (i.e. organs of state and all national departments, national government components listed in Part A of Schedule 3 to the Public Service Act, provincial departments including the office of the premier listed in Schedule 1 of the Public Service Act and provincial departments listed in schedule 2 of the Public Service Act, and provincial government components listed in Part B of Schedule 3 of the Public Service Act) or persons contracted to executive authorities in accordance with the provisions of section 12A of the Public Service Act of 1994 or persons performing similar functions in organs of state from conducting business with the State or to be a director of a public or private company conducting business with the State. The offense for doing so is a fine or imprisonment for a period not exceeding 5 years or both. It is also serious misconduct which may result in the termination of employment by the employer.
- NOTE 3: Regulation 44 of Supply Chain Management regulations issued in terms of the Municipal Finance Management Act of 2003 requires that organs of state and municipal entities not award a contract to a person who is the service of the state, a director, manager or principal shareholder in the service of the state or who has been in the service of the state in the previous twelve months.
- NOTE 4: Regulation 45 of Supply Chain Management regulations requires a municipality or municipal entity to disclose in the notes to the particulars of the annual statement of any award made to a close family member in the service of the state.
- NOTE 5: Corrupt activities which give rise to an offense in terms of the Prevention and Combating of Corrupt Activities Act of 2004) include improperly influencing in any way the procurement of any contract, the fixing of the price, consideration or other amounts of money stipulated or otherwise provided for in any contract and the manipulating by any means of the award of a tender.
- NOTE 6: Section 4 of the Competition Act of 1998 prohibits restrictive horizontal practice including agreements between parties in a horizontal relationship that have the effect of substantially preventing or lessening competition, directly or indirectly fixing prices or dividing markets or constitute collusive tendering. Section 5 also prohibits restrictive vertical practices. Any restrictive practices that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties.

F. BROAD-BASED BLACK ECONOMIC EMPOWERMENT

Preferencing schedule: Broad-Based Black Economic Empowerment Status

Preamble

Section 10(b) of the Broad-Based Black Economic Empowerment Act of 2003 (Act No. 53 of 2003) states that "Every organ of state and the public entity must take into account and, as far as is reasonably possible, apply any **relevant code of good practice** issued in terms of this Act in developing and implementing a preferential procurement policy."

A number of codes of good practice have been issued in terms of Section 9(1) of the B-BBEE Act of 2003, including a generic code of good practice and various sector codes. The sector codes vary the metrics, weightings, and targets used in the generic code of good practice to establish the overall performance of an entity and its B-BBEE status. The B-BBEE status needs to be assessed in accordance with the applicable code.

1 Conditions associated with the granting of preferences

Tenderers who claim a preference shall provide proof of B-BBEE status level of contributor in accordance with the requirements of section 2 in respect of the applicable code as at the closing time for submissions, failing which their claims for preferences will be rejected.

1 Proof of B-BBEE status level of contributor

Proof of B-BBEE status level of contributor shall be by means of

- the B-BBEE status level certificate issued by an authorized body or person;
- an affidavit as prescribed by the B-BBEE Codes of Good Practice; or
- any other requirement prescribed in terms of the Broad-Based Black Economic Empowerment Act

2 Tender preferences claimed

The scoring shall be as follows:

	Status level of	Number of preference points			
B-BBEE status level of contributor	a tenderer (tick relevant level)	90/10 preference points system	80/20 preference points system		
Form not completed or non-complaint contributor		0	0		
Level 8 contributor		1	2		
Level 7 contributor		2	4		
Level 6 contributor		3	6		
Level 5 contributor		4	8		
Level 4 contributor		5	12		
Level 3 contributor		6	14		
Level 2 contributor		9	18		
Level 1 contributor		10	20		

4 Declaration

The tenderer declares that

- a) the tendering entity is a level contributor as stated in the submitted proof of B-BBEE status level of a contributor as at the closing date for submissions
- b) the tendering entity has been measured in terms of the following code (tick applicable box):
 - ☐ Generic code of good practice

PART T2: RETURNABLE DOCUMENTS

	Construction Sector Code
	Other – specify
-1	the target with a configuration of the titudil and a natural contract with the Fundament with
c)	the tendering entity confirms that it will only enter into a subcontract with the Employer's prior approval and is not permitted to subcontract more than 25% of the total of the prices of the contract to any other enterprise
	that does not have an equal or higher B-BBEE status level of contributor unless the contract is a
	subcontractor to an Exempted Micro Enterprises which has the capability to execute the contract.
d)	the contents of the declarations made in terms of a) and b) above are within my knowledge and are to the
	best of my belief both true and correct
Th	
	ndersigned, who warrants that he/she is duly authorized to do so on behalf of the tenderer, confirms that e understands the conditions under which such preferences are granted and confirms that the tenderer
	es the conditions about the granting of tender preferences.
.	
Signat	ure:
Name:	
Duly a	uthorized to sign on behalf of:
Teleph	none:
Eav:	Date:
гах	Date:
Name	of witness: Signature of witness:
Note:	1) Failure to complete the declaration will lead to the rejection of a claim for preference.
	2) Supporting documentation of the abovementioned claim for preference must be submitted with the tender submission to be eligible for a preference

Proposed amendments and qualifications

The Tenderer should record any deviations or qualifications he may wish to make to the tender documents in this Returnable Schedule. Alternatively, a tenderer may state such deviations and qualifications in a cover letter to his tender and reference such a letter in this schedule.

The Tenderer's attention is drawn to clause 5.8 of SANS 10845-3 regarding the employer's handling of material deviations and qualifications.

Page	Clause or item	Proposal

Signed	 Date	
Name	 Position	
Tenderer	 	

SBD 4: DECLARATION OF INTEREST

- 1. Any legal person, including persons employed by the state¹, or persons having a kinship with persons employed by the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid (includes an advertised competitive bid, a limited bid, a proposal or written price quotation). Because of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons employed by the state, or to persons connected with or related to them, it is required that the bidder or his/her authorized representative declare his/her position concerning the evaluating/adjudicating authority where-
 - the bidder is employed by the state; and/or
 - the legal person on whose behalf the bidding document is signed, has a relationship with persons/a person who are/is involved in the evaluation and or adjudication of the bid(s), or where it is known that such a relationship exists between the person or persons for or on whose behalf the declarant acts and persons who are involved with the evaluation and or adjudication of the bid.

	·	,
2. T	o give effect to the above, the following questionnaire must be o	completed and submitted with the bid.
2.1	Full Name of bidder or his or her representative:	
2.2	Identity Number	
2.3	The position occupied in the Company (director, trustee, share	holder², member):
2.4	Registration number of company, enterprise, close corporation	, partnership agreement or trust:
2.5	Tax Reference Number:	
2.6	VAT Registration Number:	
2.6.1	The names of all directors/trustees/shareholders/memb	
1"State	e" means – (a) any national or provincial department, national or provincial public er Public Finance Management Act, 1999 (Act No. 1 of 1999); (b) any municipality or municipal entity; (c) provincial legislature; (d) national Assembly or the national Council of provinces; or (e) Parliament.	ntity or constitutional institution within the meaning of the
	reholder" means a person who owns shares in the company and is actively involved control over the enterprise.	red in the management of the enterprise or business and
2.7	Are you or any person connected with the bidder? Presently employed by the state?	YES / NO
2.7.1	If so, furnish the following particulars:	
	Name of person / director / trustee / shareholder/ member: Name of state institution at which you or the person connected to the bidder is employed:	

46

SBD 4

SBD 4: DECLARATION OF INTEREST

360 4	. DECLARATION OF INTEREST	
	The position occupied in the state institution:	
	Any other particulars:	
0.7.0	Marine and the second	VE0 / NO
2.7.2	If you are presently employed by the state, did you obtain the appropriate authority to undertake remunerative work outside employment in the public sector?	YES / NO
2.7.2.	1 If yes, did you attach proof of such authority to the bid document?	YES / NO
	(Note: Failure to submit proof of such authority, where applicable, may result in the disqualification of the bid.	
2.7.2.	2 If no, furnish reasons for non-submission of such proof:	
2.8 🗅	Did you or your spouse, or any of the company's directors / trustees/shareholders/members or their spouses conduct business with the state in the previous twelve months?	YES / NO
2.8.1	If so, furnish particulars:	
2.9 🗅	Oo you, or any person connected with the bidder, have any relationship (family, friend, other) with a person employed by the state and who may be involved with the evaluation and or adjudication of this bid?	YES / NO
2.9.1	If so, furnish particulars.	
aw an	Are you, or any person connected with the bidder, vare of any relationship (family, friend, other) between y other bidder and any person employed by the state no may be involved with the evaluation and or adjudication of this bid?	YES/NO
2.10.1	If so, furnish particulars.	
	·	
••••		

47 SBD 4

2.11.1 If so, furnish	particulars:		
3 Full details of directors	s / trustees / members / sh	areholders.	
Full Name	Identity Number	Personal Income Tax Reference Number	State Employee Numb Persal Number
4 DECLARATION	-		
I, THE UNDERSIGNED (N	JAME)		
I ACCEPT THAT THE STA		N PARAGRAPHS 2 and 3 AE O OR ACT AGAINST ME SH	
PROVE TO BE FALSE.			
Signature		Date	

48

SBD 4

SBD 6.1: REFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2017

This preference form must form part of all bids invited. It contains general information and serves as a claim form for preference points for Broad-Based Black Economic Empowerment (B-BBEE) Status Level of Contribution

NB: BEFORE COMPLETING THIS FORM, BIDDERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF B-BBEE, AS PRESCRIBED IN THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017.

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to all bids:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2

- a) The value of this bid is estimated to exceed/not exceed R50 000 000 (all applicable taxes included) and therefore the preference point system shall be applicable; or
- b) Either the 80/20 or 90/10 preference point system will be applicable to this tender (*delete whichever is not applicable for this tender*).
- 1.3 Points for this bid shall be awarded for:
 - (a) Price; and
 - (b) B-BBEE Status Level of Contributor.
- 1.4 The maximum points for this bid are allocated as follows:

	POINTS
PRICE	
B-BBEE STATUS LEVEL OF CONTRIBUTOR	
Total points for Price and B-BBEE must not exceed	100

1.5 Failure on the part of a bidder to submit proof of B-BBEE Status level of contributor together with the bid, will be interpreted to mean that preference points for B-BBEE status level of contribution are not claimed.

1.6 The purchaser reserves the right to require of a bidder, either before a bid is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the purchaser.

2. **DEFINITIONS**

- (a) **"B-BBEE"** means broad-based black economic empowerment as defined in section 1 of the Broad-Based Black Economic Empowerment Act;
- (b) "B-BBEE status level of contributor" means the B-BBEE status of an entity in terms of a code of good practice on black economic empowerment, issued in terms of section 9(1) of the Broad-Based Black Economic Empowerment Act;
- (c) "bid" means a written offer in a prescribed or stipulated form in response to an invitation by an organ of state for the provision of goods or services, through price quotations, advertised competitive bidding processes or proposals;
- (d) "Broad-Based Black Economic Empowerment Act" means the Broad-Based Black Economic Empowerment Act, 2003 (Act No. 53 of 2003);
- (e) "EME" means an Exempted Micro Enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (f) "functionality" means the ability of a tenderer to provide goods or services in accordance with specifications as set out in the tender documents.
- (g) "prices" includes all applicable taxes less all unconditional discounts;
- (h) "proof of B-BBEE status level of contributor" means:
 - 1) B-BBEE Status level certificate issued by an authorized body or person;
 - 2) A sworn affidavit as prescribed by the B-BBEE Codes of Good Practice;
 - 3) Any other requirement prescribed in terms of the B-BBEE Act;
 - (i) "QSE" means a qualifying small business enterprise in terms of a code of good practice on black economic empowerment issued in terms of section 9 (1) of the Broad-Based Black Economic Empowerment Act;
- (j) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;

3. POINTS AWARDED FOR PRICE

3.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis: 80/20 or 90/10

$$Ps = 80\left(1 - \frac{Pt - P\min}{P\min}\right)$$
 or $Ps = 90\left(1 - \frac{Pt - P\min}{P\min}\right)$

Where

Ps = Points scored for price of bid under consideration

Pt = Price of bid under consideration

Pmin = Price of lowest acceptable bid

4. POINTS AWARDED FOR B-BBEE STATUS LEVEL OF CONTRIBUTOR

4.1 In terms of Regulation 6 (2) and 7 (2) of the Preferential Procurement Regulations, preference points must be awarded to a bidder for attaining the B-BBEE status level of contribution in accordance with the table below:

B-BBEE Status Level of Contributor	Number of points (90/10 system)	Number of points (80/20 system)
1	10	20
2	9	18
3	6	14
4	5	12
5	4	8
6	3	6
7	2	4
8	1	2
Non-compliant contributor	0	0

5. BID DECLARATION

5.1 Bidders who claim points in respect of B-BBEE Status Level of Contribution must complete the following:

6. B-BBEE STATUS LEVEL OF CONTRIBUTOR CLAIMED IN TERMS OF PARAGRAPHS 1.4 AND 4.1

6.1 B-BBEE Status Level of Contributor: =(maximum of 10 or 20 points)

(Points claimed in respect of paragraph 7.1 must be in accordance with the table reflected in paragraph 4.1 and must be substantiated by relevant proof of B-BBEE status level of contributor.

BID	NUMBER:	LDPWRI	-B/20103
------------	---------	---------------	----------

ווטוו כוכ	IDEN. EDI WINI-DIZO103			
7.	SUB-CONTRACTING			
7.1	Will any portion of the contract be sub-contracted?			
	(Tick applicable box)			
	YES NO			
7.1.1	If yes, indicate:			
	i) What percentage of the contract will be subcontracted		9	%
	ii) The name of the sub-contractor			
	iii) The B-BBEE status level of the sub-contractor			
	iv) Whether the sub-contractor is an EME or QSE			
	(Tick applicable box)			
	YES NO			
	v) Specify, by ticking the appropriate box, if subcontracting	with an ent	erprise in te	erms
	Preferential Procurement Regulations,2017:			
Desi	gnated Group: An EME or QSE which is at last 51% owned	EME	QSE	
	by:		4 √	
	people			
	people who are youth people who are women			
	people with disabilities			
	people living in rural or underdeveloped areas or townships			
	erative owned by black people			
Black	people who are military veterans			
Any E	OR ME			
Any Q				
<u> </u>				
3.	DECLARATION WITH REGARD TO COMPANY/FIRM			
8.1	Name of company/firm:			
8.2	VAT registration number:			
8.3	Company registration number:			
8.4	TYPE OF COMPANY/ FIRM			

Partnership/Joint Venture / Consortium One person business/sole propriety

Close corporation

Company (Pty) Limited [TICK APPLICABLE BOX]

BID NUMBER: LDPWRI-B/20103 8.5 DESCRIBE PRINCIPAL BUSINESS ACTIVITIES **COMPANY CLASSIFICATION** 8.6 Manufacturer Supplier Professional service provider Other service providers, e.g. transporter, etc. [TICK APPLICABLE BOX] 8.7 Total number of years the company/firm has been in business:..... 8.8 I/we, the undersigned, who is / are duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the B-BBE status level of contributor indicated in paragraphs 1.4 and 6.1 of the foregoing certificate, gualifies the company/ firm for the preference(s) shown and I / we acknowledge that: The information furnished is true and correct; ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form; iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 6.1, the contractor may be required to furnish documentary proof to the satisfaction of the purchaser that the claims are correct; iv) If the B-BBEE status level of contributor has been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the purchaser may, in addition to any other remedy it may have disqualify the person from the bidding process; (a) (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct; cancel the contract and claim any damages which it has suffered as a result (c) of having to make less favourable arrangements due to such cancellation;

(d) recommend that the bidder or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted by the National Treasury from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and

(e) forward the matter for criminal prosecution.

WI	TNESSES	
1.		
2.		

SIGI	NATURE(S) OF BIDDERS(S)
DATE:	
DATE.	
ADDRESS	
	•••••

SBD 6.2: DECLARATION CERTIFICATE FOR LOCAL PRODUCTION AND CONTENT

This Standard Bidding Document (SBD) must form part of all bids invited. It contains general information and serves as a declaration form for local content (local production and local content are used interchangeably).

Before completing this declaration, bidders must study the General Conditions, Definitions, Directives applicable in respect of Local Content as prescribed in the Preferential Procurement Regulations, 2017, the South African Bureau of Standards (SABS) approved technical specification number SATS 1286:2011 (Edition 1) and the Guidance on the Calculation of Local Content together with the Local Content Declaration Templates [Annex C (Local Content Declaration: Summary Schedule), D (Imported Content Declaration: Supporting Schedule to Annex C)].

1. General Conditions

- 1.1. Preferential Procurement Regulations, 2017 (Regulation 8) makes provision for the promotion of local production and content.
- 1.2. Regulation Regulation 8.(2) prescribes that in the case of designated sectors, organs of state must advertise such tenders with the specific bidding condition that only locally produced or manufactured goods, with a stipulated minimum threshold for local production and content will be considered.
- 1.3. Where necessary, for bids referred to in paragraph 1.2 above, a two-stage bidding process may be followed, where the first stage involves a minimum threshold for local production and content and the second stage price and B-BBEE.
- 1.4. A person awarded a contract in relation to a designated sector, may not sub-contract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 1.5. The local content (LC) expressed as a percentage of the bid price must be calculated in accordance with the SABS approved technical specification number SATS 1286: 2011 as follows:

$$LC = \left(1 - \frac{X}{Y}\right) X 100$$

Where

x is the imported content in Rand

y is the bid price in Rand excluding value-added tax (VAT)

Prices referred to in the determination of x must be converted to Rand (ZAR) by using the exchange rate published by the South African Reserve Bank (SARB) at 12:00 on the date of advertisement of the bid as indicated in paragraph 4.1 below.

The SABS approved technical specification number SATS 1286:2011 is accessible on http://www.dti.gov.za/industrial development/ip.jsp at no cost.

- 1.6 A bid may be disqualified if this Declaration Certificate and the Annex C (Local Content Declaration: Summary Schedule) are not submitted as part of the bid documentation;
- 2. The stipulated minimum threshold(s) for local production and content (refer to Annex A of SATS 1286:2011) for this bid is/are as follows: (Refer to "Treasury Designated sector"- Page 64 to 66)

Description of services, works or goods	Stipulated minimum threshold
	%
	%
	%

3. Does any portion of the services, works or goods offered have any imported content?

(Tick applicable box)

YES	NO	

3.1 If yes, the rate(s) of exchange to be used in this bid to calculate the local content as prescribed in paragraph 1.5 of the general conditions must be the rate(s) published by SARB for the specific currency at 12:00 on the date of advertisement of the bid.

The relevant rates of exchange information are accessible on www.reservebank.co.za.

Indicate the rate(s) of exchange against the appropriate currency in the table below (refer to Annex A of SATS 1286:2011):

Currency	Rates of exchange	
US Dollar		
Pound Sterling		
Euro		
Yen		
Other		

NB: Bidders must submit proof of the SARB rate (s) of exchange used.

4. Where, after the award of a bid, challenges are experienced in meeting the stipulated minimum threshold for local content the DTI must be informed accordingly in order for the dti to verify and in consultation with the AO/AA provide directives in this regard.

LOCAL CONTENT DECLARATION

(REFER TO ANNEX B OF SATS 1286:2011)

RES ME	CAL CONTENT DECLARATION BY CHIEF FINANCIAL OFFICER OR OTHER LEGALLY SPONSIBLE PERSON NOMINATED IN WRITING BY THE CHIEF EXECUTIVE OR SENIOR MBER/PERSON WITH MANAGEMENT RESPONSIBILITY (CLOSE CORPORATION, RTNERSHIP OR INDIVIDUAL)
IN F	RESPECT OF BID NO.
ISS	UED BY: (Procurement Authority / Name of Institution):
NB	
1	The obligation to complete, duly sign and submit this declaration cannot be transferred to an external authorized representative, auditor or any other third party acting on behalf of the bidder.
2	Guidance on the Calculation of Local Content together with Local Content Declaration Templates (Annex C, D and E) is accessible on http://www.thedti.gov.za/industrial_development/ip.jsp. Bidders should first complete Declaration D. After completing Declaration D, bidders should complete Declaration E and then consolidate the information on Declaration C. Declaration C should be submitted with the bid documentation at the closing date and time of the bid in order to substantiate the declaration made in paragraph (c) below. Declarations D and E should be kept by the bidders for verification purposes for a period of at least 5 years. The successful bidder is required to continuously update Declarations C, D and E with the actual values for the duration of the contract.
do I	ne undersigned,
(a)	The facts contained herein are within my own personal knowledge.
(b)	I have satisfied myself that
	(i) the goods/services/works to be delivered in terms of the above-specified bid comply with the minimum local content requirements as specified in the bid, and as measured in terms of SATS 1286:2011; and
(c)T	The local content percentages (%) indicated below has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E which has been consolidated in Declaration C;

Bid price, excluding VAT (y)	R
Imported content (x), as calculated in terms of SATS 1286:2011	R
Stipulated minimum threshold for local content (paragraph 3 above)	
Local content %, as calculated in terms of SATS 1286:2011	

If the bid is for more than one product, the local content percentages for each product contained in Declaration C shall be used instead of the table above. The local content percentages for each product has been calculated using the formula given in clause 3 of SATS 1286:2011, the rates of exchange indicated in paragraph 4.1 above and the information contained in Declaration D and E.

- (d) I accept that the Procurement Authority / Municipality / Municipal Entity has the right to request that the local content be verified in terms of the requirements of SATS 1286:2011.
- (e) I understand that the awarding of the bid is dependent on the accuracy of the information furnished in this application. I also understand that the submission of incorrect data, or data that are not verifiable as described in SATS 1286:2011, may result in the Procurement Authority / Institution imposing any or all of the remedies as provided for in Regulation 14 of the Preferential Procurement Regulations, 2017 promulgated under the Preferential Policy Framework Act (PPPFA), 2000 (Act No. 5 of 2000).

SIGNATURE:	DATE:
WITNESS No. 1	DATE:
WITNESS No. 2	DATE:

GUIDANCE DOCUMENT FOR THE CALCULATION OF LOCAL CONTENT

1. **DEFINITIONS**

Unless explicitly provided in this guideline, the definitions given in SATS 1286:2011 apply.

2. GENERAL

2.1. Introduction

This guideline provides tenderers with a detailed description of how to calculate local content of products (goods, services and works) by components/material/services and enables them to keep an updated record for verification requirements as per the SATS 1286:2011 Annexure A and B.

The guideline consists of two parts, namely:

- a written guideline; and
- three declarations that must be completed:
 - Declaration C: "Local Content Declaration Summary Schedule" (see Annexure C);
 - Declaration D: "Imported Content Declaration Supporting Schedule to Annex C" (see Annexure D); and
 - Declaration E: "Local Content Declaration Supporting Schedule to Annex C" (see Annexure E).

The guidelines and declarations should be used by tenderers when preparing a tender. A tenderer must complete Declarations D and E, and consolidate the information on Declaration C.

Annexure C must be submitted with the tender by the closing date and time as determined by the Tender Authority. The Tender Authority reserves the right to request that Declarations D and E also be submitted.

If the tender is successful, the tenderer must continuously update Declarations C, D and E with actual values for the duration of the contract.

NOTE:

Annexure A is a note to the purchaser in SATS 1286:2011; and Annexure B is the Local Content Declaration IN SATS 1286:2011.

2.2. What is local content?

According to SATS 1286:2011, the local content of a product is the tender price less the value of imported content, expressed as a percentage. It is, therefore, necessary to first compute the imported value of a product to determine the local content of a product.

2.3. Categories: Imported and Local Content

The tenderer must differentiate between imported content and local content. Imported content of a product by components/material/services is separated into two categories, namely:

- products imported directly by the tenderer; and
- products imported by a third party and supplied to the tenderer.

2.3.1. Imported Content

Identify the imported content, if any, by value for products by component/material/services. In the case of components/materials/services sourced from a South African manufacturer, agent, supplier or subcontractor (i.e. third party), obtain that information and Declaration D from the third party.

Calculate the imported content of components/materials/services to be used in the manufacture of the total quantity of the products for which the tender is to be submitted.

As stated in clause 3.2.4 of SATS 1286:2011: "If information on the origin of components, parts or materials is not available, it will be deemed to be imported content."

2.3.1.1. Imported directly by the tenderer:

When the tenderer import products directly, the onus is on the tenderer to provide evidence of any components/materials/services that were procured from a non-domestic source. The evidence should be verifiable and pertain to the tender as a whole. Typical evidence will include commercial invoices, bills of entry, etc.

When the tenderer procures imported services such as project management, design, testing, marketing, etc. and makes royalty and lease payments, such payments relating to the tender must be included when calculating imported content.

2.3.1.2. Imported by a third party and supplied to the tenderer:

When the tenderer supplies components/material/services that are imported by any third party (for example, a domestic manufacturer, agent, supplier or subcontractor in the supply chain), the onus is on the tenderer to obtain verifiable evidence from the third party.

The tenderer must obtain Declaration D from all third parties for the related tender. The third party must be requested by the tenderer to continuously update Declaration D. Typical evidence of imported content will include commercial invoices, bills of entry etc.

When a third party procures imported services such as project management, design, testing, marketing etc. and makes royalty and lease payments, such payments relating to the tender must be included when calculating imported content.

2.3.1.3. Exempt Imported Content:

Exemptions, if any, are granted by the Department of Trade and Industry (the dti). Evidence of the exemptions must be provided and included in Annexure D.2.3.2.

Local Content

Identify and calculate the local content, by value for products by components/materials/services to be used in the manufacture of the total quantity of the products.

TREASURY DESIGNATED SECTOR

			TREASURY DESIGNATED SECTOR			
Steel	Constructi	on Material				
Item	Section	Bill No	Description	Unit	Qty	Local Content Threshold
Reinfo	rcement (Foundation	(a)			
12	2	4	Ref. S193 fabric reinforcement	m ²	330	100%
12	3	2	Ref. S193 fabric reinforcement	m ²	510	100%
13	4	2	Ref. S193 fabric reinforcement	m ²	674	100%
15	5	2	Ref. S193 fabric reinforcement	m ²	297	100%
15	5	2	Ref. S395 fabric reinforcement	m ²	39	100%
14	4	2	Ref. S193 fabric reinforcement	m ²		100%
16	5	2	Ref. S193 fabric reinforcement	m ²		100%
Reinfo	orcement (C, F&R)				
18	6	2	16mm Diameter Bars High-Tensile steel	t	1	100%
16	5	2	10mm Diameter mild steel	t	2	100%
13	3	2	16mm Diameter Bars High-Tensile steel	t	6	100%
15	4	2	10mm Diameter mild steel	t	2	100%
17	5	2	10mm Diameter Bars High-Tensile steel	t	2	100%
15	3	2	20mm Diameter Bars High-Tensile steel	t	2	100%
14	3	2	12mm Diameter Bars High steel	t	2	100%
19	5	2	12mm Diameter Bars High-Tensile steel	t	1	100%
16	3	2	16mm Diameter mild steel	t	1	100%
16	3	2	10mm Diameter Bars High-Tensile steel	t	1	100%
14	4	2	Various steel reinforcement	t	35	100%
18	5	2	20mm Diameter Bars High-Tensile steel	t	2	100%
		ment (Maso				
5	3	3	75mm Brick Reinforcement	m	510	100%
6	3	3	150mm Brick Reinforcement	m	3928	100%
6	6	2	75mm Brick Reinforcement	m	96	100%
7	6	2	150mm Brick Reinforcement	m	291	100%
3	4	3	75mm Brick Reinforcement	m	188	100%
4	4	3	150mm Brick Reinforcement	m	5024	100%
7	5	3	75mm Brick Reinforcement	m	749	100%
8	5	3	150mm Brick Reinforcement	m	3125	100%

Fabrica	ated Struc	tural Steel	(Ironmongery)			
3	3	9	Code 630 Padlock	No	8	100%
2	4	8	Code 630 Padlock	No	8	100%
5	5	8	Code 630 Padlock	No	2	100%
2	6	2	Code 630 Padlock	No	2	100%
10	3	9	Door Stopper	No	8	100%
4	4	8	Door Stopper	No	16	100%
10	5	2	Door Stopper	No	15	100%
5	2	2	Door Stopper	No	8	100%
16	5	8	Pinning Boards	No	1	100%
11	3	9	Pinning Boards	No	16	100%
5	3	11	3000 x 1200mm p/board	No	4	100%
16	5	8	Pinning Boards	No	1	100%
Door F	rames					
4	4	9	Door Frames size 813 x 2032	No	6	100%
6	3	11	Door Frames size 813 x 2032	No	8	100%
7	3	11	Door Frames size 914 x 2032	No	2	100%
7	3	11	Door Frames size 813 x 2032	No	2	100%
4	5	9	Door Frames size 813 x 2032	No	10	100%
3	6	2	Door Frames size 914 x 2032	No	1	100%
2	6	2	Door Frames size 813 x 2032	No	2	100%
2	7	8	Door Frames size 813 x 2032	No	6	100%
Gutters	s. Downpi	pe and Lau	uders			
1	2	13	100 x 100mm seamless eaves gutters	m	158	70%
2	2	13	Extra over eaves gutter for stopped ends	No	4	70%
3	2	13	Extra over eave gutter for outlet for 75mm pipe	No	12	70%
4	2	13	75mm Diameter downpipe	m	48	70%
5	2	13	Extra over downpipe for eaves or plinths offset	No	12	70%
6	2	13	Extra over downpipe for Shoe	No	12	70%
1	3	13	100 x 100mm seamless eaves gutters	m	97	70%
2	3	13	Extra over eaves gutter for angle	No	4	70%
3	3	13	Extra over eave gutter for outlet for 75mm pipe	No	4	70%
4	3	13	100mm Diameter downpipe	m	24	70%
5	3	13	Extra over downpipe for eaves or plinths offset	No	6	70%
6	3	13	Extra over downpipe for Shoe	No	6	70%
1	4	14	125 x 100mm seamless eaves gutters	m	156	70%
2	4	14	Extra over eaves gutter for stopped end	No	8	70%
3	4	14	Extra over eaves gutter for angle	No	8	70%
4	4	14	Extra over eave gutter for outlet for 75mm pipe	No	40	70%
5	4	14	100mm Diameter downpipe	m	176	70%

6	3	14	Extra over downpipe for bend	No	40	70%
7	3	14	Extra over downpipe for Shoe	No	40	70%
1	4	12	100 x 100mm seamless eaves gutters		194	70%
2	4	12		m No	8	70%
3	4	12	Extra over eaves gutter for angle		52	70%
4	4	12	Extra over eave gutter for outlet for 75mm pipe	No		70%
5		12	75mm Diameter downpipe Extra over downpipe for eaves or plinths offset	m No	208	70%
	4		'''	No	52	
6	4	12	Extra over downpipe for Shoe	No	52	70%
1	5	12	100 x 100mm seamless eaves gutters	m	79	70%
2	5	12	Extra over eaves gutter for angle	No	12	70%
4	5	12	Extra over eave gutter for outlet for 75mm pipe	No	12	70%
5	5	12	100mm Diameter downpipe	m	48	70%
6	5	12	Extra over downpipe for eaves or plinths offset	No	12	70%
7	5	12	Extra over downpipe for Shoe	No	12	70%
PVC P	ipes, etc					
20	3	14	110mm uPVC pipe	m	150	70%
22	3	14	110mm uPVC pipe	m	110	70%
24	3	14	Extra over uPVC pipe for 110mm bend	No	36	70%
25	3	14	Extra over uPVC pipe for 110mm junction	No	18	70%
28	3	14	Extra over uPVC pipe for 110mm Pan connector	No	12	70%
29	3	14	Extra over uPVC pipe for 110mm double junction	No	36	70%
28	5	12	Extra over uPVC pipe for 110mm Pan connector	No	2	70%
27	5	12	Extra over uPVC pipe for 110mm double junction	No	5	70%
20	5	12	50mm uPVC pipe	m	15	70%
29	5	12	Extra over uPVC pipe for 110mm vent valve	No	2	70%
		and Acuto	rs			
	Valves					
14	2	13	9kg DCP Fire Extinguisher	No	20	70%
7	4	12	9kg DCP Fire Extinguisher	No	8	70%
7	4	12	Bib tap	No	3	70%
17	3	14	Angle regulating Valve	No	8	70%
16	5	12	Angle regulating Valve	No	2	70%
45	5	13	30m Plastic Hose reel	No	1	70%
45	4	14	9kg DCP Fire Extinguisher	No	2	70%
16	4	14	Gate valve	No	11	70%
16	5	13	Gate valve	No	6	70%
7	12	13	9kg DCP Fire Extinguisher	No	6	70%
16	6	12	9kg DCP Fire Extinguisher	No	2	70%

Electrical Cab	oles				
PVC Cables					
13.9	Part B	16mm ² x 2 Core Cu Cables	m	300	90%
13.5	Part B	25mm ² x 2 Core Cu Cables	m	50	90%
 Cement (Build	ding and Civil)				
		Cement	ton	62	100%
Treasury Desig	gnated Sector	1			

3. ANNEXURE C

3.1. Guidelines for completing Annexure C: Local Content Declaration –Summary Schedule

Note: The paragraph numbers correspond to the numbers in Annexure C.

C1. Tender Number

Supply the tender number that is specified on the specific tender documentation.

C2. Tender description

Supply the tender description that is specified on the specific tender documentation.

C3. Designated products

Supply the details of the products that are designated in terms of this tender (i.e. buses).

C4. Tender Authority

Supply the name of the tender authority.

C5. Tendering Entity name

Provide the tendering entity name (for example, Unibody Bus Builders (Pty) Ltd).

C6. Tender Exchange Rate

Provide the exchange rate used for this tender, as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.

C7. Specified local content %

Provide the specified minimum local content requirement for the tender (i.e. 80%), as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MDB) 6.2.

C8. Tender item number

Provide the tender item number(s) of the products that have a local content requirement as per the tender specification.

C9. List of items

Provide a list of the item(s) corresponding with the tender item number. This may be a short description or a brand name.

Calculation of local content

C10. Tender price

Provide the unit tender price of each item excluding VAT.

C11. Exempted imported content

Provide the ZAR value of the exempted imported content for each item, if applicable. These value(s) must correspond with the value(s) of column D16 on Annexure D.

C12. Tender value net of exempted imported content

Provide the net tender value of the item, if applicable, by deducting the exempted imported content (C11) from the tender price (C10).

C13. Imported value

Provide the ZAR value of the items' imported content.

C14. Local value

Provide the local value of the item by deducting the Imported value (C13) from the net tender value (C12).

C15. Local content percentage (per item)

Provide the local content percentage of the item(s) by dividing the local value (C14) by the net tender value (C12) as per the local content formula in SATS 1286.

Tender Summary

C16. Tender quantity

Provide the tender quantity for each item number as per the tender specification.

C17. Total tender value

Provide the total tender value by multiplying the tender quantity (C16) by the tender price (C10).

C18. Total exempted imported content

Provide the total exempted imported content by multiplying the tender quantity (C16) by the exempted imported content (C11). These values must correspond with the values of column D18 on Annexure D.

C19. Total imported content

Provide the total imported content of each item by multiplying the tender quantity (C16) by the imported value (C13).

C20. Total tender value

Total tender value is the sum of the values in column C17.

C21. Total exempted imported content

Total exempted imported content is the sum of the values in columnC18. This value must correspond with the value of D19 on Annexure D.

C22. Total tender value net of exempted imported content

The total tender value net of exempt imported content is the total tender value (C20) less the total exempted imported content (C21).

C23. Total imported content

Total imported content is the sum of the values in column C19. This value must correspond with the value of D53 on Annexure D.

C24. Total local content

Total local content is the total tender value net of exempted imported content (C22) less the total imported content (C23). This value must correspond with the value of E13 on Annexure E.

C25. Average local content percentage of tender

The average local content percentage of tender is calculated by dividing total local content (C24) by the total tender value net of exempted imported content (C22).

4. ANNEXURE D

4.1. Guidelines for completing Annexure D: "Imported Content Declaration –Supporting Schedule to Annexure C"

Note: The paragraph numbers correspond to the numbers in Annexure D.

D1. Tender number

Supply the tender number that is specified on the specific tender documentation.

D2. Tender description

Supply the tender description that is specified on the specific tender documentation.

D3. Designated products

Supply the details of the products that are designated in terms of this tender (i.e. buses).

D4. Tender authority

Supply the name of the tender authority.

D5. Tendering entity name

Provide the tendering entity name (i.e. Unibody Bus Builders (Pty) Ltd).

D6. Tender exchange rate

Provide the exchange rate used for this tender, as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.

Table A. Exempted Imported Content

D7. Tender item number

Provide the tender item number(s) of the product(s) that have imported content.

D8. Description of imported content

Provide a list of the exempted imported product(s), if any, as specified in the tender.

D9. Local supplier

Provide the name of the local supplier(s) supplying the imported product(s).

D10. Overseas supplier

Provide the name(s) of the overseas supplier(s) supplying the exempted imported product(s).

D11. Imported value as per commercial invoice

Provide the foreign currency value of the exempted imported product(s)disclosed in the commercial invoice accepted by the South African Revenue Service (SARS).

D12. Tender exchange rate

Provide the exchange rate used for this tender as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.

D13. Local value of imports

Convert the value of the exempted imported content as per commercial invoice (D11) into the ZAR value by using the tender exchange rate(D12) disclosed in the tender documentation.

D14. Freight costs to port of entry

Provide the freight costs to the South African Port of the exempted imported item.

D15. All locally incurred landing costs and duties

Provide all landing costs including customs and excise duty for the exempted imported product(s) as stipulated in the SATS 1286:2011.

D16. Total landed costs excluding VAT

Provide the total landed costs (excluding VAT) for each item imported by adding the corresponding item values in columns D13, D14 andD15. These values must be transferred to column C11 on Annexure C.

D17. Tender quantity

Provide the tender quantity of the exempted imported products as per the tender specification.

D18. Exempted imported value

Provide the imported value for each of the exempted imported product(s) by multiplying the total landed cost (excl. VAT) (D16) by the tender quantity (D17). The values in column D18 must correspond with the values of column C18 of Annexure C.

D19. Total exempted imported value

The total exempted imported value is the sum of the values in columnD18. This total must correspond with the value of C21 on Annexure C.

Table B. Imported Directly By Tenderer

D20. Tender item numbers

Provide the tender item number(s) of the product(s) that have imported content.

D21. Description of imported content:

Provide a list of the product(s) imported directly by tender as specified in the tender documentation.

D22. Unit of measure

Provide the unit of measure for the product(s) imported directly by the tenderer.

D23. Overseas supplier

Provide the name(s) of the overseas supplier(s) supplying the imported product(s).

D24. Imported value as per commercial Invoice

Provide the foreign currency value of the product(s) imported directly by tenderer disclosed in the commercial invoice accepted by the South African Revenue Service (SARS).

D25. Tender rate of exchange

Provide the exchange rate used for this tender as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.

D26. Local value of imports

Convert the value of the product(s) imported directly by the tenderer asper commercial invoice (D24) into the ZAR value by using the tender exchange rate (D25) disclosed in the tender documentation.

D27. Freight costs to port of entry

Provide the freight costs to the South African Port of the product(s)imported directly by the tenderer.

D28. All locally incurred landing costs and duties

Provide all landing costs including customs and excise duty for the product(s) imported directly by the tenderer as stipulated in the SATS1286:2011.

D29. Total landed costs excluding VAT

Provide the total landed costs (excluding VAT) for each item imported directly by the tenderer by adding the corresponding item values in columns D26, D27 and D28.

D30. Tender quantity

Provide the tender quantity of the product(s) imported directly by the tenderer as per the tender specification.

D31. Total imported value

Provide the total imported value for each of the product(s) imported directly by the tenderer by multiplying the total landed cost (excl. VAT)(D29) by the tender quantity (D30).

D32. Total imported value by tenderer

The total value of imports by the tenderer is the sum of the values in column D31.

Table C. Imported by Third Party and Supplied to the Tenderer

D33. Description of imported content

Provide a list of the product(s) imported by the third party and supplied to the tenderer as specified in the tender documentation.

D34. Unit of measure

Provide the unit of measure for the product(s) imported by the third party and supplied to tenderer as disclosed in the commercial invoice.

D35. Local supplier

Provide the name of the local supplier(s) supplying the imported product(s).

D36. Overseas supplier

Provide the name(s) of the overseas supplier(s) supplying the imported products.

D37. Imported value as per commercial invoice

Provide the foreign currency value of the product(s) imported by the third party and supplied to the tenderer disclosed in the commercial invoice accepted by SARS.

D38. Tender rate of exchange

Provide the exchange rate used for this tender as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.

D39. Local value of imports

Convert the value of the product(s) imported by the third party as precommercial invoice (D37) into the ZAR value by using the tender exchange rate (D38) disclosed in the tender documentation.

D40. Freight costs to port of entry

Provide the freight costs to the South African Port of the product(s)imported by third party and supplied to the tenderer.

D41. All locally incurred landing costs and duties

Provide all landing costs including customs and excise duty for the product(s) imported by third party and supplied to the tenderer as stipulated in the SATS 1286:2011.

D42. Total landed costs excluding VAT

Provide the total landed costs (excluding VAT) for each product imported by third party and supplied to the tenderer by adding the corresponding item values in columns D39, D40 and D41.

D43. Quantity imported

Provide the quantity of each product(s) imported by third party and supplied to the tenderer for the tender.

D44. Total imported value

Provide the total imported value of the product(s) imported by third party and supplied to the tenderer by multiplying the total landed cost(D42) by the quantity imported (D43).

D45. Total imported value by third party

The total imported value from the third party is the sum of the values in column D44.

Table D. Other Foreign Currency Payments

D46. Type of payment

Provide the type of foreign currency payment. (i.e. royalty payment for use of patent, annual licence fee, etc.).

D47. Local supplier making the payment

Provide the name of the local supplier making the payment.

D48. Overseas beneficiary

Provide the name of the overseas beneficiary.

D49. Foreign currency value paid

Provide the value of the listed payment(s) in their foreign currency.

D50. Tender rate of exchange

Provide the exchange rate used for this tender as per the Standard Bidding Document (SBD) and Municipal Bidding Document (MBD) 6.2.

D51. Local value of payments

Provide the local value of each payment by multiplying the foreign currency value paid (D49) by the tender rate of exchange (D50).

D52. Total of foreign currency payments declared by tenderer and/or third party

The total of foreign currency payments declared by tenderer and/or a third party is the sum of the values in column D51.

D53. Total of imported content and foreign currency payment

The total imported content and foreign currency payment is the sum of the values in column D32, D45 and D52. This value must correspond with the value of C23 on Annexure C.

5. ANNEXURE E

5.1. Guidelines to completing Annexure E: "Local Content Declaration-Supporting Schedule to Annexure C"

The paragraph numbers correspond to the numbers in Annexure E

E1. Tender number

Supply the tender number that is specified on the specific tender documentation.

E2. Tender description

Supply the tender description that is specified on the specific tender documentation.

E3. Designated products

Supply the details of the products that are designated in terms of this tender (for example, buses/canned vegetables).

E4. Tender authority

Supply the name of the tender authority.

E5. Tendering entity name

Provide the tendering entity name (for example, Unibody Bus Builders(Pty) Ltd) Ltd).

Local Goods, Services and Works

E6. Description of items purchased

Provide a description of the items purchased locally in the space provided.

E7. Local supplier

Provide the name of the local supplier that corresponds to the item listed in column E6.

E8. Value

Provide the total value of the item purchased in column E6.

E9. Total local products (Goods, Services and Works)

Total local products (goods, services and works) is the sum of the values in E8.

E10. Manpower costs:

Provide the total of all the labour costs accruing only to the tenderer(i.e. not the suppliers to tenderer).

E11. Factory overheads:

Provide the total of all the factory overheads including rental, depreciation and amortisation for local and imported capital goods, utility costs and consumables. (Consumables are goods used by individuals and businesses that must be replaced regularly because they wear out or are used up. Consumables can also be defined as the components of an end product that are used up or permanently altered in the process of manufacturing, such as basic chemicals.)

E12. Administration overheads and mark-up:

Provide the total of all the administration overheads, including marketing, insurance, financing, interest and mark-up costs.

E13. Total local content:

The total local content is the sum of the values of E9, E10, E11 and E12. This total must correspond with C24 of Annexure C.

ANNEX C: LOCAL CONTENT DECLARATION - SUMMARY SCHEDULE

	Annex C											3	ATS 1286.20
	Aillica C												
	Local Conte	nt Declaration - Summa	ry Schedule										
(C1)	Tender No.		LDPWRI-B/2									Note: VAT to I	
	Tender desc		MATSOBAN	E PRIMARY SCI	HOOL							from all calcul	ations
(C3)	Designated Tender Auth												
(C4) (C5)	Tender Autr	•											
(C6)	Tendering E		Pula		EU		GBP						
		cal content %											
				tion of local c	ontent				Т	ender summa	ry		
ill Page No.	Tender item no's	List of items		Tender price - each (excl VAT)	Exempted imported value	Tender value net of exempted imported content	Imported value		(per item)	,	Total tender value	Total exempted imported content	Total Imported content
	(C8)	(C9)		(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
	12/2/4	Type 1.93 mesh reinforce	ement							330			
	12/3/2	Type 1.93 mesh reinforce	ement							510			
	13/4/2	Type 1.93 mesh reinforce	ement							674			
	14/5/2	Type 1.93 mesh reinforce	ement							297			
	-, -,	Type 1.93 mesh reinforce								39			
		Type 3.95 mesh reinforce								10			
	, , ,	Various steel reinforcem								35			
	16/5/2	10mm dia mild steel bars	S							2			
			1						(C20) Tota	l tender value			
	Signature of	f tenderer from Annex B	3							al Exempt imp			
							(C22)	Total Tende		of exempt imp			
										10	23) Total Imp	orted content	
	Date:											local content	

												S	ATS 1286.20
Ann	nex C												
Local	Conten	nt Declaration - Summar	ry Schedule										
) Tende	er No.		LDPWRI-B/2	0103								Note: VAT to	be excluded
-	er descr	•	MATSOBANI	PRIMARY SCI	HOOL							from all calcul	ations
		product(s)											
	er Auth ering Fr	ntity name:											
		ange Rate:	Pula		EU		GBP						
		al content %											
				tion of local c	ontent	ı			Ţ	ender summai	ry		
- 0 -	nder n no's	List of items		Tender price - each (excl VAT)	Exempted imported value	Tender value net of exempted imported content	Imported value		(per item)	Tender Qty	Total tender value	Total exempted imported content	Total Imported content
	(8)	(C9)		(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
		10mm dia mild steel bars								2			
13/		16mm dia bars high tens								6			
15/	/3/2	20mm dia bars high tens	ile							2			
14/	/3/2	12mm dia bars high tens	ile							2			
16/	/3/2	10mm dia bars high tens	ile							1			
16/	/3/2	16mm dia bars high tens	ile							1			
18/	/5/2	20mm dia bars high tens	ile							2			
17/	/5/2	10mm dia bars high tens	ile							2			
18/	/6/2	16mm dia bars high tens	ile							1			
19/	/5/2	12mm dia bars high tens	ile							1			
										tender value			
Signa	ture of	tenderer from Annex B					(622)	Takal Tau ili		al Exempt impo			
							(C22)	<i>Total</i> Tender	value net d	of exempt impo		orted content	
										10			
Date:										(C25) Averag			
Date:												(C24) Total	(C23) Total Imported content (C24) Total local content (C25) Average local content % of tender

												9	ATS 1286.20
	Annex C												
	Local Conte	nt Declaration - Summa	ry Schedule										
(61)	Tender No.		LDPWRI-B/2	0102								Note: VAT to	ha analondad
' '	Tender No.	rintion		E PRIMARY SCH	1001							from all calcul	
. ,	Designated	•	100000000000000000000000000000000000000	211111111111111111111111111111111111111	1001							nom an carea	ations
	Tender Auth												
	Tendering E												
	Tender Exch		Pula		EU		GBP						
(C7)	Specified lo	cal content %		ition of local c	ontent				-	ender summa	rv		
ill Page No.	item no's	List of items	1	Tender price - each (excl VAT)	Exempted imported value	Tender value net of exempted imported content	Imported value	Local value	Local content % (per item)	Tender Qty	Total tender value	Total exempted imported content	Total Imported content
	(C8)	(C9)		(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
		75mm brick reinforcemen								510			
	6/3/3	150mm brick reinforceme	ent							3 928			
	6/6/2	75mm brick reinforcemen	nt							96			
	7/6/2	150mm brick reinforceme	ent							291			
	3/4/3	75mm brick reinforcemer	nt							188			
	4/4/3	150mm brick reinforceme	ent							5 024			
	7/5/3	75mm brick reinforcemer	nt							749			
	8/5/3	150mm brick reinforceme	ent							3 125			
									(C20) Tatal	l tender value			
	Signature of	f tenderer from Annex B	3							al Exempt imp			
							(C22)	Total Tende		of exempt imp			
										(0	23) Total Imp		
										(00.7) -		local content	
	Date:									(C25) Averag	ge local conten	t % of tender	

												S	ATS 1286.20
	Annex C												
	Local Conte	nt Declaration - Summar	rv Schedule										
(C1)	Tender No.		LDPWRI-B/2	0103								Note: VAT to	oe excluded
	Tender desc	•	MATSOBANI	E PRIMARY SCI	HOOL							from all calcul	ations
	Designated												
	Tender Auth Tendering E												
	Tendering E		Pula		EU		GBP						
		cal content %											
				ition of local c	ontent					ender summa	ry		
ill Page No.	Tender item no's	List of items		Tender price - each (excl VAT)	Exempted imported value	Tender value net of exempted imported content	Imported value		(per item)	Tender Qty	Total tender value	Total exempted imported content	Total Imported content
	(C8)	(C9)		(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
	2 /2 /0	Code C20 codled								0			
		Code 630 padlock								8			
	2/4/8	Code 630 padlock								8			
	5/5/8	Code 630 padlock								2			
	2/6/2	Code 630 padlock								2			
	10/3/9	Door stopper								8			
	4/4/8	Door stopper								16			
	10/5/2	Door stopper								15			
	5/2/2	Door stopper								8			
	11/3/9	Pinning board								16			
										tender value			
	Signature of	f tenderer from Annex B					(000)			al Exempt imp			
							(C22)	<i>lotal</i> Tender	value net d	of exempt imp	orted content 23) Total Impo		
										, ,		local content	
	Date:									(C25) Averag	ge local conter		

	Annex C											9	ATS 1286.20
	Land Carte	at Danlaustian Commo	Calaa dada										
	Local Conte	nt Declaration - Summa	ry Schedule										
. ,	Tender No.		LDPWRI-B/2									Note: VAT to	be excluded
	Tender desc	·	MATSOBANI	E PRIMARY SCI	HOOL							from all calcu	ations
	Designated Tender Auth												
	Tender Autr												
	Tender Exch		Pula		EU		GBP						
		cal content %											
				ition of local c	ontent				T	ender summa	ry		
ill Page No.	Tender item no's	List of items		Tender price - each (excl VAT)	Exempted imported value	Tender value net of exempted imported content	Imported value	Local value	(per item)	Tender Qty	Total tender value	Total exempted imported content	Total Imported content
	(C8)	(C9)		(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
		Pinning board Pinning board								1 16			
		3000 x 1200mm p/board								16			
		Door frame size 813 x 20								6			
		Door frame size 813 x 20								8			
		Door frame size 914 x 20)32mm							2			
		Door frame size 813 x 20)32mm							2			
		Door frame size 813 x 20)32mm							10			
	3/6/2	Door frame size 813 x 20)32mm							1			
	2/6/2	Door frame size 813 x 20)32mm							2			
	2/7/8	Door frame size 813 x 20)32mm							6			
	C:	:								tender value			
	Signature of	tenderer from Annex E	<u> </u>				(C22)	Total Tender		al Exempt imports			
							(022)	. Sta. Tender			23) Total Imp		
	Date:									(C25) Averag	(C24) Total ge local conten	local content	
	Date.									(CZ3) AVEIA	se iocai conten	it /o or tender	

	Annex C											9	SATS 1286.20
	Ailliex C												
	Local Conte	nt Declaration - Summar	ry Schedule										
(C1)	Tender No.		LDPWRI-B/2	0103								Note: VAT to	be excluded
	Tender desc	-	MATSOBAN	E PRIMARY SCI	HOOL							from all calcu	lations
	Designated												
	Tender Aut Tendering E												
	Tender Exch		Pula		EU		GBP						
		cal content %											
				tion of local c	ontent				Ţ	ender summai	ту		
Bill Page No.	item no's	List of items		Tender price - each (excl VAT)	Exempted imported value	Tender value net of exempted imported content	Imported value	Local value	(per item)		Total tender value	Total exempted imported content	Total Imported content
	(C8)	(C9)		(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
	1/2/13	100 x 100mm eaves gutte	er							158			
	2/2/13	Eo gutter for stopped end	b							4			
	3/2/13	Eo gutter for outlet								12			
	4/2/13	75mm dia downpipe								48			
	5/2/13	Eo d/pipe for offset								12			
	6/2/13	Eo d/pipe for shoe								12			
	1/3/13	100 x 100mm eaves gutte	er							97			
										l tender value			
	Signature o	f tenderer from Annex B					_			al Exempt impo			
							(C22)	Total Tende	r value net	of exempt impo			
										(C	23) Total Imp	local content	
	Date:									(C25) Averag	e local conter		

	Annov C											S	ATS 1286.20
	Annex C												
	Local Conte	nt Declaration - Summar	y Schedule										
(C1)	Tender No.		LDPWRI-B/2	0103								Note: VAT to	ho oveluded
, ,	Tender No.			E PRIMARY SCI	HOOL							from all calcul	
	Designated												
	Tender Auth												
	Tendering E Tender Exch		Pula		EU		GBP						
		cal content %	T did				GBI						
, ,				tion of local c	ontent				Т	ender summa	ry		
Bill Page No.	Tender item no's	List of items		Tender price - each (excl VAT)	Exempted imported value	Tender value net of exempted imported content	Imported value		Local content % (per item)	Tender Qty	Total tender value	Total exempted imported content	Total Imported content
	(C8)	(C9)		(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
	2/3/13	Eo gutter for angle								4			
	3/3/13	Eo gutter for outlet								4			
	4/3/13	75mm dia d/pipe								24			
	5/3/13	Eo d/pipe for offset								6			
	6/3/13	Eo d/pipe for shoe								6			
	1/4/14	100 x 100mm eaves gutte	er							156			
	2/4/14	Eo gutter for stopped end	d							8			
	3/4/14	Eo gutter for angle								8			
	4/4/14	Eo gutter for outlet								40			
	5/4/14	75mm dia d/pipe								176			
	<u> </u>	(tender value			
	Signature of	f tenderer from Annex B					(C22)	Total Tender		al Exempt imp	orted content orted content		
							(022)	. star remaci			23) Total Impo	orted content	
											(C24) Total	local content	
	Date:									(C25) Averag	ge local conten	t % of tender	

												S	ATS 1286.20
	Annex C												
	Local Conte	nt Declaration - Summa	ry Schedule										
(C1)	Tender No.		LDPWRI-B/2	0103								Note: VAT to	be excluded
(C2)	Tender desc	ription:	MATSOBAN	E PRIMARY SCH	IOOL							from all calcul	ations
	Designated												
. ,	Tender Auth	•											
. ,	Tendering E Tender Exch		Pula		EU		GBP						
		cal content %	Pula		EU		UDP.						
(67)	opecinea io	cui content /s		tion of local c	ontent				ī	ender summa	ry		ı
ill Page No.	item no's	List of items		Tender price - each (excl VAT)	Exempted imported value	Tender value net of exempted imported content	Imported value		Local content % (per item)	Tender Qty	Total tender value	Total exempted imported content	Total Imported content
	(C8)	(C9)		(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
		Eo d/pipe for bend								40			
	7/3/14	Eo d/pipe for shoe								40			
	1/4/12	100 x 100mm eaves gutt	er							194			
	2/4/12	Eo gutter for angle								8			
	3/4/12	Eo gutter for outlet								52			
	4/4/12	75mm dia d/pipe								208			
	5/4/12	Eo d/pipe for offset								52			
	6/4/12	Eo d/pipe for shoe								52			
	1/5/12	100 x 100mm eaves gutt	er							79			
										tender value			
	Signature of	f tenderer from Annex B	<u> </u>				((22)	Total Tondo		al Exempt imp	orted content orted content		
							(022)	rotar rende	value net (223) Total Impo	orted content	
												local content	
	Date:									(C25) Avera	ge local conten	t % of tender	
										1			

	A											9	ATS 1286.20
	Annex C												
	Local Conte	nt Declaration - Summa	ry Schedule										
(C1)	Tender No.		LDPWRI-B/2	00102								Note: VAT to	ha analondad
' '	Tender No.	rintion		E PRIMARY SCI								from all calcul	
. ,	Designated	•	IVIATODAN	E I KIIVIAKI SCI	1002							iroin an caica	ations
	Tender Autl												
		ntity name:											
	Tender Exch		Pula		EU		GBP						
(C7)	Specified lo	cal content %											
				tion of local c	ontent	Tender value				ender summa	ТУ		
Bill Page No.	item no's	List of items		Tender price - each (excl VAT)	Exempted imported value	net of exempted imported content	Imported value	Local value	(per item)	,	Total tender value	Total exempted imported content	Total Imported content
	(C8)	(C9)		(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
		Eo gutter for angle								12			
	4/5/12	Eo gutter for outlet								12			
	5/5/12	75mm dia d/pipe								48			
	6/5/12	Eo d/pipe for offset								12			
	7/5/12	Eo d/pipe for shoe								12			
			1						(C20) Tatal	l tender value			
	Signature o	f tenderer from Annex	В							al Exempt imp			
	J.Allatare 0	- tonderen monnyamiek	=				(C22)	Total Tende		of exempt imp			
										(0	23) Total Imp		
												local content	
	Date:									/COEL A	ge local conter		

												S	ATS 1286.20
	Annex C												
	Local Conte	nt Declaration - Summa	ry Schedule										
(C1)	Tender No.		LDPWRI-B/2	0103								Note: VAT to	be excluded
	Tender desc		MATSOBAN	E PRIMARY SCH	HOOL							from all calcul	lations
	Designated												
	Tender Auth	ntity:											
	Tender Exch		Pula		EU		GBP						
		cal content %											
Bill Page No.	Tender item no's	List of items		tion of local c Tender price - each (excl VAT)	Exempted imported value	Tender value net of exempted imported content	Imported value	Local value	Local content % (per item)	ender summa Tender Qty	Total tender value	Total exempted imported content	Total Imported content
	(C8)	(C9)		(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
	20/3/14	110mm uPVC pipe								150			
	22/3/14	110mm uPVC pipe								110			
	24/3/14	Eo pipe for 110mm bend								36			
	25/3/14	Eo pipe for 110mm juncti	ion							18			
	28/3/14	Eo pipe for 110mm pan								12			
	29/3/14	Eo pipe for 110mm d/jun	ction							36			
	19/3/14	50mm dia uPVC pipe								200			
	19/5/12	110mm uPVC pipe	1							55			
									(C20) Total	l tender value			
	Signature of	f tenderer from Annex B								al Exempt imp			
							(C22)	Total Tende		of exempt imp			
										(0	(C24) Total Impo	orted content local content	
	Date:			-						(C35) Avere		t % of tender	

	Ammay C											S	ATS 1286.20
	Annex C												
	Local Conte	nt Declaration - Summar	ry Schedule										
(C1)	Tender No.		LDPWRI-B/2	0103								Note: VAT to	be excluded
(C2)	Tender desc	ription:	MATSOBANI	E PRIMARY SCH	HOOL							from all calcul	lations
	Designated												
	Tender Auth												
	Tendering E		D. J.		FILE		CDD						
. ,	Tender Exch	ange Kate: cal content %	Pula		EU		GBP						
(67)	Specified loc	tai content %		tion of local c	ontent					ender summa	rv		
ill Page No.	item no's	List of items	,	Tender price - each (excl VAT)	Exempted imported value	Tender value net of exempted imported content	Imported value		Local content % (per item)	Tender Qty	Total tender value	Total exempted imported content	Total Imported content
	(C8)	(C9)		(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
		Eo pipe for 110mm pan								2			
	27/5/12	Eo pipe for 110mm d/june	ction							5			
	20/5/12	50mm dia uPVC pipe								15			
	29/5/12	Eo pipe for 110mm vent v	valve							2			
		9kg fire existinguisher								20			
		9kg fire existinguisher								8			
	, ,	Bib tap								3			
		Angle regulating valve								8			
	16/5/12	Angle regulating valve							(C20) Total	2 I tender value			
	Signature of	f tenderer from Annex B								al Exempt imp			
							(C22)	Total Tender		of exempt imp			
										(0	(C24) Total Impo	orted content local content	
	Date:									(C25) Avera	ge local conten		

	Annex C											9	ATS 1286.20
	Local Conter	nt Declaration - Summar	y Schedule										
(C1)	Tender No.		LDPWRI-E	3/20103								Note: VAT to	be excluded
(C2)	Tender desc	•	MATSOBA	ANE PRIMARY S	SCHOOL							from all calcu	lations
	Designated p												
	Tender Auth Tendering E												
	Tender Exch		Pula		EU		GBP						
		cal content %											
				tion of local co	ontent				Т	ender summa	ry		
Bill Page No.	Tender item no's	List of items		Tender price - each (excl VAT)	Exempted imported value	Tender value net of exempted imported content	Imported value	Local value	Local content % (per item)	Tender Qty	Total tender value	Total exempted imported content	Total Imported content
	(C8)	(C9)		(C10)	(C11)	(C12)	(C13)	(C14)	(C15)	(C16)	(C17)	(C18)	(C19)
		30m plastic fire hose rea	ıl							1			
	45/4/14	9kg fire existinguisher								2			
	16/4/14	Gate valve								11			
	16/5/13	Gate valve								6			
	7/2/13	9kg fire existinguisher								6			
	16/6/12	9kg fire existinguisher								2			
	13.9/part B	16mm2 x 2 core cables								300			
	13.5/part B	25mm2 x 2 core cables								50			
		Cement								62			
			1										
	Signature of	nature of tenderer from Annex B								l tender value al Exempt imp			
	signature Of	tenderer mont Annex B					(C22)	<i>Total</i> Tende		of exempt imp			
							, ,				23) Total Imp	orted content	
											(C24) Total	local content	
	Date:										ge local conter		

					А	nnex D		-					SATS 1286.20
				Imported Co	ontent Declaratio	on - Suppoi	rting Scheo	dule to Anr	iex C				
1	ender No. Fender description Designated Prod	ucts:							Note: VAT to be all calculations	excluded from			
1	Tender Authority Tendering Entity Tender Exchange	name:	Pula	-] EU	R 9.00] — БВР	R 12.00]				
_	A. Exempte	d imported co	ntent					Calculation of	imported conte	nt			Summary
	Tender item no's	Description of im		Local supplier	Overseas Supplier	Forign currency value as per Commercial Invoice	Tender Exchange Rate	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost excl VAT	Tender Qty	Exempted impor value
E	(D7)	(DE	3)	(D9)	(D10)	(D11)	(D12)	(D13)	(D14)	(D15)	(D16)	(D17)	(D18)
F													
						•				(D15) Total exempt	This total m	ust correspond with nex C - C 21
	B. Imported	directly by the	e Tenderer					Calculation of	imported conte	at .			Summary
	Tender item no's	Description of im		Unit of measure	Overseas Supplier	Forign currency value as per Commercial Invoice	Tender Rate of Exchange	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & duties	Total landed cost excl VAT		Total imported va
F	(D20)	(D2	1)	(D22)	(D23)	(D24)	(D25)	(D26)	(D27)	(D28)	(D29)	(D30)	(D31)
F													
E													
Ь										-			
H													
_										(D32) To	tal imported val	ue by tenderer	
_	C. Imported	l by a 3rd party	and supplied	to the Tend	erer			Calculation of	imported conte	nt			Summary
		imported content	Unit of measure	Local supplier	Overseas Supplier	Forign currency value as per Commercial Invoice	Tender Rate of Exchange	Local value of imports	Freight costs to port of entry	All locally incurred landing costs & dutles	Total landed cost excl VAT	Quantity	Total imported va
E		033)	(D34)	(D35)	(D36)	(D37)	(D38)	(D39)	(D40)	(D41)	(D42)	(D43)	(D44)
L													
F													
Ť													
										<i>(D45)</i> To	tal imported val	ue by 3rd party	
, t	O. Other for	reign currency	payments Local supplier		Calculation of foreig payment	s							Summary of payments
	Туре	of payment	making the	Overseas beneficiary	Foreign currency value paid	Tender Rate of Exchange							Local value of payments
		D46)	payment (D47)	(D48)	(D49)	(D50)							(051)
F													
-	ignature of tend	lerer from Annex B	•	•			·	<i>(D52)</i> Total of f	oreign currency pa	yments declare	d by tenderer ar	nd/or 3rd party	
3	s. stare or tend	erer from Annex B					<i>(D53)</i> Tota	l of imported co	entent & foreign cu	irrency paymer	its - <i>(D32), (D45)</i>	& <i>(D52)</i> above	

89

	Annex E		SATS 1286.2011
Local Co	ntent Declaration - Supporting	Schedule to Annex C	
Tender No. Tender description:		Note: VAT to be excluded fro	om all calculations
Designated products: Tender Authority:			
Tendering Entity name:			
Local Products (Goods, Services and Works)	Description of items purchased	Local suppliers	Value
	(E6)	(E7)	(E8)
·			
<u> </u>			
			·
	(E9) Total local prod	ucts (Goods, Services and Works)	
(E10) Manpower costs (Ter	derer's manpower cost)		
(E11) Factory overheads (Ren	tal, depreciation & amortisation, utility cost	s, consumables etc.)	
(E12) Administration overheads	and mark-up (Marketing, insurance, fina	ancing, interest etc.)	
		(E13) Total local content	
		This total must correspond to	with Annex C - C24
	·		
Signature of tenderer from Annex B			
Date:			

SBD 8: DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT

SBD 8: DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1 This Standard Bidding Document must form part of all bids invited.
- It serves as a declaration to be used by institutions in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- 3 The bid of any bidder may be disregarded if that bidder or any of its directors have
 - a. abused the institution's supply chain management system;
 - b. committed fraud or any other improper conduct concerning such system; or
 - c. failed to perform on any previous contract.
- 4 To give effect to the above, the following questionnaire must be completed and submitted with the bid.

ltem	Question	Yes	No
4.1	Is the bidder or any of its directors listed on the National Treasury's Database of Restricted Suppliers as companies or persons prohibited from doing business with the public sector? (Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the audi alteram partem rule was applied). The Database of Restricted Suppliers now resides on the National Treasury's website(www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the home page.	Yes	No
4.1.1	If so, furnish particulars:		
4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)? The Register for Tender Defaulters can be accessed on the National Treasury's website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.	Yes	No
4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court outside of the Republic of South Africa) for fraud or corruption during the past five years?	Yes	No
4.3.1	If so, furnish particulars:		
4.4	Was any contract between the bidder and any organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes	No
4.4.1	If so, furnish particulars:		

CERTIFICATION

I, THE UNDERSIGNED (FULL NAME)CERTIFY THAT THE INFORMATION FURNISHED OI	N THIS DECLARATION FORM IS TRUE AND CORRECT
I ACCEPT THAT, IN ADDITION TO CANCELLATION ME SHOULD THIS DECLARATION PROVE TO BE F	OF A CONTRACT, ACTION MAY BE TAKEN AGAINST FALSE.
Signature	Date
Position	 Name of Bidder

SBD 9: CERTIFICATE OF INDEPENDENT BID DETERMINATION

SBD 9: CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Standard Bidding Document (SBD) must form part of all bids¹ invited.
- Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).² Collusive bidding is a *pe* se prohibition meaning that it cannot be justified under any grounds.
- Treasury Regulation 16A9 prescribes that accounting officers and accounting authorities must take all reasonable steps to prevent abuse of the supply chain management system and authorizes accounting officers and accounting authorities to:
 - a. disregard the bid of any bidder if that bidder or any of its directors have abused the institution's supply chain management system and or committed fraud or any other improper conduct concerning such system.
 - b. cancel a contract awarded to a supplier of goods and services if the supplier committed any corrupt or fraudulent act during the bidding process or the execution of that contract.
- This SBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
- In order to give effect to the above, the attached Certificate of Bid Determination (SBD 9) must be completed and submitted with the bid:

SBD 9: CERTIFICATE OF INDEPENDENT BID DETERMINATION

CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid:	
(Bid Number and Description)	
in response to the invitation for the bid made by:	
(Name of Institution)	
do hereby make the following statements that I certify to be true a	and complete in every respect:
I certify, on behalf of:	that:
(Name of Bidder)	

- 1. I have read and I understand the contents of this Certificate;
- 2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
- I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
- 4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign the bid, on behalf of the bidder;
- 5. For this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) has been requested to submit a bid in response to this bid invitation;
 - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder
- 6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.
- 7. In particular, without limiting the generality of paragraphs 6 above, there has been no consultation, communication, agreement or arrangement with any competitor regarding:
 - (a) prices;
 - (b) the geographical area where product or service will be rendered (market allocation)
 - (c) methods, factors or formulas used to calculate prices;
 - (d) the intention or decision to submit or not to submit, a bid;
 - (e) the submission of a bid which does not meet the specifications and conditions of the bid; or
 - (f) bidding with the intention not to win the bid.

SBD 9: CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 8. In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 9. The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, before the date and time of the official bid opening or of the awarding of the contract.
- 10. I am aware that, in addition, and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

Signature	Date
Position	Name of Bidder

¹ Includes price quotations, advertised competitive bids, limited bids and proposals.

² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

³ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill, and knowledge in an activity for the execution of a contract.

DECLARATION OF SUBCONTRACTING ARRANGEMENTS

DECLARATION OF SUBCONTRACTING ARRANGEMENTS

The Limpopo Department of Public Works, Roads & Infrastructure is tasked with achieving government socioeconomic transformation and development initiatives through its procurement spend. The department therefore endeavours to promote such initiatives through its procurement, by means of one or a combination of the following, in terms of the Preferential Procurement Policy Framework Act (PPPFA), 2000: Preferential Procurement Regulations (PPR), 2017:

- **1.** Application of Subcontracting as a Condition of Tender, in line with the PPPFA: PPR 2017;
 - **1.1** The basis and conditions for sub-contracting as a condition of tender, is further detailed under item 1.1 below.

The Tenderer if successful in this bid offer, will be required to provide the Signed Subcontracting Agreement(s) and Supporting Documents, in line with the information detailed in this Returnable within 60 calendar days of the site handover. Failure to adhere to this will result in the immediate cancellation of the acceptance of offer (appointment letter).

Additional information to subcontracting requirement in terms of Regulations 4 or 9 PPR2017:

- i. It is the responsibility of the tenderer to select competent subcontractors that meet all the requirements of the tender. The fact that the Department/Employer may make a list of potential subcontractors available as registered on the National Treasury CSD or on a CIDB database does not result in any liability of the Department/Employer or a warranty that the listed suppliers are competent.
- **ii.** Subcontractors may not be allocated work which contradicts any regulations, regulatory body and/or compliance requirements relevant to the work being sub-contracted for i.e. requirements by CIDB Regulations, accreditations and registrations to professional / regulatory institutions in the case of professional services etc.
- **iii.** The tenderer will be responsible for all due diligence on the selected subcontractors and will be held liable for any non-performance.
- iv. With reference to the Preferential Procurement Regulations 2017, Regulation 6(5), 7(5) and 12(3); "A person awarded a contract may not subcontract more than 25% of the value of the contract to any other enterprise, that does not have an equal or higher B-BBEE status level of contributor than the person concerned."
 - "<u>Unless</u> the contract is subcontracted to an <u>EME</u> that has the capability and ability to execute the subcontract".
 - Or the tenderer <u>may not be awarded points for B-BBEE</u> status level of contribution.
- **v.** Tenderers are to complete and submit a Schedule of Proposed Subcontracting Arrangement(s)), also stipulating the percentage and equivalent Rand value to be subcontracted.
- **vi.** Tenderers are to provide, on award within 60 calendar days of the site handover, formal proof of Signed Subcontracting Agreement(s) together with the following documentation for each of the relevant, as a minimum:

Supporting Documents to Subcontracting Agreement/s

Certified Copy of valid B-BBEE Certificate/ Affidavit.

Copy of valid/ active CIDB registration in the case of construction work.

Copy of valid/ active registration to applicable regulatory institutions (where stipulated) in the case of professional services work.

A valid and active Tax Compliance Status Pin issued by SARS.

Submission of National Treasury Central Supplier Database (CSD) Summary Report.

Note: It is incumbent and expected that the Tenderer will apply the same due care and diligence in selecting and managing its sub-contractors / joint venture partner as would have been the case in their own appointment.

1. SUBCONTRACTING AS A CONDITION OF TENDER

	In line with the Preferential Procurement Policy Regulations 2017, Regulation 9, Subcontracting may only be to one or a combination of the following (as per National Treasury CSD and CIDB databases):
NO.	CATEGORIES FOR SUBCONTRACTING
1	A tenderer subcontracting a minimum of 30% of the value of the contract to one or a combination of the designated categories below:
1.1	An EME or QSE which is at least 51% owned by black people; or
1.2	an EME or QSE which is at least 51% owned by black people who are youth; or
1.3	an EME or QSE which is at least owned by black people who are women; or
1.4	an EME or QSE which is at least 51% owned by black people with disabilities; or
1.5	an EME or QSE which is 51% owned by black people living in rural or underdeveloped areas or townships; or
1.6	a cooperative which is at least 51% owned by black people; or
1.7	an EME or QSE which is at least 51% owned by black people who are military veterans; or
1.8	an EME or QSE.

Tenderers are formally required to allow for subcontracting of the allocated work as set out in the Scope of 30% of the Tender Value offered.

- 1.1 BASIS AND CONDITIONS FOR SUBCONTRACTING AS A CONDITION OF TENDER The basis and conditions for sub-contracting as a condition of tender is detailed as follow:
- **1.1.1** The advancement of certain designated groups in terms of Regulation 4 PPR2017;
- **1.1.2** The advancement of suppliers or enterprises in the geographical area or Province where the project site is located;
- 1.1.3 All requirements stipulated under clauses 1 and 1.1 of this Returnable, must be read in conjunction with the information documented within this Declaration on Item 3 Schedule of Proposed Subcontracting Work.

DECLARATION OF SUBCONTRACTING ARRANGEMENTS

2. SUBCONTRACTING AFTER AWARD OF TENDER

In line with the Preferential Procurement Policy Regulations 2017, Regulation 12, Subcontracting after Award, the following are contractual obligations for notification:

- **2.1** A person awarded a contract may only enter into a subcontracting arrangement with the approval of the organ of state.
- **2.2** A person awarded a contract in relation to a designated sector, may not subcontract in such a manner that the local production and content of the overall value of the contract is reduced to below the stipulated minimum threshold.
- 2.3 A person awarded a contract <u>may not subcontract more than 25%</u> of the value of the contract to any other enterprise that <u>does not have an equal or higher</u> B-BBEE status level of contributor than the person concerned, <u>unless the contract is subcontracted to an EME</u> that has the capability and ability to execute the subcontract.

NATURE AND EXTENT OF

WORK

1.

2.

3. SCHEDULE OF PROPOSED SUBCONTRACTING WORK

VALUE

The tenderer is required to complete the table below indicating the nature and extent of work to be subcontracted and value and percentage of work to the tender amount. The total percentage of the value of work to be subcontracted must be to a minimum of 30% or more of the tender amount. Failure to comply with the 30% minimum value of the work to be subcontracted will lead to the disqualification of the tender.

SUB-CONTRACTORS CONTRACT

SUB-CONTRACTORS

PERCENTAGE (%) OF

CONTRACT VALUE

3.			
4.			
5.			
PERC	L SUBCONTRACT VALUE & ENTAGE IN RELATION TO RACT VALUE		
I, THE	E UNDERSIGNED (FULL NAME OF A	AUTHORISED PERSON)	
ON B	EHALF OF (FULL NAME OF TENDER	RING ENTITY)	
		DER SUBMISSION IS FULLY COMPLIAN TED IN THIS BID IN ITS ENTIRITY.	T AND ADHERES IN FULL,
ARRA	•	TE AND SUBMIT THIS DECLARATION O PROPOSED SUBCONTRACTING WORK UBMISSION.	
DOC	•	THE SIGNED SUBCONTRACTING AGREED DANCE WITH THE REQUIREMENTS OF	
SIGN	ATURE:	DATE:	

SAFCEC JOINT VENTURE AGREEMENT

JOINT VENTURE AGREEMENT made and entered into by and between:
of (hereafter referred to as)
of the first part;
and
of(hereafter referred to as)
of the second part;
DDE AMDLE
<u>PREAMBLE</u>
WHEREAS the Parties have formed a Joint Venture in order to submit tenders to the
(hereafter referred to as the "works").

NOW THEREFORE, IT IS AGREED AS FOLLOWS:

1. FORMATION OF JOINT VENTURE

- 1.2 The Parties hereto agree and undertake that they will not disclose the contents of this Agreement to persons with whom they may have any dealings directly or indirectly arising from the conclusion of this Agreement and the operation and establishment of the Works.
- 1.3 Notwithstanding that the parties may be jointly and severally bound to the, should the Joint Venture be awarded the contract by the for the construction of the Works, nothing herein contained shall be interpreted as giving rise to a general partnership between the parties or limiting the rights or powers of either party to carry on its separate business for its sole benefit.

2. OBJECT AND MOTIVATION

The sole object for which this Joint Venture is established and the sole business of the Joint Venture is to negotiate for and conclude a contract for the execution of the Works and to carry out such Works to finality, all in accordance with the terms of this Agreement.

3. Profits and Losses

4 DURATION

The operation of this Agreement shall be deemed to have commenced on the Day of 200..., and shall terminate, except insofar as the provisions of Clauses 5 and 6 apply, upon the happening of any of the following events, whichever shall be earlier:

- 4.1 Award of the Contract by for the construction of the Works to an outside party or parties, or
- 4.2 In the case of contract award, at the time the contract is terminated and all rights and obligations of the parties in connection with such contract and in connection with this Agreement have ceased, but in no case before the conclusion of any maintenance period in the contract and the cancellation and/or refund of all guarantees and bonds. The Joint Venture existence shall also be deemed to continue insofar as the Joint Venture is responsible for latent defects under the contract.

5. EXCLUSIVITY

The Parties agree and undertake in favour of each other that neither of them shall, except in accordance with the intention expressed in this agreement, be associated in any manner, either directly or indirectly, with any investigation, negotiation, tender or proposal for the performance of or incidental to the execution of the Works and including any variation by way of addition or omission from the scope of the Works or the extension to the Works, nor invest in any company, enterprise or partnership in any manner related thereto, either as previously agreed by the Management Committee in writing.

6. PRE-CONTRACT COSTS

7. MANAGEMENT COMMITTEE

- 7.1 The day-to-day affairs of the Joint Venture shall be under the control of a Management Committee which shall consist of one representative of each of the parties. Within the terms of this agreement and the contract, if awarded, each such member shall have full authority to bind the party and/or parties he represents in all matters relating to the affairs of the Joint Venture. No party to this agreement may bind the other party hereto without the prior consent of such other party, nor may the Management Committee bind the Joint Venture or any party beyond the terms of this agreement or the contract without the prior written consent of both parties. The parties hereto shall be obliged immediately upon signature of this Agreement, to appoint their representatives and the first meeting of the Management Committee will be held immediately thereafter. The parties shall be obliged at all times to maintain a representative on the Management Committee.
- 7.2 Each representative on the Management Committee shall be entitled to appoint, and from time to time remove and replace, an alternate who shall, at any meeting of the Management Committee at which the representative whom he represents is absent, be vested with all rights and powers and subject to all obligations of the representative whom he represents.
- 7.4 Meetings of the Management Committee shall take place at such times and places as the Committee shall determine, provided that the Chairman shall be obliged to convene a meeting of the Management Committee not later than 10 days after being required to do so by any one of the parties to this agreement. Not less than five days' notice of any meeting of the Management Committee shall be given to the representatives thereof and their alternates.
- 7.5 Decisions of the Management Committee shall be unanimous, provided that If the representatives or the alternates fail to agree on any decision, the meeting at which that decision is sought shall be adjourned for a period of 24 hours and should the representatives then not agree on the course of action to be taken the matter shall be referred to the Executive Board for a decision. The decision of such Executive Board shall be placed before a further adjourned meeting, which shall take place no later than 72 hours after the initial adjourned meeting and shall bin the Management Committee which shall adopt such decision without variation.
- 7.6 Subject to 7.7 below, decisions on the Management Committee may be reached telephonically, telegraphically, by facsimile or in writing.
- 7.7 Decisions of the Management Committee, whether at a meeting or otherwise, shall be recorded in written minutes which shall be distributed by the Chairman, for the time being to the members of the Management Committee not later than seven days after those decisions have been taken.

SAFCEC JOINT VENTURE AGREEMENT

- Such minutes shall be deemed to have been affirmed unless dissented from not later than seven days after they are deemed to have been received by the dissenter.
- 7.8 The Management Committee may, as it wishes, decide to increase the number of its members for or invite other parties to attend any of its meetings. Such co-opted members or observers shall not have a vote.
- 7.9 The Management Committee shall have the power to delegate such of its powers and duties as it may determine in the best interests of the parties.
- 7.10 No remuneration shall be paid by the Joint Venture to the parties' representatives on the Management Committee in their capacities as such.
- 7.11 The administrative function regarding the operation of the Management Committee shall be fulfilled by the Chairman.

8 POWERS OF THE MANAGEMENT COMMITTEE AND DIRECTION OF THE PROJECT MANAGER The functions, responsibilities and powers of the Management Committee shall be:

- 8.2 To formulate and dictate to the Project Manager overall policy regarding the following:
 - 8.2.1 The general day-to-day management of the affairs of the Joint Venture.
 - 8.2.2 Representation of the Joint Venture in dealing with the Resident Engineer/Engineer/Client and third parties on matters affecting the Joint Venture as a whole.
 - 8.2.3 Co-ordination of the activities of the parties.
 - 8.2.4 Preparation by agreement with the parties and supervision of the programme of the Works
 - 8.2.5 Ensuring that the responsibility of each of the parties in regard to technical and contractual matters is preserved.
- 8.3 To make such provisions as are necessary to enable the Project Manager to perform his tasks.
- 8.4 To approve the balance sheets and accounts of the Joint Venture.
- 8.5 To approve the tender submitted by the Joint Venture and to approve or withhold approval for and amendment proposed thereto.
- 8.6 To approve the appointment of legal advisers and auditors where such appointments are necessary.
- 8.7 To determine the nature and extend of any additional duties and functions of each of the parties in relation to this Joint Venture.
- 8.8 To determine the terms and conditions of employment of personnel as well as emoluments seconded by the parties to the Joint Venture.
- 8.9 Subject to the terms and conditions of this agreement, to determine and approve:
 - 8.9.1 The amount and type of working capital requirements of the Joint Venture.
 - 8.9.2 All borrowings, guarantees and like obligations undertaken by the parties to the Joint Venture.

- 8.9.3 The insurance to be taken out by the Joint Venture.
- 8.9.4 The nature, method and amount of all claims.
- 8.9.5 When and in what amount to distribute dividends to the parties hereto, save that any decision in terms of which the Joint Venture will undertake further work outside of the original scope of the contract or any variation or amendment of this agreement of the contract, shall require the unanimous agreement of the parties before becoming effective and binding the Joint Venture.
- 8.9.6 The approval and appointment of all sub-contractors.

9 THE EXECUTIVE BOARD

- 9.1 The Executive Board shall consist of one representative of each of the parties who shall be the Chief Executive Officer of each Joint Venture partner or their nominated deputy but shall not be the same representative as appointed to the Management Committee in terms of Clause 7.1 hereof. The Executive Board shall be the mediation authority of the Joint Venture which shall decide on all issues which are referred to it by the Management Committee as well as on all issues where the Management Committee is not unanimous.
- 9.2 Decisions of the Executive Board, whether original decisions or decisions taken after referral from the Management Committee shall be implemented by the Management Committee as per Clause 7.5.1.
- 9.3 Decisions of the Executive Board shall be unanimous.
- 9.4 Effect shall be given to a resolution arrived at unanimously.
- 9.5 In the event of the Executive Board not being unanimous in its decision the matter is to be referred to arbitration in terms of Clause 16 hereof.
- 9.6 Subject to 9.7 as read in conjunction with 7.7 and, provided that they are unanimous, decisions of the Executive Board may be reached telephonically, telegraphically or in writing. If reached telephonically or otherwise orally such decision must be confirmed in writing within 24 hours.
- 9.7 The Minutes of meetings of the Executive Board shall be handled mutatis mutandis in the manner per Clause 7.7.
- 9.8 The administrative functions regarding the operation of the Executive Board shall be fulfilled by the Chairman of the Management Committee, who shall not be entitled to a voice or a vote at Executive Board meetings.

10 Personnel

- 10.1 The Project Manager shall be appointed as provided in Clause 8.1 hereof.
- 10.2 The person nominated to the office of Project Manager shall be subject to removal from such office by decision of the Management Committee.
- 10.3 All the remuneration and emoluments of employment of the Project Manager shall be an expense of and paid by the Joint Venture, provided that a party shall be entitled by notice in writing delivered to the other parties to elect that the person to be nominated by it to fill the offices of project Manager shall be seconded to the Joint Venture in which event the remuneration and emoluments which would otherwise have been paid to such persons while filling such offices shall be paid to the member responsible for their nomination or otherwise as such member shall direct and subject to such payment being duly and promptly paid to the member or its nominee, the member will hold harmless and keep indemnified the Joint Venture and the other members from all actions, proceedings, claims and demands by such persons or otherwise howsoever in respect of such remuneration and emoluments. The remuneration and emoluments to be paid and allowed by the Joint Venture to the Project Manager shall be

SAFCEC JOINT VENTURE AGREEMENT

determined from time to time by the Management Committee and borne by the parties hereto in the Specified Propositions.

- 10.4 The members of the Management Committee and Executive Board and their proxies and alternates a shall not be employees of the Joint Venture and shall not be entitled to claim any salary or remuneration from the Joint Venture by virtue of such appointments unless the Management Committee shall otherwise decide in writing.

11 FINANCING

11.1 Working Capital

- 11.1.1 Banking accounts shall be opened in the name of the Joint Venture with banks and at such places as may be determined by it, and the parties shall be responsible for the payment in the Specified Properties of such sums to the credit of such baking accounts as shall from time to time be required by way of working capital for the Joint Venture.
- 11.1.2 Any amounts from time to time advanced by the parties to the Joint Venture in terms of this agreement shall be placed to the credit of their respective capital accounts in the Joint Venture.
- 11.1.3 The banking accounts referred to in sub-clause 11.1.1 hereof shall be operated, and cheques thereon shall be drawn in accordance with the instructions to the bankers in question. Withdrawals from these banking accounts shall be effected on the authority of persons nominated thereto by the Management Committee.
- 11.1.4 Should any party fail to make payment to the Joint Venture of any amount which it is obliged to pay in terms of sub-clause 11.1.1 hereof, after the expiry of a period of seven days from the date of notice requiring it to make such payment, the party to default shall be liable for payment of interest to the other parties on the amount so withheld at the rate of Prime Bank rate charged by Joint Venture Bankers per annum should such other parties have advanced the aforesaid sum.
- 11.1.5 All revenue derived by the Joint Venture from the contract shall forthwith be deposited to the credit of the banking accounts referred to in sub-Clause 1.1.1 hereof.
- 11.1.6 The amount for the time being standing to the credit of the Joint Venture's banking accounts shall be applied:
 - 11.1.6.1 In discharging the obligations of the Joint Venture in accordance with their tenor; provided that the Management Committee shall be entitled to require the payment of any liability prior to its due date if such anticipated payment will result in the allowance by the creditor in question of an advantageous discount to the Joint Venture for prompt payment;
 - 11.1.6.2 As to any surplus of funds for the time being in the said banking account, subject to the agreement of the parties as payment to the parties in the Specified Proportions or in proportion to their participation of the time being in

SAFCEC JOINT VENTURE AGREEMENT

the Joint Venture, save that any such surplus shall first be utilised for the purpose of eliminating or reducing any disproportion in the ratios of the parties respective capital accounts.

11.2 Capital and Advances

- 11.2.1 The amount of capital required by the Joint Venture to attain its object (and which includes all loans, guarantees, indemnities, reserves) shall be determined from time to time by the Management Committee, and upon being so determined shall forthwith be contributed by the parties to the Joint Venture in the Specified Proportions.
- 11.2.2 If at any time any party to the Joint Venture shall, due to an emergency or with the consent in writing of the other parties advance any sum of money or to incur any liability on behalf of the Joint Venture over and above its due contribution to capital, then where money has been advanced, the same shall be a debt due from the Joint Venture to the party advancing the money, and shall be repayable on thirty days' notice and shall bear interest at Prime Bank rate as charged by Joint Venture's bankers per annum from date of advance to date of payment. Where a party has incurred a contingent liability on the above basis, the other parties shall, within thirty days of being requested to do so in writing, relieve such party of its obligations thereunder to the extent that the obligations of the parties are in the Specified Proportions.

12. ACCOUNTS

- 12.1 The Joint Venture shall cause proper books of account and complete records to be kept as are customary in the Republic of South Africa relating to all the assets and liabilities of the Joint Venture and expenses incurred or income received by the Joint Venture.
 - Such book and records shall not be related to the affairs of the parties individually. The said books of account and records, together with all letters, papers or writings concerning or belonging to the Joint Venture shall be kept at site and such other place from time to time as determined by the Management Committee, and each of the parties to the Joint Venture shall at all times have free access and the right to inspect and copy the same.
- 12.2 Within thirty days of the end of every quarter during the continuance of the Joint Venture, the Joint Venture shall furnish to the Management Committee all necessary documents such as balance sheets, profit and loss accounts, bank balances and comparisons with budget and forecasts of cash flow and profits as are necessary to keep the Management Committee informed of the financial affairs of the Joint Venture. Every such profit and loss account and balance sheet shall be agreed to and signed by the members of the Management Committee on behalf of the Joint Venture members, and when so signed, shall be binding on all the parties, except that if any manifest error therein be detected and pointed out by any party to the others at any time after such signature, such error shall forthwith be rectified.
- 12.3 After the completion of the contract and the release of all bonds, guarantees and obligations given for the performance of the parties in the Joint Venture, the joint Venture shall procure the preparation and auditing of a final balance sheet and profit and loss account, which shall be approved by the Management Committee, and from which the final profit and loss sustained by the Joint Venture shall be ascertained, and distributed to or contributed by the parties in proportion to their participation in the Joint Venture. This clause shall not be construed as prohibiting the interim distribution of profits or contribution towards losses in the discretion of the Management Committee.

13. WINDING UP

Upon the determination of the Joint Venture in accordance with the provisions of this agreement, a full and general account shall be taken of the assets and liabilities of the Joint Venture and of the transactions and dealings thereof, and with all convenient speed, such assets shall be sold and realised and the proceeds applied in paying and discharging such liabilities and the expenses of and incidental to the winding-up of the Joint Venture affairs and thereafter in paying to each Joint Venture member its share of such proceeds in the Specified Proportions. The Joint Venture members respectively undertake to do all such things as may be necessary so as to give effect to the above.

14. BREACH

- 14.1 If a party ("the guilty party") shall commit a breach of any material provision of this agreement, and fail to remedy the same within a period of thirty (30) days after the receipt by it of written notice requiring it to do so, or be placed in liquidation or under judicial management, whether provisionally or finally, or propose any compromise with its creditors, the other parties ("the aggrieved parties") shall have the right, without prejudice to any of its other remedies arising from such breach, forthwith to terminate this agreement, in which event:
- 14.2 The guilty party's interest in the joint venture shall be taken over by the remaining parties. The aggrieved parties shall, in addition, have the right, if it so requires, to take over the capital account of the party in default.

 Such capital account shall be valued on the basis of the nett assets revealed in an audited
 - Such capital account shall be valued on the basis of the nett assets revealed in an audited balance sheet and profit and loss account prepared as at the end of the month in which the default or other breach occurred; provided that the profit and loss account shall take into account the Joint Venture's share in the valuation of the work in progress, as shown in the Joint Venture accounts, at the date of preparation of the balance sheet and profit and loss account, after providing for any known or contemplated future losses to be incurred on the work undertaken or to be undertaken by the Joint Venture and provided further that should upon the completion of the contract or contracts, the provision for losses made in the valuation or work in progress as aforesaid prove to be incorrect, such provisions shall be adjusted. Provided the aggrieved parties have proved that the tender rates as escalated from time to time were inadequate, the guilty party shall be liable to the extent of the participation of such party for all losses incurred on the whole of the contract, including any losses incurred subsequent to the termination of the agreement in accordance with these provisions, but such party shall not be entitled to share in any profits earned subsequent to such termination.
- 14.3 The aggrieved parties shall have the right to recruit in its employment personnel seconded to the Joint Venture by the guilty party and, as a stipulation in favour of such personnel, the guilty party waives any claims it might otherwise have had against such personnel arising from their summary termination of their employment with the guilty party.
- 14.3 All plant hired by the guilty party to the Joint Venture shall remain on hire to and under the control of the aggrieved parties until the completion of the contract, or until the aggrieved parties shall release such plant from the operation of this sub-clause. Payment shall be made thereof monthly.

15. DISPUTES

15.1 Having regard to the high degree of good faith which must exist between the parties, the parties agree to do their utmost to ensure that the disputes between them are settled equitably and amicably and where possible without resort to arbitration.

15.2 In the event of any differences or dispute of whatever nature arising from this agreement (which shall include any failure to agree on any matter which requires the parties' agreement for the purposes of implementation of this agreement) or any other matter related thereto which cannot be settled by direct negotiation between the parties, such differences or dispute shall be referred to arbitration in terms of Clause 16 hereof.

16 ARBITRATION

- 16.1 Save as hereinafter provided, any dispute at any time between any of the parties hereto in regard to any matter arising out of this agreement or its interpretation or rectification shall be submitted to and decided by arbitration.
- 16.2 The arbitration referred to in 16.1 shall be held 16.2.1 At
 - 16.2.2 In a summary manner, i.e. on the basis that it shall not be necessary to observe or carry out either -
 - 16.2.2.1 the usual formalities or procedure (e.g. there shall not be any pleadings or discovery); or
 - 16.2.2.2 the strict rules of evidence.
 - 16.2.3 Immediately and with a view to its being completed within twenty-one business days after it is demanded;
 - 16.2.4 Otherwise (but subject to © (d) and (e) under the provisions of the Arbitration Act No. 42 of 1965 or the Republic of South Africa as amended from time to time).
- 16.3 The Arbitrator shall be, if the question in issue is -
 - 16.3.1 Primarily an accounting matter, an independent accountant;
 - 16.3.2 Primarily a legal matter, a practising Senior Counsel of not than five years standing as such;
 - 16.3.3 Any other matter, an independent person unanimously agreed upon between the parties and failing agreement appointed by the President for the time being of the South African Federation of Civil Engineering Contractors.
- 16.5 The arbitrator shall decide the matters submitted to him according to what he considers just and equitable in the circumstances and, therefore, the strict rules of law need not be observed or be taken into account by him in arriving at his decision.
- 16.6 The parties irrevocably agree that the decision in those arbitration proceedings -

SAFCEC JOINT VENTURE AGREEMENT

- 16.6.1 shall be binding on them;
- 16.6.2 shall be carried into effect;
- 16.6.3 can be made an order of any court of competent jurisdiction.

17. CONFIDENTIALITY

- 17.1 All matters relating to this agreement, any negotiations and the contract for the construction of the Works resulting therefrom shall be regarded by the parties hereto as being highly confidential, and shall not be disclosed without prior written consent of the management Committee to any party, person or entity who or which is not a signatory to this Agreement, except where such disclosure is necessary for the fulfilment of this Agreement.

 No party shall at any time hereinafter use any technical information, save that in the public domain, acquired from the other parties hereto except for the purposes of fulfilment of the contract
- 17.2 No party shall have the right to advertise, or otherwise permit, the dissemination of publicity concerning its participation in the Joint Venture unless:
 - 17.2.1 the relevant material shall make due reference to and acknowledgement of the work of the other parties;
 - 17.2.2 the relevant material shall, for its dissemination is within the control of the party in question, have been approved by the other parties, which approval shall not be unreasonably withheld.

18. ASSIGNMENT

- 18.1 No party shall cede, assign or in any other way make over any of its rights or obligations under this agreement without the written consent of the other parties except insofar as such assignment or alienation is to any wholly-owned subsidiary company of that party.
- 18.2 In the event of such assignment or alienation taking place, the initial party shall jointly and severally and in solidum guarantee the obligations or the assignee towards the remaining parties.

19 GENERAL

- 19.1 No party shall have a claim against the other parties arising out of a failure to secure the contract, except insofar as the parties are liable to bear the joint venture expenses in the Specified Proportions.
- 19.2 Any changes and supplementary provisions concerning this agreement shall require the written approval of all the parties hereto.

19.3 Variations not effective unless in writing

No variation, modification or waiver of any provision of this agreement, or consent to any departure therefrom, shall in any event be of any force or effect unless unanimous and confirmed in writing and signed by the parties; then such variation, modification, waiver or consent shall be effective only in the specific instance and for the purpose and to the extent for which made or given.

19.4 Additions to the Joint Venture

No additional parties shall be admitted to the Joint Venture unless the parties to this agreement unanimously agree and subject to the Conditions of Contract for the Works. All sub-contractors

must be approved by the Management Committee in accordance with procedures to be established by the said Committee.

19.5 Company formation

Should the parties at any time unanimously agree to form a company to take over the interest of the Joint Venture in the contact and the assets of the joint Venture, the parties undertake to enter into a Shareholders Agreement embodying insofar as it is reasonably possible and practicable the terms hereof and, in addition, including therein a provision affording each party a right of pre-emption to any shares in the company which the other may from time to time wish to dispose of. For the Works the formation of a company shall be subject to the General Conditions of Contract for the Works.

19.6 Domicilium

19.6.1	purposes of and in connection with this agreement as follows:

- 19.6.2 The parties hereto shall be entitled to change their domicilium from time to time, and any such change shall only be effective upon receipt of notice in writing by the other parties of such change.
- 19.6.3 All payments to be made pursuant to this agreement, and all notices, demands or communications intended for any party, shall be made or given at such party's domicilium for the time being, and if forwarded by prepaid registered post, shall be deemed to have been made or given seven days after the date of posting unless proved to the contrary.

19.7 Currency

All amounts referred to in this agreement and all monies payable to or by the parties to the Joint Venture in connection with the Joint Venture shall be both calculated and paid in currencies from time to time and at places to be agreed by the Management Committee.

19.8 Governing Law

This agreement shall be construed in accordance with and governed by the laws of Republic of South Africa. The English language version of this agreement shall prevail.

- 19.9 All correspondence between the parties in regard to this agreement and the contract shall be in the English language.
- 19.10 Each party shall bear its own costs incurred in the preparation and negotiation of this agreement.
- 19.11 This agreement over-rides any previous agreement or arrangements concluded between the parties in regard to the works and contract. Notwithstanding the provisions of Clause 19 hereof, the parties agree that any variations to the provision of this agreement and any decisions in terms of which this Joint Venture will undertake further work outside the original scope of the contract referred to earlier, shall require the unanimous agreement of the parties before becoming effective and binding on the parties.

SAFCEC JOINT VENTURE AGREEMENT

	versa as the context may	require.	ment, works in the singular sh The headings to clauses shall ntain be taken into account in th	not be	considered part the	ereof
	DONE AND SIGNED 20	AT		THIS	DAY	OF
			For and behalf of:			
AS WI	TNESS:					
1.						
2.						
	DONE AND SIGNED 20	AT		THIS	DAY	OF
			For and behalf of:			
AS WI	TNESS:					
1.						
2.						



THE CONTRACT

112 PART C

113 PART C.1

PART C.1: AGREMENT AND CONTRACT DATA



C1.1. FORM OF OFFER AND ACCEPTANCE

Offer

The employer, identified in the acceptance signature block, has solicited offers to enter into a contract in respect of the following works:

Repair and renovations to existing school at Matsobane Primary School

The tenderer, identified in the offer signature block, has examined the documents listed in the tender data and addenda thereto as listed in the tender schedules, and by submitting this offer has accepted the conditions of the tender.

By the representative of the tenderer, deemed to be duly authorized, signing this part of the Form of Offer and Acceptance, the tenderer offers to perform all of the obligations and liabilities of the contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the contract data.

THE OFFERED TOTAL OF THE PRICE INCLUSIVE OF VALUE ADDED TAX IS (CONTRACT PRICE)

Rand (in words)	
(in figures) R	
This offer may be accepted by the employer by signing the acce and returning one copy of this document to the tenderer befor tender data, whereupon the tenderer becomes the party name identified in the contract data.	e the end of the period of validity stated in the
Signature(s)	
Name(s)	
Capacity	
For the tenderer:	
Name & signature of witness	Date

PART C1.1: AGREMENT AND CONTRACT DATA

Acceptance(To be completed by the employer - not the bidder)

By signing this part of this Form of Offer and Acceptance, the Employer identified below accepts the tenderer's Offer. In consideration thereof, the Employer shall pay the Consultant the amount due in accordance with the conditions of contract identified in the Contract Data. Acceptance of the tenderer's Offer shall form an agreement between the Employer and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract, are contained in:

Part C1	Agreements and Contract Data, (which includes this Form of Offer and Acceptance)
Part C2	Contract Data
Part C3	Pricing Data
Part C4	Scope of Work

Any drawings and documents (or parts thereof), which may be incorporated by reference into the above-listed Parts.

Deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Returnable Schedules as well as any changes to the terms of the Offer agreed by the tenderer and the Employer during this process of offer and acceptance, are contained in the Schedule of Deviations attached to and forming part of this Form of Offer and Acceptance. No amendments to or deviations from said documents are valid unless contained in this Schedule.

The tenderer shall within two weeks of receiving a completed copy of this agreement, including the Schedule of Deviations (if any), contact the Employer's agent (whose details are given in the Contract Data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the conditions of contract identified in the Contract Data. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed original copy of this document, including the Schedule of Deviations (if any). Unless the tenderer (now Consultant) within five working days of the date of such receipt notifies the Employer in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the Parties.

For the Employer

Signature	
Name	
Capacity	
Name and a	address of the organization
Signature a	nd Name of Witness
Signature	
Name	
Capacity	

115 Contract Part C1: Agreement and Contract Data

122

PART C1.1: FORM OF OFFER AND ACCEPTANCE

Schedule of Deviations
1 Subject
2 Subject
3 Subject
4 Subject
By the duly authorized representatives signing this agreement, the <i>Employer</i> and the Tenderer agree to and accept the foregoing schedule of deviations as the only deviations from and amendments to the documents listed in the Tender Data and addenda thereto as listed in the returnable schedules, as well as any confirmation, clarification or changes to the terms of the offer agreed by the Tenderer and the <i>Employer</i> during this process of offer and acceptance.
It is expressly agreed that no other matter whether in writing, oral communication or implied
during the period between the issue of the tender documents and the receipt by the
tenderer of a completed signed copy of this Agreement shall have any meaning or
effect in the contract between the parties arising from this agreement.




C2 CONTRACT DATA

The Conditions of Contract are clauses 1 to 41 of the JBCC Series 2000 Principal Building Agreement (Edition 4.1 of March 2005) published by the Joint Building Contracts Committee.

Copies of these conditions of contract may be obtained from the Association of South African Quantity Surveyors (011-3154140), Master Builders Association (011-205-9000; 057-3526269) South African Association of Consulting Engineers (011-4632022) or South African Institute of Architects (051-4474909; 011-4860684; 053-8312003;)

The JBCC Principal Building Agreement makes several references to the Contract Data for specific data, which together with these conditions collectively describe the risks, liabilities, and obligations of the contracting parties and the procedures for the administration of the Contract. The Contract Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the JBCC Principal Building Agreement.



PART C3: PRICING DATA


125



C3.1 PRICING INSTRUCTION

- The Bills of Quantities have been drawn up in accordance with the Standard System of Measuring Building Work in accordance with the provisions of the Model Bills of Quantities or Electrical Work, published by the South African Association of Quantity Surveyors, (July 2005).
- The agreement is under the JBCC N/S Subcontractor Agreement for use with the JBCC PBA (Edition 4.1 code 2101 March 2005) form of contract with Preliminaries (Code 2103 May 2005) incorporating the State Provisions of cl 41.0.
- It will be assumed that prices included in the Bills of Quantities are based on Acts, Ordinances, Regulations, By-laws, International Standards and National Standards that were published 28 days before the closing date for tenders.
- The prices and rates in these Bills of Quantities are fully inclusive prices for the work described under the items. Such prices and rates cover all costs and expenses that may be required in and for the execution of the work described in accordance with the provisions of the Scope of Works and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the Contract Data, as well as overhead charges and profit. These prices will be used as a basis for the assessment of payment for additional work that may have to be carried out.
- The drawings listed in the Scope of Works used for the setting up of these Bills of Quantities are kept by the Main Contractor and can be viewed at any time during office hours up until the completion of the works.
- An item against which no price is entered will be considered to be covered by the other prices or rates in the Bills of Quantities. A single lump sum will apply should a number of items be grouped together for pricing purposes.
- The Contract Data and the standard form of contract referenced therein must be studied for the full extent and meaning of each and every clause set out in Section 1 (Preliminaries) of the Bills of Quantities.
- The Bills of Quantities is not intended for the ordering of materials. Any ordering of materials, based on the Bills of Quantities, is at the Contractor's risk.

119



PART C4: PROVISIONAL BILLS OF QUANTITIES



C4.1 PRELIMINARIES

SECTION NO. 1 Preliminaries and Generals

Item No

		Matsoabab	e PS
SECTION NO.1			
BILL NO.1			
MEANING OF TERMS "TENDER / TENDERER"			
Any reference to the words "Tender" or Tenderer" herein and/or in any other documentation shall be construed to have the same meaning as the words "Bid" or "Bidder"			
<u>PRELIMINARIES</u>			
The JBCC Preliminaries Edition 4.1 Code 2103, May 2005 edition for use with the JBCC Principal Building Agreement Edition 4.1 Code 2101, March 2005 is taken to be incorporated herein. The tenderer is deemed to have referred to these documents for the full intent and meaning of each clause. These clauses are referred to by number and heading only. Where standard clauses or options are not applicable to the contract such modifications or corrections as are necessary are given under each relevant clause. Where an item is not relevant to this specific contract such item is marked. "N/A" signifying "Not Applicable".			
PRICING OF PRELIMINARIES			
Should Option A, as set out in clause B10.3.1 hereinafter be used for the adjustment of preliminaries then each item priced is to be allocated to one or more of the three categories Fixed, Value Related or Time Related and the respective amounts entered in the spaces provided under each item.			
Items not priced in these Preliminaries shall be deemed to be included elsewhere in these Bills of Quantities.			
SECTION A: JBCC PRINCIPAL BUILDING			
<u>AGREEMENT</u>			
Carried to Collection	R		
Section No. 1 PRELIMINARIES			
Bill No. 1		II	

Dill 140. 1	123		
Section No. 1 PRELIMINARIES Bill No. 1	Carried to Collection	R	
Clause 1.6.4 is amend	ded by replacing it with the following:		
interest rat from time	of interest owed to the employer, the te as determined by the Minister of Finance, to time, in terms of section 80(1)(b) of the ince Management Act, 1999 (Act No. 1 of apply.		
interest rate and Consti in terms of	of interest owed by the employer, the te as determined by the Minister of Justice itutional Development, from time to time, f section 1(2) of the Prescribed Rate of ct, 1975 (Act No. 55 of 1975), will apply; and		
whether specifically in	ne interest rates applicable on this contract, indicated in the relevant clauses or not, will gislation of the Republic of South Africa,		
Clause 1.1 Definition with the following:	of "Interest" is amended by replacing it		
	PERIOD" means the period commencing nt date and ending on the date of practical		
Clause 1.1 Definition replacing it with the f	of "Construction Period" is amended by following:		
	DATE" means the date that the nature terms of the Form of Offer and nature effect.		
1.1 Definition of "Co	ommencement Date" is added:		
Clause 1.0 Clause			
A1 DEFINITI	ONS AND INTERPRETATIONS		
<u>DEFINITIONS</u>			

No clause		
Fixed:Value related: Time related:	item	
OBJECTIVE AND PREPARATION		
2 A2 OFFER, ACCEPTANCE AND PERFORMANCE		
Clause 2.0		
Fixed:Value related: Time related:	item	
A3 DOCUMENTS		
Clause 3.0		
Clause 3.7 is amended by the addition of the following:		
The contractor shall supply and keep a copy of the JBCC Series 2000 Principal Building Agreement and Preliminaries applicable to this contract on the site, to which the employer, principal agent and agents shall have access at all times		
Fixed:Value related: Time related:	item	
4 A4 DESIGN RESPONSIBILITY		
Clause 4.0		
Fixed:Value related: Time related:	item	
5 A5 EMPLOYEES AGENTS		
Clause 5.0		
Clause 5.1.2 is amended to include clauses 32.6.3,34.3 and 34.4		
Fixed:Value related: Time related:	item	
Section No. 1 Carried to Collection PRELIMINARIES Bill No. 1	R	

6	A6 SITE REPRESENTATIVE		
	Clause 6.0 Fixed:Value related: Time related:	item	
7	A7 COMPLIANCE WITH REGULATION		
	Clause 7.0		
	Note: The provisions herein include inter alia, compliance with all the requirements set out in the Construction Regulations, 2003 issued under the Occupational Health and Safety Act, 1993 (Act No 85 of 1993), and in particular with Regulation 5(1) requiring the compilation of a health and safety plan, as well as Regulation 6(1) requiring the appointment of a construction supervisor		
	See also clause C10 of Section C - Specific Preliminaries		
	Fixed:Value related: Time related:	item	
8	A8 WORKS RISK		
	Clause 8.0		
	Fixed:Value related: Time related:	item	
9	A9 INDEMNITIES		
	Clause 9.0		
	Fixed:Value related: Time related:	item	
10	A10 WORKS INSURANCES		
	Fixed:Value related: Time related:		
	Clause 10.0		
	Clause 10.0 is amended by the addition of the following clauses:	item	
	Section No. 1 Carried to Collection PRELIMINARIES Bill No. 1	R	

10.5	Damage to the Works		
(a)	Without in any way limiting the contractors obligations in terms of the contract, the contractor shall bear the full risk of damage to and/or destruction of the works by whatever cause during construction of the works and hereby indemnifies and holds harmless the employer against any such damage. The contractor shall take such precautions and security measures and other steps for the protection and security of the works as the contractor may deem necessary		
(b)	The contractor shall at all times proceed immediately to remove or dispose of any debris arising from damage to or destruction of the works and to rebuild, restore, replace and/or repair of works		
(c)	The employer shall carry the risk of damage to or destruction of the works and material paid for by the employer that is the result of the excepted risks as set out in 10.6		
(d)	Where the employer bears the risk in terms of this contract, the contractor shall, if requested to do so, reinstate any damage or destroyed portions of the works and the costs of such reinstatement shall be measured and valued in terms of 32.0 hereof		
Section N PRELIMI Bill No. 1		R	

10.6	Injury to Persons or loss of or damage to Properties		
(a)	The contractor shall be liable for and hereby indemnifies the employer against any liability, loss, claim or proceeding whether arising in common law or by statute, consequent upon personal injuries to or the death of any person whomsoever arising out of or in the course of or caused by the execution of the works unless due to any act or neglect of any person for whose actions the employer is legally liable		
(b)	The contractor shall be liable for any hereby indemnifies the employer against any liability, loss, claim or proceeding consequent upon loss of or damage to any moveable or immovable or personal property or property contiguous to the site, whether belonging to or under the control of the employer or any other body or person, arising out of or in the course of or by reason of the execution of the works unless due to any act or neglect of any person for whose actions the employer is legally liable		
(c)	The contractor shall, upon receiving a contract instruction from the principal agent, cause the same to be made good in a perfect and workmanlike manner at his own cost and in default therefore the employer shall be entitled to cause it to be made good and to recover the cost thereof from the contractor or to deduct the same from amounts due to the contractor		
(d)	The contractor shall be responsible for the protection and safety of such portions of the premises placed under his control by the employer for the purpose of executing the works until the issue of the certificate of practical completion		
(e)	Where the execution of the works involves the risk of removal of or interference with support to adjoining properties including land or structures or any structures to be altered or added to, the contractor shall and will remain adequately insured or insured against the death of or injury to persons or damage to such property consequent on such removal or interference with the support until such portion of the works has been completed		
	on No. 1 Carried to Collection IMINARIES 5. 1	R	

(f)	The contractor shall at all times proceed immediately at his own cost to remove or dispose of any debris and to rebuild, restore, replace and/or repair such property and to execute the works		
10.7	High risk insurance		
classified to highly catastrop	ent of the project being executed in a geological area as a High Risk Area, that is an area which is subject unstable subsurface conditions that might result in nic ground movement evident by sinkhole or doline the following will apply:		
10.7.1	Damage to the works		
works u bear the the emp works of mentions and secu	ractor shall, from the commencement date of the ntil the date of the certificate of practical completion full risk of and hereby indemnifies and holds harmless over against any damage to and/or destruction of the onsequent upon a catastrophic ground movement as d above. The contractor shall take such precautions ity measures and other steps for the protection of the she may deem necessary		
shall prod debris ar to rebuild	instructed to do so by the principal agent, the contractor eed immediately to remove and/or dispose of any sing from damage to or destruction of the works and , restore, replace and/or repair the works at the 's own costs		
10.7.2	Injury to persons or loss of or damage to property		
holds har proceedir whether personal resulting	ractor shall be liable for and hereby indemnifies and mless the employer against any liability, loss, claim or g arising at any time during the period of the contract arising in common law or by statute, consequent upon njuries to or the death of any person whomsoever from, arising out of or caused by a catastrophic ground it as mentioned above		
employed consequent immovable whether other book catastrop	ractor shall be liable for and hereby indemnifies the ragainst any and all liability, loss, claim or proceeding nt upon loss of or damage to any moveable or e or personal property or property contiguous to the site, belonging to or under the control of the employer or any y or person whomsoever arising out of or caused by a nic ground movement, as mentioned above, which during the period of the contract		
Section PRELIM Bill No.	No. 1 Carried to Collection NARIES	R	

	10.7.3 It is the responsibility of the contractor to ensure that he has adequate insurance to cover his risk and liability as mentioned in 10.7.1 and 10.7.2. Without limiting the contractors obligations in terms of the contract, the contractor shall, within twenty-one (21) calendar days of the commencement date but before commencement of the works, submit to the employer proof of such insurance policy, if requested to do so 10.7.4 The employer shall be entitled to recover any and all losses and/or damages of whatever nature suffered or incurred consequent upon the contractors default of his obligations as set out in 10.7.1; 10.7.2 and 10.7.3. Such losses or damages may be recovered from the contractor or by deducting the same from any amount still due under this contract or under any other contract presently or hereafter existing between the employer and the contractor and for this purpose all these contracts shall be considered one indivisible whole		
	Fixed:Value related: Time related:	item	
11	A11 LIABILITY INSURANCES		
	Clause 11.0		
	Fixed:Value related: Time related:	item	
12	A12 EFFECTING INSURANCES		
	Clause 12.0		
	Fixed:Value related: Time related:	item	
13	A13.0 No clause		
14	A14 SECURITY		
	Clause 14.0		
	Clause 14.1 - 14.8 are amended by replacing them with the following:		
	14.1. In respect of contracts with a contract sum up to R1 million, the security to be submitted by the contractor to the employer will be as a payment reduction of five per cent (5%) of the value certified in the payment certificate (excluding VAT)		
	Section No. 1 Carried to Collection	R	
	Section No. 1 Carried to Collection PRELIMINARIES Bill No. 1	K	

14.1.1. The payment reduction payment certificate shall be / 31.8(A)			
loss from the payment reduction the employer complies with the the employers entitlement sha	e provisions of 33.4 in which event		
to be provided in terms of 14.3, in the schedule. Such securit employer within twenty-one (2 commencement date. Should the security to be provided or state.	ve the right to select the security 14.4, 14.5, 14.6, or 14.7 as stated y shall be provided to the 1) calendar days from d the contractor fail to select should the contractor fail to selected security within twenty- commencement date, the		
14.3. Where security as a cash the contract sum (excluding V	n deposit of ten per cent (10%) of AT) has been selected:		
14.3.1. The contractor shall fudeposit equal in value of ten persum (excluding VAT) within two from commencement date			
the cash deposit to an amount e	calendar days of the date of yorks the employer shall reduce equal to three per cent (3%) of the), and refund the balance to the		
14.3.3. Within twenty-one (21) final completion of the works cash deposit to an amount equation contract value (excluding VAT contractor	s the employer shall reduce the I to one per cent (1%) of the		
14.3.4. On the date of payment payment certificate, the emptof the cash deposit to the contractions.	loyer shall refund the remainder		
Section No. 1 PRELIMINARIES Bill No. 1	Carried to Collection	R	

14.3.5. The employer shall be entitled to recover expense and loss from the cash deposit in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employers entitlement shall take precedence over his obligations to refund the cash deposit security or portions thereof to the contractor 14.3.6. The parties expressly agree that neither the employer nor the contractor shall be entitled to cede the rights to the deposit to any third party 14.4. Where security as a variable construction guarantee of ten percent (10%) of the contract sum (excluding VAT) has been selected. 14.4.1. The contractor shall furnish the employer with an acceptable variable construction guarantee equal in value to ten percent (10%) of the contract sum (excluding VAT) within twenty-one (21) calendar days from commencement date 14.4.2. The variable construction guarantee shall reduce and expire in terms of the Variable Construction Guarantee form include in the invitation to tender 14.4.3. The employer shall return the variable construction guarantee to the contractor within fourteen (14) calendar days of it expiring 14.4.4. Where the employer has a right of recovery against the contractor in terms of 33.0, the employer shall issue a written demand in terms of the variable construction guarantee 14.5. Where security as a fixed construction guarantee of five per cent (5%) of the contract sum (excluding VAT) and a five

per cent (5%) of the contract sum (excluding VAT) and a five per cent (5%) payment reduction of the value certified in the payment certificate (excluding VAT) has been selected:

- 14.5.1. The contractor shall furnish a fixed construction guarantee to the employer equal in value to five per cent (5%) of the contract sum (excluding VAT)
- 14.5.2. The fixed construction guarantee shall come into force on the date of issue and shall expire on the date of practical completion
- 14.5.3. The employer shall return the fixed construction guarantee to the contractor within fourteen (14) calendar days of it expiring
- 14.5.4. The payment reduction of the value certified in a payment certificate shall be in terms of 31.8 (A) and 34.8

Section No. 1 PRELIMINARIES Bill No. 1

Carried to Collection

R

- 14.5.5. Where the employer has a right of recovery against the contractor in terms of 33.0, the employer shall be entitled to issue a written demand in terms of the fixed construction guarantee or may recover from the payment reduction or may do both

 14.6. Where security as a cash deposit of five per cent (5%) of
- 14.6. Where security as a cash deposit of five per cent (5%) of the contract sum (excluding VAT) and a payment reduction of five per cent (5%) of the value certified in the payment certificate (excluding VAT) has been selected:
- 14.6.1. The contractor shall furnish the employer with a cash deposit equal in value to five per cent (5%) of the contract sum (excluding VAT) within twenty-one (21) calendar days from commencement date
- 14.6.2. Within twenty-one (21) calendar days of the date of practical completion of the works the employer shall refund the cash deposit in total to the contractor
- 14.6.3. The payment reduction of the value certified in a payment certificate shall be *mutatis mutandi* in terms of 31.8(A)
- 14.6.4. Where the employer has a right of recovery against the contractor in terms of 33.0, the employer may issue a written notice in terms of 33.4 or may recover from the payment reduction or may do both
- 14.7. Where security as a payment reduction of ten per cent (10%) of the value certified in the payment certificate (excluding VAT) has been selected:
- 14.7.1. The payment reduction of the value certified in a payment certificate shall be *mutatis mutandi* in terms of 31.8(B)
- 14.7.2. The employer shall be entitled to recover expenses and loss from the payment reduction in terms of 33.0 provided that the employer complies with the provisions of 33.4 in which event the employers entitlement shall take precedence over his obligations to refund the payment reduction or portions thereof to the contractor
- 14.8. Payments made by the guarantor to the employer in terms of the fixed or variable construction guarantee shall not prejudice the rights of the employer or contractor in terms of this agreement

Carried to Collection

Section No. 1 PRELIMINARIES Bill No. 1

]	Ī	1
	14.9. Should the contractor fail to furnish the security in terms of 14.2, the employer, in his sole discretion and without notification to the contractors selected form the security to that of a ten per cent (10%) payment reduction of the value certificate in the payment certificate (excluding VAT), whereafter 14.7 shall be applicable			
	Fixed:Value related:			
	Time related:	item		
	EXECUTION			
15	A15 PREPARATION FOR AND EXECUTION OF THE WORKS			
	Clause 15.0 Clause 15.1.1 is amended by replacing it with:			
	No Clause Clause 15.1 is amended by the addition of the following clause: 15.1.4. An acceptable health and safety plan, required in terms of the Occupational Health and Safety Act, 1993 (Act 85 of 1993), with twenty-one (21) calendar days of commencement date			
	Clause 15.2.1 is amended by replacing it with the following clause:			
	Give the contractor possession of the site within ten (10) working days of the contractor complying with the terms of 15.1.2 and 15.1.4			
	Fixed:Value related: Time related:	item		
16	A16 ACCESS TO THE WORKS			
	Clause 16.0			
	Fixed:Value related:			
	Time related:	item		
17	A17 CONTRACT INSTRUCTIONS			
	Clause 17.0			
	Fixed:Value related:			
	Time related:	item		
	Carried to Collection	R		
	Section No. 1			
	PRELIMINARIES Bill No. 1			l

18	A18 SETTING OUT OF THE WORKS		
	Clause 18.0		
	Fixed:Value related: Time related:	item	
19	A19 ASSIGNMENT		
	Clause 19.0		
	Fixed:Value related: Time related:	item	
20	A20 NOMINATED SUB-CONTRACTORS		
	Clause 20.0		
	Clause 20.1.3 is amended by replacing it with the following:		
	No Clause		
	Note: See item B9.1 hereinafter for adjustment of attendance on nominated subcontractors executing work allowed for under provisional sums		
	Fixed:Value related: Time related:	item	
21	A21 SELECTED SUBCONTRACTORS		
	Clause 21.0		
	Clause 21 is amended by replacing with:		
	No Clause		
	Fixed:Value related: Time related:	item	
	Section No. 1 Carried to Collection	R	
	PRELIMINARIES Bill No. 1		

22	A22 EMPLOYERS DIRECT CONTRACTORS		
	Clause 22.0		
	Fixed:Value related: Time related:	item	
23	A23 CONTRACTOR'S DOMESTIC SUBCONTRACTORS		
	Fixed:Value related: Time related:		
24	A24 PRACTICAL COMPLETION		
	Clause 24.0		
	Fixed:Value related: Time related:		
25	A25 WORK'S COMPLETION		
	Clause 25.0		
	Fixed:Value related: Time related:	item	
26	A26 FINAL COMPLETION		
	Clause 26.0		
	Fixed:Value related: Time related:	item	
27	A27 LATENT DEFECTS LIABILITY PERIOD		
	Clause 27.0		
	Fixed:Value related: Time related:	item	
28	A27 SECTIONAL COMPLETION		
	Clause 28.0		
	Fixed:Value related: Time related:	item	
	Section No. 1 Carried to Collection	R	
	Section No. 1 Carried to Collection PRELIMINARIES Bill No. 1	K	

29	A29	REVISION OF DAT	E FOR PRACTICAL COMPLETION	J	
	Clause 29	.0			
		Value relat red:		item	
30	A30	PENALTY FOR NO	N-COMPLETION		
	Fixed: Time relat	Value relat ted:	ed:	item	
	<u>PAYMEN</u>	NT_			
31	A31	INTERIM PAYMEN	T TO THE CONTRACTOR		
	Clause 31	.0			
	Clause 31. alternative		acing it with the following two		
	Alternati	ve A			
	14.6, the vand good	value of the works in ds in terms of 31.4.2 s	selected in terms of 14.1, 14.5 or terms of 31.4.1 and materials shall be certified in full. The value following percentage adjustments:		
	payment	certificates issued	t (97%) of such value in interim on the date of practical uding the date of final completior	ı	
	payment	certificates issued	(99%) of such value in interim on the date of final completion all payment certificate in terms		
	final payn amount ce the payme	ment certificate in te ertified is in favour of	t (100%) of such value in the erms of 34.6 except where the the employer. In such an event nain at the adjustment level t certificate		
		L. 4			
	Section N PRELIMII Bill No. 1		Carried to Collection	R	

the value of the works in goods in terms of 31.4.2 certified shall be subject	is a payment reduction in terms of 14.7 n terms of 31.4.1 and materials and 2 shall be certified in full. The value to the following percentage adjustments:		
	t (90%) of such value in interim ssued up to the date of practical		
payment certificates	per cent (97%) of such value in interim issued on the date of practical ut excluding the date of final completion		
payment certificates is and up to but excluding to of 34.6 31.8(B).4 One hundred payment certificate in certified is in favour of the	er cent (99%) of such value in interim ssued on the date of final completion the final payment certificate in terms of certificate in the final terms of 34.6 except where the amount the employer. In such an event the remain at the adjustment level applicable rtificate		
Clause 31.12 is amended	by deleting the following:		
Payment shall be subject a tax invoice for the amo	to the employer giving the contractor unt due		
Fixed:Valu Time related:		item	
A32 ADJUSTMEN	T TO THE CONTRACT VALUE		
Clause 32.0 Clauses 32.5.1, 32.5.7 ar following at the end of th	e amended by the addition of the ne sentence:		
"due to no fault of the co	ontractor"		
Fixed:Valu Time related:		item	
Section No. 1 PRELIMINARIES Bill No. 1	Carried to Collection	R	

33	A33	RECOVERY OF EXPENSE AND LOSS		
	Clause 3 Clause 3	3.0 3.2 is amended by adding the following clauses:		
		ne contractors failure or neglect to commence with the on the dates prescribed in the contract		
		the contractors failure or neglect to proceed with the n terms of the contract		
		the contractors failure or neglect for any reason to e the works in accordance with the contract		
	with any	the contractors refusal or neglect to comply strictly of the conditions of contract or any contract cions and/or orders in writing given in terms of the		
	surrende	the contractors estate being sequestrated, liquidated or ered in terms of the insolvency laws in force within the of South Africa		
		Value related: ated:	item	
34	A34	FINAL ACCOUNT AND FINAL PAYMENT		
	Clause 3	4.0		
	with twe	4.13 is amended by replacing seven (7) calendar days inty-one (21) calendar days and deleting the words the employer giving the contractor a tax invoice for unt due		
	Fixed: Time rel	Value related: ated:	item	
35	A35	PAYMENT TO OTHER PARTIES		
	Clause 3	5.0		
		Value related: ated:	item	
	Section PRELIN Bill No.	MINARIES	R	

CANCELLATION			
A36 CANCELLA DEFAULT	ATION BY EMPLOYER - CONTRACTORS		
Clause 36.0			
	ed by removing the reference to No clause do not be reference to not clause do not cla		
Clause 36.0 is amende	ed by the addition of the following clause:		
of this agreement ei or for any reason wha instruction, discontinu withdraw himself from entitled to refuse to w	any clause to the contrary, on cancellation ther by the employer or the contractor; atsoever, the contractor shall on written be with the works on a date stated and in the site. The contractor shall not be withdraw from the works on the grounds of tention or on the grounds of any other right		
Fixed:\ Time related:	/alue related:	item	
A37 CANCELLA DAMAGE	ATION BY EMPLOYER - LOSS AND		
Clause 37.0			
Clause 37.0 is amende	ed by the addition of the following clause:		
this agreement either for any reason whatson instruction, discontinu withdraw himself from entitled to refuse to w	g any clause to the contrary, on cancellation of er by the employer or the contractor; or oever, the contractor shall on written he with the works on a date stated and in the site. The contractor shall not be withdraw from the works on the grounds of tention or on the grounds of any other right		
Fixed:\ Time related:\	/alue related:	item	
A38 CANCELLA DEFAULT	ATION BY CONTRACTOR - EMPLOYERS		
Clause 38.0			
Section No. 1 PRELIMINARIES	Carried to Collection	R	

Clause 38.0 is amended	by the addition of the following clause:		
of this agreement eith for any reason whatsoe instruction, discontinue withdraw himself from entitled to refuse to wit	any clause to the contrary, on cancellation per by the employer or the contractor; or over, the contractor shall on written with the works on a date stated and the site. The contractor shall not be hdraw from the works on the grounds of any other right		
Fixed:Va	lue related:	item	
A39 CESSATION	N- CANCELLATION OF THE WORKS		
Clause 39.0			
Fixed:Va Time related:	lue related:	item	
9 A40 DISPUTE SI	ETTLEMENT		
Clause 40.0			
Clause 40.2.2 is amend years	ed by replacing one (1) year with three (3)		
Clause 40.6 is amended	by removing the reference to:		
No clause			
Clause 40.7.1 is amendadditions of the following	ed by replacing (10) with (15) and by the ng		
	on resolves the dispute, the parties shall scerning the mediation and equally share the and related costs		
Fixed:Va	lue related:	item	
Section No. 1 PRELIMINARIES Bill No. 1	Carried to Collection	R	

	SUBSTITUTE PROVISIONS		
40	A41 STATE CLAUSES		
	Clause 41.0		
	Fixed:Value related: Time related:	item	
	CONTRACT VARIABLES		
	THE SCHEDULE (DPW04EC)		
41	A42 PRE-TENDER INFORMATION		
	Clause 42.0		
	Tenderers are referred to the document C1.2 Contract Data DPW04(EC) for variables pertaining to this contract		
	Fixed:Value related: Time related:	item	
	SECTION B: JBCC PRELIMINARIES		
	DEFINITIONS AND INTERPRETATION		
42	Definitions and interpretation		
	Fixed:Value related: Time related:	item	
	<u>DOCUMENTS</u>		
43	Checking of documents		
	Fixed:Value related: Time related:	item	
44	Provisional bills of quantities		
	Fixed:Value related: Time related:	item	
	Section No. 1 Carried to Collection	R	
	PRELIMINARIES Bill No. 1		

45	Availability of construction documentation		
	Fixed:Value related: Time related:	item	
46	Interests of agents		
	Fixed:Value related: Time related:	item	
47	Priced documents		
	Fixed:Value related: Time related:	item	
48	Tender submission		
	Clause 2.6 is amended by replacing JBCC Form of Tender with Form of Offer and Acceptance		
	Fixed:Value related: Time related:	item	
	THE SITE		
49	Defined works area		
	Fixed:Value related: Time related:	item	
50	Geotechnical investigation		
	Fixed:Value related: Time related:	item	
51	Inspection of the site		
	Tenderers shall complete the Site Inspection Certificate included in the tender documents and return the same with the tender submission.		
	Fixed:Value related: Time related:	item	
	Section No. 1 Carried to Collection PRELIMINARIES Bill No. 1	R	

52	Existing premised occupied		
	Fixed:Value related: Time related:	item	
53	Previous work dimensional accuracy		
	Fixed:Value related: Time related:	item	
54	Previous work defects		
	Fixed:Value related: Time related:	item	
55	Services known		
	Fixed:Value related: Time related:	item	
56	Services unknown		
	Fixed:Value related: Time related:	item	
57	Protection of trees		
	Fixed:Value related: Time related:	item	
58	Articles of value		
	Fixed:Value related: Time related:	item	
59	Inspection of adjoining properties		
	Fixed:Value related: Time related:	item	
	Section No. 1 Carried to Collection	R	
	PRELIMINARIES Bill No. 1		

	MANAGEMENT OF CONTRACT		
60	Management of the works		
	Fixed:Value related: Time related:	item	
61	Programme for the works		
	Fixed:Value related: Time related:	item	
62	Progress meetings		
	Fixed:Value related: Time related:	item	
63	Technical meetings		
	Fixed:Value related: Time related:	item	
64	Labour and plant records		
	Fixed:Value related: Time related:	item	
	SAMPLES, SHOP DRAWINGS AND MANUFACTURERS' INSTRUCTIONS		
65	Samples of materials		
	Fixed:Value related: Time related:	item	
66	Workmanship samples		
	Fixed:Value related: Time related:	item	
67	Shop drawings		
	Fixed:Value related: Time related:	item	
	Section No. 1 Carried to Collection PRELIMINARIES Bill No. 1	R	

	TEMPORARY WORKS AND PLANT		
69	Deposits and fees		
	Fixed:Value related: Time related:	item	
70	Enclosure of the works		
	Fixed:Value related: Time related:	item	
71	Advertising		
	Fixed:Value related: Time related:	item	
72	Plant, equipment, sheds and offices		
	Fixed:Value related: Time related:	item	
73	Main notice board		
	Fixed:Value related: Time related:	item	
74	Subcontractors notice board		
	Fixed:Value related: Time related:	item	
	TEMPORARY SERVICES		
75	Location		
	Fixed:Value related: Time related:	item	
76	Water		
	Fixed:Value related: Time related:	item	
77	Electricity		
	Fixed:Value related: Time related:	item	
	Section No. 1 PRELIMINARIES	R	

78	Telecommunication facilities		
	Fixed:Value related: Time related:	item	
79	Ablution facilities		
	Fixed:Value related: Time related:	item	
	PRIME COSTS AMOUNTS		
80	Responsibility for prime cost amounts		
	Fixed:Value related: Time related:	item	
	ATTENDANCE ON N/S SUBCONTRACTORS		
81	General attendance		
	The schedule rates providing for attendance on nominated subcontractors and other contractors, will be adjusted only if the scope of the work has changed		
	Fixed:Value related: Time related:	item	
82	Special attendance		
	Fixed:Value related: Time related:	item	
83	Commissioning fuel, water and electricity		
	Fixed:Value related: Time related:	item	
	Section No. 1 PRELIMINARIES	R	

	FINANCIAL ASPECTS		
84	Statutory taxes, duties and levies		
	Fixed:Value related: Time related:	item	
85	Payment for preliminaries		
	Fixed:Value related: Time related:	item	
86	Adjustment of preliminaries		
	Fixed:Value related: Time related:	item	
87	Payment certificate cash flow		
	Fixed:Value related: Time related:	item	
	GENERAL		
88	Protection of the works		
	Fixed:Value related: Time related:	item	
89	Protection / isolation of existing / sectionally occupied works		
	Fixed:Value related: Time related:	item	
90	Security of the works		
	Fixed:Value related: Time related:	item	
91	Notice before covering work		
	Fixed:Value related: Time related:	item	
	Carried to Collection	R	
	Section No. 1 PRELIMINARIES		

92	Disturbance		
	Fixed:Value related: Time related:	item	
93	Environmental disturbance		
	Fixed:Value related: Time related:	item	
94	Works cleaning and clearing		
	Fixed:Value related: Time related:	item	
95	Vermin		
	Fixed:Value related: Time related:	item	
96	Overhand work		
	Fixed:Value related: Time related:	item	
97	Instruction manuals and guarantees		
	Fixed:Value related: Time related:	item	
98	As built information		
	Fixed:Value related: Time related:	item	
99	Tenant installations		
	Fixed:Value related: Time related:	item	
	Section No. 1 Carried to Collection PRELIMINARIES Bill No. 1	R	

SCHEDULE OF \	/ARIABLES		
00 <i>Pre-tender informa</i>	ation		
Fixed:	Value related:	item	
and is divided into pr pre-tender category r	ns all variables referred to in this document etender and post-tender categories. The must be completed in full and included in the Both the pre-tender and post-tender categories eliminaries.		
applicable or deleted	rmation must be filled in, shown as not and not left blank. Where choices are licable items are to be deleted.		
Section No. 1 PRELIMINARIES Bill No. 1	Carried to Collection	R	

12.1	PRE-TENDER INFORMATION				
12.1.1	Provisional Bills of Quantities				
[2.2]	The quantities are provisional				
		NO			
12.1.2	Availability of construction document	ation			
[2.3]	Construction documentation is complete	ation			
[-:-]		YES			
12.1.3	Interest of agent				
[2.4]	Details: Employer: Limpone Department of of	Donds &			
	Employer: Limpopo Department of of Infrastructure	Ruaus &			
	43 Church Street				
	Private Bag X9490				
	POLOKWANE, 0700				
	Tel: [015] 284 7000/1 Cell: 082 460 6271				
	Architect and Principal Agent:				
	Ruben Reddy Architects				
	4 Ismini Office Park,				
	POLOKWANE				
	Tel: [015] 065 0645 Fax: [011] 475 8364				
	Email: Geshim.Francis@rubenreddyarch.	co.za			
	Quantity Surveyor:				
	Phahlana-Hunadi QS				
	2760 Zone B				
	LEBOWAKGOMO , 0737 Tel: [015] 633 6535 Fax: [015] 633 6477				
	Email : 'info@phqs.co.za				
	Zinaii i iiio Opiiqoiooiza				
	Civil/Structural:				
	Muteo Consulting				
	39 Grobler Street POLOKWANE				
	Tel: [015] 291 4065 Fax: 015 291 4043				
	Email: vonganim@muteo.co.za				
	•				
	Electrical/Mechanical Engineers:				
	NSKECM 38 Burger Street				
	Polokwane 0700				
	Tel: 015 295 2104 Fax: 015 295 2104				
	Email: mark@nskecm.co.za				
Continue N	lo 4				
Section N PRELIMII		on	R		
Bill No. 1	TV TALES	I		l	I I
	1.5	-0			

12.1.4	Defined works area			
[3.1]	Details:			
	Site as per land surveyor			
12.1.5 <i>[3.2]</i>	Geotechnical investigation Details:			
	Refer to Principal Agent			
12.1.6 <i>[3.4]</i>	Existing premises occupies Specific requirements:			
	N/A			
12.1.7 <i>[3.5]</i>	Previous work - dimensional accuracy Details			
	N/A			
12.1.8 <i>[3.6]</i>	Previous work - defects Details:			
	N/A			
12.1.9 <i>[3.7]</i>	Services - known Details:			
	N/A			
12.1.10 <i>[3.9]</i>	Protection of trees Specific requirements:			
12.1.11 <i>[3.11]</i>	Inspection of adjoining properties Specific requirements:			
12.1.12 <i>6.2]</i>	Enclosure of the works Specific requirements:			
12.1.13 [6.4.3]	Offices Specific requirements: The contractor shall provide, maintain and remove on completion of the works an office for the exclusive use of the principal agent, minimum size 4 x 3 x 3m high internally, suitable insulated and ventilated, provided with electric lighting and fitted with boarded floor, desk, chair, drawing stool, drawing board and lock-up drawers for drawings. The office shall be kept clean and fit for use at all times.			
Section I		R		
Bill No. 1		•	ı	ıı I

12.1.14 <i>[6.5]</i>	Main notice board Specific requirements: The contractor shall provide, erect where maintain and remove on completion of the notice board size 3 x 3m as type Drawing constructed of suitable boarding with flat surface and with edging bead 19mm thick edges and projecting 12mm from face of I rounded on front edge. The board shall be fixed to hoarding, where hoarding is provi to and including a suitable supporting struor tubular posts and braces. The board is ivory white and the bead and 12mm wide dark green. All wording shall be inscribed as per the coat of arms of SA. All working inscribed in dark green painted sans serif	e works a GEN 063, smooth around outer coarding and e securely ded, or fixed cture of timber to be painted dividing lines in dark green y shall be		
12.1.15 <i>[6.6]</i>	Subcontractor's notice board Specific requirements:			
12.1.16 <i>[7.2]</i>	<i>Water</i> Option A (by contractor)	YES/NO		
	Option B (by employer - free of charge)	YES NO		
	Option C (by employer - metered)	NO		
12.1.17 <i>[7.3]</i>	Electricity Option A (by contractor)	VEC		
	Option B (by employer - free of charge)	YES NO		
	Option C (by employer - metered)	NO		
12.1.18 <i>[7.4]</i>	Telecommunications Telephone	YES		
	Facsimile	YES		
10 1 10	E-mail	YES		
12.1.19 <i>[7.5]</i>	Ablution facilities Option A (by contractor)	YES		
	Option B (by employer)	NO		
12.1.20 <i>[11.2]</i>	Protection of existing/sectionally occurrent Protection is required	Supied works NO		
Section No. 1	INARIES	on	R	

Subdice Subdin Subdice Subdice Subdice Subdice Subdice Subdice Subdice Subdice	bcontractor (2) bcontractor (3) bcontractor (4) bcontractor (4	details: details: details: ep the site, structions to prevent of remove on company dust scripal agent	dust and shall pletion of the reens all to the			
Subo Subo Subo Subo 12.1.22 Prot [11.5] Speci The control work Satisf 12.1.22 Prot [11.1] Speci The control work Satisf 12.1.23 Dista [11.5] Speci The control work Satisf 12.1.24 Envi Envi [11.6] Speci 12.2 Posi 12.2 Posi 12.2.1 Payr [10.2] Optici Optic 12.2.2 Adjustication Adjustication Adjustication Adjustication Incomplete Incompl	bcontractor (4) btection of works cific requirements cturbance cific requirements: contractor shall ke cered during operativide and erect and of citics all necessary ten sfaction of the prince contractor of works cific requirements cturbance cific requirements: contractor shall ke cered during operativide and erect and of	details: ep the site, structions to prevent of remove on company dust scripal agent	dust and shall pletion of the reens all to the			
12.1.22	extection of works of turbance of turbance of turbance of the principal of the principal of turbance of the principal of turbance of the principal of turbance of	ep the site, structions to prevent difference on companders dust scripal agent	dust and shall pletion of the reens all to the			
[11.1] Special Special Special Special Theorem Water proving works satisf Special Spec	cific requirements cturbance cific requirements: contractor shall ke cered during operativide and erect and exist all necessary ten sfaction of the prince contractor of works cific requirements cturbance cific requirements: contractor shall ke cered during operativide and erect and existers	ep the site, structions to prevent of the company dust scripal agent	dust and shall pletion of the reens all to the	I		
[11.5] Speci The converse water proving works satisf satis	cific requirements: contractor shall ke ered during operativide and erect and existed and erect and existed and of the prince extection of the prince extection of works cific requirements exturbance existic requirements: existic requirements: existic requirements: existic requirements: existic requirements.	ons to prevent d remove on comp mporary dust scr cipal agent	dust and shall pletion of the reens all to the	I		
[11.1] Special	cific requirements sturbance cific requirements: contractor shall ke cered during operati	ep the site, struc				
[11.5] Speci The c water proving works satisf 12.1.24 Envin [11.6] Speci 12.2 POST 12.2.1 Payr [10.2] Option Option	cific requirements: contractor shall ke ered during operati vide and erect and i					
[11.6] Speci 12.2 POS 12.2.1 Payr [10.2] Option Option	ks all necessary ter sfaction of the princ	remove on comp mporary dust scr	dust and shall bletion of the	I		
12.2.1 <i>Payr</i> [10.2] Option Option 12.2.2 <i>Adju</i>	vironmental distu	ırbance				
[10.2] Option Option Option 12.2.2 Adjusted	ST-TENDER INFO	RMATION				
12.2.2 <i>Adju</i>	yment of preliminion (prorated)	naries	VECANO			
,	ion B (calculates)		YES/NO YES/NO			
·	iustment of prelir ion A (three catego	ries)	YES/NO			
Optic	ion B (detailed brea	akdown)	YES/NO			
12.2.3 Addi Detai	ditional agreed pr ails:	reliminaries ite	ems			
Section No. 1 PRELIMINARIE Bill No. 1						 -

	SECTION C: SPECIFIC PRELIMINARIES		
	Section C contains specific preliminary items which apply to this contract except where N/A (Not Applicable) appears against an item		
101	C1 CONTRACT DRAWINGS		
	The drawings issued with the tender documents do not comprise the complete set but serve as a guide only for tendering purposes and for indicating the scope of the work to enable the tenderer the acquaint himself with the nature and extend of the works and the manner in which they are to be executed		
	Should any part of the drawings not be clearly intelligible to the tenderer he shall, before submitting his tender, obtain clarification in writing from the principal agent		
	Fixed:Value related: Time related:	item	
102	C2 GENERAL PREAMBLES		
	The document Specification of Materials and Methods to be used (PW371) is obtainable on request from the head office and all regional offices of the Department, and shall be read in conjunction with the bills of quantities and be referred to for the full descriptions of work to be done and materials to be used		
	Fixed:Value related: Time related:	item	
103	C3 TRADE NAMES		
	Wherever a trade name of any product has been described in the bills of quantities, the tenderers attention is drawn to the fact that any other product of equal quality may be used subject to the written approval of the principal agent being obtained to the closing date for submission of tenders		
	If prior written approval for an alternative product is not obtained, the product described shall be deemed to have been tendered for		
	Fixed:Value related: Time related:	item	
	Section No. 1 PRELIMINARIES Carried to Collection	R	

104	C4 IMPORTED MATERIALS AND EQUIPMENT		
	Where imported items are listed in the tender documents, the tenderer shall provide all the information called for, failing which the price of any such item, materials or equipment shall be excluded from currency fluctuations. (refer to Schedule of Imported Materials and Equipment to be completed		
	Nothwistanding any provisions elsewhere regarding the adjustment of contract prices, the price of any item, material or equipment listed in terms of this clause shall be excluded from the Contract Price Adjustment Provisions (if applicable)		
	Fixed:Value related: Time related:	item	
105	C5 VIEWING THE SITE IN SECURITY AREAS		
	The site is situated in a security area and the tenderer must arrange with the unit commander or other responsible officer to obtain permission to enter the site for tendering purposes		
	Fixed:Value related: Time related:	item	
106	C6 COMMENCEMENT OF WORKS IN SECURITY AREAS		
	As the works falls within a security area the contractor must give the unit commander or other responsible officer notice before commencement of the works. Should the contractor fail to make such arrangements, admission to the site may be refused and any additional costs will be for the contractors account		
	Fixed:Value related:	9	
	Time related:	item	
	Section No. 1 Carried to Collection PRELIMINARIES Bill No. 1	R	

107	C7 ENTRANCE PERMITS TO SECURITY AREAS		
	As the works falls within a security area the contractor shall obtain entrance permits for his personnel and workmen entering the area and shall comply with all regulations and instructions which may be issued from time to time regarding the protection of persons and property under the control of the Defence Force, Police or chief security officer		
	Fixed:Value related:		
	Time related:	item	
108	C8 SECURITY CHECK OF PERSONNEL		
	The principal agent may require the contractor to have his personnel and workmen, or a certain number of them, security classified		
	In the event of the principal agent requesting the removal of a person or persons from the works for security reasons, the contractor shall do so forthwith and shall thereafter ensure that such person or persons are denied access to the works and the site and/or to any document or information relating to the works		
	Fixed:Time		
	related:	item	
109	C9 PROHIBITION ON TAKING OF PHOTOGRAPHS		
	In terms of article 119 of the Defence Act, 44 of 1957, it is prohibited to sketch or to take photographs of any military site or installation or any building or civic works thereon or to be in possession of a camera or other apparatus used for taking of photographs except when authorized thereto by or on behalf of the Minister.		
	Fixed:Value related:		
	Time related:	item	
	Section No. 1 Carried to Collection	R	
	PRELIMINARIES Bill No. 1		

	C10 HIV/AIDS AWARENESS			
	It is required of the contractor to thoroughly study the HIV/AIDS Specification of the Department that must be read together with and is deemed to be incorporated under this Section of the Bills of Quantities. Provision for pricing of HIV/AIDS awareness is made under items C10.1 TO C10.5 hereafter and it is explicitly pointed out that all requirements of the aforementioned specification are deemed to be priced hereunder, as the said items represent the only method of measurement and no additional items or extras to the contract in this regard shall be entertained			
	The contractor must take note that compliance with the HIV/AIDS Specification is compulsory. In the event of partial or total non-compliance, the principal agent, notwithstanding the provisions of Clause A 31 of Section A: Preliminaries (Section A) or any other clause to the contrary, reserves the right to delay issuing any progress payment certificate until the contractor provides satisfactory proof of compliance. The contractor shall not be entitled to any compensation of whatsoever nature, including interest, due to such delay of payment			
110	C10.1 AWARENESS CHAMPION			
	Selection, appointment, briefing and making available of an Awareness Champion including provision of all relevant services, all in accordance with the HIV/AIDS Specification			
	Fixed:Value related: Time related:	item		
111	C10.2 AWARENESS WORKSHOPS			
	Selection and appointment of a completed Services Provider approved by the principal agent, provision of a Service Provider Workshop Plan and a suitable venue, conducting of awareness workshops by means of traditional and/or modern multi-media techniques, including follow-up courses, making available all tuition material and performing assessment procedures, all in accordance with the HIV/AIDS Specification			
	Fixed:Value related: Time related:	item		
	Section No. 1 Carried to Collection PRELIMINARIES	R		
	Bill No. 1	1	ļ	ı I

112	C10.3 POSTERS, BOOKLETS, VIDEOS, ETC		
	Provision, displaying, maintaining and replacing when necessary of four plastic laminated posters, booklets and educational videos, etc. for the duration of the construction period, all in accordance with the HIV/AIDS Specification		
	Fixed:Value related: Time related:	item	
113	C10.4 ACCESS TO CONDOMS		
	Provision and maintenance of condom dispensers fixed in position, including male and female condoms, replenishing male and female condoms on a daily basis as required for the duration of the construction period, all in accordance with the HIV/AIDS Specification		
	Fixed:Value related: Time related:	item	
114	C10.5 MONITORING		
	Monitoring HIV/AIDS awareness of workers, providing the Principal Agent with access to information including making available all reports, thoroughly completed and reflecting the correct information, for the duration of the construction period and close out, all in accordance with the HIV/AIDS Specification		
	Fixed:Value related: Time related:	item	
		5	
	Section No. 1 Carried to Collection PRELIMINARIES Bill No. 1	R	

Section No.1		Ī	
PRELIMINARIES			
Bill No.1			
COLLECTION		Page No	
Total Brought Forward from Page No.		1	
		2	
		3	
		4	
		5	
		6	
		7	
		8	
		9	
		10	
		11	
		12	
		13	
		14	
		15	
		16	
		17	
	Consider Famous and	18	
	Carried Forward		
Section No. 1			
PRELIMINARIES Bill No. 1			

Section No.1			
PRELIMINARIES			
Bill No.1			
COLLECTION		Page No	
	Brought Forward		
Total Brought Forward from Page No.		19	
		20	
		21	
		22	
		23	
		24	
		25	
		26	
		27	
		28	
		29	
		30	
		31	
		32	
		33	
		34	
		35	
		36	
	Carried Forward		
Section No. 1			
PRELIMINARIES Bill No. 1			

PRELIMINARIES			
Bill No.1			
COLLECTION			
		Page No	
	Brought Forward	40	
Total Brought Forward from Page No.		37	
Total brought Fol Ward Holli Fage No.			
		38	
Carried t	o Final Summary		
Section No. 1 PRELIMINARIES			l l

161



C4.2 BUILDING WORKS

SECTION NO. 2 Demolitions and Renovations

ı		Unit	Quantity	Rate	Amount	
	SECTION NO. 2					
	Demolitions and Renovations					
	BILL NO. 1					
	<u>DEMOLITIONS</u>					
	PREAMBLES					
	For preambles see "Specifications and methods to be used - PW371"					
	DEMOLITIONS, ETC					
	Demolition of existing dilapidated buildings comprising of concrete surface beds, half brick walls, corrugated iron roof covering on timber trusses including breaking up and removing all foundation concrete and brickwork, fillingwith selected earth filling and compact to 93% Mod AASHTO					
1	Temporary cooking shed 42m2 on plan of corrugated sheeting to sides, roof covering, concrete slab and levelling of ground	No	1			
2	Single storey building with pitched roof, 72m2 on plan and 2850mm high at eaves, comprising unreinforced concrete surface bed, 230mm thick external walls, 230mm thick internal walls and corrugated roof covering on timber trusses	No	1			
3	Pit toilet, 80m2 on plan and 2850mm high at eaves, pit, comprising unreinforced concrete surface bed, 230mm thick external walls, 230mm thick internal walls, corrugated roof covering on timber trusses, filling of pits and levelling of ground	No	1			
4	Single storey building with pitched roof, 330m2 on plan and 2850mm high at eaves, comprising unreinforced concrete surface bed, 230mm thick external walls, 230mm thick internal walls and corrugated roof covering on timber trusses	No	1			
5	Single storey building with pitched roof, 495m2 on plan and 2850mm high at eaves, comprising unreinforced concrete surface bed, 230mm thick external walls, 230mm thick internal walls and corrugated roof covering					
	on timber trusses	No	2			
	Carried To Section Summary Section No. 2			R		
	Bill No. 1					
	Demolitions					
	164					

		Unit	Quantity	Rate	Matsoban Amount	le PS
		OTIL	Quantity	rato	/ unount	
	SECTION NO. 2					
	<u>Demolitions and Renovations</u>					
	BILL NO. 2					
	ALTERATIONS					
	PREAMBLES					
	For preambles see "Specifications and methods to be used - PW371"					
	TEMPORARY BARRICADES, SCREENS, ETC					
	Temporary barricades, screens, roofs, etc including removal					
1	Dust screen 1 800mm high between concrete floor and					
	ceiling, of suitable timber framing with 375 micron polyethylene sheeting stapled on on one side, including					
	corners, ends, etc	m	120			
	Taking down and removing roofs, floors, panelling, ceilings, partitions, etc:					
2	10 x 250mm fascia and barge boards	m	218			
3	Take out and remove roof sheeting from roof trusses	m²	660			
	Taking out and removing sundry joinery work, fittings, etc					
4	Chalk boards size 4800 x 1220mm high from brick wall.	No	6			
5	Pinning boards size 2440 x 1220mm high from brick walls.	No	12			
	Taking out/off and removing glass and mirrors					
6	Glass from steel windows, including cleaning out rebates and preparing for new glass	m²	20			
	Taking down and removing roofs, floors, panelling, ceilings, partitions, etc					
7	Nutec fibre cement ceilings, including cornices, timber					
	brandering, etc	m²	574			
	Taking out doors, windows, etc					
8	Timber single door size 813 x 2032mm high overall from steel frames.	No	22			
		No	22			
9	Steel gate size 813 x 2032mm high overall from steel frames.	No	6			
	Breaking up and removing unreinforced concrete					
10	100mm Thick surface beds	m²	330			
				_		
	Carried to Collection			R		_
	Section No. 2 Bill No. 2					
	Alterations					
	165					

		l lait	Ougatitus	Doto	Matsoban	e PS
		Unit	Quantity	Rate	Amount	
	Hack up and removing granolithic screeds, plaster, etc from concrete or brickwork and preparing surfaces for new screed, plaster, etc					
11	30mm screed from floors	m²	163			
	Hacking up/off and removing granolithic, screeds, plaster, etc from concrete or brickwork and preparing surfaces for new screed, plaster, tile finishes, etc					
12	Internal plaster from walls	m²	884			
13	External plaster from walls	m²	667			
	REMOVAL OF EXISTING WORK					
	Taking out and removing sanitary fittings, tanks, geysers, etc, including disconnecting from pipes, traps, etc and making good floor and wall finishes (making good tiling and paintwork elsewhere)					
14	Vitreous china wash hand basin complete with taps	No	2			
15	Vitreous china WC pan with cistern and cistern	No	4			
	Carried to Collection Section No. 2			R		
	Bill No. 2 Alterations					
	166					

	1	Amount	
BILL NO. 2 ALTERATIONS COLLECTION	Page No		
Brought For	ward from Page 165		
	166		
Carried To Soction Summan			
Carried To Section Summary Section No. 2 Bill No. 2	R		
Alterations 167			

ı	I	Unit	Quantity	Rate	Amount
	SECTION NO. 2 Demolitions and Renovations BILL NO. 3 EARTHWORKS				
	PREAMBLES				
	For preambles see "Specifications and methods to be used - PW371"				
	EXCAVATIONS ETC				
	Open face excavation in earth over site				
1	Open face excavation	m³	16		
	FILLING ETC				
	Earth filling obtained from the excavations (not compacted)				
2	Over site to make up levels	m³	54		
	Compaction of surfaces				
3	Compaction of ground surface by compactor	m²	240		
	Carried To Section Summary Section No. 2 Bill No. 3			R	
	Earthworks 168				
ı	100		ı I		ıı I

	1	Unit	Quantity	Rate	Amount
	SECTION NO. 2				
	Demolitions and Renovations				
	BILL NO. 4 CONCRETE, FORMWORK AND REINFORCEMENT				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW371"				
	UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES				
	UNREINFORCED CONCRETE				
	15Mpa/19mm Concrete				
1	Aprons cast in panels.	m³	2		
2	Ramps.	m³	4		
3	Thickening down the edge of apron 150mm deep, 200mm top and tapering to 100mm at bottom including all excavations, formwork, backfilling etc	m	218		
	DEINEODCED CONCRETE	•••			
	REINFORCED CONCRETE 25 MPa/19mm Concrete:				
4	25 MPa/19mm Concrete: Surface beds cast in panels on waterproofing.	m³	33		
4		1117	33		
	TEST BLOCKS				
_	Test blocks:				
5	Making and testing set of three 150 x 150 x 150mm concrete strength test cubes (Provisional).	Sets	15		
	FINISHING TOP SURFACE OF CONCRETE				
6	Paving to falls.	m²	218		
7	Ramps to falls.	m²	8		
	ROUGH FORMWORK				
	Rough Formwork to Sides:				
8	Edges and reveals not exceeding 300mm high or wide.	m	226		
	MOVEMENT JOINTS ETC				
	Two layers of .5mm galvanised mild steel slip joints between horizontal concrete and brick surfaces including cement mortar bed:				
9	Not exceeding 300mm wide.	m	60		
	The contest of the co	•••			
	Carried to Collection			R	
	Section No. 2				
	Bill No. 4				
	Concrete, Formwork And Reinforcement				
	169				

1		Unit	Quantity	Rate	Matsoban Amount	
	Expansion joints with bitumen impregnated softboard between vertical concrete and brick surfaces:					
10	12mm Joints not exceeding 300mm high.	m	75			
	Dividing Strips ,etc					
11	6 x 38mm Angle iron step guard cast into concrete with 3x 6mm anchors	m	5			
	REINFORCEMENT(PROVISIONAL)					
	Fabric reinforcement:					
12	Type 193 fabric reinforcement in concrete surface beds, slabs, etc.	m²	330			
	Carried to Collection			R		
	Section No. 2			IX.		_
	Bill No. 4					
	Concrete, Formwork And Reinforcement 170					
	170		ı l		II	1

	<u> </u>	Amount	
BILL NO. 4			
CONCRETE, FORMWORK AND REINFORCEMENT			
COLLECTION			
	Page No		
Brought Forward from Page	169		
	170		
Carried To Section Summany			
Carried To Section Summary Section No. 2	R		
Bill No. 4			
Concrete, Formwork And Reinforcement			
171			

				Matsoban	e PS
	Unit	Quantity	Rate	Amount	
SECTION NO. 2					
Demolitions and Renovations					
BILL NO. 5					
MASONRY					
PREAMBLES					
For preambles see "Specification of materials and methods to be used - PW371"					
BRICKWORK					
Sizes in descriptions:					
Where sizes in descriptions are given in brick units, 'one brick' shall represent the length and 'half brick' the width of a brick.					
Face bricks:					
Bricks shall be ordered timeously to obtain uniformity in size and colour.					
Pointing:					
Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc.					
SAMPLES					
Samples of all masonry building units, except those for walls described as 'load bearing', shall consist of a minimum of 6 units. Samples of building units to be used in walls described as 'load bearing' shall consist of 30 units from every 30 000 units delivered to site.					
FACE BRICKWORK COPINGS, SILLS, ETC.					
Brick-on-edge header course copings, sills, etc of face bricks prime cost R5500/1000 delivered to site excluding VAT and pointed with recessed joints on all exposed faces:					
230mm Wide sill set sloping and slightly projecting.	m	54			
Carried To Section Summary			R		
Section No. 2					
Bill No. 5 Masonry					
172					
112	ı	ı I		II	1

ı	ı	Unit	Quantity	Rate	Amount	,
	SECTION NO. 2					
	Demolitions and Renovations					
	BILL NO. 6					
	ROOF COVERINGS					
	<u>PREAMBLES</u>					
	For preambles see "Specification of materials and methods to be used - PW 371					
	PROFILED METAL SHEETING AND ACCESSORIES					
	0.58mm "Klip-lok light industrial" galvanised troughed sheet steel with "Globalcoat" finish one side (colour Traffic Green), fixed to 76 x 50mm purlin complete under 5year quarantee by an approved firm of specialists, all in accordance with the materials supplied and methods employed by the manufacturer					
1	Roof covering with pitch not exceeding 25 degrees.	m²	659			
	0.58mm galvanised sheet iron, with "chromadek" one side in:					
2	Standard type FK3 ridge or hip flashing	m	54			
	Carried To Section Summary Section No. 2 Bill No. 6			R		_
	Roof Coverings 173					

				Matsobane	e PS
1	Unit	Quantity	Rate	Amount	
SECTION NO. 2					
Demolitions and Renovations					
BILL NO. 7					
CARPENTRY AND JOINERY					
PREAMBLES					
For preambles see "Specification of materials and					
methods to be used - PW371					
SUPPLEMENTARY PREAMBLES					
Particle board:					
Particle board shall comply with the following specifications: a) SABS 1300 Particle board: exterior and flooring type b) SABS 1301 Particle board: interior type.					
Joinery:					
Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc.					
Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes.					
Fixing:					
Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete.					
Decorative laminate finish:					
Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish.					
PREFABRICATED ROOF TRUSSES, ETC.					
Plate nailed timber roof truss construction:					
The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is 'Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering .Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured,and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years .					
Carried to Collection Section No. 2 Bill No. 7			R		
Carpentry And Joinery					
174					

			•	5 .	Matsobane	# F3
Ī		Unit	Quantity	Rate	Amount	
	ROOF SUNDRIES					
	Sundries:					
1	Two coats creosote on sawn timbers.	m²	81			
	EAVES, VERGES, ETC					
	Everite FC77 or equal approved pressed fibre- cement:					
2	10 x 250mm Fascias and barge boards including galvanised steel H-profile jointing strips.	m	218			
	Wrought meranti doors:					
	Wrought meranti doors hung to steel frames:					
3	44mm Framed batten door 813 x 2032mm high of 44 x 150m top rail and stiles ,16 x 150mm middle ledge and braces and 22 x 220mm bottom rail, filled in with 22mmV-jointed one side boarding and covered on other side with 4mm plywood with veneer to match door, let into and including rebates all round.	No	14			
	DOORS ETC					
	Semi-solid flush doors with veneer					
4	40mm Door 813 x 2 032mm high	No	16			
	Carried to Collection			R		
	Section No. 2					
	Bill No. 7					
	Carpentry And Joinery					
	175					

1			Amount	
BILL NO. 7 CARPENTRY AND JOINE COLLECTION	<u>ERY</u>	Page No		
	Brought Forward from Page	174 175		
Section No. 2 Bill No. 7	Carried To Section Summary	R		_
Carpentry And Joinery	176			

I		Unit	Quantity	Rate	Amount	
	SECTION NO. 2					
	Demolitions and Renovations					
	BILL NO. 8					
	CEILINGS PARTITIONS AND ACCESS FLOORING					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	SUPPLEMENTARY PREAMBLES					
	Descriptions:					
	Items described as nailed shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete.					
	Items described as plugged shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 600mm centres, and where described as bolted the bolts have been given.					
	INSULATION					
	Aerolite insulation:					
1	100mm Insulation closely fitted and laid on top of brandering between roof timbers etc.	m²	574			
	Wrought softwood					
2	19 x 76mm cornices nailed	m	188			
	NAILED UP AND SCREW UP CEILINGS					
	6mm Everite Nutec or equal approved fibre-cement boards with H-type steel cover strips over joints:					
3	Ceilings including 38 x 38mm sawn softwood brandering					
3	at 400mm centres.	m²	574			
4	Extra over ceiling for hinged trap door size 610 x 610mm	No	10			
	Carried To Section Summary			R		
	Section No. 2 Bill No. 8					
	Ceilings Partitions And Access Flooring					
	177					

1	,	Unit	Quantity	Rate	Amount
	SECTION NO. 2 Demolitions and Renovations BILL NO. 9 IRONMONGERY				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW371				
	SUPPLEMENTARY PREAMBLES				
	Finishes to ironmongery:				
	Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list: BS Satin bronze lacquered: CH Chromium plated: SC Satin chromium plated: SE Silver enamelled: GE Grey enamelled: AS Anodised silver: AB Anodised bronze: AG Anodised gold: ABL Anodised black: PB Polished brass: PL Polished and lacquered: PT Epoxy coated.				
	SUNDRIES				
	Brass or equal approved:				
1	Sliding window stay plugged	No	80		
2	Window handle plugged	No	80		
	Locks:				
3	Solid or equal approved: CZ682-24-95SC"Gower" three lever lockset plugged	No	22		
	CATCHES, CABIN HOOKS, ETC				
	Solid or equal approved				
4	100mm cabin hook and eye including 70 x 70 x 20mm chamfered hardwood block twice oiled plugged	No	14		
	LOCKS				
	Solid or equal approved				
5	'Code 63' padlock plugged.	No	14		
	PINNING BOARDS, WRITING BOARDS, PROJECTION SCREENS, ETC				
6	Pinning board 2400 x 1200mm high plugged.	No	12		
	Carried to Collection			R	
	Section No. 2				
	Bill No. 9				
	Ironmongery 178				
I.					п Т

					Matsobar	e PS
1		Unit	Quantity	Rate	Amount	I
7	Vitrex or equal approved system enamelled green folding ,writing board with wall mounted centre board 4800 x 1220mm high with chalk rail and two swing leaves each 1200 x 1220mm high plugged with chalk rail plugged. Greenfield steel lockers with standard baked enamel	No	6			
	finish					
8	Double door steel cupboard 914 x 457 x 1828mm high with five shelves bolted to brickwork.	No	6			
				_		
	Carried to Collection Section No. 2			R		<u> </u>
	Bill No. 9					
	Ironmongery					
	179					

	ı	Amount	
BILL NO. 9 IRONMONGERY COLLECTION	Page No		
Brought Forward from Page	178		
	179		
Comind To Continu Comment	_		
Carried To Section Summary Section No. 2	R		
Bill No. 9			
Ironmongery 180			
	t contract of	n L	

					Matsobane	e PS
ı	I	Unit	Quantity	Rate	Amount	
	SECTION NO. 2					
	<u>Demolitions and Renovations</u>					
	BILL NO. 10					
	METALWORK					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	SUPPLEMENTARY PREAMBLES					
	Descriptions:					
	Descriptions of bolts shall be deemed to include nuts and washers.					
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete.					
	Metalwork described as holed for bolt(s) shall be deemed to exclude the bolts unless otherwise described.					
1	Balustrading and handrails approximately 1000mm high fixed to concrete.	m	20			
	MILD STEEL HANDRAILS AND BALUSTRADING					
	Mild steel handrails and balustrades fixed to base plates constructed of two number 6mm steel flat bar cut to profile mounted to wall with 6mm thick steel fixing plate welded to two steel flat bars with 4mm fillet welds chemical anchors (bolts included), 12mm dia. Mild steel round spaced at 150mm centres, pedrilled openning 3No. In each upright, top rail to be 30mm thick x 100mm wide steel					
	WELDED SCREENS, GATES, ETC.					
	Gates to external doors					
2	Single gate and frame 813 x 2032mm high of 25 x 25x 2mm hollow section frame and 25 x 25x 2mm hollow section horizontal middle rail filled in with 12 x 12mm square section vertical rails at 75mm centres and fitted with a pair of suitable hinges welded to frame and with locking mechanism for padlock all in and including outer frame of 25 x 25 x 2mm hollow section welded frame bolted to brickwork.	No	14			
	Repair to existing door frames					
3	Repair to existing door frames including replacing striking plate and leave in good working order.	No	30			
	Carried To Section Summary			R		
	Section No. 2					
	Bill No. 10					
	Metalwork					
	181				1	

	1	Unit	Quantity	Rate	Amount
	SECTION NO. 2				
	Demolitions and Renovations				
	BILL NO. 11				
	<u>PLASTERING</u>				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW371				
	SCREEDS				
	Screeds on concrete:				
	Screeds of wood floated on concrete to receive ceramic tiles:				
1	30mm Thick on floors and landings.	m²	438		
	GRANOLITHIC				
	Untinted wood floated granolithic on concrete				
2	30mm Thick on floors and landings.	m²	30		
	INTERNAL PLASTER				
	Cement plaster steel trowelled, on brickwork				
3	On walls	m²	884		
	EXTERNAL PLASTER				
	Cement plaster wood floated, on brickwork				
4	On walls.	m²	667		
	Carried To Section Summary			R	
	Section No. 2				
	Bill No. 11				
	Plastering 182				
	102				

					Matsoban	ie PS
		Unit	Quantity	Rate	Amount	ı
	SECTION NO. 2					
	Demolitions and Renovations					
	BILL NO. 12					
	TILING					
	TILII4G					
	PREAMBLES					
	For preambles see "Specification of materials and					
	methods to be used - PW371					
	FLOOR TILING					
	300 x 300 x 11.5mm ceramic floor tiles (Prime Cost					
	amount R250.00/m2 excluding vat) fixed with					
	adhesive to screed (screed elsewhere) and flush					
	pointed with tinted waterproof jointing compound					
1	On floors and landings.	m²	438			
1	On noors and landings.	111-	430			
2	Skirting formed of ceramic tile cut to 300 x 75mm high	m	289			
						
	Carried To Section Summary			R		
	Section No. 2			IX.		
	Bill No. 12					
	Tiling					
	183					

SECTION NO. 2 Demolitions and Renovations BILL NO. 13 PLUMBING AND DRAINAGE PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings: Pipes for water supply shall be of the class stated.	Quantity	Rate	Amount	
Demolitions and Renovations BILL NO. 13 PLUMBING AND DRAINAGE PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings:				
Demolitions and Renovations BILL NO. 13 PLUMBING AND DRAINAGE PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings:				
Demolitions and Renovations BILL NO. 13 PLUMBING AND DRAINAGE PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings:				
BILL NO. 13 PLUMBING AND DRAINAGE PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings:				
PLUMBING AND DRAINAGE PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings:				
PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings:				
For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings:				
methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings:				
Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings:				
Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings:				
or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings:				
Pipes for water supply shall be of the class stated.				
i i i i i i i i i i i i i i i i i i i				
Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings.				
Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints.				
Copper pipes:				
Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be 'Cobra Watertech' type. Capillary solder fittings shall comply with ISO 2016. Only compression fittings shall be used in walls or in ground.				
Fixing of pipes				
Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level				
Section No. 2 Bill No. 13		R		
Plumbing And Drainage				
184				

				Matsobane F	PS.
	Unit	Quantity	Rate	Amount	
Reducing fittings:					
Where fittings have reducing ends or branches they are described as 'reducing'. In the case of pipes with diameters not exceeding 60mm only the largest end or branch size is given. Should the Contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained.					
Wire gratings:					
Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings.					
Septic tanks:					
Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs, jointing to drains and backfilling, compaction, etc all in accordance with the manufacturer's instructions.					
Exposed concrete surfaces:					
Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster.					
Excavations:					
No claim for rock excavation will be entertained unless the Contractor has timeously notified the quantity surveyor thereof prior to backfilling.					
'Soft rock' and 'hard rock' shall be as defined in 'Earthworks'.					
Laying, backfilling, bedding, etc of pipes:					
Pipes shall be laid and bedded and trenches shall be carefully backfilled in accordance with manufacturers' instructions.					
Where no manufacturers' instructions exist pipes shall be laid in accordance with clauses 5.1 and 5.2 of each of the following: SABS 1200 L: Medium pressure pipelines LD: Sewers LE: Stormwater drainage Pipe trenches etc shall be backfilled in accordance with clause 3, 5.5, 5.6, 5.7 and 7 of SAB.					
Flush pans:					
Flush pans shall have straight or side outlets and 'P' or 'S' traps as necessary.					
Carried to Collection					
Section No. 2 Bill No. 13			R		
Plumbing And Drainage					
185					

		Unit	Quantity	Rate	Matsobane Amount	# PS
		Offic	Quantity	Nate	Amount	
	Stainless steel basins, sinks, wash troughs, urinals, etc:					
	Units shall have standard aprons on all exposed edges and tiling keys against walls where applicable.					
	Waste unions:					
	Descriptions of waste unions shall be deemed to include rubber or vulcanite plugs and chains fixed to fittings.					
	RAINWATER DISPOSAL					
	Approved .6mm galvanised sheet iron with "chromadek" finish ,in:					
1	100 x 100mm Eaves gutters	m	158			
2	Extra over eaves gutter for stopped end	No	16			
3	Extra over eaves gutter for outlet for 75mm pipe.	No	28			
4	75mm Diameter rainwater pipes.	m	112			
5	Extra over rainwater pipe for bend.	No	28			
6	Extra over rainwater pipe for shoe.	No	28			
	SANITARY FITTINGS					
7	350x 400mm cloakroom basin bolted to wall	No	2			
8	Low level WC suite comprising WC pan with double flap heavy duty plastic seat and matching 9 litre cistern with flush pipe	No	4			
9	Allow for water and sewer connection to sanitary fittings	Item			10 000	00
	WASTE UNIONS ETC					
10	32mm chromium plated basin waste union	No	4			
	TAPS, VALVES, ETC					
11	15mm Brass fullway gate valve plugged	No	6			
12	15mm Brass hose bib-tap plugged	No	2			
	Repair to enviro-loo units					
13	Allow for repair to existing Enviro-loo units	No			33 000	00
	FIRE APPLIANCES ETC.					
	'Chubb' or equal approved:					
14	9kg Dry chemical fire extinguisher plugged	No	10			
	Carried to Collection			R		
	Section No. 2					
	Bill No. 13					
	Plumbing And Drainage 186					
ļ	100		1		ı l	

					Matsoban	e PS
1		Unit	Quantity	Rate	Amount	ı
	RAINWATER HARVESTING					
	Rainwater Harvesting					
15	Allow a sum of R15 000.00/each (Fifteen Thousand					
	Rands) for provision of 5000l Jojo or equal approved tank complete with lid, fittings, tap, concrete plinth as per					
	tank complete with lid, fittings, tap, concrete plinth as per					
	Architect details	No	8			
						_
				_		
	Carried to Collection			R		
	Section No. 2					
	Bill No. 13					
	Plumbing And Drainage					
	187	l			II	

	I	Amount	l
BILL NO. 13			
PLUMBING AND DRAINAGE			
COLLECTION			
	Page No		
	1 age No		
Brought Forward from Page	184		
Broagin Forward from Fago			
	185		
	186		
	187		
Carried To Section Summary	R		
Section No. 2			
Bill No. 13			
Plumbing And Drainage 188			
100	1	II.	1

					Matsoban	e PS
١	I	Unit	Quantity	Rate	Amount	1
	SECTION NO. 2 Demolitions and Renovations BILL NO. 14 GLAZING					
	PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 GLAZING TO STEEL WITH PUTTY					
	5 mm Clear float glass:					
1	Panes not exceeding 0,1m2.	m²	40			
'	railes not exceeding 0, miz.	111~	40			
						L
	Carried To Section Summary			R		
	Section No. 2			ĸ		
	Bill No. 14					
	Glazing					
	189					

		11.2	0	D-1	Matsoban	e P5
		Unit	Quantity	Rate	Amount	
	SECTION NO. 2					
	Demolitions and Renovations					
	BILL NO. 15					
	<u>PAINTWORK</u>					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	ON FLOATED PLASTER					
	Prepare, etc as specified and apply two coats of super acrylic paint:					
1	On interior walls.	m²	884			
2	On exterior walls.	m²	667			
	ON FIBRE-CEMENT, ETC.					
	Prepare, etc as specified and apply two coats of super acrylic Pva paint:					
3	On ceilings and cornices.	m²	574			
4	On fascias and barge boards.	m	218			
	ON METAL					
	Prepare, etc as specified and apply two coats of gloss enamel paint on :					
5	Door frames	m²	36			
6	On windows with burglar bars (both sides measured).	m²	50			
7	On gates, grilles, burglar screens, balustrades, etc (both sides measured over the full flat area).	m²	70			
	Inside eaves gutter					
8	Inside eaves gutter with water proofing paint.	m²	41			
	ON WOOD, WOOD BOARD					
	Prepare, etc as specified and apply two coats of super acrylic Pva paint on:					
9	On general surfaces of doors.	m²	53			
	ON WOOD, WOOD BOARD					
	Prepare, etc as specified and apply two coats of polyurethane suede varnish:					
10	On general surfaces of doors.	m²	20			
	Carried To Section Summary			R		
	Section No. 2			IX		
	Bill No. 15					
	Paintwork					
	190					

Amount **SECTION NO. 2 Demolitions and Renovations SECTION SUMMARY** Bill No. Page 1 **DEMOLITIONS** 164 2 **ALTERATIONS** 167 3 **EARTHWORKS** 168 4 CONCRETE, FORMWORK AND REINFORCEMENT 171 5 **MASONRY** 172 6 **ROOF COVERINGS** 173 7 **CARPENTRY AND JOINERY** 176 8 CEILINGS PARTITIONS AND ACCESS FLOORING 177 9 **IRONMONGERY** 180 10 **METALWORK** 181 **PLASTERING** 11 182 12 **TILING** 183 13 PLUMBING AND DRAINAGE 188 14 **GLAZING** 189 15 **PAINTWORK** 190 Carried to Final Summary R Section No. 2 **SECTION SUMMARY** 191

SECTION NO. 3 2 x 2 Grade R Classroom Block

ı	1	Unit	Quantity	Rate	Amount
	SECTION NO. 3				
	2 x 2 Grade R Classroom Block BILL NO. 1				
	FOUNDATIONS				
	PREAMBLES				
	For preambles see " Specification of materials and methods to be used - PW371"				
	SITE CLEARANCE, ETC				
	Site Clearance				
1	Digging up and removing rubbish, debris, vegetation, hedges, shrubs and trees not exceeding 200mm girth,				
	bush, etc.	m²	292		
	REMOVAL OF TREES, ETC.				
	Taking out and removing, grubbing up roots and				
	filling in holes:				
2	Tree stump exceeding 200mm and not exceeding 500mm girth.	Na	4		
	-	No	1		
	EXCAVATION, FILLING, ETC OTHER THAN BULK				
2	Excavation in earth not exceeding 2m deep:	2	457		
3	Trenches.	m³	157		
	Extra over trench and hole excavations in earth for excavation:				
4	Soft rock.	m³	13		
5	Hard rock.	m³	5		
	Risk of collapse of excavations:				
6	Sides of trench and hole excavations not exceeding				
	1,5m deep.	m²	430		
	Keeping excavations free of water:				
7	Keeping excavations free of all water other than subterranean water.	Item			
		пеш			
	Earth filling obtained from excavations and/or prescribed stock piles on site compacted to 93%				
	Mod AASHTO:				
8	Backfilling to trenches, holes, etc.	m³	90		
9	Under floors, steps, pavings, etc.	m³	73		
	Carried to Collection			R	
	Section No. 3				
	Bill No. 1 Foundations				
	193				
					•

		Unit	Quantity	Rate	Amount
	Earth filling supplied by the Contractor and compacted to 95% Mod AASHTO density):				
10	Under floors, steps, pavings, etc.	m³	103		
11	Trenches	m³	85		
	Cart Away				
	Extra over excavation for cart away:				
12	Surplus material from excavations on site to a dumping site be located by the contractor	m³	30		
	Coarse river sand filling supplied by the Contractor:				
13	Under floors etc.	m³	13		
	COMPACTION				
	Compaction of surfaces:				
14	Compaction of ground surface under floors etc including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 90%. Mod AASHTO density.	m²	255		
	Prescribed density tests on filling:				
15	Modified AASHTO Density test.	No	16		
	SOIL POISONING				
	Soil insecticide:				
16	Under floors etc including forming and poisoning shallow furrows against foundation walls etc, filling in furrows and ramming.	m²	255		
17	To bottoms and sides of trenches etc.	m²	384		
17	TO bottoms and sides of trenches etc.	111-	304		
	Carried to Collection			R	
	Section No. 3			• •	
	Bill No. 1				
	Foundations 194				
I	104		ı l		II -

1		I	Amount	
BILL NO. 1 FOUNDATIONS COLLECTION		Page No		
	Brought Forward from Page	193		
	3	194		
Carried To Section No. 3	on Summary	R		
Bill No. 1				
Foundations	195			
T. Control of the Con		t contract of	n I	

ı	1	Unit	Quantity	Rate	Amount
	CECTION NO. 2				
	SECTION NO. 3 2 x 2 Grade R Classroom Block				
	BILL NO. 2				
	CONCRETE, FORMWORK AND REINFORCEMENT				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW371"				
	UNREINFORCED CONCRETE				
	15Mpa/19mm Concrete				
1	Aprons cast in panels.	m³	7		
2	Ramps.	m³	3		
3	Thickening down the edge of apron 150mm deep, 200mm top and tapering to 100mm at bottom including all excavations, formwork, backfilling etc	m	71		
	REINFORCED CONCRETE				
	25MPa/19mm Concrete:				
4	Surface beds cast in panels on waterproofing.	m³	26		
5	Footings.	m³	23		
	TEST BLOCKS				
	Test blocks:				
6	Making and testing set of three 150 x 150 x 150mm concrete strength test cubes (Provisional).	Sets	15		
	FINISHING TOP SURFACE OF CONCRETE				
	Finishing top surfaces				
7	Paving to falls.	m²	76		
	ROUGH FORMWORK				
	Rough Formwork to Sides:				
8	Edges and reveals not exceeding 300mm high or wide.	m	91		
	MOVEMENT JOINTS ETC				
	Two layers of .5mm galvanised mild steel slip joints between horizontal concrete and brick surfaces including cement mortar bed:				
9	Not exceeding 300mm wide.	m	70		
	Comind to Collection			5	
	Carried to Collection Section No. 3			R	
	Bill No. 2				
	Concrete, Formwork And Reinforcement				
	196				

		Unit	Quantity	Rate	Amount
	Expansion joints with bitumen impregnated softboard between vertical concrete and brick surfaces:				
10	12mm Joints not exceeding 300mm high.	m	75		
	<u>Dividing Strips ,etc</u>				
11	6 x 38mm Angle iron step guard cast into concrete with 3x 6mm anchors	m	9		
	REINFORCEMENT(PROVISIONAL)				
	Fabric reinforcement:				
12	Type 193 fabric reinforcement in concrete surface beds, slabs, etc.	m²	255		
	Mild steel reinforcement to structural concrete work:				
13	10mm Diameter bars.	Tonnes	1.00		
	High tensile steel reinforcement to structural concrete work:				
14	20mm Diameter bars.	Tonnes	1.00		
15	16mm Diameter bars.	Tonnes	3.00		
16	12mm Diameter bars.	Tonnes	1.00		
	Carried to Collection Section No. 3 Bill No. 2			R	
	Concrete, Formwork And Reinforcement 197				
,			. !	'	

Amount BILL NO. 2 **CONCRETE, FORMWORK AND REINFORCEMENT COLLECTION** Page No Brought Forward from Page 196 197 Carried To Section Summary R Section No. 3 Bill No. 2 Concrete, Formwork And Reinforcement 198

					Matsobar	ne PS
I	I	Unit	Quantity	Rate	Amount	I
	SECTION NO. 3					
	2 x 2 Grade R Classroom Block					
	BILL NO. 3 MASONRY					
	MASONRI					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371"					
	BRICKWORK					
	Sizes in descriptions:					
	Where sizes in descriptions are given in brick units, 'one brick' shall represent the length and 'half brick' the width of a brick.					
	Face bricks:					
	Bricks shall be ordered timeously to obtain uniformity in size and colour.					
	Pointing:					
	Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc.					
	SAMPLES					
	Samples of all masonry building units, except those for walls described as 'load bearing', shall consist of a minimum of 6 units. Samples of building units to be used in walls described as 'load bearing' shall consist of 30 units from every 30 000 units delivered to site.					
	BRICKWORK IN FOUNDATIONS (PROVISIONAL)					
	Brickwork of NFX bricks (14 MPa nominal compressive strength) in Class I mortar:					
1	Half brick walls.	m²	19			
2	One brick walls	m²	131			
	BRICKWORK IN SUPERSTRUCTURE					
	Brickwork of NFX bricks (14 MPa nominal compressive strength) in Class I mortar:					
3	Half brick walls	m²	58			
4	One brick walls	m²	398			
	BRICKWORK SUNDRIES					
	Brickwork reinforcement:					
5	75mm Wide reinforcement built in horizontally.	m	255			
	Carried to Collection			R		
	Section No. 3					
	Bill No. 3 Masonry					
	199					
	- ,		. '	1	•	•

I		Unit	Quantity	Rate	Amount	
6	150mm Wide reinforcement built in horizontally.	m	1 964			
	Prestressed fabricated lintels:					
7	110 x 75mm Lintels in lengths not exceeding 3m.	m	15			
	Turning pieces:					
8	220mm Wide turning piece to lintels etc.	m	18			
	Galvanised wire ties etc:					
9	4mm Diameter roof tie 2m girth bent double with one end fixed to timber and other end built into brickwork.(Provisional)	No	71			
	Galvanised hoop iron cramps, ties, etc:					
10	30 x 1,6mm Cramp 500mm long with one end fixed to wood and other end built into brickwork.(Provisional)	No	71			
	FACE BRICKWORK					
	Face bricks (Prime cost R5 500/1000 delivered to site excluding VAT) pointed with flush horizontal and vertical joints:					
11	Extra over brickwork for face brickwork.	m²	217			
12	Extra over brickwork for face brickwork in foundations (Provisional).	m²	91			
13	Half brick in facings in beamfilling	m²	65			
	FACE BRICKWORK COPINGS, SILLS, ETC.					
	Brick-on-edge header course copings, sills, etc of					
	face bricks (Prime cost R5 5 00/1000 delivered to site excluding VAT) and pointed with recessed joints on all exposed faces:					
14	Extra over brickwork for brick-on-edge header course lintel pointed on face and 110mm soffit.	m	20			
15	230mm Wide sill set sloping and slightly projecting.	m	26			
16	Coping on top of one brick wall pointed on exposed faces	m	33			
	NUTEC-CEMENT/FIBRE-CEMENT WINDOW SILLS					
	Natural grey sills in single lengths bedded in class I mortar including metal fixing lugs etc:					
17	12 x 152mm Wide sills set flat and slightly projecting.	m	31			
	Weedkiller					
18	Weedkiller under paving	m²	40			
	Carried to Collection			R		
	Section No. 3 Bill No. 3					
	Masonry					
	200					

ı		Unit	Quantity	Rate	Matsoban Amount	ie PS
	PAVING ETC					
	60mm thick precast concrete paving blocks with butt					
	ioints on 25mm thick river sand bed with sand-and-					
	cement mixture swept into joints and hosed down, including preparation of ground or filling					
19		m²	40			
20	220mm Wide brick-on-flat header course edgings on 10mm thick mortar bed, including necessary excavation	m	30			
	Carried to Collection Section No. 3			R		<u> </u>
	Bill No. 3					
	Masonry					
I	201				ıl	

		<u> </u>	Amount
BILL NO. 3 MASONRY COLLECTION		Page No	
	Brought Forward from Page	199 200 201	
Section No. 3 Bill No. 3 Masonry	Carried To Section Summary	R	
	202		

ı	1	Unit	Quantity	Rate	Amount
	SECTION NO. 3				
	2 x 2 Grade R Classroom Block				
	BILL NO. 4				
	WATERPROOFING				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW371				
	DAMPPROOFING OF WALLS AND FLOORS				
	One layer of 375 micron Consol Plastics Brikgrip DPC embossed damp proof course:				
1	In walls.	m²	30		
	One layer of 250 micron Consol Plastics Gunplas USB Green waterproof sheeting sealed at laps with Gunplas Pressure Sensitive Tape:				
2	Under surface beds.	m²	255		
	JOINT SEALANTS ETC				
	Silicone sealing compound including backing cord, bond breaker,primer,etc				
3	12 x 20mm in expansion joints in floors including raking out expansion joint filler as necessary (Provisional)	m	44		
4	12 x 20mm in vertical expansion joints in walls including raking out expansion joint filler as necessary	m	40		
	Carried To Section Summary			R	
	Section No. 3				
	Bill No. 4 Waterproofing				
	203				

	ı	Unit	Quantity	Rate	Amount
	SECTION NO. 3				
	2 x 2 Grade R Classroom Block				
	BILL NO. 5				
	ROOF COVERINGS				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW 371				
	<u>General</u>				
	PROFILED METAL SHEETING AND ACCESSORIES				
	0.58mm "Klip-lok light industrial" galvanised troughed sheet steel with "Globalcoat" finish one side (colour Traffic Green), fixed to 76 x 50mm purlin complete under 5year quarantee by an approved firm of specialists, all in accordance with the materials supplied and methods employed by the manufacturer				
1	Roof covering with pitch not exceeding 25 degrees.	m²	400		
	0.58mm galvanised sheet iron, with "Globalcoat" one side in:				
2	Standard type FK3 ridge or hip flashing	m	36		
	Carried To Section Summary Section No. 3 Bill No. 5			R	
	Roof Coverings				
	204				

				Matsobar	e PS
	Unit	Quantity	Rate	Amount	I
SECTION NO. 3					
2 x 2 Grade R Classroom Block					
BILL NO. 6					
CARPENTRY AND JOINERY					
PREAMBLES PREAMBLES					
For preambles see "Specification of materials and methods to be used - PW371					
SUPPLEMENTARY PREAMBLES					
Particle board:					
Particle board shall comply with the following specifications: a) SABS 1300 Particle board: exterior and flooring type b) SABS 1301 Particle board: interior type.					
Joinery:					
Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc.					
Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes.					
Fixing:					
Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete.					
Decorative laminate finish:					
Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish.					
PREFABRICATED ROOF TRUSSES, ETC.					
Plate nailed timber roof truss construction:					
The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is 'Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering .Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured,and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years .					
Carried to Collection Section No. 3 Bill No. 6 Carrentry And Joinery			R		
Carpentry And Joinery 205					
200	ı	1		II	

1		Unit	Quantity	Rate	Amount	,,,
	Sawn softwood:					
1	Roof construction to double pitched roof with two hipped ends approximately 255m2 (Grade R 2 Classroom) on plan including trusses, hipped ends, jack rafters, purlins, permanent bracing, etc (measured flat).	No	1			
	ROOF CONSTRUCTION					
	Sawn softwood :					
2	114 x 38mm Wall plates.	m	120			
3	50 x 228mm laminated beam	m	30			
	ROOF SUNDRIES					
	Sundries:					
4	Two coats creosote on sawn timbers.	m²	25			
	EAVES, VERGES, ETC					
	Everite FC77 or equal approved pressed fibre- cement:					
5	10 x 250mm Fascias and barge boards including galvanised steel H-profile jointing strips.	m	78			
	<u>SKIRTINGS</u>					
	Wrought meranti					
6	20 x 75mm Skirtings including 40mm quadrant bead, nailed	m	24			
	DOORS ETC					
	Wrought meranti doors hung to steel frames:					
7	44mm Framed battern door 914 x 2032mm high of 44 x 150m top rail and stiles ,16 x 150mm middle ledge and braces and 22 x 220mm bottom rail, filled in with 22mmV-jointed one side boarding and covered on other side with 4mm plywood with veneer to match door, let into and including rebates all round.	No	2			
	SEMI SOLID CORE FLUSH DOORS					
	44 semi-solid flush doors with 3,2mm standard hardboard covering on both sides hung to steel frames:					
8	40mm Door 813 x 2032mm high.	No	3			
9	40mm Door 900 x 2032mm high.	No	1			
	Carried to Collection			R		
	Section No. 3 Bill No. 6					
	Carpentry And Joinery					
	206					

I			Amount	ı
BILL NO. 6				
CARPENTRY AND JOINERY				
COLLECTION				
		Page No		
	Brought Forward from Page	205		
		206		
0		_		
Carried To Section No. 3	on Summary	R		
Section No. 3 Bill No. 6				
Carpentry And Joinery				
	207			

ı		Unit	Quantity	Rate	Amount	
	SECTION NO. 3					
	2 x 2 Grade R Classroom Block					
	BILL NO. 7 CEILINGS PARTITIONS AND ACCESS FLOORING					
	CEILINGS FARTITIONS AND ACCESS I EOOKING					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	SUPPLEMENTARY PREAMBLES					
	Descriptions:					
	Items described as nailed shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete.					
	Items described as plugged shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 600mm centres, and where described as bolted the bolts have been given.					
	INSULATION					
	Aerolite insulation:					
1	100mm Insulation closely fitted and laid on top of brandering between roof timbers etc.	m²	243			
	Meranti cornice					
2	19 x 76mm coved cornice nailed to brickwork	m	173			
	NAILED UP AND SCREW UP CEILINGS					
	6mm Everite Nutec or equal approved fibre-cement boards with H-type steel cover strips over joints:					
3	Ceilings including 38 x 38mm sawn softwood brandering					
	at 400mm centres.	m²	243			
4	Extra over ceiling for hinged trap door size 610 x 610mm	No	2			
				_		
	Carried to Collection			R		<u> </u>
	Section No. 3 Bill No. 7					
	Ceilings Partitions And Access Flooring					
	208					

1		Unit	Quantity	Rate	Amount
	TOILET CUBICLES (CPAP WORK GROUP NO. 138)				
	"Vitrex" cubicles consisting of 20mm thick partitions, doors and stiles of laminated construction with outer skins of vitreous enamelled steel sheets bonded to wood particle board, all framed in natural anodised aluminium channel section beading, top rails and fixing components and fitted with all necessary ironmongery comprising standard indicating bolts, combined coat hooks and door stops, toilet roll holders and rubber buffers				
5	Partition 1800 x 1800mm high	No	3		
6	Door 750 x 1800mm high	No	4		
7	Full stile 210 x 2000mm high	No	6		
8	End stile 145 x 2000mm high	No	5		
9	Wall stile 105 x 2000mm high	No	4		
10	Extra over for chromium plated rising butt hinge	No	4		
11	Extra over for powder coating to aluminium beading, brackets and ironmongery - per cubicle	No	4		
	Carried to Collection Section No. 3 Bill No. 7 Ceilings Partitions And Access Flooring			R	

		Amount	
BILL NO. 7			
CEILINGS PARTITIONS AND ACCESS FLOORING			
COLLECTION			
SSEED HOLY	Dogo No		
	Page No		
Brought Forward from Page	208		
Blought Forward from Fage			
	209		
Carried To Section Summary	R		
Section No. 3 Bill No. 7			
Ceilings Partitions And Access Flooring			
210			

		Unit	Quantity	Rate	Matsoban , Amount	ers
		OTIL	Quantity	rato) integrit	
	SECTION NO. 3 2 x 2 Grade R Classroom Block BILL NO. 8 FLOOR COVERINGS					
	FLOOR COVERINGS					
	300 x 300 x 2.5mm semi flexible vinyl tiles					
1	On floors	m²	18			
	POLISH, SEALERS, ETC					
	<u>Polish</u>					
2	Wax polish on vinyl flooring	m²	18			
	Carried To Section Summary			R		
	Section No. 3					
	Bill No. 8 Floor Coverings					
	211					

1		Unit	Quantity	Rate	Amount	
	0505101110					
	SECTION NO. 3					
	2 x 2 Grade R Classroom Block BILL NO. 9					
	IRONMONGERY					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	SUPPLEMENTARY PREAMBLES					
	Finishes to ironmongery:					
	Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list: BS Satin bronze lacquered: CH Chromium plated: SC Satin chromium plated: SE Silver enamelled: GE Grey enamelled: AS Anodised silver: AB Anodised bronze: AG Anodised gold: ABL Anodised black: PB Polished brass: PL Polished and lacquered: PT Epoxy coated.					
	HINGES, FLOOR SPRING HINGES, BOLTS, PANIC BOLTS, ETC					
	"Solid" or equal approved:					
1	CZ 80941WC indicator bolt with keep fixed to metal.	No	4			
	CATCHES, CABIN HOOKS, ETC					
	Solid or equal approved:					
2	100mm cabin hook and eye including 70 x 70 x 20mm chamfered hardwood block twice oiled and plugged.	No	4			
	<u>LOCKS</u>					
	Solid or equal approved:					
3	"Code 630" padlock plugged.	No	4			
	'Solid" or equal approved					
4	Code 2252-76 three lever upright mortice lock plugged	No	6			
	DOOR CLOSERS					
	"Yale" or equal approved					
5	Y202RC Door closer with cover fixed to metal	No	1			
	BATHROOM FITTINGS					
	Kimberley-Clark or equal approved:					
6	19mm Diameter chromium plated towel rail 900mm long including flanged end brackets.	No	4			
	Carried to Collection			R		
	Section No. 3 Bill No. 9					
	Ironmongery					
	212					

		Unit	Quantity	Rate	imatsobane i Amount	73
		O	Quartity	rato	, unodin	
7	Vandal proof lockable toilet roll holder plugged.	No	4			
	<u>Chairman Industries or equal approved brushed</u> <u>stainless steel grab rails:</u>					
8	32mm Code DL2 side grab rail, plugged	No	1			
9	32mm Code DL2 rear grab rail, plugged	No	1			
	SUNDRIES					
	Solid or equal approved:					
10	38mm Diameter rubber door stop plugged.	No	4			
	PINNING BOARDS, WRITING BOARDS, PROJECTION SCREENS, ETC					
	Vitrex or equal approved:					
11	Pinning board 2400 x 1200mm high plugged.	No	8			
12	Vitrex system enamelled green folding ,writing board with wall mounted centre board 4800 x 1220mm high with chalk rail and two swing leaves each 1200 x 1220mm high plugged with chalk rail plugged.	No				
	riigii pidgged witii chaik faii pidgged.	No	2			
	Carried to Collection			R		
	Section No. 3					
	Bill No. 9					
	Ironmongery 213					
					•	

I			Amount	
BILL NO. 9 IRONMONGERY COLLECTION		Page No		
	Brought Forward from Page	212		
	Ç Ç	213		
Section No. 3	Carried To Section Summary	R		
Bill No. 9				
Ironmongery	214			

					Matsoban	e PS
ı		Unit	Quantity	Rate	Amount	l
	SECTION NO. 3					
	2 x 2 Grade R Classroom Block					
	BILL NO. 10					
	STRUCTURAL STEELWORK					
	STEEL COLUMNS AND BEAMS					
	Mild steel beams in single lengths with flat section bearer and connection plates bolted to 76mm					
	bearer and connection plates bolted to 76mm columns					
4	150 x 150 x 75mm beam		00.00			
1	150 x 150 x 75mm beam	m	90.00			
	BOLTS, FASTENERS, ETC					
	Bolts					
2	High tensile bolts (class 8.8)	Tonnes	1.00			
	,					
	Carried To Section Summary			R		
	Section No. 3					
	Bill No. 10					
	Structural Steelwork					
	215					

					Matsobar	ne PS
I	I	Unit	Quantity	Rate	Amount	1
	SECTION NO. 3					
	2 x 2 Grade R Classroom Block					
	BILL NO. 11					
	METALWORK					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	SUPPLEMENTARY PREAMBLES					
	Descriptions:					
	Descriptions of bolts shall be deemed to include nuts and washers.					
	Descriptions of expansion anchors and bolts and					
	chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete.					
	Metalwork described as holed for bolt(s) shall be deemed to exclude the bolts unless otherwise described.					
	Mild steel handrails and balustrades fixed to base					
	plates constructed of two number 6mm steel flat bar					
	cut to profile mounted to wall with 6mm thick steel fixing plate welded to two steel flat bars with 4mm					
	fillet welds chemical anchors (bolts included), 12mm					
	diameter mild steel round spaced at 150mm centres,					
	predrilled openning 3no in each upright, top rail to be 30mm thick x 100mm wide steel					
_						
1	Balustrades including steel handrails approximately 1000mm high fixed to concrete.	m	46			
	Mild steel poles					
2	76 x 76 x 3mm mild steel square tubing columns 3m					
	high secured on top of foundation with 5mm thick fixing plate including 10mm dia 4No. bolts	No	12			
		NO	12			
	WELDED SCREENS, GATES, ETC.					
	Gates to external doors					
3	Double gate and frame 1535 x 2032mm high of 25 x 25x					
	2mm hollow section frame and 25 x 25x 2mm hollow					
	section horizontal middle rail filled in with 12 x 12mm square section vertical rails at 75mm centres and fitted					
	with a pair of suitable hinges welded to frame and with					
	locking mechanism for padlock all in and including outer frame of 25 x 25 x 2mm hollow section welded frame					
	bolted to brickwork.	No	1			
		140				
						
	Carried to Collection			R		
	Section No. 3					+
	Bill No. 11					
	Metalwork					
	216					
						_

1	I	Unit	Quantity	Rate	Amount	1
	COMBINATION DOOR FRAME WITH SECURITY GATE					
	Classroom combination door frame with security					
	gate					
4	"Code 914" door frame size 914 x 2032mm high fitted with three (3) parliament hinges, complete with single security gate size 914 x 2032mm high overall formed of 25 x 25 x 2mm tubular section frame mitred and welded at angles and two 25 x 25 x 2mm tubular section horizontal middle rails, gate filled in with 12 x 12 x 12mm square section vertical rails at 100mm centres and fitted with locking bolt for padlock, frame formed of 25 x 38 x 2mm tubular section stiles and top rail mitred and welded at angles and fitted with three hinges welded to gate and frame, frame factory welded at maximum 250mm centres to door frame.	No	2			
	PRESSED STEEL DOOR FRAMES					
	1,2mm Rebated frames suitable for half brick walls:					
5	Frame for door 813 x 2032mm high.	No	3			
6	Frame for door 914 x 2032mm high.	No	1			
	1,2mm Rebated frames suitable for one brick walls:					
7	Frame for door 813 x 2032mm high.	No	1			
	STEEL WINDOWS, DOORS, ETC.					
	Standard residential windows with 12 x 12(B33) solid burglar bars to all sashes:					
8	Window type NE1, size 533 X 654mm high.	No	9			
9	Window type NG5, 359 x 533mm high.	No	4			
10	Window type 14B-4, 854 x 889mm high.	No	20			
	STEEL LOUVRES,ETC					
	Purpose made louvres:					
11	Ditto but approximately 3700 x 1000mm high overall	No	2			
	Carried to Collection			R		
	Section No. 3					
	Bill No. 11 Metalwork					
	217					

		<u> </u>	Amount
BILL NO. 11 METALWORK COLLECTION		Page No	
	Brought Forward from Page	216	
	oug.n. o.na.a no.n. ago	217	
	Carried To Section Summary	R	
Section No. 3 Bill No. 11			
Metalwork	218		

1		Unit	Quantity	Rate	Amount
	SECTION NO. 3 2 x 2 Grade R Classroom Block BILL NO. 12				
	PLASTERING				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW371				
	<u>SCREEDS</u>				
	Screeds on concrete:				
	Screeds of wood floated on concrete to receive ceramic tiles:				
1	30mm Thick on floors to receive vinyl tiles	m²	18		
2	30mm Thick on floors to receive tiles	m²	168		
	GRANOLITHIC				
	Untinted wood floated granolithic on concrete				
3	30mm Thick on floors and landings.	m²	60		
4	Granolithic skirting	m	16		
	INTERNAL PLASTER				
	Cement plaster on brickwork:				
5	On walls.	m²	413		
6	On narrow widths.	m²	9		
	CORNER PROTECTORS, DIVIDING STRIPS, ETC				
7	30 x 3mm Flat section brass dividing strips between different floor finishes.	m	6		
	Carried To Section Summary			R	
	Section No. 3				
	Bill No. 12				
	Plastering 219				

		1 1 1 1 1 1	Ou and the	Data	Matsobane	P5
		Unit	Quantity	Rate	Amount	
	SECTION NO. 3					
	2 x 2 Grade R Classroom Block					
	BILL NO. 13					
	<u>TILING</u>					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	WALL TILING					
	200 x 200 x 10mm White glazed ceramic tiles fixed with adhesive to plaster (plaster elsewhere):					
1	On walls in isolated panels, splashbacks, etc.	m²	45			
2	On narrow widths.	m²	1			
	FLOOR TILING					
	300 x 300 x 11.5mm ceramic floor tiles (Prime Cost					
	amount R250.00/m2 excluding vat) fixed with adhesive to screed (screed elsewhere) and flush					
	pointed with tinted waterproof jointing compound					
3	On floors and landings.	m²	168			
4	Skirting formed of ceramic tile cut to 300 x 75mm high	m	94			
	Carried To Section Summary			R		
	Section No. 3			ĸ		
	Bill No. 13					
	Tiling					
	220					

				Matsoban	e PS
	Unit	Quantity	Rate	Amount	
SECTION NO. 3					
2 x 2 Grade R Classroom Block					
BILL NO. 14					
PLUMBING AND DRAINAGE					
PREAMBLES For preambles see "Specification of materials and					
methods to be used - PW371					
SUPPLEMENTARY PREAMBLES					
Concrete pipes:					
Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings.					
uPVC pressure pipes and fittings:					
Pipes for water supply shall be of the class stated.					
Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings.					
Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints.					
Copper pipes:					
Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be 'Cobra Watertech' type. Capillary solder fittings shall comply with ISO 2016. Only compression fittings shall be used in walls or in ground.					
Fixing of pipes					
Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level					
Carried to Collection			R		
Section No. 3					
Bill No. 14 Plumbing And Drainage					
221					
		1	ı	1	່

				Matsobane	PS
	Unit	Quantity	Rate	Amount	
Reducing fittings:					
Where fittings have reducing ends or branches they are described as 'reducing'. In the case of pipes with diameters not exceeding 60mm only the largest end or branch size is given. Should the Contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained.					
Wire gratings:					
Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings.					
Septic tanks:					
Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs, jointing to drains and backfilling, compaction, etc all in accordance with the manufacturer's instructions.					
Exposed concrete surfaces:					
Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster.					
Excavations:					
No claim for rock excavation will be entertained unless the Contractor has timeously notified the quantity surveyor thereof prior to backfilling.					
'Soft rock' and 'hard rock' shall be as defined in 'Earthworks'.					
Laying, backfilling, bedding, etc of pipes:					
Pipes shall be laid and bedded and trenches shall be carefully backfilled in accordance with manufacturers' instructions.					
Where no manufacturers' instructions exist pipes shall be laid in accordance with clauses 5.1 and 5.2 of each of the following: SABS 1200 L: Medium pressure pipelines LD: Sewers LE: Stormwater drainage Pipe trenches etc shall be backfilled in accordance with clause 3, 5.5, 5.6, 5.7 and 7 of SAB.					
Flush pans:					
Flush pans shall have straight or side outlets and 'P' or 'S' traps as necessary.					
			_		
Carried to Collection Section No. 3 Bill No. 14			R		
Plumbing And Drainage					
222					

		Unit	Quantity	Rate	Matsobane PS Amount	,
		Offic	Quartity	Nate	Amount	
	Stainless steel basins, sinks, wash troughs, urinals, etc:					
	Units shall have standard aprons on all exposed edges and tiling keys against walls where applicable.					
	Waste unions:					
	Descriptions of waste unions shall be deemed to include rubber or vulcanite plugs and chains fixed to fittings.					
	RAINWATER DISPOSAL					
	Approved .6mm galvanised sheet iron with "chromadek" finish ,in:					
1	100 x 100mm Eaves gutters	m	78			
2	Extra over eaves gutter for angle/corner.	No	4			
3	Extra over eaves gutter for stopped end	No	4			
4	Extra over eaves gutter for outlet for 75mm pipe.	No	20			
5	75mm Diameter rainwater pipes.	m	88			
6	Extra over rainwater pipe for bend.	No	20			
7	Extra over rainwater pipe for shoe.	No	20			
	SANITARY FITTINGS					
	'Citimetal' stainless steel or equal approved:					
8	Series single end bowl overlay sink, size 1200 x 535mm fitted to top of cabinet.	No	2			
	"Vaal" or equal approved					
9	510 x 405mm "Hibiscus" (code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two bolts(code 84467Z0)	No	4			
10	White vitreous china "Daisy" semi-close coupled 90degree outlet open rim washdown pan (code 774000) and matching 9litre cistern (code 710034) complete with lid, fitments and flush pipe elbow and conversion bend (code 710044) and "deluxe" toilet seat	Na	_			
		No	5			
11	Protea 750246 or equal approved wall hung paraplegic WC pan with cradle bracket and legs and Kestrel double flap or equal approved white epoxy painted wooden seat (flush valve elsewhere)	No	4			
	,	No	1			
	WASTE UNIONS ETC					
	'Cobra Watertech" or equal approved					
12	38mm "Cobra 316" unslotted waste and plug with chain	No	4			
	Carried to Collection			R		_
	Section No. 3					-
	Bill No. 14					
	Plumbing And Drainage 223					
	223		(I		1	

l	1	Unit	Quantity	Rate	Amount	. 0
	TRAPS ETC					
	"Marley' or equal approved					
13	40mm Flexi butyl rubber trap with reseal "P" trap	No	2			
	"Cobra Watertech"					
14	"Cobra Ref. 365/40" CP Bottle trap.	No	2			
	TAPS, VALVES, ETC					
	'Cobra Watertech' or equal approved:					
15	15mm basin mixer plugged	No	4			
16	15mm Gate valves plugged	No	11			
17	"Cobra Ref. 232/350' Angle regulating valve	No	4			
18	"Cobra Ref. 166/041 wall type "Star" sink mixer with overarm swivel outlet	No	2			
	SANITARY PLUMBING					
4.0	uPVC pipes:		400			
19	50mm Pipes	m	100			
20	110m Pipes.	m	75			
21	50mm Pipes laid in and including trenches not exceeding 1m deep.	m	50			
22	110mm Pipes laid in and including trenches not exceeding 1m deep under surface beds.	m	55			
	Extra over uPVC pipes for fittings:					
23	50mm Bend.	No	20			
24	100mm Bend.	No	18			
25	110mm Junction.	No	9			
26	50mm Junction.	No	24			
27	110mm Reducing junction.	No	9			
28	110mm Double junction.	No	18			
29	110mm Pan connector	No	6			
30	110mm "G1 Two-way " vent valve	No	9			
	Sundries:					
31	Testing waste pipe system.	Item				
	Carried to Collection			R		
	Section No. 3			K		
	Bill No. 14					
	Plumbing And Drainage					
	224					

		Unit	Quantity	Rate	Amount	,,,
	WATER SUPPLIES					
	Class 9 uPVC pressure pipes:					
32	63mm Pipes laid in and including trenches not exceeding 1000mmm deep	m	80			
	Extra over uPVC pressure pipes for solvent welded pressure fittings:					
33	63mm Elbow	No	15			
34	63mm Tee	No	8			
35	63mm Reducer.	No	4			
	Class o copper pipes:					
36	15mm Pipes	m	100			
37	22mm Pipes.	m	80			
	Extra over class o copper pipes for capillary fittings:					
38	15mm Fittings.	No	40			
39	22mm Fittings.	No	35			
	Copper overflow and service pipes:					
40	15mm Service pipe 300mm girth.	No	1			
	Sundries:					
41	450 x 450m cast iron stopcock box including brick chamber below not exceeding 750mm deep internally.	No	1			
42	'ZIP Hydroboil code 3800' 25 litre white powder coated water boiler as manufactured by Franke Kitchen Systems, plugged and screwed to wall.	No	1			
	ELECTRICAL WATER HEATERS					
	"Kwikot" or equal approved					
43	150 litre Horizontally floor mounted electric water heater	No	1			
	Testing:					
44	Testing water pipe system.	Item				
	FIRE APPLIANCES ETC.					
	'Chubb' or equal approved:					
45	9kg Dry chemical fire extinguisher fixed on and including 22mm thick x 400 x 200mm wide meranti timber back plate with chamfered edges	Na				
	plate with charmered eages	No	3			
	Carried to Collection			R		
	Section No. 3 Bill No. 14					
	Plumbing And Drainage					
	225					

					Matsoban	e PS
		Unit	Quantity	Rate	Amount	
	RAINWATER HARVESTING					
	Rainwater Harvesting					
46	Allow a sum of R15 000.00/each (Fifteen Thousand					
	Rands) for provision of 5000l Jojo or equal approved tank complete with lid, fittings, tap, concrete plinth as per					
	Architect details	No				
	7 Torritoot details	No	2			
	Comind to Collection			_		
	Carried to Collection			R		
	Section No. 3 Bill No. 14					
	Plumbing And Drainage					
	226					
I	220	I		I	I .	I

I	I	Amount
BILL NO. 14		
PLUMBING AND DRAINAGE		
COLLECTION		
	Page No	
Brought F	Forward from Page 221	
	222	
	223	
	224	
	225	
	226	
	220	
Carried To Section Summa	ry R	
Section No. 3 Bill No. 14		
Plumbing And Drainage		
227		

	I	Unit	Quantity	Rate	Amount
	SECTION NO. 3				
	2 x 2 Grade R Classroom Block				
	BILL NO. 15				
	<u>GLAZING</u>				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW371				
	GLAZING TO STEEL WITH PUTTY				
	5 mm Clear float glass:				
1	Panes exceeding 0,1m2 and not exceeding 0,5m2.	m²	16		
	5 mm Rough cast glass:				
2	Panes exceeding 0,1m2 and not exceeding 0,5m2.	m²	3		
	TOPS, SHELVES, DOORS, MIRRORS, ETC.				
	6 mm Silvered float glass copper backed mirrors with polished edges fixed with double sided adhesive tape:				
3	Mirror 450 x 600 mm high.	No	4		
	Carried To Section Summary			R	
	Section No. 3 Bill No. 15				
	Glazing				
	228				

		Unit	Quantity	Rate	Matsoban Amount	e PS
		OTIIC	Quartity	rate	Amount	
	SECTION NO. 3					
	2 x 2 Grade R Classroom Block					
	BILL NO. 16					
	PAINTWORK					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	ON FLOATED PLASTER					
	Prepare, etc as specified and apply two coats of super acrylic paint:					
1	On interior walls.	m²	413			
	ON FIBRE-CEMENT, ETC.					
	Prepare, etc as specified and apply two coats of super acrylic Pva paint:					
2	On ceilings and cornices.	m²	255			
3	On fascias and barge boards.	m	78			
	ON METAL					
	Prepare, etc as specified and apply two coats of gloss enamel paint on :					
4	Door frames	m²	9			
5	On windows with burglar bars (both sides measured).	m²	38			
6	On gates, grilles, burglar screens, balustrades, etc (both sides measured over the full flat area).	m²	13			
7	On steel poles and members	m	126			
	Inside eaves gutters					
8	Inside eaves gutters with waterproofing based paint	m²	28			
	Prepare,etc as specified and apply two coats of super acrylic Pva paint on:					
9	General surfaces of doors (interior).	m²	27			
	ON WOOD, WOOD BOARD					
	Prepare, etc as specified and apply two coats of polyurethane suede varnish:					
10	On doors	m²	7			
11	On laminated beam.	m²	13			
	Carried to Collection			R		
	Section No. 3 Bill No. 16					
	Paintwork					
	229					

					Matsoban	e PS
1		Unit	Quantity	Rate	Amount	I
12	On slatted seating	m²	6			
13	General surfaces of timber	m²	1			
	Q			_		
	Carried to Collection			R		<u> </u>
	Section No. 3					
	Bill No. 16					
	Paintwork					
	230				II	

		<u> </u>	Amount
BILL NO. 16 PAINTWORK COLLECTION		Page No	
	Brought Forward from Page	229	
	ziougini i oi wai u nomi i ago	230	
	Carried To Section Summary	R	
Section No. 3 Bill No. 16			
Paintwork	231		

			Amount	
	SECTION NO. 3			
	2 x 2 Grade R Classroom Block			
	SECTION SUMMARY			
Bill No.		Page		
1	FOUNDATIONS	195		
2	CONCRETE, FORMWORK AND REINFORCEMENT	198		
3	MASONRY	202		
4	WATERPROOFING	203		
5	ROOF COVERINGS	204		
6	CARPENTRY AND JOINERY	207		
7	CEILINGS PARTITIONS AND ACCESS FLOORING	210		
8	FLOOR COVERINGS	211		
9	IRONMONGERY	214		
10	STRUCTURAL STEELWORK	215		
11	METALWORK	218		
12	PLASTERING	219		
13	TILING	220		
14	PLUMBING AND DRAINAGE	227		
15	GLAZING	228		
16	PAINTWORK	231		
	Section Factor		x 2	
	Carried to Final Summary	R		
	Section No. 3 SECTION SUMMARY			
	SECTION SUMMAN			
	232			

SECTION NO. 4 2 x 4 Classroom Block

1	1	Unit	Quantity	Rate	Amount
	SECTION NO. 4				
	SECTION NO. 4 2 x 4 Classroom Block				
	BILL NO. 1				
	FOUNDATIONS				
	PREAMBLES				
	For preambles see " Specification of materials and methods to be used - PW371"				
	SITE CLEARANCE ETC				
	Site clearance:				
1	Digging up and removing rubbish, debris, vegetation, hedges, shrubs and trees not exceeding 200mm girth, bush, etc.	m²	444		
	REMOVAL OF TREES, ETC.				
	Taking out and removing, grubbing up roots and filling in holes:				
2	Tree stump exceeding 200mm and not exceeding 500mm girth.	No	1		
	EXCAVATION, FILLING, ETC OTHER THAN BULK				
	Excavation in earth not exceeding 2m deep:				
3	Trenches.	m³	184		
	Extra over trench and hole excavations in earth for excavation:				
4	Soft rock.	m³	10		
5	Hard rock.	m³	5		
	Risk of collapse of excavations:				
6	Sides of trench and hole excavations not exceeding 1,5m deep.	m²	350		
	Keeping excavations free of water:				
7	Keeping excavations free of all water other than subterranean water.	Item			
	Earth filling obtained from excavations and/or prescribed stock piles on site compacted to 93% Mod AASHTO:				
8	Backfilling to trenches, holes, etc.	m³	46		
9	Under floors, steps, pavings, etc.	m³	60		
	Carried to Collection			R	
	Section No. 4				
	Bill No. 1				
	Foundations				
	234				

		Unit	Quantity	Rate	Amount
	Earth filling supplied by the Contractor and compacted to 95% Mod AASHTO density):				
10	Under floors, steps, pavings, etc.	m³	141		
11	Trenches	m³	55		
	Cart Away				
	Extra over excavation for cart away:				
12	Surplus material from excavations on site to a dumping site be located by the contractor	m³	17		
	Coarse river sand filling supplied by the Contractor:				
13	Under floors etc.	m³	19		
	COMPACTION				
	Compaction of surfaces:				
14	Compaction of ground surface under floors etc including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 90%. Mod AASHTO density.	m²	337		
	Prescribed density tests on filling:				
15	Modified AASHTO Density test.	No	16		
	SOIL POISONING				
	Soil insecticide:				
16	Under floors etc including forming and poisoning shallow furrows against foundation walls etc, filling in furrows and ramming.	m²	337		
4.7	-				
17	To bottoms and sides of trenches etc.	m²	510		
	Carried to Collection			R	
	Section No. 4				
	Bill No. 1 Foundations				
	235				
					_

I		<u> </u>	Amount
BILL NO. 1 FOUNDATIONS COLLECTION		Page No	
	Brought Forward from Page	234	
		235	
	Carried To Section Summary	R	
Section No. 4 Bill No. 1			
Foundations	236		

1	1	Unit	Quantity	Rate	Amount
	SECTION NO. 4				
	2 x 4 Classroom Block BILL NO. 2				
	CONCRETE, FORMWORK AND REINFORCEMENT				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW371"				
	UNREINFORCED CONCRETE				
	15Mpa/19mm Concrete				
1	Aprons cast in panels.	m³	10		
2	Ramps.	m³	3		
3	Thickening down the edge of apron 150mm deep, 200mm top and tapering to 100mm at bottom including all excavations, formwork, backfilling etc	m	95		
	REINFORCED CONCRETE				
	25 MPa/19mm Concrete:				
4	Footings.	m³	31		
5	Surface beds cast in panels on waterproofing.	m³	34		
	TEST BLOCKS				
	Test blocks:				
6	Making and testing set of three 150 x 150 x 150mm concrete strength test cubes (Provisional).	Sets	10		
	FINISHING TOP SURFACE OF CONCRETE				
7	Paving to falls.	m²	95		
8	Ramps to falls.	m²	4		
	ROUGH FORMWORK (DEGREE OF ACCURACY III) (CPAP Work Group No 111)				
	Rough Formwork to Sides:				
9	Edges and reveals not exceeding 300mm high or wide.	m	99		
	MOVEMENT JOINTS ETC				
	Two layers of .5mm galvanised mild steel slip joints between horizontal concrete and brick surfaces including cement mortar bed:				
10	Not exceeding 300mm wide.	m	40		
	Carried to Collection			R	
	Section No. 4 Bill No. 2				
	Concrete, Formwork And Reinforcement				
	237				

ı		Unit	Quantity	Rate	Amount	,, ,
	Expansion joints with bitumen impregnated softboard between vertical concrete and brick surfaces:					
11	12mm Joints not exceeding 300mm high.	m	55			
	Dividing Strips ,etc					
12	6 x 38mm Angle iron step guard cast into concrete with 3x 6mm anchors	m	2			
	REINFORCEMENT(PROVISIONAL)					
	Fabric reinforcement:					
13	Type 193 fabric reinforcement in concrete surface beds, slabs, etc.	m²	337			
	Steel reinforcement to structural concrete work:					
14	Various sizes	Tonnes	5			
	Carried to Collection			R		
	Section No. 4 Bill No. 2					
	Concrete, Formwork And Reinforcement					
	238					

		Amount	
BILL NO. 2			
CONCRETE, FORMWORK AND REINFORCEMENT			
COLLECTION			
SSEED HOLY	Dogo No		
	Page No		
Brought Forward from Page	237		
Blought Forward from Fage			
	238		
Carried To Section Summary	R		
Section No. 4 Bill No. 2			
Concrete, Formwork And Reinforcement			
239			

					Matsobar	ne PS
1	I	Unit	Quantity	Rate	Amount	
	acation no 4					
	SECTION NO. 4					
	2 x 4 Classroom Block					
	BILL NO. 3 MASONRY					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371"					
	BRICKWORK					
	Sizes in descriptions:					
	Where sizes in descriptions are given in brick units, 'one brick' shall represent the length and 'half brick' the width of a brick.					
	Face bricks:					
	Bricks shall be ordered timeously to obtain uniformity in size and colour.					
	Pointing:					
	Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc.					
	SAMPLES					
	Samples of all masonry building units, except those for walls described as 'load bearing', shall consist of a minimum of 6 units. Samples of building units to be used in walls described as 'load bearing' shall consist of 30 units from every 30 000 units delivered to site.					
	BRICKWORK IN FOUNDATIONS (PROVISIONAL)					
	Brickwork of NFX bricks (14 MPa nominal compressive strength) in Class I mortar:					
1	One brick walls	m²	195			
	BRICKWORK IN SUPERSTRUCTURE					
	Brickwork of NFX bricks (14 MPa nominal compressive strength) in Class I mortar:					
2	One brick walls	m²	589			
	BRICKWORK SUNDRIES					
	Brickwork reinforcement:					
3	75mm Wide reinforcement built in horizontally.	m	94			
4	150mm Wide reinforcement built in horizontally.	m	2 512			
r		***	2012			
	Carried to Collection			R		
	Section No. 4			11		
	Bill No. 3					
	Masonry					
	240					

ı		Unit	Quantity	Rate	Amount
	Turning pieces:				
5	220mm Wide turning piece to lintels etc.	m	46		
	Galvanised wire ties etc:				
6	4mm Diameter roof tie 2m girth bent double with one end fixed to timber and other end built into				
	brickwork.(Provisional)	No	95		
	Galvanised hoop iron cramps, ties, etc:				
7	30 x 1,6mm Cramp 500mm long with one end fixed to wood and other end built into brickwork.(Provisional)	No	95		
	Prestressed fabricated concrete lintels including necessary temporary supports				
8	115 x 100mm Lintels in lengths not exceeding 3m	m	4		
	FACE BRICKWORK				
	Face bricks (Prime cost R5 500/1000 delivered to site excluding VAT) pointed with flush horizontal and vertical joints:				
9	Extra over brickwork for face brickwork.	m²	536		
10	Extra over brickwork for face brickwork in foundations (Provisional).	m²	63		
11	Half brick in facings in beamfilling	m²	23		
	FACE BRICKWORK COPINGS, SILLS, ETC.				
	Brick-on-edge header course copings, sills, etc of face bricks (Prime cost R5 500/1000 delivered to site excluding VAT) and pointed with recessed joints on all exposed faces:				
12	Extra over brickwork for brick-on-edge header course lintel pointed on face and 110mm soffit.	m	50		
13	230mm Wide sill set sloping and slightly projecting.	m	46		
14	Coping on top of one brick wall pointed on exposed faces	m	42		
	NUTEC-CEMENT/FIBRE-CEMENT WINDOW SILLS				
	Natural grey sills in single lengths bedded in class I mortar including metal fixing lugs etc:				
15	12 x 152mm Wide sills set flat and slightly projecting.	m	46		
	Carried to Collection			R	
	Section No. 4 Bill No. 3				
	Masonry				
	241				

			Amount
BILL NO. 3 MASONRY COLLECTION		Page No	
	Brought Forward from Page	240	
		241	
Section No. 4	Carried To Section Summary	R	
Bill No. 3			
Masonry	242		

1	I	Unit	Quantity	Rate	Amount
	SECTION NO. 4				
	2 x 4 Classroom Block				
	BILL NO. 4				
	WATERPROOFING				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW371				
	DAMPPROOFING OF WALLS AND FLOORS				
	One layer of 375 micron Consol Plastics Brikgrip DPC embossed damp proof course:				
1	In walls.	m²	40		
	One layer of 250 micron Consol Plastics Gunplas USB Green waterproof sheeting sealed at laps with Gunplas Pressure Sensitive Tape:				
2	Under surface beds.	m²	337		
	JOINT SEALANTS ETC				
	silicone sealing compound including backing cord, bond breaker,primer,etc				
3	12 x 20mm in expansion joints in floors including raking out expansion joint filler as necessary (Provisional)	m	178		
4	12 x 20mm in vertical expansion joints in walls including raking out expansion joint filler as necessary	m	68		
	Carried To Section Summary			R	
	Section No. 4				
	Bill No. 4				
	Waterproofing 243				

					Matsobane F	-3
		Unit	Quantity	Rate	Amount	
	SECTION NO. 4					
	2 x 4 Classroom Block					
	BILL NO. 5					
	ROOF COVERINGS					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW 371					
	PROFILED METAL SHEETING AND ACCESSORIES					
	0.58mm "Klip-lok light industrial" galvanised troughed sheet steel with "Globalcoat" finish one side (colour Traffic Green), fixed to 76 x 50mm purlin complete under 5year quarantee by an approved firm of specialists, all in accordance with the materials supplied and methods employed by the manufacturer					
1	Roof covering with pitch not exceeding 25 degrees.	m²	388			
	0.58mm galvanised sheet iron, with "Globalcoat"					
_	one side in:		40			
2	Standard type FK3 ridge or hip flashing	m	43			
	Carried To Section Summary			R		
	Section No. 4			ĸ		_
	Bill No. 5					
	Roof Coverings					
	244					

SECTION NO. 4 2 x 4 Classroom Block BILL No. 6 CARPENTRY AND JOINERY PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Particle boards Particle boards shall comply with the following specifications: a) SABS 1300 Particle board: exterior and flooring type b) SABS 1301 Particle board: interior type. Joinery: Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc. Descriptions of hardwood joinery shall be deemed to include pelleting of both holes. Fixing: Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 120mm centres Roof covering is Klip-lok' roof sheeting on 76 x 50mm purlins. Cellings are firm sheeting on 38 x 50mm brandering, Refer to drawings at the end of these bills of quantities for full details. All trusses are tabnicated in a factory by specialists approved by the Architect. All trusses are designed, manufactured, and areacted, to support the roof coverings specified. The quanties for Design of Timber Trusses. Carried to Collection Section No. 4 Bill No. 6 Carpentry And Joinery					Matsobane PS
2 x 4 Classroom Block BILL NO. 6 CARPENTRY AND JOINERY PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Particle board: Particle board shall comply with the following specifications: a) \$ABS 1300 Particle board: exterior and flooring type b) \$ABS 1301 Particle board: interior type. Joinery: Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc. Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes. Fixing: Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be but i pinted at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof trusses construction: The following is applicable in respect of roof trusses: Trusses are at maximum 120mm centres Roof covering is Klip-lok roof sheeting on 78 x 50mm purlins. Cellings are firm sheeting on 38 x 50mm brandering, Refer to drawings at the end of these bills of quantities for full details. All trusses are febricated in a factory by specialists approved by the Architect. All trusses are febricative in a factory by specialists approved by the Architect. All trusses are for Design of Timber Trusses.). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quarantee shall be valid for 10(ten) years.		Unit	Quantity	Rate	Amount
2 x 4 Classroom Block BILL NO. 6 CARPENTRY AND JOINERY PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Particle board: Particle board shall comply with the following specifications: a) \$ABS 1300 Particle board: exterior and flooring type b) \$ABS 1301 Particle board: interior type. Joinery: Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc. Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes. Fixing: Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be but i pinted at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof trusses construction: The following is applicable in respect of roof trusses: Trusses are at maximum 120mm centres Roof covering is Klip-lok roof sheeting on 78 x 50mm purlins. Cellings are firm sheeting on 38 x 50mm brandering, Refer to drawings at the end of these bills of quantities for full details. All trusses are febricated in a factory by specialists approved by the Architect. All trusses are febricative in a factory by specialists approved by the Architect. All trusses are for Design of Timber Trusses.). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quarantee shall be valid for 10(ten) years.					
2 x 4 Classroom Block BILL NO. 6 CARPENTRY AND JOINERY PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Particle board: Particle board shall comply with the following specifications: a) \$ABS 1300 Particle board: exterior and flooring type b) \$ABS 1301 Particle board: interior type. Joinery: Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc. Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes. Fixing: Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be but i pinted at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof trusses construction: The following is applicable in respect of roof trusses: Trusses are at maximum 120mm centres Roof covering is Klip-lok roof sheeting on 78 x 50mm purlins. Cellings are firm sheeting on 38 x 50mm brandering, Refer to drawings at the end of these bills of quantities for full details. All trusses are febricated in a factory by specialists approved by the Architect. All trusses are febricative in a factory by specialists approved by the Architect. All trusses are for Design of Timber Trusses.). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quarantee shall be valid for 10(ten) years.					
BILL NO. 6 CARPENTRY AND JOINERY PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Particle boards shall comply with the following specifications: a) SABS 1300 Particle board: exterior and flooring type b) SABS 1301 Particle board: interior type. Joinery: Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc. Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes. Fixing: Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is 'Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are form sheeting on 38 x 50mm brandering. Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses serial ble designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years.	SECTION NO. 4				
CARPENTRY AND JOINERY PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Particle board: Particle board shall comply with the following specifications: a) SABS 1300 Particle board: exterior and flooring type b) SABS 1300 Particle board: interior type. Joinery: Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc. Descriptions of hardwood joinery shall be deemed to include frames, transoms, mullions, rails, etc. Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes. Fixing: Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be butl jointed at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is 'Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are at maximum 1200mm centres Roof covering is Filip-lok' roof sheeting on 38 x 50mm brandering. Refer to drawings at the end of these bills of quantities for full details. All trusses shall supply a written quarantee that the russes are designed, manufactured and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years. Carried to Collection Section No. 4 Bill No. 6 Carpentry And Joinery	2 x 4 Classroom Block				
PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Particle board: Particle board shall comply with the following specifications: a) SABS 1300 Particle board: exterior and flooring type b) SABS 1300 Particle board: interior type. Joinery: Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc. Descriptions of hardwood joinery shall be deemed to include pelleting of both holes. Fixing: Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish. PREFABRICATED ROF TRUSSES, ETC. Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is "klip-lok" roof sheeting on 76 x 50mm purlins. Cellings are 6mm sheeting on 38 x 50mm brandering. Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacture of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quamtee shall be valid for 10(ten) years.	BILL NO. 6				
For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Particle board: Particle board shall comply with the following specifications: a) SABS 1300 Particle board: exterior and flooring type b) SABS 1300 Particle board: interior type. Joinery: Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc. Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes. Fixing: Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is Kilbj-lok'r roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering. Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years.	CARPENTRY AND JOINERY				
methods to be used - PW371 SUPPLEMENTARY PREAMBLES Particle board: Particle board shall comply with the following specifications: a) SABS 1300 Particle board: exterior and flooring type b) SABS 1301 Particle board: interior type. Joinery: Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc. Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes. Fixing: Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is Klip-lok'r oof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering. Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer (in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years. Carried to Collection R Section No. 4 Bill No. 6 Carpentry And Joinery	PREAMBLES				
Particle board: Particle board shall comply with the following specifications: a) SABS 1300 Particle board: exterior and flooring type b) SABS 1301 Particle board: interior type. Joinery: Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc. Descriptions of hardwood joinery shall be deemed to include pelleting of both holes. Fixing: Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is 'Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering. Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured and erected, to support the roof coverings specified. The quarnee shall be valid for 10(ten) years. Carried to Collection Section No. 4 Bill No. 6 Carpentry And Joinery					
Particle board shall comply with the following specifications: a) SABS 1300 Particle board: exterior and flooring type b) SABS 1301 Particle board: interior type. Joinery: Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc. Descriptions of hardwood joinery shall be deemed to include pelleting of both holes. Fixing: Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is Klip-lok roof sheeting on 78 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering. Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years. Carried to Collection Section No. 4 Bill No. 6 Carpentry And Joinery	SUPPLEMENTARY PREAMBLES				
specifications: a) SABS 1301 Particle board: exterior and flooring type b) SABS 1301 Particle board: interior type. Joinery: Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc. Descriptions of hardwood joinery shall be deemed to include pelleting of both holes. Fixing: Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is "Kilp-lok" roof sheeting on 76 x 50mm bulls of quantities for full details. All trusses are refabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years. Carried to Collection Section No. 4 Bill No. 6 Carpentry And Joinery	Particle board:				
Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc. Descriptions of hardwood joinery shall be deemed to include pelleting of both holes. Fixing: Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering. Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years. Carried to Collection Section No. 4 Bill No. 6 Carpentry And Joinery	specifications: a) SABS 1300 Particle board: exterior and				
frames, transoms, mullions, rails, etc. Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes. Fixing: Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering. Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quarmtee shall be valid for 10(ten) years. Carried to Collection R Carried to Collection R Bill No. 6 Carpentry And Joinery	Joinery:				
include pelleting of bolt holes. Fixing: Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is 'Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering. Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years. Carried to Collection Section No. 4 Bill No. 6 Carpentry And Joinery					
Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is 'Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering. Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quarmtee shall be valid for 10(ten) years. Carried to Collection R Carried to Collection R Bill No. 6 Carpentry And Joinery	Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes.				
with hardened steel nails or shot pins to brickwork or concrete. Decorative laminate finish: Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is 'Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering. Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years. Carried to Collection R Section No. 4 Bill No. 6 Carpentry And Joinery	Fixing:				
Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is 'Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering. Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years. Carried to Collection R Carried to Collection R Carried to Collection	with hardened steel nails or shot pins to brickwork or				
strips shall be butt jointed at junctions with adjacent similar finish. PREFABRICATED ROOF TRUSSES, ETC. Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is 'Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering. Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years. Carried to Collection R Section No. 4 Bill No. 6 Carpentry And Joinery	Decorative laminate finish:				
Plate nailed timber roof truss construction: The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is 'Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering .Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years . Carried to Collection R Section No. 4 Bill No. 6 Carpentry And Joinery	Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent				
The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is 'Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering .Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured,and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years . Carried to Collection R Section No. 4 Bill No. 6 Carpentry And Joinery	PREFABRICATED ROOF TRUSSES, ETC.				
The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is 'Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering .Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured,and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years . Carried to Collection R Section No. 4 Bill No. 6 Carpentry And Joinery	Plate nailed timber roof truss construction:				
Section No. 4 Bill No. 6 Carpentry And Joinery	The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is 'Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering .Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured, and erected, to support the roof coverings specified. The				
	Section No. 4			R	
245					
	245				

1		Unit	Quantity	Rate	Amount	,,,
	Sawn softwood:					
1	Roof construction to double pitched roof with two hipped ends approximately 370m2 (four classrooms) on plan overall including trusses, rafters, purlins, permanent bracing, etc (measured flat).	No	1			
	ROOF CONSTRUCTION					
	Sawn softwood :					
2	114 x 38mm Wall plates.	m	75			
3	114 x 38mm rafters exceeding 2.4m and not exceeding 3.9m.	m	15			
4	50 x 76mm purlins.	m	140			
5	50 x 250mm laminated beam.	m	43			
	ROOF SUNDRIES					
	Sundries:					
6	Two coats creosote on sawn timbers.	m²	26			
	EAVES, VERGES, ETC					
	Everite FC77 or equal approved pressed fibre- cement:					
7	10 x 250mm Fascias and barge boards including galvanised steel H-profile jointing strips.	m	80			
	Wrought meranti doors:					
	Wrought meranti doors hung to steel frames:					
8	44mm Framed batten door 914 x 2032mm high of 44 x 150m top rail and stiles ,16 x 150mm middle ledge and braces and 22 x 220mm bottom rail, filled in with 22mmV-jointed one side boarding and covered on other side with 4mm plywood with veneer to match door, let into and including rebates all round.	No	4			
	DOORS ETC					
	40mm semi-solid flush doors with veneer					
9	40mm Door 813 x 2032mm high	No	4			
	<u>FITTINGS</u>					
	Fittings to Classroom Store					
10	Shelving 400mm wide made up of 25mm thick hardwood top and 250 x 250mm high triangular mild steel brackets bolted to wall	m	38			
	Carried to Collection			R		
	Section No. 4					
	Bill No. 6 Carpentry And Joinery					
	246					

			Amount
BILL NO. 6 CARPENTRY AND JOINE COLLECTION	<u>:RY</u>	Page No	
	Brought Forward from Page	245 246	
Section No. 4 Bill No. 6	Carried To Section Summary	R	
Carpentry And Joinery	247		

		Unit	Quantity	Rate	Matsobano Amount	e P3
		Offic	Quantity	Nate	Amount	
	SECTION NO. 4					
	2 x 4 Classroom Block					
	BILL NO. 7					
	CEILINGS PARTITIONS AND ACCESS FLOORING					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	SUPPLEMENTARY PREAMBLES					
	Descriptions:					
	Items described as nailed shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete.					
	Items described as plugged shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 600mm centres, and where described as bolted the bolts have been given.					
	INSULATION					
	Aerolite insulation:					
1	100mm Insulation closely fitted and laid on top of brandering between roof timbers etc.	m²	337			
	Wrought meranti					
2	19 x 76mm covedccornice nailed to brickwalls	m	169			
	NAILED UP AND SCREW UP CEILINGS					
	6mm Everite Nutec or equal approved fibre-cement boards with H-type steel cover strips over joints:					
3	Ceilings including 38 x 38mm sawn softwood brandering					
	at 400mm centres.	m²	337			
4	Extra over ceiling for hinged trap door size 610 x 610mm	No	4			
	Carried To Section Summary			R		
	Section No. 4			11		
	Bill No. 7					
	Ceilings Partitions And Access Flooring					
	248					

					Matsobar	ne PS
ı	1	Unit	Quantity	Rate	Amount	I
	SECTION NO. 4					
	2 x 4 Classroom Block					
	BILL NO. 8					
	IRONMONGERY					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	SUPPLEMENTARY PREAMBLES					
	Finishes to ironmongery:					
	Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list: BS Satin bronze lacquered: CH Chromium plated: SC Satin chromium plated: SE Silver enamelled: GE Grey enamelled: AS Anodised silver: AB Anodised bronze: AG Anodised gold: ABL Anodised black: PB Polished brass: PL Polished and lacquered: PT Epoxy coated.					
	CATCHES, CABIN HOOKS, ETC					
	Solid or equal approved:					
1	100mm cabin hook and eye including 70 x 70 x 20mm chamfered hardwood block twice oiled and plugged.	No	4			
	LOCKS					
	Solid or equal approved:					
2	"Code 630" padlock.	No	4			
	'Solid" or equal approved					
3	Code 2252-76 three lever upright mortice lock plugged.	No	8			
	SUNDRIES					
	Solid or equal approved:					
4	38mm Diameter rubber door stop plugged.	No	8			
4	11 33	NO	8			
	PINNING BOARDS, WRITING BOARDS, PROJECTION SCREENS, ETC					
	Vitrex or equal approved:					
5	Pinning board 2400 x 1200mm high plugged.	No	8			
6	Vitrex system enamelled green folding ,writing board with wall mounted centre board 4800 x 1220mm high with chalk rail and two swing leaves each 1200 x					
	1220mm high plugged with chalk rail plugged.	No	4			
	Carried to Collection			R		
	Section No. 4					
	Bill No. 8					
	Ironmongery					
	249				II	1

	1	Unit	Quantity	Rate	Amount
	SHELVES ETC				
	Proprietary type steel shelving with standard powder				
7	coated finish Heavy duty double slot wall band 1800mm long,				
,	plugged	No	63		
8	Heavy duty shelf bracket for 300mm shelf plugged	No	252		
	Carried to Collection Section No. 4			R	
	Bill No. 8				
	Ironmongery				
	250				

I			Amount
BILL NO. 8 IRONMONGERY COLLECTION		Page No	
	Brought Forward from Page	249	
		250	
	Carried To Section Summary	R	
Section No. 4 Bill No. 8			
Ironmongery	251		

					Matsoban	e PS
I	I	Unit	Quantity	Rate	Amount	
	SECTION NO. 4					
	2 x 4 Classroom Block					
	BILL NO. 9					
	<u>METALWORK</u>					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	SUPPLEMENTARY PREAMBLES					
	Descriptions:					
	Descriptions of bolts shall be deemed to include nuts and washers.					
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete.					
	Metalwork described as holed for bolt(s) shall be deemed to exclude the bolts unless otherwise described.					
	STEEL BALUSTRADES AND HANDRAILS					
	Mild steel handrails and balustrades fixed to base plates constructed of two number 6mm steel flat bar cut to profile mounted to wall with 6mm thick steel					
	fixing plate welded to two steel flat bars with 4mm fillet welds chemical anchors (bolts included), 12mm dia. Mild steel round spaced at 150mm centres, pedrilled openning 3No. In each upright, top rail to be 30mm thick x 100mm wide steel					
1	Steel handrails and balustrades 1000mm high	m	10			
	Mild Steel Poles					
2	76 x 76 x 3mm mild steel square tubing columns 3m high secured on top of foundation with 5mm thick fixing					
	plate including 10mm dia 4No. bolts	No	13			
	Carried to Collection			R		
	Section No. 4					
	Bill No. 9 Metalwork					
	Metalwork 252					
l	202		1		II	١

		Unit	Quantity	Rate	Amount	,,,
	COMBINATION DOOR FRAME WITH SECURITY GATE					
	Classroom combination door frame with security					
3	"Code 914" door frame size 914 x 2032mm high fitted with three (3) parliament hinges, complete with single security gate size 914 x 2032mm high overall formed of 25 x 25 x 2mm tubular section frame mitred and welded at angles and two 25 x 25 x 2mm tubular section horizontal middle rails, gate filled in with 12 x 12 x 12mm square section vertical rails at 100mm centres and fitted with locking bolt for padlock, frame formed of 25 x 38 x 2mm tubular section stiles and top rail mitred and welded at angles and fitted with three hinges welded to gate and frame, frame factory welded at maximum 250mm centres to door frame	No	4			
	PRESSED STEEL DOOR FRAMES					
	1,2mm Rebated frames suitable for one brick walls:					
4	Frame for door 813 x 2032mm high.	No	4			
	STEEL WINDOWS, DOORS, ETC.					
	Standard residential windows with 12 x 12(B33) solid burglar bars to all sashes:					
5	Window Code 5/2 (NTY or equal approved), 1143 x 1332mm high.	No	36			
6	Window Code 5 (NTY or equal approved), 1143 x 846mm high.	No	4			
	STEEL LOUVRES, ETC					
	Purpose made louvres:					
7	Triangular shaped (on elevation) residential section louvred ventilators 3138 wide (at the horizontal bottom) x 571mm high overall, filled in with type LC fixed horizontal louvre blades fixed to surround and covered at back with No. 256 galvanised mesh mosquito gauze, fixed with and including 3 x 20mm steel flat section cover strips screwed	No	2			
	Carried to Collection			R		
	Section No. 4 Bill No. 9					
	Metalwork					
	253					

			Amount
BILL NO. 9 METALWORK COLLECTION		Page No	
	Brought Forward from Page	252 253	
Section No. 4 Bill No. 9	Carried To Section Summary	R	
Metalwork	254		

SECTION NO. 4 2 x 4 Classroom Block BILL NO. 10 PLASTERING PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SCREEDS Screeds on concrete: Screeds of wood floated on concrete to receive ceramic tiles:	
2 x 4 Classroom Block BILL NO. 10 PLASTERING PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SCREEDS Screeds on concrete: Screeds of wood floated on concrete to receive ceramic tiles:	
2 x 4 Classroom Block BILL NO. 10 PLASTERING PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SCREEDS Screeds on concrete: Screeds of wood floated on concrete to receive ceramic tiles:	
BILL NO. 10 PLASTERING PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SCREEDS Screeds on concrete: Screeds of wood floated on concrete to receive ceramic tiles:	
PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SCREEDS Screeds on concrete: Screeds of wood floated on concrete to receive ceramic tiles:	
For preambles see "Specification of materials and methods to be used - PW371 SCREEDS Screeds on concrete: Screeds of wood floated on concrete to receive ceramic tiles:	
methods to be used - PW371 SCREEDS Screeds on concrete: Screeds of wood floated on concrete to receive ceramic tiles:	
Screeds on concrete: Screeds of wood floated on concrete to receive ceramic tiles:	
Screeds of wood floated on concrete to receive ceramic tiles:	
ceramic tiles:	
4 Common Thirds on floors to receive common to Clinic	
1 30mm Thick on floors to receive ceramic tiling. m ² 268	
<u>GRANOLITHIC</u>	
Untinted wood floated granolithic on concrete	
2 30mm Thick on floors and landings. m ² 69	
INTERNAL PLASTER	
Cement plaster steel trowelled, on brickwork	
3 On walls m ² 517	
4 On narrow widths not exceeding 300mm wide m ² 22	
CORNER PROTECTORS, DIVIDING STRIPS, ETC	
5 30 x 3mm Flat section brass dividing strips between different floor finishes.	
Carried To Section Summary R	
Section No. 4	
Bill No. 10 Plastering	
255	

SECTION NO. 4 2 x 4 Classroom Block Bill L NO. 11 TILING PREAMBLES For preambles see 'Specification of materials and methods to be used - PW371 FLOOR TILING 300 x 300 x 115mm glazed floor tiles (Prime Cost amount R250.00/m2 excluding var) fixed with adhesive to screed (screed elsewhere) and flish pointed with tinted waterproof iointing compound 1 On floors and landings. 2 Skirting formed of ceramic tile cut to 300 x 75mm high m 268 m 169 Carried To Section Summary R Section No. 4 Bill No. 11 Tiling 256						Matsoban	e PS
2 x 4 Classroom Block BILL NO. 11 TILING PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 FLOOR TILING 300 x 300 x 11.5mm glazed floor tiles (Prime Cost amount R250.00/m2 excluding vat) fixed with adhesive to screed (screed elsewhere) and flush pointed with tinted waterproof jointing compound 1 On floors and landings. 2 Skirting formed of ceramic tile cut to 300 x 75mm high m 169 Carried To Section Summary R Section No. 4 Bill No. 11 Tilling			Unit	Quantity	Rate	Amount	ı
2 x 4 Classroom Block BILL NO. 11 TILING PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 FLOOR TILING 300 x 300 x 11.5mm glazed floor tiles (Prime Cost amount R250.00/m2 excluding vat) fixed with adhesive to screed (screed elsewhere) and flush pointed with tinted waterproof jointing compound 1 On floors and landings. 2 Skirting formed of ceramic tile cut to 300 x 75mm high m 169 Carried To Section Summary R Section No. 4 Bill No. 11 Tilling							
2 x 4 Classroom Block BILL NO. 11 TILING PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 FLOOR TILING 300 x 300 x 11.5mm glazed floor tiles (Prime Cost amount R250.00/m2 excluding vat) fixed with adhesive to screed (screed elsewhere) and flush pointed with tinted waterproof jointing compound 1 On floors and landings. 2 Skirting formed of ceramic tile cut to 300 x 75mm high m 169 Carried To Section Summary R Section No. 4 Bill No. 11 Tilling							
2 x 4 Classroom Block BILL NO. 11 TILING PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 FLOOR TILING 300 x 300 x 11.5mm glazed floor tiles (Prime Cost amount R250.00/m2 excluding vat) fixed with adhesive to screed (screed elsewhere) and flush pointed with tinted waterproof jointing compound 1 On floors and landings. 2 Skirting formed of ceramic tile cut to 300 x 75mm high m 169 Carried To Section Summary R Section No. 4 Bill No. 11 Tilling		SECTION NO. 4					
BILL NO. 11 TILING PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 FLOOR TILING 300 x 300 x 11.5mm glazed floor tiles (Prime Cost amount R250.00/m² excluding vat) fixed with adhesive to screed (screed elsewhere) and flush pointed with inited waterproof jointing compound 1 On floors and landings. 2 Skirting formed of ceramic tile cut to 300 x 75mm high m 169 Carried To Section Summary Section No. 4 Bill No. 11 Tilling							
TILING PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 FLOOR TILING 300 x 300 x 11.5mm glazed floor tiles (Prime Cost amount R250.00/m2 excluding vat) fixed with adhesive to screed (screed elsewhere) and flush pointed with linted waterproof jointing compound 1 On floors and landings. Skirting formed of ceramic tile cut to 300 x 75mm high m 169 Carried To Section Summary Section No. 4 Bill No. 11 Tiling							
PREAMBLES For preambles see *Specification of materials and methods to be used - PW371 FLOOR TILING 300 x 300 x 11.5mm glazed floor tiles (Prime Cost amount R250.00/m2 excluding vat) fixed with adhesive to screed (screed elsewhere) and flush pointed with linted waterproof jointing compound 1 On floors and landings. 2 Skirting formed of ceramic tile cut to 300 x 75mm high m 169 Carried To Section Summary Section No. 4 Bill No. 11 Tilling		BILL NO. 11					
For preambles see "Specification of materials and methods to be used - PW371 FLOOR TILING 300 x 300 x 11.5mm glazed floor tiles (Prime Cost amount R250.00/m2 excluding val) fixed with adhesive to screed (Screed elsewhere) and flush pointed with tinted waterproof jointing compound 1 On floors and landings. 2 Skirting formed of ceramic tile cut to 300 x 75mm high m 169 Carried To Section Summary Section No. 4 Bill No. 11 Tilling		<u>TILING</u>					
For preambles see "Specification of materials and methods to be used - PW371 FLOOR TILING 300 x 300 x 11.5mm glazed floor tiles (Prime Cost amount R250.00/m2 excluding val) fixed with adhesive to screed (Screed elsewhere) and flush pointed with tinted waterproof jointing compound 1 On floors and landings. 2 Skirting formed of ceramic tile cut to 300 x 75mm high m 169 Carried To Section Summary Section No. 4 Bill No. 11 Tilling		DDE AMBLEO					
The control of the co							
FLOOR TILING 300 x 300 x 11.5mm glazed floor tiles (Prime Cost amount R250.00/m2 excluding vat) fixed with adhesive to screed (screed elsewhere) and flush pointed with tinted waterproof jointing compound 1 On floors and landings. m² 268 2 Skirting formed of ceramic tile cut to 300 x 75mm high m 169 Carried To Section Summary Section No. 4 Bill No. 11 Tilling		For preambles see "Specification of materials and					
300 x 300 x 11.5mm glazed floor tiles (Prime Cost amount R250.00/m2 excluding vat) fixed with adhesive to screed (Screed elsewhere) and flush pointed with tinted waterproof jointing compound 1 On floors and landings. m² 268 2 Skirting formed of ceramic tile cut to 300 x 75mm high m 169 Carried To Section Summary R Section No. 4 Bill No. 11 Tilling		methods to be used - PW3/1					
amount R250.00/m2 excluding vat) fixed with adhesive to screed (screed elsewhere) and flush pointed with tinted waterproof jointing compound 1 On floors and landings. m² 268 2 Skirting formed of ceramic tile cut to 300 x 75mm high m 169 Carried To Section Summary R Section No. 4 Bill No. 11 Tilling		FLOOR TILING					
amount R250.00/m2 excluding vat) fixed with adhesive to screed (screed elsewhere) and flush pointed with tinted waterproof jointing compound 1 On floors and landings. m² 268 2 Skirting formed of ceramic tile cut to 300 x 75mm high m 169 Carried To Section Summary R Section No. 4 Bill No. 11 Tilling		300 x 300 x 11.5mm glazed floor tiles (Prime Cost					
Dointed with tinted waterproof jointing compound 1 On floors and landings. 2 Skirting formed of ceramic tile cut to 300 x 75mm high 2 m 3 169 Carried To Section Summary Section No. 4 Bill No. 11 Tilling		amount R250.00/m2 excluding vat) fixed with					
1 On floors and landings. 2 Skirting formed of ceramic tile cut to 300 x 75mm high Carried To Section Summary Section No. 4 Bill No. 11 Tilling							
2 Skirting formed of ceramic tile cut to 300 x 75mm high m 169 Carried To Section Summary R Section No. 4 Bill No. 111 Tiling		pointed with tinted waterproof jointing compound					
Carried To Section Summary Section No. 4 Bill No. 11 Tiling	1	On floors and landings.	m²	268			
Carried To Section Summary Section No. 4 Bill No. 11 Tiling	2	Skirting formed of ceramic tile cut to 300 v 75mm high	m	160			
Section No. 4 Bill No. 11 Tiling	_	Okirking formed of defamile the edit to 300 x 75mm high	""	103			
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Section No. 4 Bill No. 11 Tiling							
Bill No. 11 Tiling					R		
Tiling							
		Bill No. 11					
256		Tiling					
		256					

				Matsobane PS
1	Unit	Quantity	Rate	Amount
SECTION NO. 4				
SECTION NO. 4				
2 x 4 Classroom Block				
BILL NO. 12 PLUMBING AND DRAINAGE				
PREAMBLES				
For preambles see "Specification of materials and methods to be used - PW371				
SUPPLEMENTARY PREAMBLES				
Concrete pipes:				
Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings.				
uPVC pressure pipes and fittings:				
Pipes for water supply shall be of the class stated.				
Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings.				
Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints.				
Copper pipes:				
Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be 'Cobra Watertech' type. Capillary solder fittings shall comply with ISO 2016. Only compression fittings shall be used in walls or in ground.				
Fixing of pipes				
Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level				
Carried to Collection			R	
Section No. 4				
Bill No. 12				
Plumbing And Drainage				
257				ıl İ

Reducing fittings: Where fittings have reducing ends or branches they are described as 'reducing'. In the case of pipes with diameters not exceeding 60mm only the largest end or branch size is given. Should the Contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained. Wire gratings: Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings. Septic tanks: Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs, jointing to drains and backfilling, compaction, etc all in accordance with the manufacturer's instructions. Exposed concrete surfaces: Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster. Excavations:	it Quantity	Rate	Amount
Where fittings have reducing ends or branches they are described as 'reducing'. In the case of pipes with diameters not exceeding 60mm only the largest end or branch size is given. Should the Contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained. Wire gratings: Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings. Septic tanks: Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs, jointing to drains and backfilling, compaction, etc all in accordance with the manufacturer's instructions. Exposed concrete surfaces: Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster.			
Where fittings have reducing ends or branches they are described as 'reducing'. In the case of pipes with diameters not exceeding 60mm only the largest end or branch size is given. Should the Contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained. Wire gratings: Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings. Septic tanks: Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs, jointing to drains and backfilling, compaction, etc all in accordance with the manufacturer's instructions. Exposed concrete surfaces: Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster.			
described as 'reducing'. In the case of pipes with diameters not exceeding 60mm only the largest end or branch size is given. Should the Contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained. Wire gratings: Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings. Septic tanks: Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs, jointing to drains and backfilling, compaction, etc all in accordance with the manufacturer's instructions. Exposed concrete surfaces: Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster.			
Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings. Septic tanks: Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs, jointing to drains and backfilling, compaction, etc all in accordance with the manufacturer's instructions. Exposed concrete surfaces: Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster.			
include wire balloon gratings. Septic tanks: Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs, jointing to drains and backfilling, compaction, etc all in accordance with the manufacturer's instructions. Exposed concrete surfaces: Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster.			
Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs, jointing to drains and backfilling, compaction, etc all in accordance with the manufacturer's instructions. Exposed concrete surfaces: Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster.			
excavation, bedding and jointing, concrete base slabs, jointing to drains and backfilling, compaction, etc all in accordance with the manufacturer's instructions. Exposed concrete surfaces: Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster.			
Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster.			
cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster.			
Excavations:			
No claim for rock excavation will be entertained unless the Contractor has timeously notified the quantity surveyor thereof prior to backfilling.			
'Soft rock' and 'hard rock' shall be as defined in 'Earthworks'.			
Laying, backfilling, bedding, etc of pipes:			
Pipes shall be laid and bedded and trenches shall be carefully backfilled in accordance with manufacturers' instructions.			
Where no manufacturers' instructions exist pipes shall be laid in accordance with clauses 5.1 and 5.2 of each of the following: SABS 1200 L: Medium pressure pipelines LD: Sewers LE: Stormwater drainage Pipe trenches etc shall be backfilled in accordance with clause 3, 5.5, 5.6, 5.7 and 7 of SAB.			
Flush pans:			
Flush pans shall have straight or side outlets and 'P' or 'S' traps as necessary.			
Carried to Collection		R	
Section No. 4	i i		II I
Bill No. 12 Plumbing And Drainage			
258			

		Unit	Quantity	Rate	Amount
	Stainless steel basins, sinks, wash troughs, urinals,				
	etc: Units shall have standard aprons on all exposed edges and tiling keys against walls where applicable.				
	Waste unions:				
	Descriptions of waste unions shall be deemed to include rubber or vulcanite plugs and chains fixed to fittings.				
	RAINWATER DISPOSAL				
	Approved .6mm galvanised sheet iron with "chromadek" finish ,in:				
1	100 x 100mm Eaves gutters	m	97		
2	Extra over eaves gutter for angle/corner.	No	4		
3	Extra over eaves gutter for outlet for 75mm pipe.	No	26		
4	75mm Diameter rainwater pipes.	m	104		
5	Extra over rainwater pipe for bend.	No	26		
6	Extra over rainwater pipe for shoe.	No	26		
	FIRE APPLIANCES ETC.				
	'Chubb' or equal approved:				
7	9kg Dry chemical fire extinguisher fixed on and including 22mm thick x 400 x 200mm wide meranti timber back plate with chamfered edges	No	4		
	RAINWATER HARVESTING				
	Rainwater Harvesting				
8	Allow a sum of R15 000.00/each (Fifteen Thousand Rands) for provision of 5000l Jojo or equal approved tank complete with lid, fittings, tap, concrete plinth as per Architect details	No	2		
	Carried to Collection			R	
	Section No. 4 Bill No. 12				
	Plumbing And Drainage				
	259				

	1	Amount	
BILL NO. 12			
PLUMBING AND DRAINAGE			
COLLECTION			
COLLECTION	Danie Na		
	Page No		
Draught Forward from Dage	057		
Brought Forward from Page	257		
	258		
	259		
Committee Constitute C	_		
Carried To Section Summary Section No. 4	R		
Bill No. 12			
Plumbing And Drainage			
260			

					Matsoban	e PS
	ı	Unit	Quantity	Rate	Amount	ı
	SECTION NO. 4					
	2 x 4 Classroom Block					
	BILL NO. 13					
	<u>GLAZING</u>					
	PREAMBLES					
	For preambles see "Specification of materials and					
	methods to be used - PW371					
	GLAZING TO STEEL WITH PUTTY					
	5 mm Clear float glass:					
1	Panes not exceeding 0,1m2.	m²	39			
	5 mm obscure glass:					
2	Panes not exceeding 0,1m2.	m²	20			
_	alles not exceeding 0, miz.	111-	20			
	Carried To Section Summary			R		
	Section No. 4					
	Bill No. 13					
	Glazing 261					
	201		1 1		II	1

		Unit	Quantity	Rate	Amount	
	SECTION NO. 4					
	SECTION NO. 4 2 x 4 Classroom Block					
	BILL NO. 14					
	PAINTWORK					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	ON NEW INTERNAL FLOATED PLASTER SURFACES					
	One coat alkali resistant primer and two coats PVA emulsion paint for interior use					
1	Walls	m²	517			
	ON FIBRE-CEMENT, ETC.					
	Prepare, etc as specified and apply two coats of super acrylic Pva paint:					
2	On ceilings and cornices.	m²	337			
3	On fascias and barge boards.	m	97			
	ON METAL					
	Prepare, etc as specified and apply two coats of gloss enamel paint on :					
4	Door frames	m²	12			
5	On windows with burglar bars (both sides measured).	m²	113			
6	On gates, grilles, burglar screens, balustrades, etc (both sides measured over the full flat area).	m²	35			
7	Steel poles	m	39			
	Eaves Gutter					
8	Inside eaves gutter with waterproofing paint	m²	34			
	Prepare,etc as specified and apply two coats of super acrylic Pva paint on:					
9	General surfaces of doors (interior).	m²	13			
	ON WOOD, WOOD BOARD					
	Prepare, etc as specified and apply two coats of polyurethane suede varnish:					
10	On general surfaces of doors.	m²	13			
11	On laminated beam.	m²	23			
	Carried to Collection			R		
	Section No. 4			K		
	Bill No. 14					
	Paintwork					
	262					

					Matsoban	e PS
1		Unit	Quantity	Rate	Amount	I
12	On shelves.	m²	52			
13	On general surfaces of timber	m²	8			
	Carried to Collection			R		
	Section No. 4			• •		
	Bill No. 14					
	Paintwork					
	263					
,						

1	1	Amount	
BILL NO. 14			
PAINTWORK			
COLLECTION			
	Page No		
5 4.5 16 5	000		
Brought Forward from Page	262		
	263		
Carried To Section Summary	R		
Section No. 4			
Bill No. 14			
Paintwork 264			
207	I	п	

			Amount	
	SECTION NO. 4			
	2 x 4 Classroom Block			
	SECTION SUMMARY			
Bill No.		Page		
1	FOUNDATIONS	236		
2	CONCRETE, FORMWORK AND REINFORCEMENT	239		
3	MASONRY	242		
4	WATERPROOFING	243		
5	ROOF COVERINGS	244		
6	CARPENTRY AND JOINERY	247		
7	CEILINGS PARTITIONS AND ACCESS FLOORING	248		
8	IRONMONGERY	251		
9	METALWORK	254		
10	PLASTERING	255		
11	TILING	256		
12	PLUMBING AND DRAINAGE	260		
13	GLAZING	261		
14	PAINTWORK	264		
	Section Factor		x 2	
	Carried to Final Summary	R		
	Section No. 4 SECTION SUMMARY			
	265			

SECTION NO. 5 Medium Administration Block

	1	Unit	Quantity	Rate	Amount
	SECTION NO. 5 Medium Administration Block BILL NO. 1 FOUNDATIONS				
	PREAMBLES				
	For preambles see " Specification of materials and methods to be used - PW371"				
	SITE CLEARANCE ETC				
	Site clearance:				
1	Digging up and removing rubbish, debris, vegetation, hedges, shrubs and trees not exceeding 200mm girth, bush, etc.	m²	537		
	REMOVAL OF TREES, ETC.				
	Taking out and removing, grubbing up roots and filling in holes:				
2	Tree stump exceeding 200mm and not exceeding 500mm girth.	No	1		
	EXCAVATION, FILLING, ETC OTHER THAN BULK				
	Excavation in earth not exceeding 2m deep:				
3	Trenches.	m³	119		
	Extra over trench and hole excavations in earth for excavation:				
4	Soft rock.	m³	9		
5	Hard rock.	m³	5		
	Risk of collapse of excavations:				
6	Sides of trench and hole excavations not exceeding 1,5m deep.	m²	312		
	Keeping excavations free of water:				
7	Keeping excavations free of all water other than subterranean water.	Item			
	Earth filling obtained from excavations and/or prescribed stock piles on site compacted to 93% Mod AASHTO:				
8	Backfilling to trenches, holes, etc.	m³	23		
9	Under floors, steps, pavings, etc.	m³	42		
	Carried to Collection			R	
	Section No. 5			11	
	Bill No. 1				
	Foundations				
	267				

ı		Unit	Quantity	Rate	Amount
	Earth filling supplied by the Contractor and compacted to 95% Mod AASHTO density):				
10	Under floors, steps, pavings, etc.	m³	113		
11	Trenches	m³	75		
	Cart Away				
	Extra over excavation for cart away:				
12	Surplus material from excavations on site to a dumping site be located by the contractor	m³	28		
	Coarse river sand filling supplied by the Contractor:				
13	Under floors etc.	m³	15		
	COMPACTION				
	Compaction of surfaces:				
14	Compaction of ground surface under floors etc including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 90%. Mod AASHTO density.	m²	297		
	Prescribed density tests on filling:				
15	Modified AASHTO Density test.	No	16		
	SOIL POISONING				
	Soil insecticide:				
16	Under floors etc including forming and poisoning shallow furrows against foundation walls etc, filling in furrows and ramming.	m²	297		
4.7	-				
17	To bottoms and sides of trenches etc.	m²	445		
	Carried to Collection				
	Section No. 5			R	
	Bill No. 1				
	Foundations				
	268				

1		1	Amount	ı
BILL NO. 1				
<u>FOUNDATIONS</u>				
COLLECTION				
		Page No		
	Brought Forward from Page	267		
		268		
	Carried To Section Summary	R		
Section No. 5	•			
Bill No. 1				
Foundations	269			
	209		II	

		Unit	Quantity	Rate	Amount	1
	SECTION NO. 5					
	Medium Administration Block BILL NO. 2					
	CONCRETE, FORMWORK AND REINFORCEMENT					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371"					
	UNREINFORCED CONCRETE					
	15Mpa/19mm Concrete					
1	Aprons cast in panels.	m³	11			
2	Ramps.	m³	4			
3	Thickening down the edge of apron 150mm deep, 200mm top and tapering to 100mm at bottom including all excavations, formwork, backfilling etc	m	79			
	REINFORCED CONCRETE					
	25MPa/19mm Concrete:					
4	Surface beds cast in panels on waterproofing.	m³	27			
5	Footings.	m³	27			
6	Slabs.	m³	2			
	TEST BLOCKS					
	Test blocks:					
7	Making and testing set of three 150 x 150 x 150mm concrete strength test cubes (Provisional).	Sets	20			
	FINISHING TOP SURFACE OF CONCRETE					
8	Paving to falls.	m²	79			
	ROUGH FORMWORK (DEGREE OF ACCURACY III)					
	Rough Formwork to Sides:					
9	Edges and reveals not exceeding 300mm high or wide.	m	25			
	Rough Formwork to Soffits:					
10	Slabs propped up exceeding 1.5 and not exceeding 3.5m high.	m²	10			
	Carried to Collection			R		
	Section No. 5					
	Bill No. 2					
	Concrete, Formwork And Reinforcement 270					

1		Unit	Quantity	Rate	Amount	•
	MOVEMENT JOINTS ETC					
	Two layers of .5mm galvanised mild steel slip joints					
	between horizontal concrete and brick surfaces					
	including cement mortar bed:					
11	Not exceeding 300mm wide.	m	70			
	Expansion joints with bitumen impregnated softboard between vertical concrete and brick surfaces:					
12	12mm Joints not exceeding 300mm high.	m	75			
	Dividing Strips ,etc					
13	6 x 38mm Angle iron step guard cast into concrete with 3x 6mm anchors	m	8			
	REINFORCEMENT(PROVISIONAL)					
	Fabric reinforcement:					
14	Type 193 fabric reinforcement in concrete surface beds, slabs, etc.	m²	297			
15	Type 395 fabric reinforcement in concrete surface beds, slabs, etc.	m²	10			
	Mild steel reinforcement to structural concrete work:					
16	10mm Diameter bars.	Tonnes	1.00			
	High tensile steel reinforcement to structural concrete work:					
17	20mm Diameter bars.	Tonnes	1.00			
18	16mm Diameter bars.	Tonnes	2.00			
19	12mm Diameter bars.	Tonnes	1.00			
						_
	Carried to Collection			R		_
	Section No. 5 Bill No. 2					
	Concrete, Formwork And Reinforcement					
	271					

	I	Amount	
BILL NO. 2			
CONCRETE, FORMWORK AND REINFORCEMENT			
COLLECTION			
	Page No		
Brought Forward from Page	270		
	271		
Carried To Section Summary	R		
Section No. 5			
Bill No. 2 Concrete, Formwork And Reinforcement			
272			

					Matsoba	ne PS
I	I	Unit	Quantity	Rate	Amount	
	SECTION NO. 5					
	Medium Administration Block					
	BILL NO. 3 MASONRY					
	MAGGINT					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371"					
	<u>BRICKWORK</u>					
	Sizes in descriptions:					
	Where sizes in descriptions are given in brick units, 'one brick' shall represent the length and 'half brick' the width of a brick.					
	Face bricks:					
	Bricks shall be ordered timeously to obtain uniformity in size and colour.					
	Pointing:					
	Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc.					
	SAMPLES					
	Samples of all masonry building units, except those for walls described as 'load bearing', shall consist of a minimum of 6 units. Samples of building units to be used in walls described as 'load bearing' shall consist of 30 units from every 30 000 units delivered to site.					
	BRICKWORK IN FOUNDATIONS (PROVISIONAL)					
	Brickwork of NFX bricks (14 MPa nominal compressive strength) in Class I mortar:					
1	Half brick walls.	m²	36			
2	One brick walls	m²	125			
	BRICKWORK IN SUPERSTRUCTURE					
	Brickwork of NFX bricks (14 MPa nominal compressive strength) in Class I mortar:					
3	Piers	m³	3			
4	Half brick walls	m²	138			
5	Half brick walls in beam filling.	m²	28			
6	One brick walls	m²	357			
	Carried to Collection			R		
	Section No. 5					
	Bill No. 3					
	Masonry 273					
	2/3		1		I	

		Unit	Quantity	Rate	Amount
	BRICKWORK SUNDRIES				
	Brickwork reinforcement:				
7	75mm Wide reinforcement built in horizontally.	m	749		
8	150mm Wide reinforcement built in horizontally.	m	3 125		
	Prestressed fabricated lintels:				
9	110 x 75mm Lintels in lengths not exceeding 3m.	m	55		
	Turning pieces:				
10	110mm Wide turning piece to lintels etc.	m	55		
11	220mm Wide turning piece to lintels etc.	m	20		
	Galvanised wire ties etc:				
12	4mm Diameter roof tie 2m girth bent double with one end fixed to timber and other end built into brickwork (Provisional)	No	125		
	Galvanised hoop iron cramps, ties, etc:				
13	30 x 1,6mm Cramp 500mm long with one end fixed to wood and other end built into brickwork (Provisional)	No	125		
	FACE BRICKWORK				
	Face bricks (Prime cost R5 500/1000 delivered to site excluding VAT) pointed with flush horizontal and vertical joints:				
14	Extra over brickwork for face brickwork.	m²	297		
15	Extra over brickwork for face brickwork in foundations (Provisional).	m²	51		
16	Extra over brickwork for face brickwork to piers.	m²	4		
17	Half brick in facings in beamfilling	m²	27		
	FACE BRICKWORK COPINGS, SILLS, ETC.				
	Brick-on-edge header course copings, sills, etc of face bricks (Prime cost R5 5 00/1000 delivered to site excluding VAT) and pointed with recessed joints on all exposed faces:				
18	Extra over brickwork for brick-on-edge header course lintel pointed on face and 110mm soffit.	m	54		
19	Extra over brickwork for brick-on-edge header course lintel pointed on face and 220mm soffit	m	17		
20	110mm cut brick Wide sills set flat	m	14		
	Carried to Collection			R	
	Section No. 5				
	Bill No. 3				
	Masonry 274				

					Matsoban	e PS
1		Unit	Quantity	Rate	Amount	I
21	230mm Wide sill set sloping and slightly projecting.	m	10			
22	Coping on top of one brick wall pointed on exposed	m	14			
	faces					
	NUTEC-CEMENT/FIBRE-CEMENT WINDOW SILLS					
	Natural grey sills in single lengths bedded in class I					
	mortar including metal fixing lugs etc:					
23	12 x 152mm Wide sills set flat and slightly projecting.	m	8			
	Carried to Collection			R		
	Section No. 5					
	Bill No. 3					
	Masonry					
	275					
						2

I			Amount	
BILL NO. 3 MASONRY COLLECTION		Page No		
	Brought Forward from Page	273 274 275		
Section No. 5 Bill No. 3 Masonry	Carried To Section Summary	R		

		Unit	Quantity	Rate	Amount
	SECTION NO. 5				
	Medium Administration Block				
	BILL NO. 4				
	WATERPROOFING				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW371				
	DAMPPROOFING OF WALLS AND FLOORS				
	One layer of 375 micron Consol Plastics Brikgrip DPC embossed damp proof course:				
1	In walls.	m²	38		
	One layer of 250 micron Consol Plastics Gunplas USB Green waterproof sheeting sealed at laps with Gunplas Pressure Sensitive Tape:				
2	Under surface beds.	m²	297		
	JOINT SEALANTS ETC				
	Silicone sealing compound including backing cord, bond breaker,primer,etc				
3	12 x 20mm in expansion joints in floors including raking out expansion joint filler as necessary (Provisional).	m	46		
4	12 x 20mm in vertical expansion joints in walls including raking out expansion joint filler as necessary.	m	40		
	Carried To Section Summary			R	
	Section No. 5				
	Bill No. 4 Waterproofing				
	277				

SECTION NO. 5 Medium Administration Block BILL NO. 5 ROOF COVERINGS	
PREAMBLES For preambles see "Specification of materials and methods to be used - PW 371	
PROFILED METAL SHEETING AND ACCESSORIES 0.58mm "Klip-lok light industrial" galvanised troughed sheet steel with "Globalcoat" finish one side (colour Traffic Green), fixed to 76 x 50mm purlin complete under 5year quarantee by an approved firm of specialists, all in accordance with the materials supplied and methods employed by the manufacturer	
1 Roof covering with pitch not exceeding 25 degrees. m ² 376 0.58mm galvanised sheet iron, with "Globalcoat"	
one side in: 2 Standard type FK3 ridge or hip flashing m 26	
3 Standard valley flashing m 16	
Carried To Section Summary Section No. 5 Bill No. 5	+
Roof Coverings 278	

				Matsoban	e PS
	Unit	Quantity	Rate	Amount	
SECTION NO. 5					
Medium Administration Block					
BILL NO. 6					
CARPENTRY AND JOINERY					
PREAMBLES					
For preambles see "Specification of materials and methods to be used - PW371					
SUPPLEMENTARY PREAMBLES					
Particle board:					
Particle board shall comply with the following specifications: a) SABS 1300 Particle board: exterior and flooring type b) SABS 1301 Particle board: interior type.					
Joinery:					
Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc.					
Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes.					
Fixing:					
Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete.					
Decorative laminate finish:					
Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish.					
PREFABRICATED ROOF TRUSSES, ETC.					
Plate nailed timber roof truss construction:					
The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is 'Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering .Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured,and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years .					
Carried to Collection Section No. 5			R		
Bill No. 6					
Carpentry And Joinery					
279					

ı		Unit	Quantity	Rate	Amount
	Sawn softwood:				
1	Roof construction to double pitched roof with two hipped ends approximately 297m2 (Administration Block) on plan including trusses, hipped ends, jack rafters, purlins, permanent bracing, etc (measured flat).	No	1		
	ROOF CONSTRUCTION				
	Sawn softwood :				
2	114 x 38mm Wall plates.	m	134		
3	50 x 228mm support beam	m	50		
	ROOF SUNDRIES				
	Sundries:				
4	Two coats creosote on sawn timbers.	m²	52		
	EAVES, VERGES, ETC				
	Everite FC77 or equal approved pressed fibre- cement:				
5	10 x 250mm Fascias and barge boards including galvanised steel H-profile jointing strips.	m	86		
	JOINERY SUNDRIES				
	Wrought Meranti				
6	450mm wide slatted seats, etc of 76 x 38mm thick (50mm centres) screwed under and including steel 50 x 50 x 3mm L section steel holed to concrete fixed with bolts	m²	10		
	SEMI SOLID CORE FLUSH DOORS				
	44 semi-solid flush doors with 3,2mm standard hardboard covering on both sides hung to steel frames:				
7	40mm Door 813 x 2032mm high.	No	11		
	Carried to Collection			R	
	Section No. 5 Bill No. 6				
	Carpentry And Joinery				
	280				

		<u> </u>	Amount
BILL NO. 6 CARPENTRY AND JOINE COLLECTION	<u>RY</u>	Page No	
	Brought Forward from Page	279 280	
Section No. 5	Carried To Section Summary	R	
Bill No. 6 Carpentry And Joinery	281		

1		Unit	Quantity	Rate	Amount	
	SECTION NO. 5					
	Medium Administration Block					
	BILL NO. 7 CEILINGS PARTITIONS AND ACCESS FLOORING					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	SUPPLEMENTARY PREAMBLES					
	Descriptions:					
	Items described as nailed shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete.					
	Items described as plugged shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 600mm centres, and where described as bolted the bolts have been given.					
	INSULATION					
	Aerolite insulation:					
1	100mm Insulation closely fitted and laid on top of brandering between roof timbers etc.	m²	297			
	Wrought softwood					
2	19 x 76mm cornices nailed	m	482			
	NAILED UP AND SCREW UP CEILINGS					
	6mm Everite Nutec or equal approved fibre-cement					
	boards with H-type steel cover strips over joints:					
3	Ceilings including 38 x 38mm sawn softwood brandering at 400mm centres.	m²	297			
4	Extra over ceiling for hinged trap door size 610 x 610mm	No	2			
	Carried To Section Summary			R		
	Section No. 5			**		
	Bill No. 7					
	Ceilings Partitions And Access Flooring					
	282					

ı		Unit	Quantity	Rate	Amount	
	CECTION NO. 5					
	SECTION NO. 5 Medium Administration Block					
	BILL NO. 8					
	IRONMONGERY					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	SUPPLEMENTARY PREAMBLES					
	Finishes to ironmongery:					
	Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list: BS Satin bronze lacquered: CH Chromium plated: SC Satin chromium plated: SE Silver enamelled: GE Grey enamelled: AS Anodised silver: AB Anodised bronze: AG Anodised gold: ABL Anodised black: PB Polished brass: PL Polished and lacquered: PT Epoxy coated.					
	HINGES, FLOOR SPRING HINGES, BOLTS, PANIC BOLTS, ETC					
	"Solid" or equal approved:					
1	150mm 8052-150 Brass flush bolt with keep fixed to metal.	No	2			
2	150mm 8052-150 Brass flush bolt with keep let into concrete.	No	2			
3	CZ 80941WC indicator bolt with keep fixed to metal.	No	2			
	CATCHES, CABIN HOOKS, ETC					
	Solid or equal approved:					
4	100mm cabin hook and eye including 70 x 70 x 20mm chamfered hardwood block twice oiled and plugged.	No	4			
	LOCKS					
	Solid or equal approved:					
5	"Code 630" padlock.	No	2			
	'Solid" or equal approved					
6	CZ682-24-95SC"Gower" two lever lockset.	No	11			
	DOOR CLOSERS					
	"Yale" or equal approved					
7	Y202RC Door closer with cover fixed to metal	No	2			
						
	Carried to Collection			R		
	Section No. 5					
	Bill No. 8					
	Ironmongery 283					
	,				11	

		Unit	Quantity	Rate	Amount
	BATHROOM FITTINGS				
	Kimberley-Clark or equal approved:				
8	19mm Diameter chromium plated towel rail 900mm long including flanged end brackets.	No	2		
9	Vandal proof lockable toilet roll holder plugged.	No	2		
	SUNDRIES				
	Solid or equal approved:				
10	38mm Diameter rubber door stop plugged.	No	15		
	MATS				
	Squeegee or equal approved				
11	1500 x 800 x 17mm Door mat laid loose in mat surround fixed with 25 x 25mm aluminium angle plugged to concrete (Provisional).	No	2		
	VERTICAL AND ROLLER BLINDS				
	127mm wide non-fade material vertical blinds as per "Windowvert" or similar approved ,fitted as per manufacturere's instructions				
12	To fit window 2 044 x 954mm high.	No	1		
13	To fit window 1 511 x 1 245mm high.	No	14		
14	To fit window 1 022 x 1 224mm high.	No	3		
15	To fit window 533 x 949mm high.	No	5		
	PINNING BOARDS, WRITING BOARDS, PROJECTION SCREENS, ETC				
	Vitrex or equal approved:				
16	Pinning board 2400 x 1200mm high plugged.	No	1		
17	Pinning board 3000 x 1200mm high plugged.	No	4		
	STEEL LOCKERS				
	Greenfield steel lockers with standard baked enamel				
18	<u>finish</u> Double door steel cupboard 914 x 457 x 1828mm high				
10	with five shelves bolted to brickwork.	No	4		
				_	
	Carried to Collection Section No. 5			R	
	Bill No. 8				
	Ironmongery				
	284				

		<u> </u>	Amount
BILL NO. 8 IRONMONGERY COLLECTION		Page No	
	Brought Forward from Page	283	
		284	
Section No. 5 Bill No. 8	Carried To Section Summary	R	
Ironmongery	285		
	200	ı	1

		Unit	Quantity	Rate	Matsoban . Amount	e PS
		Jint	Quantity	Nate	Amount	
	SECTION NO. 5					
	Medium Administration Block					
	BILL NO. 9					
	<u>METALWORK</u>					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	SUPPLEMENTARY PREAMBLES					
	<u>Descriptions:</u>					
	Descriptions of bolts shall be deemed to include nuts and washers.					
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete.					
	Metalwork described as holed for bolt(s) shall be deemed to exclude the bolts unless otherwise described.					
	Mild steel handrails and balustrades fixed to base					
	plates constructed of two number 6mm steel flat bar cut to profile mounted to wall with 6mm thick steel fixing plate welded to two steel flat bars with 4mm fillet welds chemical anchors (bolts included), 12mm					
	diameter mild steel round spaced at 150mm centres, predrilled openning 3no in each upright, top rail to be 30mm thick x 100mm wide steel					
1	Balustrades including steel handrails approximately 1000mm high fixed to concrete.	m	16			
	WELDED SCREENS, GATES, ETC.					
	Gates to external doors					
2	Ditto, double gate and frame 1613 x 2032mm high overall as per Architectural drawing	No	2			
	PRESSED STEEL DOOR FRAMES					
	1,2mm Rebated frames suitable for half brick walls:					
3	Frame for door 813 x 2032mm high.	No	10			
	1,2mm Rebated frames suitable for one brick walls:					
4	Frame for door 813 x 2032mm high.	No	1			
	Carried to Collection			R		
	Section No. 5			,,		
	Bill No. 9					
	Metalwork					
	286					

		Unit	Quantity	Rate	Amount	,, ,
	STEEL WINDOWS, DOORS, ETC.					
	Standard residential windows with 12 x 12(B33) solid burglar bars to all sashes:					
5	Window type SWE37S/SWE37S, size 2044 x 954mm high.	No	1			
6	Window type SWE418, size 1511 x 1245mm high.	No	14			
7	Window type SW37, size 1022 x 1224mm high.	No	3			
8	Window type SWE31S, size 533 x 949mm high.	No	5			
9	Composite window type NG9/D4HS, size 1511 x 1623mm high.	No	1			
	STEEL STRONGROOM DOORS, VENTILATORS, ETC.					
	Strongroom doors etc. suitable for 220mm walls fixed to brickwork or concrete					
10	Double ended strongroom ventilator.	No	1			
11	Record room door and frame 1030 x 2010mm high overall with a mass of 324kg, including one 7lever security lock and wall mounted door stop	No	1			
	ALUMINIUM DOORS AND WINDOWS, ETC					
	Purpose made natural anodised aluminium windows glazed with 6mm thick laminated safety glass and plugged to brickwall or concrete					
12	Window 1525 x 1300mm high overall in clear panes.	No	3			
13	Window 2400 x 1300mm high overall in clear panes.	No	1			
	Purpose made natural anodised aluminium doors glazed with 6mm thick laminated safety glass and plugged to brickwall or concrete					
14	Double door size 1575 x 2125mm high in four panes with each leaf side hung and one pair type TS550 satin chromium plated double action floor spring hinges with standard open feature, including adjustable top centre and box let into concrete, two double cylinder lockset, and two pairs of AL5512-300BB ABL aluminium pull handles fixing back to back.	No	2			
	-	INO	2			
15	SECURITY BARRIERS Trellidoor 1600 x 2125mm high plugged.	No	2			
	3 1 33		_			
	Carried to Collection			R		
	Section No. 5					
	Bill No. 9					
	Metalwork 287					
- 1	=3.		1 I		ı	

ı		Unit	Quantity	Rate	, Amount ,	973
	STEEL LOUVRES,ETC Purpose made louvres:					
16	Triangular shaped (on elevation) residential section louvred ventilators 3138 wide (at the horizontal bottom) x 571mm high overall, filled in with type LC fixed horizontal louvre blades fixed to surround and covered at back with No. 256 galvanised mesh mosquito gauze, fixed with and including 3 x 20mm steel flat section cover strips screwed	No	2			
17	Ditto but approximately 3700 x 1000mm high overall	No	2			
	Carried to Collection			R		
	Section No. 5 Bill No. 9 Metalwork					
	288					

I			Amount
BILL NO. 9			
METALWORK COLLECTION			
<u> </u>		Page No	
	Brought Forward from Page	286	
		287	
		288	
	Carried To Section Summary	R	
Section No. 5	•		
Bill No. 9 Metalwork			
	289		

ı	1	Unit	Quantity	Rate	Amount
	SECTION NO. 5				
	Medium Administration Block				
	BILL NO. 10				
	PLASTERING				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW371				
	SCREEDS				
	Screeds on concrete:				
	Screeds of wood floated on concrete to receive ceramic tiles:				
1	30mm Thick on floors and landings.	m²	297		
	GRANOLITHIC				
	Untinted wood floated granolithic on concrete				
2	30mm Thick on floors and landings.	m²	4		
	INTERNAL PLASTER				
	Cement plaster on brickwork:				
3	On walls.	m²	658		
4	On narrow widths.	m²	6		
5	On concrete soffit.	m²	6		
	CORNER PROTECTORS, DIVIDING STRIPS, ETC				
6	30 x 3mm Flat section brass dividing strips between different floor finishes.		7		
	different floor finishes.	m	7		
	Carried To Section Summary			R	
	Section No. 5 Bill No. 10				
	Plastering				
	290				

I	I	Unit	Quantity	Rate	Amount
	SECTION NO. 5 Medium Administration Block BILL NO. 11 TILING				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW371				
	WALL TILING				
	200 x 200 x 10mm White glazed ceramic tiles fixed with adhesive to plaster (plaster elsewhere):				
1	On walls in isolated panels, splashbacks, etc.	m²	32		
2	On narrow widths.	m²	1		
	FLOOR TILING				
	300 x 300 x 11.5mm ceramic floor tiles (Prime Cost amount R250.00/m2 excluding vat) fixed with adhesive to screed (screed elsewhere) and flush pointed with tinted waterproof jointing compound				
3	On floors and landings.	m²	297		
4	Skirting formed of ceramic tile cut to 300 x 75mm high	m	211		
	Carried To Section Summary Section No. 5 Bill No. 11 Tiling			R	

SECTION NO. 5 Medium Administration Block BILL NO. 12 PLUMBING AND DRAINAGE PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spjgot joints with rubber rings. UPVC pressure pipes and fittings: Pipes for water supply shall be of the class stated. Pipes of 40mm diameter and smaller shall be plain ended with solvent welded UPVC loose sockets and fittings. Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints. Copper pipes: Pipes shall be hard drawn and half-hard pipes of the class stated. Class 10 (thin walled hard drawn) pipes shall not be bent. Class 11 (thin walled hard framy), class 2 (half-hard) and class 3 (heavy walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings shall be "Cobra Watertech' type, Capillary solder fittings shall be "Cobra Watertech' type, Capillary solder fittings shall be used in walls or in ground. Fixing of pipes Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1 in below suspension level Carried to Collection Section No. 5 Bill No. 12 Plumbing And Drainage					Matsoban	e PS
Medium Administration Block BILL No. 12 PLUMBING AND DRAINAGE PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings: Pipes for water supply shall be of the class stated. Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings. Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints. Copper pipes: Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall ont be bent. Class 1 (thin walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be used in wells or in ground. Fixing of pipes Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level Carried to Collection R Section No. 5 Bill No. 12 Plumbing And Drainage		Unit	Quantity	Rate	Amount	
Medium Administration Block BILL No. 12 PLUMBING AND DRAINAGE PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings: Pipes for water supply shall be of the class stated. Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings. Pipes of 50mm diameter and greater shall have sockets and fittings. Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints. Copper pipes: Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall ont be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall comply with ISO 2016. Only compression fittings shall be used in wells or in ground. Fixing of pipes Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1 m below suspension level Carried to Collection R Section No. 5 Bill No. 12 Plumbing And Drainage						
Medium Administration Block BILL No. 12 PLUMBING AND DRAINAGE PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings: Pipes for water supply shall be of the class stated. Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings. Pipes of 50mm diameter and greater shall have sockets and fittings. Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints. Copper pipes: Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall ont be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall comply with ISO 2016. Only compression fittings shall be used in wells or in ground. Fixing of pipes Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1 m below suspension level Carried to Collection R Section No. 5 Bill No. 12 Plumbing And Drainage	SECTION NO. 5					
BILL NO. 12 PLUMBING AND DRAINAGE PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. UPVC pressure pipes and fittings: Pipes for water supply shall be of the class stated. Pipes of 50mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings. Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints. Conper pipes: Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled hard drawn) pipes shall not be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings shall be cobar a value of the pipes shall be a value of the pipes p						
PREAMBLES For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. WPVC pressure pipes and fittings: Pipes for water supply shall be of the class stated. Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings. Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints. Copper pipes: Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled hard drawn) pipes, shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall comply with ISO 2016. Only compression fittings shall accomply with ISO 2016. Only compression fittings shall be used in walls or in ground. Fixing of pipes Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level Carried to Collection Section No. 5 Bill No. 12 Plumbing And Drainage						
For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings: Pipes for water supply shall be of the class stated. Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings. Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints. Conper pipes: Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard-fard), class 2 (half-hard) and class 3 (heavy walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard), pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be "Cobra Watertech" type. Capillary solder fittings shall be "Cobra Watertech" type. Capillary solder fittings shall be used in walls or in ground. Fixing of pipes Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level Carried to Collection R Section No. 5 Bill No. 12 Plumbing And Drainage						
For preambles see "Specification of materials and methods to be used - PW371 SUPPLEMENTARY PREAMBLES Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings: Pipes for water supply shall be of the class stated. Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings. Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints. Conper pipes: Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard-fard), class 2 (half-hard) and class 3 (heavy walled half-hard), pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be "Cobra Watertech" type. Capillary solder fittings shall be "Cobra Watertech" type. Capillary solder fittings shall be "Cobra Watertech" type. Capillary solder fittings shall be used in walls or in ground. Fixing of pipes Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level Carried to Collection Section No. 5 Bill No. 12 Plumbing And Drainage	PREAMBLES					
Concrete pipes: Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings: Pipes for water supply shall be of the class stated. Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings. Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints. Copper pipes: Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent class 1 (tim walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be Cobra Watertech' type. Capillary solder fittings shall comply with ISO 2016. Only compression fittings shall be used in walls or in ground. Fixing of pipes Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level Carried to Collection R Section No. 5 Bill No. 12 Plumbing And Drainage	For preambles see "Specification of materials and					
Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings. well provided the provided	SUPPLEMENTARY PREAMBLES					
or socket and spigot joints with rubber rings. uPVC pressure pipes and fittings: Pipes for water supply shall be of the class stated. Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings. Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints. Copper pipes: Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall not be bent. Class 1 (thin walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be Cobra Watertech' type. Capillary solder fittings shall be Cobra Watertech' type. Capillary solder fittings shall be used in walls or in ground. Fixing of pipes Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1 m below suspension level Carried to Collection R Section No. 5 Bill No. 12 Plumbing And Drainage	Concrete pipes:					
Pipes for water supply shall be of the class stated. Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings. Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints. Copper pipes: Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be 'Cobra Watertech' type. Capillary solder fittings shall comply with ISO 2016. Only compression fittings shall be used in walls or in ground. Fixing of pipes Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level Carried to Collection R Carried to Collection R Edition No. 5 Bill No. 12 Plumbing And Drainage						
Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings. Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints. Copper pipes: Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be Cobra Watertech' type. Capillary solder fittings shall be used in walls or in ground. Fixing of pipes Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level Carried to Collection R Section No. 5 Bill No. 12 Plumbing And Drainage	uPVC pressure pipes and fittings:					
enided with solvent welded uPVC loose sockets and fittings. Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints. Copper pipes: Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard), pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be Cobra Watertech' type. Capillary solder fittings shall comply with ISO 2016. Only compression fittings shall be used in walls or in ground. Fixing of pipes Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level Carried to Collection R Carried to Collection R Exciton No. 5 Bill No. 12 Plumbing And Drainage	Pipes for water supply shall be of the class stated.					
and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints. Copper pipes: Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be 'Cobra Watertech' type. Capillary solder fittings shall cused in walls or in ground. Fixing of pipes Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level Carried to Collection R Carried to Collection R Section No. 5 Bill No. 12 Plumbing And Drainage	ended with solvent welded uPVC loose sockets and					
Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard), and class 3 (heavy walled half-hard), pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be 'Cobra Watertech' type. Capillary solder fittings shall be used in walls or in ground. Fixing of pipes Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level Carried to Collection R Section No. 5 Bill No. 12 Plumbing And Drainage	and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast					
class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be 'Cobra Watertech' type. Capillary solder fittings shall comply with ISO 2016. Only compression fittings shall be used in walls or in ground. Fixing of pipes Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level Carried to Collection R Section No. 5 Bill No. 12 Plumbing And Drainage	Copper pipes:					
Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level Carried to Collection R Section No. 5 Bill No. 12 Plumbing And Drainage	class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be 'Cobra Watertech' type. Capillary solder fittings shall comply with ISO 2016. Only compression fittings shall be					
pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level Carried to Collection Section No. 5 Bill No. 12 Plumbing And Drainage	Fixing of pipes					
Section No. 5 Bill No. 12 Plumbing And Drainage	pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m					
Section No. 5 Bill No. 12 Plumbing And Drainage						
Section No. 5 Bill No. 12 Plumbing And Drainage						
Section No. 5 Bill No. 12 Plumbing And Drainage						
Section No. 5 Bill No. 12 Plumbing And Drainage				_		
	Section No. 5 Bill No. 12			R		

Reducing fittings: Where fittings have reducing ends or branches they are described as 'reducing'. In the case of pipes with diameters not exceeding 60mm only the largest end or branch size is given. Should the Contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained. Wire gratings: Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings. Septic tanks: Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs,	Unit	Quantity	Rate	Amount
Where fittings have reducing ends or branches they are described as 'reducing'. In the case of pipes with diameters not exceeding 60mm only the largest end or branch size is given. Should the Contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained. Wire gratings: Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings. Septic tanks: Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs,				
Where fittings have reducing ends or branches they are described as 'reducing'. In the case of pipes with diameters not exceeding 60mm only the largest end or branch size is given. Should the Contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained. Wire gratings: Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings. Septic tanks: Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs,				
described as 'reducing'. In the case of pipes with diameters not exceeding 60mm only the largest end or branch size is given. Should the Contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained. Wire gratings: Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings. Septic tanks: Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs,				
Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings. Septic tanks: Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs,				
include wire balloon gratings. Septic tanks: Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs,				
Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs,				
excavation, bedding and jointing, concrete base slabs,				
jointing to drains and backfilling, compaction, etc all in accordance with the manufacturer's instructions.				
Exposed concrete surfaces:				
Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster.				
Excavations:				
No claim for rock excavation will be entertained unless the Contractor has timeously notified the quantity surveyor thereof prior to backfilling.				
'Soft rock' and 'hard rock' shall be as defined in 'Earthworks'.				
Laying, backfilling, bedding, etc of pipes:				
Pipes shall be laid and bedded and trenches shall be carefully backfilled in accordance with manufacturers' instructions.				
Where no manufacturers' instructions exist pipes shall be laid in accordance with clauses 5.1 and 5.2 of each of the following: SABS 1200 L: Medium pressure pipelines LD: Sewers LE: Stormwater drainage Pipe trenches etc shall be backfilled in accordance with clause 3, 5.5, 5.6, 5.7 and 7 of SAB.				
Flush pans:				
Flush pans shall have straight or side outlets and 'P' or 'S' traps as necessary.				
Carried to Collection			R	
Section No. 5				
Bill No. 12 Plumbing And Drainage				
Plumbing And Drainage 293				

		l lmit	Overetite	Data	Matsoban	e P5
		Unit	Quantity	Rate	Amount	
	Stainless steel basins, sinks, wash troughs, urinals, etc:					
	Units shall have standard aprons on all exposed edges and tiling keys against walls where applicable.					
	Waste unions:					
	Descriptions of waste unions shall be deemed to include rubber or vulcanite plugs and chains fixed to fittings.					
	RAINWATER DISPOSAL					
	Approved .6mm galvanised sheet iron with "chromadek" finish ,in:					
1	100 x 100mm Eaves gutters	m	79			
2	Extra over eaves gutter for angle/corner.	No	12			
3	Extra over eaves gutter for stopped end	No	6			
4	Extra over eaves gutter for outlet for 75mm pipe.	No	12			
5	75mm Diameter rainwater pipes.	m	48			
6	Extra over rainwater pipe for bend.	No	12			
7	Extra over rainwater pipe for shoe.	No	12			
	SANITARY FITTINGS					
	'Citimetal' stainless steel or equal approved:					
8	Series single end bowl overlay sink, size 1200 x 535mm fitted to top of cabinet.	No	1			
	"Vaal" or equal approved					
9	510 x 405mm "Hibiscus" (code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two bolts(code 84467Z0)	No	3			
10	White vitreous china "Daisy" semi-close coupled 90degree outlet open rim washdown pan (code 774000) and matching 9litre cistern (code 710034) complete with lid, fitments and flush pipe elbow and conversion bend					
	(code 710044) and "deluxe" toilet seat	No	2			
	WASTE UNIONS ETC					
	'Cobra Watertech" or equal approved					
11	38mm "Cobra 316" unslotted waste and plug with chain	No	1			
	TRAPS ETC					
	"Marley' or equal approved					
12	40mm Flexi butyl rubber trap with reseal "P" trap	No	1			
	Carried to Collection			R		
	Section No. 5					
	Bill No. 12 Plumbing And Drainage					
	Plumbing And Drainage 294					
	'			'	•	

ı		Unit	Quantity	Rate	Amount	,, 0
	"Cobra Watertech" or equal approved					
13	"Cobra Ref. 365/40" CP Bottle trap.	No	2			
	TAPS, VALVES, ETC					
	'Cobra Watertech' or equal approved:					
14	"Cobra Rf. 107EC-15" Bib tap plugged	No	3			
15	15mm Gate valves plugged	No	6			
16	"Cobra Ref. 232/350' Angle regulating valve	No	2			
17	"Cobra Ref. 166/041 wall type "Star" sink mixer with overarm swivel outlet	No	1			
	SANITARY PLUMBING					
4.0	uPVC pipes:					
18	50mm Pipes	m	60			
19	110m Pipes.	m	55			
20	50mm Pipes laid in and including trenches not exceeding 1m deep.	m	25			
21	110mm Pipes laid in and including trenches not exceeding 1m deep under surface beds.	m	25			
	Extra over uPVC pipes for fittings:					
22	50mm Bend.	No	10			
23	100mm Bend.	No	8			
24	110mm Junction.	No	6			
25	50mm Junction.	No	12			
26	110mm Reducing junction.	No	6			
27	110mm Double junction.	No	5			
28	110mm Pan connector	No	2			
29	110mm "G1 Two-way " vent valve	No	2			
	Sundries:					
30	Testing waste pipe system.	Item				
	WATER SUPPLIES					
0.4	Class 9 uPVC pressure pipes:					
31	63mm Pipes laid in and including trenches not exceeding 1000mmm deep	m	60			
	Carried to Collection			R		
	Section No. 5					
	Bill No. 12					
	Plumbing And Drainage 295					

1		Unit	Quantity	Rate	Amount
	Extra over uPVC pressure pipes for solvent welded pressure fittings:				
32	63mm Elbow	No	6		
33	63mm Tee	No	4		
34	63mm Reducer.	No	4		
	Class o copper pipes:				
35	15mm Pipes	m	30		
36	22mm Pipes.	m	40		
	Extra over class o copper pipes for capillary fittings:				
37	15mm Fittings.	No	20		
38	22mm Fittings.	No	15		
	Copper overflow and service pipes:				
39	15mm Service pipe 300mm girth.	No	1		
	Sundries:				
40	450 x 450m cast iron stopcock box including brick chamber below not exceeding 750mm deep internally.	No	1		
41	'ZIP Hydroboil code 3800' 25 litre white powder coated water boiler as manufactured by Franke Kitchen Systems, plugged and screwed to wall.	No	1		
	, , , ,	NO	1		
	ELECTRICAL WATER HEATERS "Kwikot" or equal approved				
42	150 litre Horizontally floor mounted electric water heater	No	1		
	Testing:				
43	Testing. Testing water pipe system.	Item			
	FIRE APPLIANCES ETC.	no			
	'Chubb' or equal approved:				
44	'Everyway' hose reel complete with 30m plastic hose,				
	chromium plated stopcock, shut-off nozzle and wall bracket.	NI.	4		
4-		No	1		
45	9kg Dry chemical fire extinguisher fixed on and including 22mm thick x 400 x 200mm wide meranti timber back				
	plate with chamfered edges	No	2		
	Carried to Collection Section No. 5			R	
	Bill No. 12				
	Plumbing And Drainage				
	296				

				_	Matsobane	PS
1		Unit	Quantity	Rate	Amount	
	RAINWATER HARVESTING					
	Rainwater Harvesting					
46	Allow a sum of R15 000.00/each (Fifteen Thousand					
	Rands) for provision of 5000l Jojo or equal approved tank complete with lid, fittings, tap, concrete plinth as per					
	tank complete with lid, fittings, tap, concrete plinth as per Architect details					
	Alcilitect details	No	2			
	Carried to Collection			R		
	Section No. 5					
	Bill No. 12					
	Plumbing And Drainage					
	297					

ı	ı	Amount
BILL NO. 12		
PLUMBING AND DRAINAGE		
COLLECTION		
	Page	No
Brought F	Forward from Page 292	2
	293	
	294	
	295	
	296	
	297	, I
Carried To Section Summa	ry	R
Section No. 5		
Bill No. 12		
Plumbing And Drainage 298		
230		II I

ı	1	Unit	Quantity	Rate	Amount
	SECTION NO. 5				
	Medium Administration Block				
	BILL NO. 13				
	<u>GLAZING</u>				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW371				
	GLAZING TO STEEL WITH PUTTY				
	5 mm Clear float glass:				
1	Panes exceeding 0,1m2 and not exceeding 0,5m2.	m²	43		
	5 mm Rough cast glass:				
2	Panes exceeding 0,1m2 and not exceeding 0,5m2.	m²	2		
	TOPS, SHELVES, DOORS, MIRRORS, ETC.				
	6 mm Silvered float glass copper backed mirrors with polished edges fixed with double sided adhesive tape:				
3	Mirror 450 x 600 mm high.	No	3		
	Carried To Section Summary			R	
	Section No. 5 Bill No. 13				
	Glazing				
	299				

		Unit	Quantity	Rate	Matsobane P	3
		OTIIC	Quartity	rate	Amount	
	SECTION NO. 5					
	Medium Administration Block					
	BILL NO. 14					
	<u>PAINTWORK</u>					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	ON FLOATED PLASTER					
	Prepare, etc as specified and apply two coats of super acrylic paint:					
1	On interior walls.	m²	658			
	ON FIBRE-CEMENT, ETC.					
	Prepare , etc as specified and apply two coats of super acrylic Pva paint:					
2	On ceilings and cornices.	m²	297			
3	On fascias and barge boards.	m	172			
	ON METAL					
	Prepare, etc as specified and apply two coats of gloss enamel paint on :					
4	Door frames	m²	16			
5	On windows with burglar bars (both sides measured).	m²	74			
6	On gates, grilles, burglar screens, balustrades, etc (both sides measured over the full flat area).	m²	21			
	Inside eaves gutter					
7	Inside eaves gutter with waterproofing paint	m²	60			
	ON WOOD, WOOD BOARD					
	Prepare,etc as specified and apply two coats of super acrylic Pva paint on:					
8	General surfaces of doors (interior).	m²	36			
	Prepare, etc as specified and apply two coats of polyurethane suede varnish:					
9	On open slatted seating.	m²	9			
10	On laminated beam.	m²	3			
11	On timber surfaces	m²	1			
	Carried To Section Summary			R		
	Section No. 5			• • •		_
	Bill No. 14					
	Paintwork					
	300					

			Amount	
	SECTION NO. 5			
	Medium Administration Block			
	SECTION SUMMARY			
Bill No.		Page		
1	FOUNDATIONS	269		
2	CONCRETE, FORMWORK AND REINFORCEMENT	272		
3	MASONRY	276		
4	WATERPROOFING	277		
5	ROOF COVERINGS	278		
6	CARPENTRY AND JOINERY	281		
7	CEILINGS PARTITIONS AND ACCESS FLOORING	282		
8	IRONMONGERY	285		
9	METALWORK	289		
10	PLASTERING	290		
11	TILING	291		
12	PLUMBING AND DRAINAGE	298		
13	GLAZING	299		
14	PAINTWORK	300		
	Carried to Final Summary	R		
	Section No. 5			
	SECTION SUMMARY			
	301			

SECTION NO. 6 1 x 6 Enviroloo Toilet Block

ı	1	Unit	Quantity	Rate	Amount	,,,
	SECTION NO. 6					
	1 x 6 Enviroloo Toilet Block					
	BILL NO. 1					
	FOUNDATIONS					
	PREAMBLES					
	For preambles see " Specification of materials and methods to be used - PW371"					
	SITE CLEARANCE ETC					
	Site clearance:					
1	Digging up and removing rubbish, debris, vegetation, hedges, shrubs and trees not exceeding 200mm girth, bush, etc.	m²	36			
	REMOVAL OF TREES, ETC.					
	Taking out and removing, grubbing up roots and filling in holes:					
2	Tree stump exceeding 200mm and not exceeding 500mm girth.	No	1			
	EXCAVATION, FILLING, ETC OTHER THAN BULK					
	Excavation in earth not exceeding 2m deep:					
3	Trenches.	m³	42			
4	Pit.	m³	6			
	Extra over trench and hole excavations in earth for excavation:					
5	Soft rock.	m³	4			
6	Hard rock.	m³	2			
	Risk of collapse of excavations:					
7	Sides of trench and hole excavations not exceeding 1,5m deep.	m²	35			
	Keeping excavations free of water:					
8	Keeping excavations free of all water other than subterranean water.	Item				
	Earth filling obtained from excavations and/or prescribed stock piles on site compacted to 93% Mod AASHTO:					
9	Backfilling to trenches, holes, etc.	m³	6			
10	Under floors, steps, pavings, etc.	m³	6			
	Carried to Collection			R		
	Section No. 6			ĸ		
	Bill No. 1					
	Foundations					
	303					

ı	ı	Unit	Quantity	Rate	Amount
	Earth filling supplied by the Contractor and compacted to 95% Mod AASHTO density):				
11	Under floors, steps, pavings, etc.	m³	15		
	Cart Away				
	Extra over excavation for cart away:				
12	Surplus material from excavations on site to a dumping site be located by the contractor	m³	17		
	Coarse river sand filling supplied by the Contractor:				
13	Under floors etc.	m³	7		
	COMPACTION				
	Compaction of surfaces:				
14	Compaction of ground surface under floors etc including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 90%. Mod AASHTO density.	m²	39		
	Prescribed density tests on filling:				
15	Modified AASHTO Density test.	No	12		
	SOIL POISONING				
	Soil insecticide:				
16	Under floors etc including forming and poisoning shallow furrows against foundation walls etc, filling in furrows and ramming.	m²	39		
17	To bottoms and sides of trenches etc.	m²	67		
	Carried to Collection Section No. 6 Bill No. 1			R	
	Foundations				
ļ	304				

I			Amount
BILL NO. 1 FOUNDATIONS COLLECTION		Page No	
	Brought Forward from Page	303	
		304	
	Carried To Section Summary	R	
Section No. 6 Bill No. 1 Foundations	zaou i o coston cummary		
	305		

ı	1	Unit	Quantity	Rate	Amount
	OFOTION NO. 0				
	SECTION NO. 6 1 x 6 Enviroloo Toilet Block				
	BILL NO. 2				
	CONCRETE, FORMWORK AND REINFORCEMENT				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW371"				
	UNREINFORCED CONCRETE				
	15Mpa/19mm Concrete				
1	Aprons cast in panels.	m³	3		
2	Ramps.	m³	1		
3	Thickening down the edge of apron 150mm deep, 200mm top and tapering to 100mm at bottom including all excavations, formwork, backfilling etc	m	44		
	REINFORCED CONCRETE				
	25 MPa/19mm Concrete:				
4	Surface beds cast in panels on waterproofing.	m³	3		
5	Footings.	m³	11		
6	Slabs	m³	3		
	TEST BLOCKS				
	Test blocks:				
7	Making and testing set of three 150 x 150 x 150mm concrete strength test cubes (Provisional).	Sets	5		
	FINISHING TOP SURFACE OF CONCRETE				
8	Paving to falls.	m²	44		
9	Ramps to falls.	m²	2		
	ROUGH FORMWORK (DEGREE OF ACCURACY III) (CPAP Work Group No 111)				
	Rough Formwork to Sides:				
10	Edges and reveals not exceeding 300mm high or wide.	m	6		
11	Formwork to soffits of slabs	m²	12		
	Carried to Collection Section No. 6			R	
	Bill No. 2				
	Concrete, Formwork And Reinforcement				
	306				

I		Unit	Quantity	Rate	Amount
	MOVEMENT JOINTS ETC				
	Two layers of .5mm galvanised mild steel slip joints				
	between horizontal concrete and brick surfaces				
	including cement mortar bed:				
12	Not exceeding 300mm wide.	m	9		
	Expansion joints with bitumen impregnated softboard between vertical concrete and brick surfaces:				
13	12mm Joints not exceeding 300mm high.	m	9		
	Dividing Strips ,etc				
14	6 x 38mm Angle iron step guard cast into concrete with 3x 6mm anchors	m	2		
	REINFORCEMENT(PROVISIONAL)				
	Fabric reinforcement:				
15	Type 193 fabric reinforcement in concrete surface beds, slabs, etc.	m²	39		
	Mild steel reinforcement to structural concrete work:				
16	10mm Diameter bars.	Tonnes	1		
	High tensile steel reinforcement to structural concrete work:				
17	20mm Diameter bars.	Tonnes	2		
18	16mm Diameter bars.	Tonnes	1		
	Carried to Collection			R	
	Section No. 6				
	Bill No. 2				
	Concrete, Formwork And Reinforcement				
	307				1

	1	Amount	
BILL NO. 2 CONCRETE, FORMWORK AND REINFORCEMENT COLLECTION	Page No		
Brought Forward from Page	306		
	307		
Carried To Section Summary	R		_
Section No. 6 Bill No. 2			
Concrete, Formwork And Reinforcement 308			
	1	п І	

					Matsobai	ne PS
I	I	Unit	Quantity	Rate	Amount	I
	OFOTION NO. 0					
	SECTION NO. 6					
	1 x 6 Enviroloo Toilet Block					
	BILL NO. 3 MASONRY					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371"					
	<u>BRICKWORK</u>					
	Sizes in descriptions:					
	Where sizes in descriptions are given in brick units, 'one brick' shall represent the length and 'half brick' the width of a brick.					
	Face bricks:					
	Bricks shall be ordered timeously to obtain uniformity in size and colour.					
	Pointing:					
	Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc.					
	SAMPLES					
	Samples of all masonry building units, except those for walls described as 'load bearing', shall consist of a minimum of 6 units. Samples of building units to be used in walls described as 'load bearing' shall consist of 30 units from every 30 000 units delivered to site.					
	BRICKWORK IN FOUNDATIONS (PROVISIONAL)					
	Brickwork of NFX bricks (14 MPa nominal compressive strength) in Class I mortar:					
1	Half brick walls	m²	17			
2	One brick walls	m²	17			
	BRICKWORK IN SUPERSTRUCTURE					
	Brickwork of NFX bricks (14 MPa nominal compressive strength) in Class I mortar:					
3	Half brick walls	m²	27			
4	Half brick walls in beam filling.	m²	3			
5	One brick walls	m²	104			
						\vdash
	Carried to Collection			R		
	Section No. 6					
	Bill No. 3					
	Masonry 309					
l	500		ı İ	ı	I	1

ı		Unit	Quantity	Rate	Amount
	BRICKWORK SUNDRIES				
	Brickwork reinforcement:				
6	75mm Wide reinforcement built in horizontally.	m	96		
7	150mm Wide reinforcement built in horizontally.	m	291		
	Turning pieces:				
8	110mm Wide turning piece to lintels etc.	m	7		
9	220mm Wide turning piece to lintels etc.	m	3		
	Galvanised wire ties etc:				
10	4mm Diameter roof tie 2m girth bent double with one end fixed to timber and other end built into brickwork.(Provisional)	No	36		
	Galvanised hoop iron cramps, ties, etc:				
11	30 x 1,6mm Cramp 500mm long with one end fixed to wood and other end built into brickwork.(Provisional)	No	36		
	FACE BRICKWORK				
	Face bricks (Prime cost R5 500/1000 delivered to site excluding VA) pointed with flush horizontal and vertical joints:				
12	Extra over brickwork for face brickwork.	m²	119		
13	Extra over brickwork for face brickwork in foundations (Provisional).	m²	9		
14	Extra over brickwork for face brickwork to piers.	m²	3		
15	Half brick in facings in beamfilling	m²	8		
	FACE BRICKWORK COPINGS, SILLS, ETC.				
	Brick-on-edge header course copings, sills, etc of face bricks (Prime cost R5 500/1000 delivered to site excluding VAT) and pointed with recessed joints on all exposed faces:				
16	Extra over brickwork for brick-on-edge header course lintel pointed on face and 110mm soffit.	m	3		
17	230mm Wide sill set sloping and slightly projecting.	m	8		
18	Coping on top of one brick wall pointed on exposed faces	m	24		
	Carried to Collection			R	
	Section No. 6 Bill No. 3				
	Masonry				
	310				

ı		Unit	Quantity	Rate	, Amount	e PS
	NUTEC-CEMENT/FIBRE-CEMENT WINDOW SILLS					
	Natural grey sills in single lengths bedded in class I mortar including metal fixing lugs etc:					
19	12 x 152mm Wide sills set flat and slightly projecting.	m	6			
	Carried to Collection			R		
	Section No. 6 Bill No. 3					
	Masonry					
	311					

1	1	Amount	
BILL NO. 3 MASONRY			
COLLECTION			
	Page No		
Prought Forward from Po	200		
Brought Forward from Pag	ge 309 310		
	310		
	311		
Carried To Section Summary	R		
Section No. 6 Bill No. 3			
Masonry			
312			

- 1	I	Unit	Quantity	Rate	Amount
	SECTION NO. 6				
	1 x 6 Enviroloo Toilet Block				
	BILL NO. 4				
	WATERPROOFING				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW371				
	DAMPPROOFING OF WALLS AND FLOORS				
	One layer of 375 micron Consol Plastics Brikgrip DPC embossed damp proof course:				
1	In walls.	m²	24		
	One layer of 250 micron Consol Plastics Gunplas USB Green waterproof sheeting sealed at laps with Gunplas Pressure Sensitive Tape:				
2	Under surface beds.	m²	24		
	JOINT SEALANTS ETC				
	silicone sealing compound including backing cord, bond breaker,primer,etc				
3	12 x 20mm in expansion joints in floors including raking out expansion joint filler as necessary (Provisional)	m	38		
4	12 x 20mm in vertical expansion joints in walls including raking out expansion joint filler as necessary	m	48		
	Carried To Section Summary			R	
	Section No. 6			• • • • • • • • • • • • • • • • • • • •	
	Bill No. 4				
	Waterproofing 313				
- 1			ı I	ļ	1

1		Unit	Quantity	Rate	Amount
	SECTION NO. 6				
	1 x 6 Enviroloo Toilet Block				
	BILL NO. 5				
	ROOF COVERINGS				
	PREAMBLES				
	For preambles see "Specification of materials and methods to be used - PW 371				
	<u>General</u>				
	PROFILED METAL SHEETING AND ACCESSORIES				
	.5mm "Klip-lok light industrial" galvanised troughed sheet steel with "chromadek" finish one side,fixed to 76 x 50mm purlin complete under 5year quarantee by an approved firm of specialists, all in accordance with the materials supplied and methods employed by the manufacturer				
1	Roof covering with pitch not exceeding 25 degrees.	m²	30		
	.8mm galvanised sheet iron, with "chromadek" one side in:				
2	Standard type FK3 ridge or hip flashing	m	12		
	Carried To Section Summary Section No. 6			R	
	Bill No. 5				
	Roof Coverings				
	314				

				Matsoban	e PS
	Unit	Quantity	Rate	Amount	l
SECTION NO. 6					
1 x 6 Enviroloo Toilet Block					
BILL NO. 6					
CARPENTRY AND JOINERY					
PREAMBLES					
For preambles see "Specification of materials and methods to be used - PW371					
SUPPLEMENTARY PREAMBLES					
Particle board:					
Particle board shall comply with the following specifications: a) SABS 1300 Particle board: exterior and flooring type b) SABS 1301 Particle board: interior type.					
Joinery:					
Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc.					
Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes.					
Fixing:					
Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete.					
Decorative laminate finish:					
Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish.					
PREFABRICATED ROOF TRUSSES, ETC.					
Plate nailed timber roof truss construction:					
The following is applicable in respect of roof trusses: Trusses are at maximum 1200mm centres Roof covering is 'Klip-lok' roof sheeting on 76 x 50mm purlins. Ceilings are 6mm sheeting on 38 x 50mm brandering .Refer to drawings at the end of these bills of quantities for full details. All trusses are fabricated in a factory by specialists approved by the Architect. All trusses shall be designed by a Registered Professional Engineer(in accordance with the draft SABS Code of Practice for Design of Timber Trusses). The manufacturer of trusses shall supply a written quarantee that the trusses are designed, manufactured,and erected, to support the roof coverings specified. The quarntee shall be valid for 10(ten) years .					
Carried to Collection Section No. 6 Bill No. 6			R		
Carpentry And Joinery					
315	I	1 1		II	ا

ı		Unit	Quantity	Rate	Amount	
	Sawn softwood:					
1	Roof construction to double pitched roof with two gable ends approximately 16m2 on plan overall including trusses, rafters, purlins, permanent bracing, etc (measured flat).	No	1			
	ROOF CONSTRUCTION					
	Sawn softwood :					
2	114 x 38mm Wall plates.	m	6			
3	114 x 38mm rafters exceeding 2.4m and not exceeding 3.9m.	m	7			
4	50 x 76mm purlins.	m	16			
	ROOF SUNDRIES					
	Sundries:					
5	Two coats creosote on sawn timbers.	m²	6			
	EAVES, VERGES, ETC					
	Everite FC77 or equal approved pressed fibre- cement:					
6	10 x 250mm Fascias and barge boards including galvanised steel H-profile jointing strips.	m	30			
	Wrought meranti doors:					
	Wrought meranti doors hung to steel frames:					
7	44mm Framed batten door 813 x 2032mm high of 44 x 150m top rail and stiles ,16 x 150mm middle ledge and braces and 22 x 220mm bottom rail, filled in with 22mmV-jointed one side boarding and covered on other side with 4mm plywood with veneer to match door, let into and including rebates all round.	No	2			
	Semi-solid flush doors					
8	40mm semi-solid flush doors with 3.2mm standard hardboard covering on both sides hung to steel frames:	No	6			
	O			_		
	Carried to Collection Section No. 6			R		
	Bill No. 6					
	Carpentry And Joinery					
	316					

	1	Amount	
BILL NO. 6			
CARPENTRY AND JOINERY			
COLLECTION			
COLLECTION	Danie Na		
	Page No		
Drought Forward from Dogo	245		
Brought Forward from Page	315		
	316		
Carried To Section Summary	R		
Section No. 6			
Bill No. 6 Carpentry And Joinery			
317			

ı		Unit	Quantity	Rate	Amount	
	SECTION NO. 6					
	1 x 6 Enviroloo Toilet Block					
	BILL NO. 7 CEILINGS PARTITIONS AND ACCESS FLOORING					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	SUPPLEMENTARY PREAMBLES					
	Descriptions:					
	Items described as nailed shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete.					
	Items described as plugged shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 600mm centres, and where described as bolted the bolts have been given.					
	INSULATION					
	Aerolite insulation:					
1	100mm Insulation closely fitted and laid on top of brandering between roof timbers etc.	m²	24			
	Wrought softwood					
2	19 x 76mm cornices nailed	m	24			
	NAILED UP AND SCREW UP CEILINGS					
	6mm Everite Nutec or equal approved fibre-cement					
	boards with H-type steel cover strips over joints:					
3	Ceilings including 38 x 38mm sawn softwood brandering at 400mm centres.	m²	24			
4	Extra over ceiling for hinged trap door size 610 x 610mm	No	1			
	Carried To Section Summary			R		
	Section No. 6			**		\vdash
	Bill No. 7					
	Ceilings Partitions And Access Flooring					
	318					

1		Unit	Quantity	Rate	Amount	
	OFOTION NO. 0					
	SECTION NO. 6					
	1 x 6 Enviroloo Toilet Block BILL NO. 8					
	IRONMONGERY					
	PREAMBLES					
	For preambles see "Specification of materials and					
	methods to be used - PW371 SUPPLEMENTARY PREAMBLES					
	Finishes to ironmongery:					
	Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list: BS Satin bronze lacquered: CH Chromium plated: SC Satin chromium plated: SE Silver enamelled: GE Grey enamelled: AS Anodised silver: AB Anodised bronze: AG Anodised gold: ABL Anodised black: PB Polished brass: PL Polished and lacquered: PT Epoxy coated.					
	CATCHES, CABIN HOOKS, ETC					
	Solid or equal approved:					
1	100mm cabin hook and eye including 70 x 70 x 20mm chamfered hardwood block twice oiled and plugged.	No	2			
	LOCKS					
	Solid or equal approved:					
2	"Code 630" padlock.	No	2			
	'Solid" or equal approved					
3	CZ682-24-95SC"Gower" two lever lockset.	No	6			
4	CZ682-24-95SC"Gower" three lever lockset.	No	2			
	SUNDRIES					
	Solid or equal approved:					
5	38mm Diameter rubber door stop plugged.	No	8			
	Lockable toilet roll holder					
6	Vandal proof lockable toilet roll holder plugged	No	6			
	, , ,					
	Carried To Section Summary			R		
	Section No. 6			**		\vdash
	Bill No. 8					
	Ironmongery					
	319					

					Matsobane	e PS
I	1	Unit	Quantity	Rate	Amount	
	SECTION NO. 6					
	1 x 6 Enviroloo Toilet Block					
	BILL NO. 9					
	METALWORK					
	PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	SUPPLEMENTARY PREAMBLES					
	Descriptions:					
	Descriptions of bolts shall be deemed to include nuts and washers.					
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete.					
	Metalwork described as holed for bolt(s) shall be deemed to exclude the bolts unless otherwise described.					
	WELDED SCREENS, GATES, ETC.					
	Gates to external doors					
1	Single gate and frame 813 x 2032mm high of 25 x 25x 2mm hollow section frame and 25 x 25x 2mm hollow section horizontal middle rail filled in with 12 x 12mm square section vertical rails at 75mm centres and fitted with a pair of suitable hinges welded to frame and with locking mechanism for padlock all in and including outer frame of 25 x 25 x 2mm hollow section welded frame bolted to brickwork.	No	2			
	PRESSED STEEL DOOR FRAMES					
	1,2mm Rebated frames suitable for half brick walls:					
2	Frame for door 813 x 2032mm high.	No	6			
_	_	NO	0			
	1,2mm Rebated frames suitable for one brick walls:					
3	Frame for door 813 x 2032mm high	No	2			
	STEEL WINDOWS, DOORS, ETC.					
	Standard residential windows with 12 x 12(B33) solid burglar bars to all sashes:					
4	Window type NE1, 533 x 654mm high	No	6			
	Carried to Collection					
	Section No. 6			R		
	Bill No. 9					
	Metalwork					
	320					

					Matsoban	e PS
1	1	Unit	Quantity	Rate	Amount	l
	STEEL LOUVRES,ETC					
	Purpose made louvres:					
5	Triangular shaped (on elevation) residential section					
	louvred ventilators 3138 wide (at the horizontal bottom) x 571mm high overall, filled in with type LC fixed horizontal					
	louvre blades fixed to surround and covered at back with					
	No. 256 galvanised mesh mosquito gauze, fixed with and					
	including 3 x 20mm steel flat section cover strips					
	screwed	No	2			
	Carried to Collection			R		
	Section No. 6					
	Bill No. 9					
	Metalwork					
	321					

I			Amount
BILL NO. 9 METALWORK COLLECTION		Page No	
	Brought Forward from Page	320 321	
		321	
	Carried To Section Summary	R	
Section No. 6 Bill No. 9 Metalwork	Samou 10 Coolon Cummary	K	
	322		

					Matsobane	e PS
		Unit	Quantity	Rate	Amount	I
	SECTION NO. 6					
	SECTION NO. 6					
	1 x 6 Enviroloo Toilet Block					
	BILL NO. 10					
	<u>PLASTERING</u>					
	PREAMBLES					
	For preambles see "Specification of materials and					
	methods to be used - PW371					
	SCREEDS					
	Screeds on concrete:					
	Screeds of wood floated on concrete to receive					
	ceramic tiles:					
1	30mm Thick on floors to receive ceramic tiling.	m²	24			
	Carried To Section Summary			R		
	Section No. 6					
	Bill No. 10					
	Plastering					
	323					
	020		1 1		п 1	I

					Matsobane Ps	>
		Unit	Quantity	Rate	Amount	
	SECTION NO. 6					
	1 x 6 Enviroloo Toilet Block					
	BILL NO. 11					
	TILING					
	PREAMBLES For promphes and "Specification of motorials and					
	For preambles see "Specification of materials and methods to be used - PW371					
	FLOOR TILING					
	300 x 300 x 11.5mm ceramic tiles (Prime Cost amount R250.00/m2 excluding vat) fixed with adhesive to screed (screed elsewhere) and flush pointed with tinted waterproof jointing compound					
1		m²	24			
	On floors and landings.	1112				
2	Skirting formed of ceramic tile cut to 300 x 75mm high	m	24			
	Carried To Section Summary			R		_
	Section No. 6			IX.		_
	Bill No. 11					
	Tiling					
	324					

				Matsobane	PS
	Unit	Quantity	Rate	Amount	
SECTION NO. 6					
1 x 6 Enviroloo Toilet Block					
BILL NO. 12					
PLUMBING AND DRAINAGE					
PREAMBLES					
For preambles see "Specification of materials and methods to be used - PW371					
SUPPLEMENTARY PREAMBLES					
Concrete pipes:					
Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings.					
uPVC pressure pipes and fittings:					
Pipes for water supply shall be of the class stated.					
Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings.					
Pipes of 50mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints.					
Copper pipes:					
Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be 'Cobra Watertech' type. Capillary solder fittings shall comply with ISO 2016. Only compression fittings shall be used in walls or in ground.					
Fixing of pipes					
Unless specifically otherwise stated, descriptions of pipes shall be deemed to include for fixing to walls etc. casting in, building in or suspending not exceeding 1m below suspension level					
Carried to Collection			R		
Section No. 6					
Bill No. 12					
Plumbing And Drainage 325					
325				II I	,

				Matsobane P
	Unit	Quantity	Rate	Amount
Reducing fittings:				
Where fittings have reducing ends or branches they are described as 'reducing'. In the case of pipes with diameters not exceeding 60mm only the largest end or branch size is given. Should the Contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained.				
Wire gratings:				
Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings.				
Septic tanks:				
Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs, jointing to drains and backfilling, compaction, etc all in accordance with the manufacturer's instructions.				
Exposed concrete surfaces:				
Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster.				
Excavations:				
No claim for rock excavation will be entertained unless the Contractor has timeously notified the quantity surveyor thereof prior to backfilling.				
'Soft rock' and 'hard rock' shall be as defined in 'Earthworks'.				
Laying, backfilling, bedding, etc of pipes:				
Pipes shall be laid and bedded and trenches shall be carefully backfilled in accordance with manufacturers' instructions.				
Where no manufacturers' instructions exist pipes shall be laid in accordance with clauses 5.1 and 5.2 of each of the following: SABS 1200 L: Medium pressure pipelines LD: Sewers LE: Stormwater drainage Pipe trenches etc shall be backfilled in accordance with clause 3, 5.5, 5.6, 5.7 and 7 of SAB.				
Flush pans:				
Flush pans shall have straight or side outlets and 'P' or 'S' traps as necessary.				
			_	
Carried to Collection Section No. 6 Bill No. 12			R	
Plumbing And Drainage				
326				

Stainless steel basins, sinks, wash troughs, urinals, etc: Units shall have standard aprons on all exposed edges and tilling keys against walls where applicable. Waste unions: Descriptions of waste unions shall be deemed to include rubber or vulcanite plugs and chains fixed to fittings. RAINWATER DISPOSAL Approved firm galvanisad sheet iron with 'Chromadek' finish In: 1 100 x 100mm Eaves gutters me 24 Extra over eaves gutter for angle/corner. No 4 Extra over eaves gutter for stopped end No 4 Extra over eaves gutter for outlet for 75mm pipe. No 6 75mm Diameter rainwater pipes. m 24 Extra over reainwater pipe for bend. No 6 Extra over rainwater pipe for bend. No 6 Extra over rainwater pipe for shoe. No 6 Sanitary fittings Vaal or equal approved: 510 x 405mm Hibiscus (Code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two bolts "Cobra Rf. 107EC-15" basin tap plugged. No 2 "Cobra Rf. 107EC-15" basin tap plugged. Item Allow a sum of R5000 for water supplies, etc Item Enviro-loo set: Enviro-loo set supplied and installed complete. Sets 6 Allow for training Item 5 000 00 Enviro-loo set: Crivito-loo set supplied and installed complete. No 2 Carried to Collection Re Carried to Collection No 2 Pag Dry chemical fire extinguisher plugged. No 2 Carried to Collection Re Carried to Collection Re Enviro-loo Additional Re Carried to Collection No 2 Pag Dry chemical fire extinguisher plugged. No 2			Unit	Quantity	Rate	, Amount	e P3
etic: Units shall have standard aprons on all exposed edges and tilling keys against walls where applicable. Waste unions; Descriptions of waste unions shall be deemed to include rubber or vulcanite plugs and chains fixed to fittings. RAINWATER Disposal. Approved. 6mm qalvanised sheet iron with "chromadek" finish. in: 1 100 x 100mm Eaves gutter for angle/corner. No 4 Extra over eaves gutter for stopped end No 4 Extra over eaves gutter for outlet for 75mm pipe. No 6 T5mm Diameter rainwater pipes. m 24 Extra over rainwater pipe for bend. Extra over rainwater pipe for bend. No 6 Sanitary fittings Vaal or equal approved: 8 510 x 405mm Hibiscus (Code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two botts No 2 9 "Cobra Rf. 107EC-15" basin tap plugged. No 2 9 "Cobra Rf. 107EC-15" basin tap plugged. No 2 10 Allow a sum of R5000 for soil drainage, etc Item Enviro-loo set: 12 Enviro-loo set supplied and installed complete. Sets 6 3 Allow for training Item 5,000 00 FIRE APPLIANCES ETC. 'Chubb' or equal approved: 14 9kg Dry chemical fire extinguisher plugged. No 2 Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage							
etic: Units shall have standard aprons on all exposed edges and tilling keys against walls where applicable. Waste unions; Descriptions of waste unions shall be deemed to include rubber or vulcanite plugs and chains fixed to fittings. RAINWATER Disposal. Approved. 6mm qalvanised sheet iron with "chromadek" finish. in: 1 100 x 100mm Eaves gutter for angle/corner. No 4 Extra over eaves gutter for stopped end No 4 Extra over eaves gutter for outlet for 75mm pipe. No 6 T5mm Diameter rainwater pipes. m 24 Extra over rainwater pipe for bend. Extra over rainwater pipe for bend. No 6 Sanitary fittings Vaal or equal approved: 8 510 x 405mm Hibiscus (Code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two botts No 2 9 "Cobra Rf. 107EC-15" basin tap plugged. No 2 9 "Cobra Rf. 107EC-15" basin tap plugged. No 2 10 Allow a sum of R5000 for soil drainage, etc Item Enviro-loo set: 12 Enviro-loo set supplied and installed complete. Sets 6 3 Allow for training Item 5,000 00 FIRE APPLIANCES ETC. 'Chubb' or equal approved: 14 9kg Dry chemical fire extinguisher plugged. No 2 Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage		Stainless steel hasins sinks wash troughs urinals					
and tiling keys against walls where applicable. Waste unions: Descriptions of waste unions shall be deemed to include rubber or vulcanite plugs and chains fixed to fittings. RAINWATER DISPOSAL Approved_6mm galvanised sheet iron with 'chromadek' finish_in: 1 100 x 100mm Eaves gutter for angle/corner. Extra over eaves gutter for stopped end Extra over eaves gutter for outlet for 75mm pipe. No Extra over eaves gutter for outlet for 75mm pipe. Tormm Diameter rainwater pipes. Extra over rainwater pipe for bend. Extra over rainwater pipe for bend. No Extra over rainwater pipe for shoe. Sanitary fittings Vaal or equal approved: 10 Allow a sum of R5000 for water supplies, etc Item Allow a sum of R5000 for soil drainage, etc Enviro-loo set: Enviro-loo set supplied and installed complete. Sets Allow for training FIRE APPLIANCES ETC. 'Chubb' or equal approved: 9 kg Dry chemical fire extinguisher plugged. No 2 Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage							
Descriptions of waste unions shall be deemed to include rubber or vulcanite plugs and chains fixed to fittings. RAINWATER DISPOSAL Approved.6mm galvanised sheet iron with "chromadek" finish .in: 1 100 x 100mm Eaves gutters m 24 Extra over eaves gutter for angle/corner. No 4 Extra over eaves gutter for outlet for 75mm pipe. No 6 75mm Diameter rainwater pipes. m 24 Extra over rainwater pipe for bend. No 6 Extra over rainwater pipe for bend. No 6 Extra over rainwater pipe for shoe. Sanitary fittings Vaal or equal approved: 8 510 x 405mm Hibiscus (Code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two bolts No 2 9 "Cobra Rf. 107EC-15" basin tap plugged. No 2 10 Allow a sum of R5000 for water supplies, etc Item Allow a sum of R5000 for soil drainage, etc Item Enviro-loo set: Enviro-loo set supplied and installed complete. Sets 6 Allow for training Item 5 000 00 FIRE APPLIANCES ETC. Chubb' or equal approved: 9kg Dry chemical fire extinguisher plugged. No 2 Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage							
rubber or vulcanite plugs and chains fixed to fittings. RAINWATER DISPOSAL Approved .6mm galvanised sheet iron with "chromadek" finish .in: 1 100 x 100mm Eaves gutters Extra over eaves gutter for angle/corner. No Extra over eaves gutter for stopped end No Extra over eaves gutter for outlet for 75mm pipe. No Formm Diameter rainwater pipes. m 24 Extra over rainwater pipe for bend. Extra over rainwater pipe for bend. Extra over rainwater pipe for shoe. Sanitary fittings Vaal or equal approved: 510 x 405mm Hibiscus (Code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two bolts No 2 *Cobra RI. 107EC-15" basin tap plugged. No 2 *Cobra RI. 107EC-15" basin tap plugged. Allow a sum of R5000 for water supplies, etc Item Allow a sum of R5000 for soil drainage, etc Enviro-loo set: Enviro-loo set supplied and installed complete. Sets Allow for training FIRE APPLIANCES ETC. 'Chubb' or equal approved: 9 kg Dry chemical fire extinguisher plugged. No 2 Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage		Waste unions:					
Approved .6mm galvanised sheet iron with "chromadek" finish ,in: 1 100 x 100mm Eaves gutters Extra over eaves gutter for angle/corner. No 4 Extra over eaves gutter for other for 75mm pipe. No 6 Tofmm Diameter rainwater pipes. Extra over rainwater pipe for bend. Extra over rainwater pipe for bend. Extra over rainwater pipe for shoe. Sanitary fittings Vaal or equal approved: 510 x 405mm Hibiscus (Code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two bolts "Cobra Rf. 107EC-15" basin tap plugged. No 2 "Cobra Rf. 107EC-15" basin tap plugged. No 2 "Cobra Rf. 107EC-15" basin tap plugged. Allow a sum of R5000 for water supplies, etc Item Allow a sum of R5000 for soil drainage, etc Item Enviro-loo set: Enviro-loo set supplied and installed complete. Sets 6 Allow for training FIRE APPLIANCES ETC. 'Chubb' or equal approved: 9 kg Dry chemical fire extinguisher plugged. No 2 Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage							
"chromadek" finish ,in: 1 100 x 100mm Eaves gutters Extra over eaves gutter for angle/corner. Roo 4 Extra over eaves gutter for stopped end Extra over eaves gutter for outlet for 75mm pipe. Firm Diameter rainwater pipes. Extra over rainwater pipe for bend. Extra over rainwater pipe for bend. Extra over rainwater pipe for shoe. Sanitary fittings Vaal or equal approved: Sobram Hibiscus (Code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two bolts "Cobra Rf. 107EC-15" basin tap plugged. Allow a sum of R5000 for water supplies, etc Item Allow a sum of R5000 for soil drainage, etc Enviro-loo set: Enviro-loo set supplied and installed complete. Sets 6 Allow for training FIRE APPLIANCES ETC. 'Chubb' or equal approved: 9kg Dry chemical fire extinguisher plugged. No 2 Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage		RAINWATER DISPOSAL					
Extra over eaves gutter for angle/corner. Rivar over eaves gutter for stopped end Extra over eaves gutter for stopped end Extra over eaves gutter for outlet for 75mm pipe. No Extra over eaves gutter for outlet for 75mm pipe. No Extra over rainwater pipes. Extra over rainwater pipe for bend. Extra over rainwater pipe for bend. Extra over rainwater pipe for shoe. Sanitary fittings Vaal or equal approved: Source of the fittings Vaal or equal approved: Source of the fittings Vaal or equal approved: No Extra over rainwater pipe for shoe. No Extra over rainwater pipes. R Extra over awas gutter for outlet for 75mm pipe. No Extra over rainwater pipes. R Extra over rainwater pipes. No Extra over rainwater pipes. No Extra over rainwater pipes. No Extra over rainwater pipes. No Extra over rainwater pipes. No Extra over rainwater pipes. No Extra over rainwater pipes. No Extra over rainwater pipes. No Extra over rainwater pipe for shoe. No Extra over rainwater pipes. No Extra over rainwater							
Extra over eaves gutter for stopped end Extra over eaves gutter for outlet for 75mm pipe. No Extra over eaves gutter for outlet for 75mm pipe. No Extra over rainwater pipes. No Extra over rainwater pipe for bend. Extra over rainwater pipe for shoe. Sanitary fittings Vaal or equal approved: S10 x 405mm Hibiscus (Code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two bolts No 2 "Cobra Rf. 107EC-15" basin tap plugged. Allow a sum of R5000 for water supplies, etc ltem Allow a sum of R5000 for soil drainage, etc ltem Enviro-loo set: Enviro-loo set supplied and installed complete. Sets Allow for training ltem 5000 00 FIRE APPLIANCES ETC. 'Chubb' or equal approved: 9kg Dry chemical fire extinguisher plugged. No 2 Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage	1	100 x 100mm Eaves gutters	m	24			
Extra over eaves gutter for outlet for 75mm pipe. 75mm Diameter rainwater pipes. Extra over rainwater pipe for bend. Extra over rainwater pipe for bend. No Extra over rainwater pipe for shoe. Sanitary fittings Vaal or equal approved: 510 x 405mm Hibiscus (Code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two bolts "Cobra Rf. 107EC-15" basin tap plugged. Allow a sum of R5000 for water supplies, etc Item Allow a sum of R5000 for soil drainage, etc Item Enviro-loo set: Enviro-loo set supplied and installed complete. Sets 6 Allow for training Item 5 000 00 FIRE APPLIANCES ETC. 'Chubb' or equal approved: 9kg Dry chemical fire extinguisher plugged. No 2 Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage	2	Extra over eaves gutter for angle/corner.	No	4			
5 75mm Diameter rainwater pipes. 6 Extra over rainwater pipe for bend. 7 Extra over rainwater pipe for shoe. 8 Sanitary fittings Vaal or equal approved: 8 510 x 405mm Hibiscus (Code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two bolts 9 "Cobra Rf. 107EC-15" basin tap plugged. No 2 10 Allow a sum of R5000 for water supplies, etc ltem 11 Allow a sum of R5000 for soil drainage, etc ltem 12 Enviro-loo set: 13 Allow for training ltem 5 000 00 FIRE APPLIANCES ETC. 14 'Chubb' or equal approved: 15 Section No. 6 8 Bill No. 12 Plumbing And Drainage	3	Extra over eaves gutter for stopped end	No	4			
Extra over rainwater pipe for bend. Robota Sanitary fittings Vaal or equal approved: 8 510 x 405mm Hibiscus (Code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two bolts 9 "Cobra Rf. 107EC-15" basin tap plugged. 10 Allow a sum of R5000 for water supplies, etc ltem 11 Allow a sum of R5000 for soil drainage, etc ltem Enviro-loo set: Enviro-loo set supplied and installed complete. Sets 6 13 Allow for training ltem 5 000 00 FIRE APPLIANCES ETC. 'Chubb' or equal approved: 9kg Dry chemical fire extinguisher plugged. No 2	4	Extra over eaves gutter for outlet for 75mm pipe.	No	6			
Extra over rainwater pipe for shoe. Sanitary fittings Vaal or equal approved: 5 10 x 405mm Hibiscus (Code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two bolts 9 "Cobra Rf. 107EC-15" basin tap plugged. No 2 9 "Cobra Rf. 107EC-15" basin tap plugged. No 2 10 Allow a sum of R5000 for water supplies, etc Item 11 Allow a sum of R5000 for soil drainage, etc Item Enviro-loo set: Enviro-loo set supplied and installed complete. Sets 6 Allow for training Item 5 000 00 FIRE APPLIANCES ETC. 'Chubb' or equal approved: 14 9kg Dry chemical fire extinguisher plugged. No 2	5	75mm Diameter rainwater pipes.	m	24			
Sanitary fittings Vaal or equal approved: 510 x 405mm Hibiscus (Code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two bolts 9 "Cobra Rf. 107EC-15" basin tap plugged. No 2 10 Allow a sum of R5000 for water supplies, etc Item 11 Allow a sum of R5000 for soil drainage, etc Item Enviro-loo set: 12 Enviro-loo set supplied and installed complete. Sets 6 13 Allow for training Item 5 000 00 FIRE APPLIANCES ETC. 'Chubb' or equal approved: 9kg Dry chemical fire extinguisher plugged. No 2 Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage	6	Extra over rainwater pipe for bend.	No	6			
Vaal or equal approved: 510 x 405mm Hibiscus (Code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two bolts No 2 9 "Cobra Rf. 107EC-15" basin tap plugged. No 2 10 Allow a sum of R5000 for water supplies, etc Item 11 Allow a sum of R5000 for soil drainage, etc Item Enviro-loo set: Enviro-loo set supplied and installed complete. Sets 6 13 Allow for training Item 5 000 00 FIRE APPLIANCES ETC. 'Chubb' or equal approved: 14 9kg Dry chemical fire extinguisher plugged. No 2 Carried to Collection R Section No. 6 Bill No. 12 Plumbing And Drainage R	7	Extra over rainwater pipe for shoe.	No	6			
8 510 x 405mm Hibiscus (Code 7050) white vitreous china rounded lavatory basin with two tapholes supported on and including two bolts 9 "Cobra Rf. 107EC-15" basin tap plugged. No 2 10 Allow a sum of R5000 for water supplies, etc Item 11 Allow a sum of R5000 for soil drainage, etc Item Enviro-loo set: Enviro-loo set supplied and installed complete. Sets 6 13 Allow for training Item 5 000 00 FIRE APPLIANCES ETC. 'Chubb' or equal approved: 9kg Dry chemical fire extinguisher plugged. No 2 Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage		Sanitary fittings					
rounded lavatory basin with two tapholes supported on and including two bolts 9 "Cobra Rf. 107EC-15" basin tap plugged. No 2 10 Allow a sum of R5000 for water supplies, etc Item 11 Allow a sum of R5000 for soil drainage, etc Item Enviro-loo set: 12 Enviro-loo set supplied and installed complete. Sets 6 13 Allow for training Item 5 000 00 FIRE APPLIANCES ETC. 'Chubb' or equal approved: 9kg Dry chemical fire extinguisher plugged. No 2		Vaal or equal approved:					
Allow a sum of R5000 for water supplies, etc Item Allow a sum of R5000 for soil drainage, etc Item Enviro-loo set: Enviro-loo set supplied and installed complete. Sets 6 Allow for training Item 5 000 00 FIRE APPLIANCES ETC. 'Chubb' or equal approved: 9kg Dry chemical fire extinguisher plugged. No 2 Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage	8	rounded lavatory basin with two tapholes supported on	No	2			
Allow a sum of R5000 for soil drainage, etc Enviro-loo set: Enviro-loo set supplied and installed complete. Sets 6 Allow for training Item 5 000 00 FIRE APPLIANCES ETC. 'Chubb' or equal approved: 9kg Dry chemical fire extinguisher plugged. No 2 Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage	9	"Cobra Rf. 107EC-15" basin tap plugged.	No	2			
Enviro-loo set: Enviro-loo set supplied and installed complete. Sets 6 Allow for training Item 5 000 00 FIRE APPLIANCES ETC. 'Chubb' or equal approved: 9kg Dry chemical fire extinguisher plugged. No 2 R Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage	10	Allow a sum of R5000 for water supplies, etc	Item				
Enviro-loo set supplied and installed complete. Sets 6 Allow for training Item 5 000 00 FIRE APPLIANCES ETC. 'Chubb' or equal approved: 9kg Dry chemical fire extinguisher plugged. No 2 R Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage	11	Allow a sum of R5000 for soil drainage, etc	Item				
Allow for training FIRE APPLIANCES ETC. 'Chubb' or equal approved: 9kg Dry chemical fire extinguisher plugged. No Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage		Enviro-loo set:					
FIRE APPLIANCES ETC. 'Chubb' or equal approved: 9kg Dry chemical fire extinguisher plugged. No 2 R Section No. 6 Bill No. 12 Plumbing And Drainage	12	Enviro-loo set supplied and installed complete.	Sets	6			
'Chubb' or equal approved: 9kg Dry chemical fire extinguisher plugged. Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage	13	Allow for training	Item			5 000	00
14 9kg Dry chemical fire extinguisher plugged. Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage		FIRE APPLIANCES ETC.					
Carried to Collection Section No. 6 Bill No. 12 Plumbing And Drainage		'Chubb' or equal approved:					
Section No. 6 Bill No. 12 Plumbing And Drainage	14	9kg Dry chemical fire extinguisher plugged.	No	2			
Section No. 6 Bill No. 12 Plumbing And Drainage							
Section No. 6 Bill No. 12 Plumbing And Drainage							
Section No. 6 Bill No. 12 Plumbing And Drainage							
Bill No. 12 Plumbing And Drainage		Carried to Collection			R		
Plumbing And Drainage							
· · · · · · · · · · · · · · · · · · ·		Plumbing And Drainage 327					

I			Amount
BILL NO. 12			
PLUMBING AND DRAINA	AGE		
COLLECTION			
		Page No	
		1 ago 110	
	Brought Forward from Page	325	
	g g	326	
		327	
	Carried To Section Summany	R	
Section No. 6	Carried To Section Summary	"	
Bill No. 12			
Plumbing And Drainage			
	328		

					Matsoban	e PS
	I	Unit	Quantity	Rate	Amount	1
	SECTION NO. 6 1 x 6 Enviroloo Toilet Block BILL NO. 13 GLAZING PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	GLAZING TO STEEL WITH PUTTY					
	5 mm obscure glass:					
1	Panes not exceeding 0,1m2.	m²	6			
	Carried To Section Summary					
	Carried To Section Summary Section No. 6			R		<u> </u>
	Bill No. 13					
	Glazing					
	329					

		Unit	Quantity	Rate	Amount	
	SECTION NO. 6 1 x 6 Enviroloo Toilet Block BILL NO. 14 PAINTWORK					
	PREAMBLES PREAMBLES					
	For preambles see "Specification of materials and methods to be used - PW371					
	ON FIBRE-CEMENT, ETC.					
	Prepare, etc as specified and apply two coats of super acrylic Pva paint:					
1	On ceilings and cornices.	m²	24			
2	On fascias and barge boards.	m	24			
	ON METAL					
	Prepare, etc as specified and apply two coats of gloss enamel paint on :					
3	Door frames	m²	12			
4	On windows with burglar bars (both sides measured).	m²	4			
5	On gates, grilles, burglar screens, balustrades, etc (both sides measured over the full flat area).	m²	7			
	Inside eaves gutter					
6	Inside eaves gutter with waterproofing paint	m²	8			
	Prepare,etc as specified and apply two coats of super acrylic Pva paint on:					
7		m²	20			
	ON WOOD, WOOD BOARD					
	Prepare, etc as specified and apply two coats of polyurethane suede varnish:					
8	On general surfaces of doors.	m²	7			
	Comind To Continu Comment			_		
	Carried To Section Summary Section No. 6			R		
	Bill No. 14					
	Paintwork					
	330					

			Amount	
	SECTION NO. 6			
	1 x 6 Enviroloo Toilet Block			
	SECTION SUMMARY			
Bill No.		Page		
1	FOUNDATIONS	305		
2	CONCRETE, FORMWORK AND REINFORCEMENT	308		
3	MASONRY	312		
4	WATERPROOFING	313		
5	ROOF COVERINGS	314		
6	CARPENTRY AND JOINERY	317		
7	CEILINGS PARTITIONS AND ACCESS FLOORING	318		
8	IRONMONGERY	319		
9	METALWORK	322		
10	PLASTERING	323		
11	TILING	324		
12	PLUMBING AND DRAINAGE	328		
13	GLAZING	329		
14	PAINTWORK	330		
	Carried to Final Summary	R		
	Section No. 6			_
	SECTION SUMMARY			
	331			

SECTION NO. 7

Provisional Sum


ı		l II	Amount
	SECTION NO. 7		
	SECTION NO. 7 Provisional Sum		
	NOTE: All provisional sums are nett The Client reserves the right to omit any or all provisional sums allowed in his tender without claim for loss of profit by the Contractor		
	Flags, Flag Poles & Plaque		
1	Provide the amount of R30 000.00 (Thirty Thousand Rands) for flags and plaque by a specialist	Item	30 000 00
2	Profit on above item.	Item	
3	Attendance on ditto.	Item	
	Signage		
4	Provide the sum of R35 000.00 (Thirty Five Thousand Rands) for signage	Item	35 000 00
5	Profit	Item	
6	Attendance	Item	
	School furniture		
7	Provide the sum of R1100 000.00 (One Million One Hundred Thousand Rands) for supply of school furniture	Item	1 100 000 00
8	Profit	Item	
9	Attendance	Item	
	Office equipments and furniture		
10	Provide the sum of R300 000.00 (Three Hundred Thousand Rands) for supply of Office equipments, furniture, first aid kit and sick bed in the administration block by specialist.	Item	300 000 00
11	Profit		300 000 00
11		Item	
12	Attendance	Item	
13	<u>Community liason officer</u> Provide the budgetary allowance of R120 000.00 (One Hundred and Twenty		
13	Thousand Rands) for employement of a community liason officer for labour requirements by the contractor and deducted in whole or part if not required.	Item	120 000 00
14	Profit	Item	
15	Attendance	Item	
	Carried To Section Summary	R -	
	Section No. 7	"	
	Bill No. 1		
	Provisional Sums 333		
ļ	000	ı II	1

ĺ		l I	Amount	
	Joinery fittings			
16	Provide the sum of R300 000 (Three Hundred Thousand Rands) for joinery fittings	Item	300 000	00
17	Profit	Item		
18	Attendance	Item		
	Grade R Play Area			
19	Provide the sum of R250 000.00 (Two Hundred and Fifty Thousand Rands) for provision of Grade R play area	Item	250 000	00
20	Profit	Item		
21	Attendance	Item		
	Loose Chairs			
22	Provide the sum of R40 000.00 (Forty Thousand Rands) for supply of loose chairs	Item	40 000	00
23	Profit	Item		
24	Attendance	Item		
	Relocation of mobile classrooms			
25	Allow a sum R500 000.00 (Five Hundred Thousand Rands) for relocation of 10 mobile classrooms within a radius of 50km	Item	500 000	00
26	Profit	Item		
27	Attendance	Item		
	Occupational Health and Safety Consultancy Services			
28	Provide the sum of R500 000.00 (Five Hundred Thousand Rands) for occupational health and safety services to be appointed by the Employer	Item	500 000	00
29	Profit	Item		
30	Attendance	Item		
	Carried To Section Summary	R		
	Section No. 7 Bill No. 1			
	Provisional Sums			
	334			

I		l	Amount	I
SECTION NO. 7				
Provisional Sum				
SECTION SUMMARY				
		Page		
	Brought forward from page	333		
	Brought forward from page	334		
				_
	Carried to Final Summary	R		<u></u>
Section No. 7				
SECTION SUMMARY				
	335			

	FINAL SUMMARY				
Section No		Page No		Amount	
-10					
1	Preliminaries & Generals	161			
2	Demolitions and Renovations	191			
3	2 x 2 Grade R Classroom Block	232			
4	2 x 4 Classroom Block	265			
5	Medium Administration Block	301			
6	1 x 6 Enviro-Loo Toilet Block	331			
7	Provisional Sums	335			
	SUB-TOTAL		R		
	ADD: ELECTRICAL INSTALLATIONS - PART B		sum		
	ADD: CIVIL WORKS - PART C		sum		
	SUB-TOTAL		R		
	ADD: CONTIGENCIES				
	Allow the amount of R1 250 000.00 (One Million Two Hundred and Fifty Thousand Rands) for Contingencies to be used as directed by the Principal Agent and deducted in whole or in part if not required		sum	1 250 000	00
	ADD: CPAP				
	Allow the amount of R1 250 000.00 (One Million Two Hundred and Fifty Thousand Rands) for fluctuations in cost in terms of Contract Price Adjustment Provisions		sum	1 250 000	00
	SUB-TOTAL BEFORE VAT		R		
	ADD: VAT at 15%				
	CARRIED TO FORM OF OFFER AND ACCEPTANCE		R		

FINAL SUMMARY 344



C4.3 CIVIL WORKS

REPUBLIC OF SOUTH AFRICA

LIMPOPO DEPARTMENT OF PUBLIC WORKS & INFRASTRUCTURE

MATSOBANE PRIMARY SCHOOL

LDPWRI-B/20103

PART C CIVIL WORKS BILLS OF QUANTITIES

Item	Payment Reference	Description	Unit	Qty	Rate	Amount
	SABS	SCHEDULE NO. 1: EARTHWORKS				
	1200 D	SITE CLEARANCE				
Alternative	8.3.1	Clear and grub area for				
see 1200C		Buildings	m²	2531.15		
1200DM Alternative		PREPARATION AND STRIPPING OF SITE				
see 1200DB	8.3.1	Remove topsoil to a depth of 150mm and				
1200DM	а	Stockpile on site within freehaul distance and maintain	m³	379.67		
	b	Spoil at designated spoil site	m³	151.87		
		EXCAVATION				
	8.3.2	Excavate in all materials and use as fill, compacted to 90% mod AASHTO density for:				
	а	Platforms	m³	455.61		
	8.3.2	Extra over item 8.3.2 (a) for				
	а	Intermediate excavation	m³	136.68		
	b	Hard rock excavation	m³	91.12		
	С	Boulder excavation class A	m³	9.11		
	d	Boulder excavation class B	m³	9.11		
		COMMERCIAL MATERIAL				
	8.3.4	Extra over item 8.3.2 (a) for importation of materials from:				
	а	Commercial sources selected by the Contractor	m³	303.74		
		DESIGNATED BORROW PIT (ARRANGED BY EMPLOYER)	""	303.74		
	8.3.4	Extra over item 8.3.2 (a) for importation of materials from				
	а	Designated borrow pits	m³	1 518.69		
	8.3.4	Opening up and closing down of designated borrow pit	item	1.00		
		<u>OVERHAUL</u>				
	8.3.6	Overhaul (Provisional)				
	а	Limited overhaul	m³	455.61		
	b	Long overhaul	m³.km	303.74		
		COMPACTION OF BACKFILLING				
	8.3.9	Selected material compacted to 93% mod AASHTO density	m³	1 822.43		
	8.3.10	Mod AASHTO Tests	No.	37.00		
Carried forw	ard to Sumn	nary of Schedules				

ITEM NO.	PAYMENT REFER.	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
		SCHEDULE 2: EARTHWORKS (ROADS AND SUBGRADE)				
1	SANS	EARTHWORKS				
1.2		TREATMENT OF ROAD-BED				
1.2.1	8.3.3(a)	Road-bed preparation and compaction of material compacted to 93% MOD AASHTO maximum density	m ³	231.15		
1.2.2	8.3.3(b)	In-place treatment of road-bed in intermediate or hard material				
	С	Ripping	m ³	46.23		
1.3		EARTHWORKS				
1.3.1	8.3.4	Cut to fill				
	а	Compact to 90 % mod. AASHTO maximum density	m ³	115.58		
	b	Selected layer compacted to 93 % mod. AASHTO maximum density	m³	115.58		
1.3.2	8.3.6	Extra-over items 1.3.1 inclusive for excavating and breaking down material in:				
	С	Intermediate excavation	m ³	23.12		
	d	Hard excavation	m ³	11.56		
1.3.3	8.3.7	Cut to spoil from				
	а	Soft excavation	m ³	231.15		
	b	Intermediate excavation	m ³	46.23		
	С	Hard excavation	m ³	6.93		
1.3.4	8.3.8	Removal of oversize material	m ³	3.47		
TOTAL C	ARRIED FOI	RWARD				

ITEM NO.	PAYMENT REFER.	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
		TOTAL BROUGHT FORWARD				
1.4	SABS 1200 DM	SUNDRIES				
	8.3.10	Materials bladed to windrow	m ³	0.00		
	8.3.11	Extra-over items 8.3.7 and 8.3.8 for temporary stockpiling of material	m ³	30.00		
	8.3.12	Construction of storm water berm allong the designated areas by engineer	m³	0.00		
1.5	SABS 1200 ME	SECTION: SUBBASE				
	8.3.1	Construct gravel wearing course with material from borrow pits in all materials				
	а	150mm to main carriageways	m ³	231.15		
	8.3.4	Extra over items .1 to .2 inclusive for class of excavation				
	а	Intermediate excavation	m ³	46.23		
	b	Hard rock excavation	m ³	34.67		
1.6	SANS 1200 MFL	BASE				
	8.3.1	Construct base with material from borrow pit				
	а	Stabilized base using material from borrow 150mm to 95% mod AASHTO	m³	231.15		
1.7	8.3.4	Stabilizing Agent				
		(b) Portland Cement	m ³	6.93		
1.8	SANS 1200 MJ	SEGMENTED BLOCK PAVING TO THE ACCESS ROAD				
	8.2.2	80mm Type S-A 35mPa for roadway (Grey Colouring)	m ²	0.00		
	8.2.2	60mm Type S-A 35mPa for roadway (Grey Colouring)	m ²	1 541.00		
	8.2.1	The construction of edge restraints	m	68.49		
TOTAL C	ARRIED FOR	RWARD				

ITEM NO.	PAYMENT REFER.	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
		TOTAL BROUGHT FORWARD				
1.8	SANS 1200 MK	KERBING AND CHANNELLING				
	8.2.2	Supply, bed, lay, & joint concrete sections:				
1.8.1		400X200 Concrete edge strip (Class 20/19 Concrete Strength).				
		a) 1m Length on straight	m	350.00		
		b) 330mm Length on curves	m	25.00		
1.8.2		300X150 Barrier Kerb (SABS 927 Fig 3).	m	722.00		
1.8.3		Mountable Kerb (SABS 927 Fig 3).	m	144.40		
9	1200 DK	SUBSOIL DRAINS				
9.1		Supply and install A4 Bidim Geosynthetic materials to the subsoil drains , as per drawings.	m²	40.00		
9.2		Supply and install 110mm Class 6 HDPE perforated pipe to the subsoil drains outlet, as per drawings.	m	50.00		
9.3	1200 DK 8.2	Supply and install 1,5mm smooth HDPE Geomembrane as the liner to the channel, as per drawings.	m²	44.00		
9.4	1200 DK 8.2	Supply and install A7 Bidim Geosynthetic proetction layer to channel liner, as per drawings.	m²	60.00		
9.5	SANS 1200 AH	CONCRETE				
9.5.1	8.4.3	Supply, place and shape 25MPa c oncrete in hyson cells on the A10 Bidim Geosynthetic proetction layer , as per drawings.	m³	50.03		
9.5.2		Supply, place and shape 25MPa concrete in hyson cells in the leachate outlet channel, as per drawings.	m³	12.51		
	ARRIED FOR	DWARD				

ITEM NO.	PAYMENT REFER.	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
		TOTAL BROUGHT FORWARD				
10		STORMWATER MANAGEMENT				
	SANS	EARTHWORKS				
10.1		EXCAVATIONS				
10.1.1	1200 D 8.3.2	Excavate and prepare all cut off trenches and berms around the site as shown on the drawings and as directed by the Engineer.	m³	7.50		
10.1.2		Disposal of unsuitable or surplus material off site	m³	2.25		
10.2	SANS 1200 G	Concrete				
10.2.1	8.4.1	Mass concrete backfilling to replace unsuitable material, prescribed mix, Grade 10MPa/20 mm	m³	2.25		
10.2.2	8.4.2	Blinding layer, 50 mm minimum, prescribed mix, Grade 15MPa/20 mm	m²	2.50		
10.2.3	8.4.3	Strength concrete Grade 25 MPa/20 mm for:				
10.3		Concrete Channels	m³	11.25		
10.3.1	8.1.1	Formwork				
10.3.2	8.2.5	Rough, vertical, circular, maximum height 300 mm.	m	90.00		
10.3.3	8.2.5	Smooth, circular, vertical, 175 mm high to outer edge of base footing, (including forming of drainage lips with 110 mm dia drips)	m	20.00		
10.3.4	PSA8-11	Forming of drainage lips with 110 mm dia drips as per detail, Drawing	No	4.00		
10.3.5	8.4.4	Unformed surface finishes				
10.3.6		Steel float finish	m²	50.00		
TOTAL C	OTAL CARRIED TO SUMMARY					

₅ 351

Item No.	Payment Refers	Description	Unit	Qty	Rate	Amount
2	SABS 1200A	SCHEDULE 2 - STEEL PALISADE FENCING				
2.1	PCC-4.1	Steel palisade fencing 2,4m high according to specification including painting, excavations, foundation concreting, posts, pales and ground beams. All as per drawing.	m	512.00		
2.2	PCC-4.1	Supply and install according to specification a 6m wide vehicular gate	No	1.00		
2.3	PCC-4.1	Supply and install according to specification 1.5m wide pedestrian gate as per drawing	No	2.00		
2.4	PCC-4.1	Re-painting of existing fencing (both sides measured)	m ²			
SUB - T	OTAL CAR	RIED TO SUMMARY				

ITEM NO.	PAYMENT REFRES	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
		SCHEDULE 4: WATER SUPPLY PIPELINES AND WATER SOURCE				
	SABS 1200DB	EARTHWORKS : PIPE TRENCHES				
3.1		SITE CLEARANCE				
3.1.1	8.3.1(a)	Clear 2m wide vegetation and trees of girth up to 1m	m	200.00		
3.1.2	8.3.1(b)	Remove trees over 1 m and up to 2 m girth	No.	0.00		
3.2	PSDB12	EXCAVATION				
3.2.1		Excavate in all materials for trenches for pipes with a diameter between 20 mm and 100 mm, backfill compact and dispose of surplus/unsuitable material				
	а	Up to 1,5m in depth	m³	200.00		
3.2.1.1	8.3.2(b)	Extra-over item 3.2.1 incl. for excavation (provisional) in :				
		a) Intermediate material b) Hard rock material	m³ m³	40.00 30.00		
3.2.1.2		Extra over Item 3.2.1				
		a) Backfill and compact by means of labour intensive construction methods in layers of 200mm compacted to 90% mod AASHTO	m³	200.00		
3.2.2		EXCAVATION ANCILLARIES				
3.2.2.1	8.3.3.1(a)	Imported backfill materials from designated borrow pits (Only if approved by Engineer)	m³	70.00		
3.2.2.2	8.3.3.2	Opening up and closing down of designated borrow pit	P.Sum	1.00		
3.2.2.3	8.3.3.3	Compaction in road reserves	m³	0.00		
3.2.2.4	8.3.3.4	Overhaul :				
		a) Short haul b) Truck haul	m³ m³/km	-		
3.2.4	SABS1200L	PROVISION OF BEDDING (PIPES)				
3.2.4.1	B 8.2.1	Provision of bedding material from trench excavations				
		a) Selected granular material b) Selected fill material	m³ m³	30.00 70.00		
3.2.4.2		Provision of bedding material by importation from other necessary excavations (freehaul within the village boundaries)				
		a) Selected granular material b) Selected fill material	m³ m³	36.00 84.00		
TOTAL C	ARRIED FOR	RWARD				

ITEM NO.	PAYMENT REFRES	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
TOTAL B	ROUGHT FO	RWARD				
3.2.4.4	8.2.3	Concrete bedding	m³	5.00		
3.2.4.5	8.2.4	Encasing of pipes in Class 19/20 concrete	m³	5.00		
3.2.4.6	8.2.5	Overhaul of material for bedding cradle and selected fill blanket	m³km	0.00		
3.2.5	1200L	PIPEWORK				
	8.2.1	Supply, lay, joint, bed, test and disinfect the following pipes complete with couplings and fittings to the relevant SABS standards including short lengths (all uPVC pipes to comply with DWS1160)				
3.2.5.1		uPVC pipes				
		a) 75 Class 12 b) 75 Class 9	m m	- -		
3.2.5.2		HDPE pipes Type IV				
		a) 20 mm class 6 b) 50 mm class 6 c) 75 mm class 10	m m m	20.00 195.00 20.00		
3.2.5.3		GMS pipes (medium duty)				
		a) 15 mm Ø b) 20 mm Ø c) 25 mm Ø	m m m	-		
3.2.6		VALVES				
3.2.6.1		Line valve assemblies.				
		Extra over item F.6 for supplying, installing, bedding and testing line valve assemblies as per Drawing complete cutting of pipes and couplings included (all valves to comply with DWS 2510)				
		a) 50 mm b) 75 mm	No. No.	4.00 0.00		
3.2.6.2		Scour valve assemblies				
		Extra over item F.6 for supplying, installing, bedding and testing scour valve assemblies as per Drawing complete. Scour tee, cutting of pipes and couplings included.				
		a) On 50 mm dia main	No.	5.00		
3.2.6.3		Ditto for 40 Ø and smaller pipes as detailed in Drawing for the following diameters				
		a) 25 Ø b) 32 Ø c) 40 Ø	No. No. No.	- - -		
3.2.6.4		Air valve assemblies				
		Extra over item D.6 for supplying, installing and testing air valve assemblies as per Drawing complete				
		a) On 50 mm and 64 mm Ø main	No.	1.00		
OTAL C	ARRIED FOR	RWARD				

DUGHT FOR	FITTINGS FOR HDPE PIPES SUNDRIES Thrust blocks as per typical details on specification Drawing a) Concrete Class 15/19 b) Rough formwork BOREHOLE DEVELOPMENT Geohydrological Servies Sitting of drilling sites. Alowance to be made for desk study, site assessment, drilling supervision, testing supervision, and reporting. Borehole Drilling Site Establishment/De-establishment	m³ m²	1.00 1.00		
	SUNDRIES Thrust blocks as per typical details on specification Drawing a) Concrete Class 15/19 b) Rough formwork BOREHOLE DEVELOPMENT Geohydrological Servies Sitting of drilling sites. Alowance to be made for desk study, site assessment, drilling supervision, testing supervision, and reporting. Borehole Drilling Site Establishment/De-establishment	m²	1.00		
	Thrust blocks as per typical details on specification Drawing a) Concrete Class 15/19 b) Rough formwork BOREHOLE DEVELOPMENT Geohydrological Servies Sitting of drilling sites. Alowance to be made for desk study, site assessment, drilling supervision, testing supervision, and reporting. Borehole Drilling Site Establishment/De-establishment	m²	1.00		
	a) Concrete Class 15/19 b) Rough formwork BOREHOLE DEVELOPMENT Geohydrological Servies Sitting of drilling sites. Alowance to be made for desk study, site assessment, drilling supervision, testing supervision, and reporting. Borehole Drilling Site Establishment/De-establishment	m²	1.00		
	b) Rough formwork BOREHOLE DEVELOPMENT Geohydrological Servies Sitting of drilling sites. Alowance to be made for desk study, site assessment, drilling supervision, testing supervision, and reporting. Borehole Drilling Site Establishment/De-establishment	m²	1.00		
	Geohydrological Servies Sitting of drilling sites. Alowance to be made for desk study, site assessment, drilling supervision, testing supervision, and reporting. Borehole Drilling Site Establishment/De-establishment	No	1.00		
	Sitting of drilling sites. Alowance to be made for desk study, site assessment, drilling supervision, testing supervision, and reporting. Borehole Drilling Site Establishment/De-establishment	No	1.00		
	assessment, drilling supervision, testing supervision, and reporting. Borehole Drilling Site Establishment/De-establishment	No	1.00		
2	Site Establishment/De-establishment				
2					
2					
	Mobilisation and set up of plant to/at first borehole. Rate to include inter-borehole moves and de-establishment from site of the drilling batch.	No	1.00		
	Drilling				
3	Drilling of 165mm diameter borehole in non-collapsible material.	m	100.00		
4	Odex drilling in collapsible material and where ordered by the Geohydrologist of 254mm diameter borehole. Rate to include supply, delivery and installation of at least 6mm sidewall Odex casing.	No	120.00		
5	Steel casing (plain), 165 mm (state wall thickness here as 3 mm)	m	35.00		
6	Steel casing (slotted), 165 mm (state wall thickness here as 4 mm)	m	0.00		
	Pump testing of borehole.				
7	Rate to include the following:installation of pump testing equipment and remove after, calibration testing, 24hr constant testing, recovery measurements, data recording and reporting.	No	1.00		
8	Sampling for water quality testing	No	1.00		
	Site finishing				
10	Borehole finishing, rate to include borehole disinfection, concrete collar in Grade 20Mpa concrete, normal saintary seal, borehole making. Reporting	No	1.00		
	Complete Geohydrology report signed by a registered personnel	No	1.00		
	BOREHOLE REHABILITATION - (PROVISIONAL)				
	Site Establishment/De-establishment				
1	Mobilisation and set up of plant to/at first borehole. Rate to include inter-borehole moves and de-establishment from site	No	1.00		
R	4 5 6 7 8	Odex drilling in collapsible material and where ordered by the Geohydrologist of 254mm diameter borehole. Rate to include supply, delivery and installation of at least 6mm sidewall Odex casing. Steel casing (plain), 165 mm (state wall thickness here as 3 mm) Steel casing (slotted), 165 mm (state wall thickness here as 4 mm) Pump testing of borehole. Rate to include the following:installation of pump testing equipment and remove after, calibration testing, 24hr constant testing, recovery measurements, data recording and reporting. Sampling for water quality testing Site finishing Borehole finishing, rate to include borehole disinfection, concrete collar in Grade 20Mpa concrete, normal saintary seal, borehole making. Reporting Complete Geohydrology report signed by a registered personnel BOREHOLE REHABILITATION - (PROVISIONAL) Site Establishment/De-establishment Mobilisation and set up of plant to/at first borehole. Rate to include inter-borehole moves and de-establishment from site	Odex drilling in collapsible material and where ordered by the Geohydrologist of 254mm diameter borehole. Rate to include supply, delivery and installation of at least 6mm sidewall Odex casing. Steel casing (plain), 165 mm (state wall thickness here as 3 mm) m Steel casing (slotted), 165 mm (state wall thickness here as 4 mm) m Pump testing of borehole. Rate to include the following:installation of pump testing equipment and remove after, calibration testing, 24hr constant testing, recovery measurements, data recording and reporting. Sampling for water quality testing No Site finishing Borehole finishing, rate to include borehole disinfection, concrete collar in Grade 20Mpa concrete, normal saintary seal, borehole making. Reporting Complete Geohydrology report signed by a registered personnel No BOREHOLE REHABILITATION - (PROVISIONAL) Site Establishment/De-establishment Mobilisation and set up of plant to/at first borehole. Rate to include inter-borehole moves and de-establishment from site	Odex drilling in collapsible material and where ordered by the Geohydrologist of 254mm diameter borehole. Rate to include supply, delivery and installation of at least 6mm sidewall Odex casing. Steel casing (plain), 165 mm (state wall thickness here as 3 mm) m 35.00 Steel casing (slotted), 165 mm (state wall thickness here as 4 mm) m 0.00 Pump testing of borehole. Rate to include the following:installation of pump testing equipment and remove after, calibration testing, 24hr constant testing, recovery measurements, data recording and reporting. Sampling for water quality testing No 1.00 Site finishing Borehole finishing, rate to include borehole disinfection, concrete collar in Grade 20Mpa concrete, normal saintary seal, borehole making. Reporting Complete Geohydrology report signed by a registered personnel No 1.00 BOREHOLE REHABILITATION - (PROVISIONAL) Site Establishment/De-establishment Mobilisation and set up of plant to/at first borehole. Rate to include	Odex drilling in collapsible material and where ordered by the Geohydrologist of 254mm diameter borehole. Rate to include supply, delivery and installation of at least 6mm sidewall Odex casing. Steel casing (plain), 165 mm (state wall thickness here as 3 mm) m 35.00 Steel casing (slotted), 165 mm (state wall thickness here as 4 mm) m 0.00 Pump testing of borehole. Rate to include the following:installation of pump testing equipment and remove after, calibration testing, 24hr constant testing, recovery measurements, data recording and reporting. Sampling for water quality testing No 1.00 Site finishing Borehole finishing, rate to include borehole disinfection, concrete collar in Grade 20Mpa concrete, normal saintary seal, borehole making. Reporting Complete Geohydrology report signed by a registered personnel No 1.00 BOREHOLE REHABILITATION - (PROVISIONAL) Site Establishment/De-establishment Mobilisation and set up of plant to/at first borehole. Rate to include

ITEM NO.	PAYMENT REFRES	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
TOTAL BI	ROUGHT FO	RWARD				
	2	Removal of existing pumphouse	No	1.00		
	3	Removal of existing pump	No	1.00		
		Positive displacement pump				
	4	Removal using cable-tool (jumper) drilling rig of columns instalations diameter, 25mm-100mm upto 120m. Rate to include all pipe work and fittings	No	1.00		
	5	Site Establishment/De-establishment Mobilisation and set up of plant to/at first borehole. Rate to including inter-borehole moves and de-estalishment from Site, of the given drilling batch	No	1.00		
		Pump testing of borehole.				
	6	Rate to include the following:installation of pump testing equipment and remove after, calibration testing, 24hr constant testing, recovery measurements, data recording and reporting.	No	1.00		
	7	Sampling for water quality testing	No	1.00		
		BOREHOLE PUMPS AND APPURTENANCES				
3.2.16		NEW BOREHOLE INSTALLATION Supply and commissioning and testing of New Borehole complete with electric wiring and connection and controls. All units are to be made good and neat in accodance to manufactures and Engineers' specification.				
		Submersible pumpsets and fittings				
	8	Supply and install new submersible pump - Grundfos or similar Quality. All internals of wet-end shall be 316 stainless steel\u00e4brass. Electrical motor will be 316 stainless steel. Complete with corrosion protection. Engineer to approve prior to installation. Pump Installation, Head & Flow fas per borehole test report	No	1.00		
		Electric Motor installation, as per pump size requirements	110	1.00		
	9	determined in item above.	No	1.00		
		Pump Protection				
	10	Mechanical pressure switch, PN16, Complete with cabling to panel : Limits between 160m and 80m, WIKA PSM-550 or Equivalent	No	1.00		
	11	Mechanical flow switch, PN16, Complete with cabling to panel	No	1.00		
	12	Float Switch for Switching off Pump on Low Level, c/w wiring to panel's liquid level control relay.	No	1.00		
		Electric Motor Control Panel				
	13	Supply and install control panel with all fittings required to operate pumps and motors efficiently, including 0-20 second delay timer and0-24 hour timer.	No	1.00		
OTAL C	ARRIED FOR	RWARD				

ITEM NO.	PAYMENT REFRES	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
OTAL BI	ROUGHT FO	RWARD				
		Pipework Supply and install borehole discharge pipework complete with flow meter, non return and pressure valves on the following pipework.				
	14	Submersed pipe: Ø 63mm HDPE, Class 12, 7,1mm Wall thickness, SANS 4427, Borehole to Surface	m	110.00		
	15	Metal Base plate - Double choke	No.	1.00		
	16	65 NB Schedule 40 pipe discharge Galvanised Steel pipe, Incl Elbows and fittings	m	5.00		
	17	65 NB Threaded Brass Type Isolation valve, PN10	No.	2.00		
	18	65 NB Flanged Non Return Valve,tilted disc type, PN 10	No.	1.00		
	19	65 NB Flanged Mechanical flow meter, PN 10	No.	1.00		
	20	M16 galvanised bolts and nuts	No.	96.00		
	21	65 NB Gaskets, Incl Consumables	No.	24.00		
	22	Mechanical Pressure Gauge, Wika (100mm dial and filled with glycerine),with a range from 400 kPa to 1600 kPa, complete with ball isolating valve and piping	No.	1.00		
	23	T-Pieces and Bushes to mount Pressure gauge, Pressure Switch and Flow Switch Submersible pump steel cage	No.	3.00		
	24	Supply and install borehole discharge pipework complete as per drawing	No	1.00		
3.2.18		TESTING AND COMMISSIONING				
	1	Testing and commission borehole installation includibg pumps, motrs, control system and verify discharge and head characteristics	No	1.00		
	2	Eletricity Supply Supply material and erect a three phase electricity power line to the new borehole	No	1.00		
		Mark-up on item 4.2.1				
	3	Supply all material and install a 25kVa transformer	No	1.00		
		SUPPLY DELIVER AND INSTALL				
	4	10 000 Litre polyethylene water tank (Jo Jo make or equivalent). (2980mm high x 2 200mm diameter). Tank complete with 50 x 40 DN nylon bushes sealed into all inlets and outlets. Include for anchorage onto tank stand platform with 4mm diameter galvanized steel wire (bloudraad). (2 Strands/Anchor)	No	3		
	5	Fabricated steel tank stand with 4,2m long legs, constructed complete as per details on drawing LDE01_DW_03_201, LDE01_DW_03_202 and LDE01_DW_03_203. (incl. excavations and concrete footings).	No	4		
	6	Tankstand Refurbishment including, modification to concrete foundations, pipe work, brackets, surface preparation and repainting	No	-		

ITEM NO.	PAYMENT REFRES	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
TOTAL B	ROUGHT FO	RWARD				
		WATER TREATMENT (PROVISIONAL)				
	7	10kl PVC pre-treatment tank	No.	1		
	8	Supply, installation, connections, testing and handing over in working order of a 20m³/hr package water treatment plant	Prov. Sum	1	350 000.00	R 350 000.00
	9	Overheads, charges and profit.	%	350 000.00		
	10	WATER STORAGE Water Tanks 5 000 Litre polyethylene water tank (JoJo make or equiva-lent). Tank complete with 50 x 40 DN nylon bushes sealed into all inlets and outlets. Include for anchorage onto tank stand platform with 4mm diameter galvanized steel wire (bloudraad), 2 Strands/Anchor.		0		
	12	10 000 Litre polyethylene water tank (JoJo make or equiva-lent). Tank complete with 50 x 40 DN nylon bushes sealed into all inlets and outlets. Include for anchorage onto tank stand platform with 4mm diameter galvanized steel wire (bloudraad), 2 Strands/Anchor.		2		
	13	Elevated 4.5m Steel Stand Tankstand Refurbishment including, modification to concrete foundations, pipe work, brackets, surface preparation and re-painting	Sum	2		
	14	Elevated 4.5m Steel Stand Refurbishment (Provisional) Refurbish existing steel stand - including repainintg, rust protection and replacing corroded purlins	P.Sum	1		
	15	Outlet and overflow Pipe Schedule for items below:	Sum	1		
		a) 1½" to 50mm MALE ELBOW (Plasson)				
		b) 50mm Ø HDPE PIPE CLASS 10	m	2		Rate Only
		c) 50mm Ø PLASSON ELBOW	No	2		Rate Only
		d) 50mm Ø MALE ADAPTER (Plasson)	No	2		Rate Only
		e) 50GMS bend F/F	No	2		Rate Only
		f) 50mm Ø x 3000 GMS STAND PIPE	No	2		Rate Only
		g) 50mm Ø BRASS BALL VALVE (COBRA)	No	2		Rate Only
		h) 50mm Ø GMS NIPPLE	No	2		Rate Only
		i) 50mm Ø GMS UNION	No	2		Rate Only
TOTAL C	ARRIED FOR	WARD				

ITEM NO.	PAYMENT REFRES	DESCRIPTION	UNIT	QTY	RATE	AMOUNT	
TOTAL B	ROUGHT FO	RWARD					
		k) 50mm Ø GMS PIPE 6000 LONG	No	2		Rate Only	
		I) 50mm Ø GMS ELBOW F/F	No	2		Rate Only	
		m) 50mm Ø GMS STAND PIPE 300 LONG (400 long in sandy		2		Rate Only	
		conditions) n) 50mm Ø GMS STAND PIPE 700 LONG	No	2		Rate Only	
		o) 50mm Ø GMS SOCKET	No	2		Rate Only	
		p) 50mm Ø GMS STAND PIPE 150mm	No	2		Rate Only	
			Sum	1	6 500.00	R 6 500.	
		Inlet Pipe Schedule (From Pump)			0 300.00		
		a) 1½ "TO 40mm MALE ELBOW (Plasson)	No	2		Rate Only	
		b) 40mm Ø HDPE PIPE CLASS 10	m	2		Rate Only	
		c) 40mm Ø PLASSON ELBOW	No	2		Rate Only	
		d) 40mm Ø MALE ADAPTER (Plasson)	No	2		Rate Only	
		k) 40mm Ø GMS PIPE 6000 LONG	No	2		Rate Only	
		I) 40mm Ø GMS ELBOW F/F	No	2		Rate Only	
		m) 40mm Ø GMS STAND PIPE 300 LONG (400 long in	No	2		Rate Only	
		sandy conditions)					
		n) 40mm Ø GMS STAND PIPE 700 LONG	No	2		Rate Only	
		o) 40mm Ø Galvanised socket	No	2		Rate Only	
		p) 40mm Ø Galvanised standpipe 150 mm long	No	2		Rate Only	
3.2.7		DRAW-OFFS					
3.2.7.1		Complete supply, install and test single rudimentary domestic drawoff standard type as detailed in Drawing with :					
		i) 2 Taps	No.	4.00			
		ii) 4 Taps	No.	0.00			
3.2.7.3		Complete supply, install and test garden standpipe as detailed in Drawing	No.	1.00			
		DECOMMISSIONING OF OLD SERVICES					
	а	Removal of old water supply equipment including old tanks, tank stands, and pumps etc.	No	2			
TOTAL C	ARRIED TO	SHIMMARY					
I O I AL C	ארעובט וט	JOHNING I					

Item	Description	Unit	Qty	Rate	Amount
	SCHEDULE 5 : EXTERNAL SEWER RETICULATION - (PROVISIONAL)				
4.1	EARTHWORKS (PIPE TRENCHES)				
4.1.1	Excavation				
	Excavate in all material for trenches, backfill, compact and dispose of surplus material for pipes over 25mm dia up to 400mm dia for depths:				
	a) Exceeding 0,0m but not more than 1,0m	m ³	210.00		
	b) Exceeding 1,0m but not exceeding 2.0m	m ³	10.50		
4.2	Extra-over all excavations in pickable material irrespective of depth, for excavating in:-				
4.2.1	Intermediate excavation	m ³	42.00		
4.2.2	Hard rock excavation	m ³	31.50		
4.3	Excavation Ancilliaries				
4.3.1	Excavate and dispose of unsuitable material from trench bottom (provisional)	m ³	10.50		
4.3.2	Make deficiency in backfill material (Provisional)				
	a) from other necessary excavation on Site	m ³	10.50		
	b) by importation designated borrow pits	m ³	10.50		
	c) Compaction in platform reserves	m ³	10.50		
4.4	Existing services				
	a) Services that adjoin a trench	m	12.00		
	b) Services that intersect a trench	No	5.00		
Amount C	Carried Forward				

Item	Description	Unit	Qty	Rate	Amount					
Amount E	Brought Forward									
4.5	BEDDING (PIPES)									
4.5.1	Provision of Bedding from Trench Excavation									
	a) Selected granular material	m ³	31.50							
	b) Selected fill material	m ³	88.20							
4.5.2	Supply only of Bedding by Importation From Commercial Sources (provisional)									
	a) Selected granular material	m ³	31.50							
	b) Selected fill material	m ³	88.20							
4.6	SEWERS PIPELINES									
4.6.1	Supply, Lay, Joint and Bed PVC Heavy Duty Class 34 solid wall pipe (conforming to SABS 891), complete with fittings									
	a) 110mm dia	m	209.00							
	b) 150mm diameter	m	-							
	c) 225mm diameter	m	-							
	d) 375mm diameter	m	-							
4.6.2	Extra over items 11.3.1 for specials									
	a) 110mm Access bends	No	12.00							
	b) 110mm Access junctions	No	6.00							
	c) 160mm Bends	No								
	d) 160mm Access bends	No	-							
	e) 160mm Access Junctions	No	-							
Amount C	Carried Forward	•		Amount Carried Forward						

Item	Description	Unit	Qty	Rate	Amount
Amount E	Brought Forward				
4.7	Sundries				
4.7.1	Breaking into and connecting into existing manhole	No	6.00		
4.8	MANHOLES				
4.8.1	Supply and install manholes & slabs (SABS 1294)				
4.8.1.1	Precast concrete manholes 1200mm diameter, exceeding 750mm and not exceeding 1m deep, complete with precast concrete heavy duty cover and frame TYPE 4A	No	1.00		
4.8.1.1	Precast concrete manholes 1200mm diameter, exceeding 1000mm and not exceeding 1250m deep, complete with precast concrete heavy duty cover and frame TYPE 4A	No	1.00		
4.8.1.1	Precast concrete manholes 1200mm diameter, exceeding 1250mm and not exceeding 1500m deep, complete with precast concrete heavy duty cover and frame TYPE 4A	No	2.00		
4.9	PIPE ANCILLARIES				
4.9.1	Encasing around pipe				
4.9.1.1 4.9.1.2	Anchor blocks in strength concrete 25Mpa /19mm including all formwork, reinforcement, reinforcement, etc. Anchor block size 600 x 600mm	No	10.00		
4.10	EXISTING SERVICES				
4.10.1	Connection to existing sewer				
4.10.1.1	200mm Diameter pipe to existing manhole	No	1.00		
4.10.2	Raising or lowering of existing manholes	No	1.00		
4.10.2.1	Remove cover and frame then lower the manhole to required level, complete with all necessary accessories.	No	1.00		
Amount C	Carried Forward			•	

Item	Description	Unit	Qty	Rate	Amount
Amount E	Brought Forward				
4.11	SEPTIC TANK				
4.11.1	Septic tank:				
1	Excavate in soft material exceeding 2m deep.	m³	58.68		
2	Extra over septic tank excavations for carting away surplus material from excavations or stock piles to a dumping site to be located by the Contractor.	m³	8.80		
3	Risk of collapse to sides septic tank excavations not exceeding 1,5m deep.	m²	44.14		
4	Earthfilling obtained from the excavations or stock piles compacted to 93% in septic tank.	m³	8.80		
5	Modified AASHTO density tests	No	2		
6	Extra over excavation in soft material for pipe trenches, chambers, etc. for excavation in intermediate material.	m³	1.5		
7	25 MPa Reinforced concrete top slab.	m³	4.40		
8	25 MPa Reinforced concrete base.	m³	4.40		
9	Backfilling to sides of septic tank.	m³	5.87		
10	Type 395 fabric reinforcement in concrete surface beds, floor slabs, etc.	m²	30		
11	Rough formwork to soffit of slab.	m²	29.34		
12	Plaster to vertical surfaces.	m²	44.14		
13	One brick wall in commons including wire ties for septic tank walls.	m²	5.868		
14	Two brick wall in commons including wire ties for septic tank walls.	m²	44.14		
15	Lintels as permanent shatters	m	58.68		
16	600 x 600mm Cast iron manhole covers	No	2		
17	Pipework Extra over excavation in soft material for pipe trenches, chambers, etc. for excavation in intermediate material.	m³	35		
18	Connecting 110mm uPVC pipe including 110mm channel junction and making good concrete benching.	No	2		
19	Connecting 160mm pipe including inserting 160mm channel junction and making good concrete benching.	No	2		
20	Allow for testing the complete drainage installation by visual and Air Pressure test to the satisfaction of the Employer. (All defective work to be replaced at the Contractor's expense).	Item	1		
21	160mm uPVC slotted drainage pipe laid in and including trench not exceeding 1,00m deep with 500 x 500mm washed 25mm stone casing wrapped in u24 non-woven, spun-bonded, punched continuous polyester fabric, including fill, ram, carting away, etc.	m	35		
Amount C	Carried Forward	=			


Item	Description	Unit	Qty	Rate	Amount				
Amount Brought Forward									
22	Soakaway: Excavate in earth for and build French drain size as indicated on drawings , fill in with 20mm crushed stone to within 0,2m of top, enclose stone with geofabric u 24 and fill in with earth filling.	m	35						
23	Extra over soakaway excavations for carting away surplus material from excavations to a dumping site to be located by the Contractor.	m³	5						
24	Risk of collapse to sides of soakaway excavations exceeding 1,5m and not exc. 2m deep.	m²	28						
25	One layer of 250 micron waterproof sheeting and sealed at overlaps with pressure sensitive tape laid over soak away	m²	35						
26	0,6mm IBR sheeting laid across walls.	m²	35						
27	Lintels laid above soakaway	m	35						
Amount (Carried to Final Summary			Amount Carried to Final Summary					

ITEM NO.	PAYMENT REFRES	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	SABS 1200 GB	SCHEDULE 6 : WALKWAYS AND CARPORTS				
5.1		FORMWORK				
5.1.1	8.2.1(b)	Normal formwork to				
		c) Column Foundations	m2	120.32		
5.2		REINFORCEMENT				
5.2.1	8.2.4	Mild steel bars of nominal diameter				
5.2.1.1		12mm	t	4.81		
5.2.2		High-tensile steel bars of nominal diameter				
5.2.2.1		16mm	t	7.22		
5.2.3		High-tensile welded mesh of nominal mass				
5.2.3.1		a) 3.95 kg/m²	m²	0.00		
5.3		CONCRETE				
5.3.1	8.2.5	Strength concrete, Grade 25MPa/19 mm in Column Footings	m ³	12.03		
5.3.2		Blinding layer, Grade 10/19,0 mm	m ³	1.50		
5.3.4	8.2.6	Unformed surface finishes				
5.3.4.1		Wood-float to all floors except	m ²	30.08		
	SABS 1200 AH	SECTION : STRUCTURAL STEELWORK				
5.5	8.3.1	PRELIMINARY AND GENERAL				
5.5.1	8.3.1	SUPPLY AND FABRICATION				
5.5.1.1	8.3.1.1	Preparation of shop detail drawings	Sum	1.00		
5.5.2	8.3.1.2	Supply, delivery and installation of steelwork (see Drawings) complete with all the necessary cleats, brackets, gussets, packs, bolts & nuts etc. as follows:				
		a) Using steel to SABS 1431 Grade 350WA for walkways				
5.5.2.1		Simple Square Tubing - columns (welded)	t	1.93		
5.5.2.2		Square Tubing Beams - beams (welded)	t	0.67		
5.5.2.3		Square Tubing purlins	t	1.96		
5.5.2.4		Unequal Angle rafter bracing	t	2.27		
5.5.2.5		200 x 200 x 6mm Base Plates	No.	109.00		
5.5.2.6		Fasteners for angles hexhead bolts with washers - Grade 8.8	No.	327.00		
5.5.2.7		Sika Non-shrink grout or Similar	m ³	0.87		
5.5.2.8		M12 Holding Down Bolta - Grade 8.8 hexhead bolts	No.	436.00		
		b) Using steel to SABS 1431 Grade 350WA for assembly				
TOTAL	CARRIED F	ORWARD				

ITEM NO.	PAYMENT REFRES	DESCRIPTION	UNIT	QTY	RATE	AMOUN
		FORWARD				
	1	Simple Square Tubing - columns (welded)	t	1.16		
	2	Square Tubing Beams - beams (welded)	t	1.02		
	3	Square Tubing purlins	t	1.22		
	4	Unequal Angle rafter bracing	t	1.25		
	5	200 x 200 x 6mm Base Plates	No.	57.00		
	6	Fasteners for angles hexhead bolts with washers - Grade 8.8	No.	171.00		
	7	Sika Non-shrink grout or Similar	m^3	0.46		
	8	M12 Holding Down Bolta - Grade 8.8 hexhead bolts	No.	228.00		
		c) Using steel to SABS 1431 Grade 350WA for carports				
	9	Simple Square Tubing - columns (welded)	t	0.81		
	10	Square Tubing Beams - beams (welded)	t	0.50		
	11	Square Tubing purlins	t	3.21		
	12	Unequal Angle rafter bracing	t	2.45		
	13	Steel Fascia beams	t	1.54		
	14	200 x 200 x 6mm Base Plates	No.	22.00		
	15	Fasteners for angles hexhead bolts with washers - Grade 8.8	No.	66.00		
	16	Sika Non-shrink grout or Similar	m³	0.18		
5.5.5	17 8.3.5	M12 Holding Down Bolta - Grade 8.8 hexhead bolts SITE WELDING	No.	88.00		
5.5.5.1	а	Site weld items inclusive	m	56.40		
		CLADDING AND SHEETING				
		ROOF CLADDING				
5.6	b	Supply, deliver to Site, erect and fix green chromedeck sheeting/cladding etc, including the supply of all necessary fasteners etc. and cutting and notching: (See Drawings)	m²	730.80		
		Approved troughed profile-sheeting to roofs, 0,6mm				
5.6.2	8.2.3	Ridge flashing 450-600mm girth x 1mm - 3 bends, baked enamel external finish	m	30.00		
	8.3.1	GUTTERS AND RAINWATER PIPES				
		Galvanized mild steel				
	а	3mm Thick box gutter, 100mm girth 6 times bent along length to detail, including straps, stiffeners,etc as per drawing	m	243.00		
	b	Extra for stopped end	no	6.00		
	С	Extra for 150mm diameter outlet	no	32.75		

ITEM NO.	PAYMENT REFRES	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
		FORWARD				
	d	1mm Thick 150mm diameter rainwater pipe including straps, fixed to steel columns	m	85.15		
	е	Extra for 45° bend	no	32.75		
	SABS 1200 HC	CORROSION PROTECTION OF STRUCTURAL STEELWORK				
	а	Steelwork included under Items 1 to 7inclusive, of Section 1200H (Supply, Fabrication and Erection)	t	11.47		
5.7	8.2.1	SURFACE DRESSING AND REPAIRS AT PLACE OF FABRICATION				
	а	Remove slag and weld spatter, grind welds to smooth profile, radius sharp edges as specified.	t	11.47		
5.7.1	8.2.3	SURFACE PREPARATION AND COATING APPLICATION				
5.7.1.1		Shopwork. Prepare surface and apply coat(s) as specified.	t	11.47		
5.7.2		Sitework. Clean down surfaces, touch up damaged shop coats and apply finish coats as specified	t	11.47		
5.7.2.1		Cold-formed sections				
	а	Tonnage shall be gross quantities inclusive of unpainted steel (e.g. embedded portions and underside of baseplate,etc.	t	11.47		
TOTAL (CARRIED T	I O SUMMARY				

DEPARTMENT OF EDUCATION : LIMPOPO	
MATSOBANE PRIMARY SCHOOL	
CIVIL ENGINEERINGS SERVICES: BILLS OF QUANTITIES	
SUMMARY OF BILL OF QUANTITIES	
SCHEDULE NO. 1: EARTHWORKS	
SCHEDULE 2: EARTHWORKS (ROADS AND SUBGRADE)	
SCHEDULE 2: STEEL PALISADE FENCE	
SCHEDULE 3:WATER SUPPLY PIPELINES AND WATER SOURCE	
SCHEDULE 4:EXTERNAL SEWER RETICULATION	
SCHEDULE 5:COVERED WALKWAYS	
TENDER (CONTRACT) SUM (CIVIL AND STRUCTURAL WORKS)	



C4.4 ELECTRICAL WORKS

REPUBLIC OF SOUTH AFRICA

LIMPOPO DEPARTMENT OF PUBLIC WORKS & INFRASTRUCTURE

MATSOBANE PRIMARY SCHOOL

LDPWRI-B/20103

PART B ELECTRICAL INSTALLATIONS BILLS OF QUANTITIES

Summary- Matsobane Primary School

BILL	DESCRIPTION	AMOUNT
1A and 1B	Preliminary and General and Transport	
2	Internal Installation	
3	Site Reticulation	
4	PVC Sleeves for Electric Installation	
5	HVAC	
6	Prov Sum for Eskom Bulk Power Supply	R 250 000.00
7	Prov Sum for CCTV	R 100 000.00
	CARRIED TO FINAL SUMMARY	

New Rate Items:
Mark-up percentage on New Rate Items%. Labour cost shall be based on the bill of rates.
CONTRACTOR:
SIGNATURE:
DATE:

Electr BOQs 1 371

Internal Installations Bill- Matsobane Primary School

Item	Description	Unit	Qty	Rate	Amount
	BILL 2				
	CONDUIT WORK				
	CONDUIT WORK				
	Flush in walls, floors and concrete slabs against wooden and steel structures and walls in ceiling void, indoor and outdoor, chasing of floors and walls where necessary, etc.				
2	CONDUIT				
	20 mm dia PVC				
2.1	Material	m	4000		
2.2	Installation	m	4000		
	50 mm dia PVC				
2.3	Material	m	2000		
2.4	Installation	m	2000		
3	STEEL BOXES AND COVER PLATES				
	Round conduit boxes				
3.1	Material	No	170		
3.2	Installation	No	170		
	Galvanized Steel				
	100 x 50 x 50 mm				
3.3	Material	No	90		
3.4	Installation	No	90		
4	CONDUCTORS				
	PVC Insulated copper conductors				
	1,5sq mm				
4.1	Material	m	0		
4.2	Installation	m	0		
	Balance c/f				

Electr BOQs 2 372

	I			
	Balance b/f			
	2,5sq mm			
4.3	Material	m	8000	
4.4	Installation	m	8000	
	4sq mm			
4.5	Material	m	4000	
4.6	Installation	m	4000	
	6sq mm			
4.7	Material	m	0	
4.8	Installation	m	0	
	Stranded Bare Copper Earth Wire			
	1.5sq mm			
4.9	Material	m	0	
4.10	Installation	m	0	
	2,5sq mm			
4.11	Material			
4.12	Installation	m	4000	
2		m	4000	
	4,0sq mm			
4.13	Material	m	3000	
4.14	Installation	m	3000	
	Galvanized Draw wire			
	1,5sq mm			
4.15	Material	m	2000	
4.16	Installation	m	2000	
	Balance c/f			
	Balance c/f			

Electr BOQs 3

	Balance b/f			
5	SWITCHES, SOCKET OUTLETS AND ISOLATORS FOR FLUSH INSTALLATION INCLUDING COVERPLATES			
	Switches			
	16 A Single Lever 1 way			
5.1	Material	No	64	
5.2	Installation	No	64	
	16A 1 Lever 2 way			
5.3	Material			
5.4	Installation			
	Socket Outlets with switch			
	16A 3 pin Double 100 x 100			
5.5	Material	No	72	
5.6	Installation	No	72	
	Isolators			
	20A 2 pole, 100 x 100			
5.6	Material	No	25	
5.7	Installation	No	25	
	40A 2 pole, 100 x 100			
5.8	Material	No	27	
5.9	Installation	No	27 27	
3.9	Installation	NO	21	
6	SQUARE TUBING			
	POWER SKIRTING			
	Supply and installation of power skirting complete with covers and end caps. Tenderers shall make			
	The solution and one supply for the solution of the solution o			
6.1	Material	m		
6.2	Installation	m		
	Balance c/f			

Electr BOQs 4 374

	Balance b/f			
7	PHOTOCELL / DAYLIGHT SWITCH			
	Royce Thompson type or equal			
7.1	Material	No	7	
7.2	Installation	No	7	
8	BONDING OF DISTRIBUTION BOARDS TO WATER AND ROOF			
	Installation	lot	7	
9	EARTHING AND LIGHTING PROTECTION			
9.1	Material	lot	7	
9.2	Installation	lot	7	
10	TESTS OF THE COMPLETE ELECTRICAL INSTALLATION AND ISSUING OF COC'S			
10.1	Installation	lot	7.00	
	Total for Bill 2 carried to summary sheet			

Electr BOQs 5

Item	Description	Unit	Qty	Rate	Amount
	BILL 3				
11.1	LIGHT FITTINGS Tenderer shall include tubes or lamps and 5A unswitched plug in his tender rates. The light fittings shall be installed complete with lamps. Colour to be advised where not specified Light Fittings samples shall be submitted for approval before final order is made TYPE 1 - Surface mounted LED Open Channel, IP20, fitted with 2 x 18W LED tubes, minimum 2320lm output per tube, colour temp 4000k				
	Material	No	55		
	Installation	No	55		
11.2	TYPE 2 - IP65, vapour proof, open channel with 2 x 24W T8 LED tubes with lumen output of 1720lm per tube.	No	33		
	Material	No	12		
	Installation	No	12		
11.3	TYPE B1 - IP65 Wall and ceiling mounted mounted bulkhead complete with 1 x 30W LED bulb . Material	No	56		
	Installation	No	56		
11.4	Type 1 - Open Channel complete with 2 x 24W T8 LED tubes .Each tube to have a lumen output of 2315lm.				
	Material	No	130		
	Installation	No	130		
	Total for Bill 3 carried to summary sheet				

Electr BOQs 6 376

Item	Description	Unit	Qty	Rate	Amount
	BILL 4				
12	DISTRIBUTION BOARDS AND SITE KIOSKS				
	New Site Kiosk as per schematic/Drawing				
	Material Installation, Inc Plinth	No No	1 1		
	DISTRIBUTION BOARDS				
	New or Modifications to the DB - Allow for all rewiring				
12.3	Material	No	7		
	Installation	No	7		
	Telephone and Computer Distribution Board				
	500 x 500 x 250 mm surface type distribution board installed flush				
	Material Installation	No No	1 1		
12.0			I		
	Telephone point	No			
	Material Installation	No No	5 5		
	Computer point				
	Material Installation	No No	5 5		
	Total for Bill 4 carried to summary sheet				

SUMMARY OF QUANTITIES

Bill	Decsription	Scheduled
Dill	Decsription	Value
2	Conduit Work	
3	Light Fittings	
4	Distribution Board	
	SUB TOTAL	

Site Reticulation Bill- Matsobane Primary School

Item	Description	Unit	Qty	Rate	Total
	BILL 5				
13	LOW VOLTAGE CABLES				
	Low Voltage cables 600 to 1000 PVC insulated steel wire armoured underground cable Cable in trenches, sleeves and building duct also in ceiling void if necessary				
	70 mm sq x 4 core				
13.1 13.2	Material Installation	m m	0 0		
	50mm sq x 4 core				
13.3 13.4	Material Installation	m m	0 0		
	25mm sq x 2 core				
13.5 13.6	Material Installation	m m	50 50		
	16mm sq x 2 core				
13.7 13.8	Material Installation	m m	300 300		
	10mm sq x 2 core				
13.9 13.10	Material Installation	m m	0 0		
	TERMINATIONS				
	70mm sq x 4 core				
	Material Installation	No No	0 0		
10 10	50mm sq x 4 core	No	0		
	Material Installation	No No	0 0		
	Balance c/f				

Electr BOQs 8 378

		1		
	Balance b/f			
	25mm sq x 2 core			
	Material	No	4	
13.16	Installation	No	4	
	16mm sq x 2 core			
	Material	No	12	
13.18	Installation	No	12	
	10mm sq x 3 core			
13 19	Material	No	0	
	Installation	No	0	
14	COPPER EARTH WIRE			
	70mm sq			
14.1	Material	m	0	
	Installation	m	0	
	25mm sq			
	Material Installation	m m	50 50	
14.4	Installation	'''	30	
	16mm sq			
14.5	Material	m	300	
	Installation	m	300	
	10mm sq			
447	Motorial			
	Material Installation	m m	0 0	
1 4.0		'''		
	Balance c/f			

Electr BOQs 9 379

	Balance b/f			
	6mm sq			
	Material	m	0	
14.10	Installation	m	0	
15	Yellow Cable Marker / Danger Tape			
15.1	Material	m	25	
15.2	Installation	m	25	
	TOTAL CARRIED FORWARD TO SUMMARY			

SUMMARY OF QUANTITIES

BILL	DESCRIPTION	Scheduled Value
5	LOW VOLTAGE CABLES	
	SUB TOTAL	

Site Reticulation Bill- Matsobane Primary School

Item	Description	Unit	Qty	Rate	Total
16	BILL 6 PVC SLEEVES FOR ELECTRIC AND COMMUNICATION				
	PVC SLEEVES complete with bends				
	100mm dim				
16.1 16.2	Material Installation	m m	0 0		
	50mm dim				
16.3 16.4	Material Installation	m m	100 100		
	Excavation				
16.5 16.6 16.7	Soft Rock and Earth Hard Rock Very Hard Rock	m3 m3 m3	0 150 0		
	Sifted Soil Bedding and Cover				
16.8 16.9	Material Labour	m3 m3	100 100		
17	Prepare As Built Drawings for all Layouts				
	As Built Drawings	lot	1		
18	Manholes 600 x 600mm with Heavy duty Steel cover				
18.1	Material	No	3		
18.2	Labour	No	3		
19 19.1	Concrete Cable Markers Material	Lot	1		
19.2	Labour	Lot	1		
	TOTAL CARRIED TO SUMMARY				

Electr BOQs 11 381


ITEM	DESCRIPTION	Unit	Scheduled Qty	Rate	Total
20	BILL 7 BULK POWER SUPPLY FROM ESKOM APPLICATION FOR POWER SUPPLY				
	HVAC: Supply, delivery, installation, commissioning and testing of a 2.4 kW cooling capacity high wall split units complete with insulated refrigerant piping, condensate drains, trunking, electric wiring and connection and controls (heat pump), RECOMMENDED BRANDS are GREE, CARRIER, YORK AND LG				
20.1	High-wall split units, 2.4 kW cooling capacity/ 9000 BTU (heat pump) unit.				
	Material	No.	4		
	Installation	No.	4		
20.2	Refrigerant piping pair (liquid and gas) Material Installation	m m m	100 100		
20.3	Drain piping Material Installation	m m	100 100		
	Hand Dryers Hand drier (XLERATOR or equivalent) at toilets (1400W high speed air jet, motor speed of at least 20000 RPM)				
21.1 21.2	Material Installation	No No	2 2		
	TOTAL CARRIED FORWARD TO SUMMARY				

Electr BOQs 12 382


SUMMARY OF QUANTITIES

Bill	Decsription	Amount
6	PVC SLEEVES FOR ELECTRIC AND COMMUNICATION	
7	BULK POWER SUPPLY	
	SUB TOTAL	

Electr BOQs 13



PART C5: SCOPE OF WORKS



C5.1 Scope of Works

Overview of the works

The project comprises the construction of the following:

- 1. Demolitions of existing dilapidated blocks (E, G, H, I, J, K); renovations of toilets, classrooms and hall, construction of 2 x 4 classroom block, 2 x 2 Grade R classroom block, medium administration block, nutritional centre block, 6 seats enviro-loo toilets, guard house, water reticulation, borehole drilling, 3 x 10kl + 5kl elevated tanks, sewer reticulation, septic tank, storm water drainage, paving, carports and fencing at Matsobane Primary School.
- 2. In accordance with the drawings and specifications that will be provided to the contractor.

The Contractor shall provide sufficient qualified technical staff, field staff, and safety personnel to ensure the Works under this contract be satisfactorily carried out safely and meeting the performance targets and programs. The Contractor shall also provide competent attendant(s) to monitor any works in relation to the scope of works.



PART C6: EPWP INFRASTRUCTURE GUIDELINE 2015

PART C6: EPWP INFRASTRUCTURE GUIDELINE 2015

Bidders are referred to guidelines for the implementation of labour intensive infrastructure projects under Expanded Public Works Programme (EPWP), Third Edition 2015.



PART C6.1: DATA COLLECTION TOOL





	DATA COLLECTION TOOL
NOTE:The field with the asterick indicates the mandantory.***	
Column A	Column B
	Project Details
Project Name ***	
Project Reference Number ***	
Project description ***	
Project Start Date ***	
Project End Date ***	
Estimated Budget ***	
	Project Location
Province ***	
District/Metro Municipality ***	
Local Municipality/Metro Region ***	
Latitude (in decimal format)	
Longitude (in decimal format)	
	Public Body Details
Public body sphere ***	
Reporting public body that is the project owner (and will	
report on the project) ***	
Implementing public body type ***	
Public body that will implement the project	
MIG/IDP reference number allocated to the project	
EDWD 0. 4 ***	EPWP Details
EPWP Sector***	Infrastructure
EPWP Program ***	
EPWP Sub programme ***	
Financial year ***	Budget Amount
	1
Total Budget Amount *** Wages ***	
0"	
COIDA ***	
Training	
Administration	
Equipment and materials	
Other	
Describe if other	
Output ***	Outputs and Training
Despription ***	
Target Quantity ***	
Number of persons to be trained	
	Contact person
Title***	
Initials*** First Name***	
Surname***	
Email	
Tel (Office)***	
Fax Number	
Cell Number***	
Physical Address ***	
Postal Address	
Postal code	

	Beneficiary Details *** NOTE:Give as much information as you possible can on the beneficiaries details.												Location Details ***				Household Details ***			
FirstName ***	Initials ***	als Surname Idnumber DateOfBirth Gender Disability StartDate EndDate EndDate EndDate EndDate Language Address Nationality Cell Number Governmen Province District Muncipality Ward							Number of people in Household ***	Number of Dependants in Household ***	Number of Children attending school ***									

Project Location											
Column A	Column B										
Locality Name ***											
Municipality***											
Ward ***											
Subplace***											
Government Facility***											
Project Location ***											

	Payment Details ***													
FirstName ***	Initials ***	Surname ***	Idnumber ***	DateOfBirth* **	WageRate ***	TotalPaidDays ***	AmountPaid ***	WorkDays* **	Training Days Paid	TrainingDays NonPaid	Total Training Days	Training Course Id	Month	Year ***

	Training													
ID	Course Name	Code	Туре	Start	End	Number of Trainees	Number of Days	Cost	Status	Training Provider				

Monthly Progress	s Report
Wages ***	
UIF ***	
COIDA ***	
Training	
Administration	
Equipment and materials	
Other	
Describe if other	
Outputs	
Achieved Value ***	
Achieved Percentage ***	

EPWP Employment Inform	nation
Name of Project	
First Name	
Initials	
Surname	
ID Number	
N. a. u.	
Nationality	
Name of Employer	
Name of Employer	
Name of Project Signature of Employer	
olghature of Employer	
Attachment	
Copy of ID	

Payment Details ***														
Employe	ſ			LI	DPWR&I									
Project N	Project Name			Schoemansdal Museum										
Contract														
Reporting														
Attach pr	ooof of p	ayment o	r register where							T''	Tarak			
FirstName ***	Initials ***	Surname ***	Idnumber ***	DateOfBirth ***	WageRate ***	No. of Days Worked	AmountPaid ***	WorkDays ***	Training Days Paid	TrainingD ays NonPaid	Training	Training Course Id	Month ***	Signature of Payment Received
ı														
2														
3														
1														
5														
5														
7														
3														
9														
L														
2														
3														



PART C7: SITE INFORMATION AND DRAWINGS



PART C7.1: SITE INFORMATION

The site is located in Seleteng, Ga-Mphahlele at the existing school. Contractor shall ensure that interruptions to underground and existing services are kept to the minimum when undertaking building works.



PART C7.2: DRAWINGS


REPUBLIC OF SOUTH AFRICA

LIMPOPO DEPARTMENT OF PUBLIC WORKS & INFRASTRUCTURE

MATSOBANE PRIMARY SCHOOL

LDPWRI-B/20103


ARCHITECTURAL DRAWINGS



NORTH


SITE DEVELOPMENT PLAN

1:500



SECTION A-A

1:200



SECTION B-B

1:200

GENERAL DRAWING NOTES

1) RKMANSHIP TO COMPLY WITH STANDARD SPECIFICATION OF MATERIALS AND METHODS TO BE USED - sabs 0400

2) IIGHT SWITCH IN DISABLED TOILET TO BE AT 1200MM ABOVE FFL
3) IF STEP OVER 900MM BUILD IN BALUSTRADE
4) GULLEY POSITIONS TO BE DETRMINED AS PER SITE

PRESCRIBED OVERALL DRAINAGE DESIGN
5) 2 X COATS SEALANT O ALL EXPOSED TRUSSES (SAND
OFF ALL sabs & OTHER MARKINGS)
6) 50MM MINERAL WOOL INSULATION TO BE INSTALLED
WHERE THERE ARE CEILINGS. BUBBLE PLASTIC
INSULATION WITH FALL BACKING TO BE INSTALLED WITH
WIRE SUPPORTS IN ALL AREAS THAT DO NOT HAVE

WIRE SUPPORTS IN ALL AREAS THAT DO NOT HAVE CEILINGS
7) WEST FACING FACADES TO HAVE STANDARDISED ALUMINIUM LOUVRES FROM BELOW EAVES TO DROP OF

8) TRUSSES TO BE DESIGNED IN ACCORDANCE WITH SABS 0400 & APPROVED BY PROJECT ENGINEER

TABLE 2A: DEMOLITION WORKS NO. Building Usage (sqm) QUANTITY BLOCK E 420 02 BLOCK G 03 BLOCK H 240 04 BLOCK I 05 BLOCK J 06 BLOCK K TABLE 2B: RENOVATION/REFURBRISHMENT WORKS NO. Building Usage BLOCK A ENVIRO-LOO TOILET BLOCK B HALL BLOCK C ENVIRO-LOO TOILETS BLOCK F 4 CLASSROOM BLOCK TABLE 2C: NEW WORKS (sqm) QUANTITY NO. Building Usage 2 GRADE R CLASS ROOM BLOCK O 280 2 NUTRITION CENTRE BLOCK M 185 1 325 1 15 1 MEDIUM ADMIN BLOCK N 04 GUARD HOUSE BLOCK L 400 2 05 4 CLASSROOM BLOCK P & Q

 05
 4 CLASSROOM BLOCK P & Q
 400
 2

 06
 ASSEBBLY AREA
 500

 07
 10 PARKING BAYS
 16
 6 SEATS

 TABLE 2D: FUTURE PROPOSAL NO.

 01
 Building Usage
 (sqm) QUANTITY

 02
 5 CLASSROOM BLOCK R
 500
 1

 03
 MULTIPURPOSE CLSSROOM
 100
 1

 04
 05
 06
 07

 08
 08
 08

TABLE 2D: CLASSROOM SUMMARY

4 CLASSROOM BLOCK


GRAD	E R CLASSROOM	BLOCK		
	TABLE	01: SAMMARY	FOR HUMAN CA	APITAL
	Т	ABLE 1A: Grade E	nrolment Figures Fo	r:
		Number (Of Pupils:	
	GRADES	BOYS	GIRLS	TOTA
	GARADE R	23	16	39
	GRADE 01	24	34	38
	GRADE 02	20	25	45
	GRADE 03	26	26	52
	GRADE 04	30	15	45
	GRADE 05	30	25	55
	GRADE 06	37	27	64
	GRADE 07	22	18	40
	TOTAL	212	186	398
	TOTAL PUPILS			
	TEACHERS			9





DISCIPLINE: CLIENT: PLAN EXAMINER FIRE CONTROL	SIGNATURE:	DATE:
PLAN EXAMINER		
FIRE CONTROL		
TINE CONTINUE		
ENVIROMENTAL OFFICE	R	
ROADS/STORMWATER		
WATER AND SANITATION	N	
ENVIRONMENTAL OFFIC	ER	
REV No. DATE:	DESC	RIPTION
	REVISIONS	
	SIZE ON ORIGINAL DRAWING 100MM	
	Public Wor	rks
MAT	INSTITUTION SOBANE PRIMA	
	906121051	ER
	SERVICE	
NEW BUIL	DINGS & ALTE	ERATIONS
	CONTACT - SECTION	
DOCUMEN	ITATION & PR	OCUREMEN
ADOLUTEO	DISPLINE	PROJECT ST
ARCHITEC		03
	ORK DESCRIPTION - SUB DEVELOPMENT PL	
3.72 0	DRAWING DESCRIPTION	
	2 20 11	
	WORK DESCRIPTION - SUB DIVISION_	
DATE	VOW. DESCRIPTION - SUB DIVISION_	
	DRAWING CO-ORDINATED	
	00 Ontolian ED	
	CONSULTANT:	
Suite 4 No. 6 Ismini Str	n reddy a 6 Ismini Office Building eet Polokwane,0699,800 301 6122 528 3932	
	CONTACTOR:	


DRAWING NUMBER:

2020_65-SDP-001













MAXIMUM 1250mm MINIMUM 1000













__ 406







_ 409



GROUND FLOOR PLAN ROOF PLAN SCALE 1: 100 \bigotimes_3 \bigotimes 1815 115 1580 ABLUTIONS
steel float cement screed/
21 m² whb 230 STORE vinyl tiles GRADE 'R' CLASSROOM 1 PLAY AREA Chalkboard 230 Chalkboard 76 x 76 x 3,0mm M/S S secured on top of found fixing-plate bolt with 10 GRA _ASSROOM 230 1570 230 1850 115 1575 115850115850115850115850 230 S DOOR SCHEDULE: D1 FRAME : \$1 No OF DOORS D2 FRAME WINDOW SCHEDULE:

W1-CAT.No. STAN G4. Truss GLAZING W2 - CAT. No. GLAZING H3. Greenfield G25 double door steel cupboard with standard baked enameled finish, 760 x 610 x 1700mm high with four shelves (2 per classroom) H2. Vitrex System 2000 (code 2317) light grey wall mounted pinning board, size 2000 x 1200mm high (2 per classroom) **H1.** Vitrex Model 2400 (code 2404) enameled green folding type writing board with wall mounted centre board 2000 x 1200mm high, two wall mounted side boards each 1000 x 1200mm high 8 two swing leaves each 1000 x 1200mm high with permanent aluminium chalk rail Fittings **G8.** Flashings at bottom of louvres - 0.8mm galvanised sheet iron standard factory manufactured FK8 headwall flashing and FK7 counter flashing with Globalcoat finish (Colour Traffic S S S No OF WINDOWS **G7.** Barge flashing over barge boards at louvres - 0.8mm galvanised sheet iron standard factory manufactured FK13 barge or gable flashing with Globalcoat finish (colour Traffic No OF WINDOWS IRONMONGERY if backplate with chamfered edges. Sand down to a th finish, stop with Polycell Woodfiller, apply one coat ton Woodcare Ultra (X44) suede varnish thinned with 1:3 ral turpentine (AZH1) & then apply two finishing coats on Woodcare Ultra (X44) suede varnish to back plate. de 150 x 150mm Union AL5066-E06/2AS aluminium fire guisher sign and Union AL5066-E08/2AS aluminium red a arrow sign above fire extinguisher fex fire hose reel with 30m hose. Supply 152 x 152 x 3mm Union AL5066-06ASE08 aluminium engraved red arrow sign above fire hose reel. Water supply in buildings hose reel to be 25mm galvanised mild steel. Degrease sed parts of pipes with Plascon Rust Remover (RRT), prime with con Metal Primer (UC501) and apply two coats Plascon nel Doors & trims (G-Range) paint - colour Signal Red (G7). de 150 x 150mm Union AL5066-E08/2AS aluminium for & Union AL5066-E08/2AS aluminium red down arrow sign a fire hose reel. utters - 100 x 100mm High gutters formed of 0.58mm lised sheet iron with Globalcoat finish (colour Gemsbok . All brackets, etc. to be pre-coated with Globalcoat to colour of gutters wings. Shop drawings to be provided to the Principal wings. Shop drawings to be provided to the Principal or approval before manufacturing. All sections in contact trades to be carbolineum treated before fixing in Trusses to be secured to walls with 2.5mm diameter ed steel wire ties, built into walls minimum 6 courses. The steel wire ties, built into walls minimum 6 courses. The secured with 2.5mm alled to trusses must also be secured with 2.5mm alled to trusses must also be secured with 2.5mm alled to trusses, purlins, all exposed parts of trusses, purlins, es sanded smooth, seal knots with Plascon Knot Seal rime with one coat Plascon Wood Primer (UC2) and to coats Plascon Enamel Doors & Trims paint. Colour as hes schedule. rows of 19mm Thick laminated SA Pine shelving, wide, evenly spaced & fixed from underside to 305mm slco epoxy powder coated steel brackets. Brackets to be 25mm wide x 2134mm long double slotted epoxy coated Shelco type FT6 wall bands, plugged to walls at n 600mm c/c. Sand down to a smooth finish, stop with n/400dfiller, apply one coat Plascon Woodcare Ultra (X44) thinned with 1:3 mineral turpentine (AZH1) then of finishing coats Plascon Woodcare Clear Ultra (X44) rnish to shelves system - MiTek or other approved patent timber ated truss system at maximum 1100mm centres with spitch. 50 x 76mm SAP purlins at maximum 1200mm 8 x 114mm SAP wall plate to be carbolineum treated STANDARD MILDSTEEL 813/2/32x1/2mm SINGLE REBATE PRESSED
METAL DOOR FRAMEFOR 115mm WALLS
FINISH WITH 1 COAT DURAPHOS, 1 UNIVERSAL UNDERCOAT & TWO
COATS GLOSS ENAMEL. COLOUR AS PER ARCHITECT.

813/2/33/2/4mm SOLID R & F PANEL MERANIT DOOR WITH MASONITE
BACKING - TO RECEIVE 3/COATS VARNISH.

Y : HINGES - 2x100mm M/S BUTTERFLY HINGES PER DOOR LEAF
LOCKSET - "SOLID BLESBOK" 46/0/313 2-LEVER LOCKSET.

:5 (LH - 2)(RH - 3)
: STANDARD MILDSTEEL 813/2/3/3/2/1/2mm SINGLE REBATE PRESSED
METAL DOOR FRAME FOR 115mm WALLS
FINISH WITH 1 COAT DURAPHOS, 1 UNIVERSAL UNDERCOAT & TWO
COATS GLOSS ENAMEL COLOUR AS PER ARCHITECT.
: 813/2/3/3/2/4/0mm SEMI SOLID CORE-DOOR.
FINISH WITH 1 COAT DURAPHOS, 1 UNIVERSAL UNDERCOAT S
ACRYLIC PVA. LOUR TO ARCHITECT.
: 813/2/3/3/2/4/0mm M/S BUTTERFLY HINGES PER DOOR LEAF
LOCKSET - "SOLID BLESBOK" 480/313 2-LEVER LOCKSET.
PROVIDE DISABLE 150 x 150mm SATIN CHROME SIGNS
AGAINST DOORS.
: 5 (LH - 0)(RH - 5) S : 45 (FORTY FIVE)PROVIDE BURGLAR BARS OUT OF 12 x 12mm Wis SQUARE SOLID BARS TO LINE UP WITH VERTICAL & HORIZONTAL SECTIONS OF WINDOWS - FINISH DITTO FRAME : STANDARD MILDSTEEL SCHOOLTYPE CENTRE PIVOT MILDSTEEL WINDOW, CODE - 6 (NTY 1143x946)

3mm CLEAR FLOAT GLASS FIXED WITH GLAZING PUTTY PUTTY TO RECEIVE PAINT FINISH TO MATCH WINDOW FRAME : CLEAN WITH STEEL BRUSH & APPLY 1 COAT DURAPHOS, 1 UNIVERSAL UNDERCOAT & TWO COATS GLOSS ENAMEL PAINT. COLOUR AS PER ARCHITECT. 6 (SIX)PROVIDE BURGI AR BARS OUT OF 12 x 12mm MS SQUARE SOLID BARS TO LINE UP WITH VERTICAL & HORIZONTAL SECTIONS OF WINDOWS - FINISH DITTO FRAME 3mm CLEAR FLOAT GLASS FIXED WITH GLAZING PUTTY PUTTY TO RECEIVE PAINT FINISH TO MATCH WINDOW FRAME 5mm THICK OBSCURED GLASS FOR WINDOW CODE 3 & 9. CLEAN WITH STEEL BRUSH & APPLY 1 COAT DURAPHOS, 1 UNIVERSAL UNDERCOAT & TWO COATS GLOSS ENAMEL PAINT COLOUR AS PER ARCHITECT. STANDARD MILD STEEL SCHOOL TYPE CENTRE PIVOT MILD STEEL WINDOW, CODE - 5/2 (NTY 1143/846 & 1143 x 486)

1) Workmanship to comply with Standard Specification of materials and methods to be used - SABS 0400
2) Light Switch in Disabled toilet to be at 1200 mm above FFL
3) If Step over 900 mm Build in Balustrade
4) Gulley positions to be determined as per site prescribed overall drainage design
5) 2 x coats sealant on all exposed trusses (sand off all SABS & other markings)
6) 50 mm mineral wool insulation to be installed where there are ceilings .
Bubble plastic insulation with foil backing to be installed with wire supports in all areas that do not have ceilings 7) West Facing Facades to have standardised aluminium louvres from below eaves to drop of 1200 mm
8) Trusses to be designed in accordance with SABS 0400 & approved by Project Engineers NOIES

9

Roof and fascias

with ceiling board and fitted flush in opening. Provide 18 x 50mm meranti surround. Trap door and surround to be painted as for seiling. Trap door opening between trusses to be formed with 38 x 114mm SA pine bearers, nailed to trusses

G1. Roof sheeting - 0.58mm Brownbuilt Klip-lok roof sheeting with Globalcoat finish (colour Traffic Green) on 50 x 76mm SAP purlins at maximum 1200mm centres on patent and approved pre-fabricated truss system. Roof sheeting to be done by specialist installer providing a five year guarantee

G2. Ridge and hip flashings - 0.8mm galvanised sheet iron standard factory manufactured FK3 ridge or hip flashing with Globalcoat finish (colour Traffic Green)

Diameter downpipes formed of iron with Globalcoat finish (colour arbats, brackets, etc. to be pre-coated pes

CLIENT
PLAN EXAMINER
FIRE CONTROL
ENVIRONMENTAL OFFICER
ROADS / STORMWATER
WATER AND SANITATION
ENVIRONMENTAL OFFICER

SIGNATURE TABLE

REV No

DATE:

DESCRIPTION:

REVISIONS
SIZE ON ORIGINAL DRAWING 100 mm

PUBLIC WORKS, ROADS & INFRASTRUCTURE

LIMPOPO
PROVINCIAL GOVERNMENT
REPUBLIC OF SOUTH AFRICA

RESTORATIVES, REPAIRS & ADDITIONS

MATSOBANE PRIMARY SCHOOL

CONTRACT - SECTION

DOCUMENTATION & PROCUREMENT

JECT STAGE

GROUND AND ROOF PLANS

GRADE R - 2 CLASSROOM

DRAWING DESCRIPTION

ARCHITECTURAL WORK DESCRIPTION - SUB DIVISION

DATE

1: 100

RESPONSIBLE PROFESSIONAL
NAME
SIGNATURE

PR NUMBER


DRAWN CHECKE

DRAWING CO-ORDINATED

CONSULTANT

Oruben reddy architects


AA214 -15 - CR-PL01



DESCRIPTION:

PR NUMBER

JECT STAGE




REPUBLIC OF SOUTH AFRICA


LIMPOPO DEPARTMENT OF PUBLIC WORKS & INFRASTRUCTURE

MATSOBANE PRIMARY SCHOOL

LDPWRI-B/20103


CIVIL WORKS DRAWINGS





FOUNDATION LAYOUT - PLAN

29599



1. GENERAL NOTES

- 1.1. All work to be done in accordance with the National Building Regulations and the relevant SABS Specifications.
- 1.2. All drawings to be read in conjunction with Architect's drawings and any discrepancies must be reported to the Engineer prior to any setting out of work.
- 1.3. No structural alterations are to be made without amended drawings.
- 1.4. All drawings must be checked by the Contractor and any
- discrepancies should be reported to the Engineer before any work commences 1.5. All waterproofing and drainage to be to Architect's details and instructions.
- 1.6. Contractor to ensure that stability of banks and excavations are continuously maintained throughout the construction period

2. R.C. CONSTRUCTION

- 2.1. No concrete is to be poured before the Engineer has inspected and approved the
- fixing of the reinforcement, 48 hours notice is required.
- 2.2. Breaks in concrete and construction joints are to be made only with Engineer's approval. 2.3. Shuttering and propping may be struck only after the lapse of the following times (in days):
- Beam sides, walls and unloaded columns Slab soffits without removal of slab props Beam soffits without removal of beam props Props unloaded slabs
- Props unloaded beams 2.4. Minimum concrete cover to reinforcement (in mm)

		,	
piles	50	beams	30
pile caps	50	slabs	20
ground beams	50	retaining walls (earth face)	30
columns	30	retaining walls (exposed face)	30

2.5. Concrete cube strength at 28 days in (MPa)

blinding	15	beams	25
Mortar(Class A)	15	slabs	25
columns	30	walls	25

- 2.6. Concrete cover to reinforcing to be maintained by the use of either nylon spacers or precast concrete blocks with binding wires cast in.
- 2.7. All floor levels, unless otherwise indicated, are structural slab levels.

3. FOUNDING

- 3.1. Foundations are subject to alterations as excavations proceed.
- 3.2. No foundations are to be cast or reinforcement fixed in bases until excavations have been approved by an Engineer.
- 3.3. All backfill material under foundations and floors to be as follows:

G6 Material or better

Compacted to 96% MOD AASHTO in layers of 150mm

Non-cohesive and free draining

4. ADDITIONAL NOTES

- 4.1. All exposed concrete slabs and beams bearing on brickwork to have a slip joint made up of 2 sheets of masonite with smooth faces abutting each other at top of brick-concrete interface. Joint to extend through plaster.
- 4.2. Special attention to be given to curing of concrete. Exact details to be discussed with Engineer on site prior to pouring of any concrete.
- 4.3. Two lintels plus five courses of brickwork to be built over all openings
- reinforced every course with brickforce.
- 4.4. All brickwork to have a minimum compressive strength of 15MPa.
- 4.5. A construction joint sealed with suitable flexible sealant is to be formed at all junctions between new brickwork and existing brickwork.
- 4.6. No brickwork is to be built onto suspended slabs or beams until slabs/beams have
- attained their full strength and have been depropped 4.7. All deviations from architect's drawing to be confirmed by architect prior to construction.
- 4.8. All work to be carried out in accordance with the National Building Regulations, Environmental
- and Occupational Health and Safety Act, (latest revision) and the Construction Regulations. 4.9. The main contractor is to ensure that a competent person, approved by the South African
- Qualification Authority supervises and approves all aspects of the requirements of the Occupational Health and Safety Act, latest revision.
- 4.10. All temporary works to be designed, detailed, supervised and certified by a competent person or professional engineer as defined in the OHS ACT.
- 4.11. The works will be inspected from time to time by the consulting engineer to ascertain that the contractor is carrying out the work in general conformity with the engineering drawings and documents. Such inspections are not carried out for the benefit of the contractor, and do not relieve him of the responsibility for the proper construction of the works in accordance with the engineering drawings, documents & good building practice.

5. COMPLETION CERTIFICATE

5.1. No completion certificate shall be issued if all material amd compaction test results are not submitted to the Engineer

		CLIENT	MUTEO CONSULTING	39 GROBLER STREET	PROJECT APPR.	DATE	BY	SIGNATURE	SCALE	ALL DIMENSION IN mm UNLESS SPECIFIED OTHERWISE
				POLOKWANE 0699	DESIGNED	02 July 2021	V.M			TITLE
		_		P.O. BOX 6196 POLOKWANE NORTH	CHECKED	02 July 2021	E.M		DO NOT SCALE IF IN DOUBT ASK.	MATSOBANE PRIMARY SCHOOL
		LIMPOPO PROVINCIAL GOVERNMENT REPUBLIC OF SOUTH AFRICA	MUTEO	0750	DRAWN	02 July 2021	V.M		ii ii boobi non.	2 x GRADE R CLASSROOM BLOCK
		DEPARTMENT OF	CONSULTING	TEL: (015) 291 4065	PROJECT MNG.				PROJECT No.	
		PUBLIC WORKS, ROADS & INFRASTRUCTURE	CONCOLINIC	FAX: (015) 291 4043	APPROVED				LDPWRI-PROF/16003B	FOUNDATION LAYOUT & DETAILS
REV DATE	CHK APP DESCRIPTION			website: www.muteo.co.za	CLIENT				DRG SIZE A1	LDPWRI SCHOOLS/B/MATSOBANE/02 REV 0

ISSUED FOR TENDER

- | 6 | REAMED WIDTH

3.2mm


8mm BACKING CORD

INITIAL SAW CUT


SAW CUT JOINT

N.T.S.

POLYURETHANE SEALANT TO MANUFACTURER'S SPECIFICATION




FLOOR JOINTS LAYOUT




<u> Joint Details — Sections</u>

		CLIENT	MUTEO CONSULTING	39 GROBLER STREET	PROJECT APPR.	DATE	BY	SIGNATURE	SCALE	ALL DIMENSION IN mm UNLESS SPECIFIED OTHERWISE
				POLOKWANE 0699	DESIGNED	24/05/2021	V.M			TITLE
		LIMPOPO		P.O. BOX 6196 POLOKWANE NORTH	CHECKED	24/05/2021	E.M		DO NOT SCALE IF IN DOUBT ASK.	MATSOBANE PRIMARY SCHOOL
		PROVINCIAL GOVERNMENT REPUBLIC OF SOUTH AFRICA	MUTEO	0750	DRAWN	24/05/2021	V.M		n nybeebi nek	2 x GRADE R CLASSROOM BLOCK
		PUBLIC WORKS, ROADS & INFRASTRUCTURE		TEL: (015) 291 4065	PROJECT MNG.				PROJECT No.	FLOOR JOINTS
			CONSULTING	FAX: (015) 291 4043	APPROVED				LDPWRI-PROF/16003B	
REV DATE CHK APP	DESCRIPTION			website: www.muteo.co.za	CLIENT				DRG SIZE A1	LDPWRI SCHOOLS/B/MATSOBANE I/03 REV 0



FOUNDATION LAYOUT - PLAN



1. GENERAL NOTES

- 1.1. All work to be done in accordance with the National Building Regulations and the relevant SABS Specifications.
- 1.2. All drawings to be read in conjunction with Architect's drawings and any discrepancies must be reported to the Engineer prior to any setting out of work.
- 1.3. No structural alterations are to be made without amended drawings.
- 1.4. All drawings must be checked by the Contractor and any
- discrepancies should be reported to the Engineer before any work commences 1.5. All waterproofing and drainage to be to Architect's details and instructions.
- 1.6. Contractor to ensure that stability of banks and excavations are continuously maintained throughout the construction period

2. R.C. CONSTRUCTION

- 2.1. No concrete is to be poured before the Engineer has inspected and approved the
- fixing of the reinforcement, 48 hours notice is required.
- 2.2. Breaks in concrete and construction joints are to be made only with Engineer's approval.2.3. Shuttering and propping may be struck only after the lapse of the following times (in days):
- Beam sides, walls and unloaded columns 2
 Slab soffits without removal of slab props 4
 Beam soffits without removal of beam props 7
- Props unloaded slabs

 Props unloaded beams

 1
- 2.4. Minimum concrete cover to reinforcement (in mm)

 piles 50 beams

 pile caps 50 slabs

 ground beams 50 retaining walls (earth face)

 columns 30 retaining walls (exposed face)
- 2.5. Concrete cube strength at 28 days in (MPa)

blinding	15	beams	25
Mortar(Class A)	15	slabs	25
columns	30	walls	25

- 2.6. Concrete cover to reinforcing to be maintained by the use of either nylon spacers or precast concrete blocks with binding wires cast in.
- 2.7. All floor levels, unless otherwise indicated, are structural slab levels.

3. FOUNDING

- 3.1. Foundations are subject to alterations as excavations proceed.
- 3.2. No foundations are to be cast or reinforcement fixed in bases until excavations have been approved by an Engineer.
- 3.3. All backfill material under foundations and floors to be as follows:

G6 Material or better PI < 6

PI < 6 Compacted to 96% MOD AASHTO in layers of 150mm

Non-cohesive and free draining


4. ADDITIONAL NOTES

- 4.1. All exposed concrete slabs and beams bearing on brickwork to have a slip joint made up of 2 sheets of masonite with smooth faces abutting each other at top of brick-concrete interface. Joint to extend through plaster.
- 4.2. Special attention to be given to curing of concrete. Exact details to be discussed with Engineer on site prior to pouring of any concrete.
- 4.3. Two lintels plus five courses of brickwork to be built over all openingsreinforced every course with brickforce.
- 4.4. All brickwork to have a minimum compressive strength of 15MPa.
- 4.5. A construction joint sealed with suitable flexible sealant is to be formed at all
- junctions between new brickwork and existing brickwork.
- 4.6. No brickwork is to be built onto suspended slabs or beams until slabs/beams have
- attained their full strength and have been depropped 4.7. All deviations from architect's drawing to be confirmed by architect prior to construction.
- 4.8. All work to be carried out in accordance with the National Building Regulations, Environmental
- and Occupational Health and Safety Act, (latest revision) and the Construction Regulations.
 4.9. The main contractor is to ensure that a competent person, approved by the South African
- Qualification Authority supervises and approves all aspects of the requirements of the Occupational Health and Safety Act, latest revision.
- 4.10. All temporary works to be designed, detailed, supervised and certified by a competent person or professional engineer as defined in the OHS ACT.
- 4.11. The works will be inspected from time to time by the consulting engineer to ascertain that the contractor is carrying out the work in general conformity with the engineering drawings and documents. Such inspections are not carried out for the benefit of the contractor, and do not relieve him of the responsibility for the proper construction of the works in accordance with the engineering drawings, documents & good building practice.


5. COMPLETION CERTIFICATE


5.1. No completion certificate shall be issued if all material amd compaction test results are not submitted to the Engineer

			CLIENT	MUTEO CONSULTING	39 GROBLER STREET	PROJECT APPR.	DATE	BY	SIGNATURE	SCALE	ALL DIMENSION IN mm UNLESS SPECIFIED OTHERWISE
					POLOKWANE 0699	DESIGNED	02 July 2021	V.M			TITLE
			LIMPOPO	MUTEO	P.O. BOX 6196 POLOKWANE NORTH	CHECKED	02 July 2021	E.M		DO NOT SCALE IF IN DOUBT ASK.	MATSOBANE PRIMARY SCHOOL
			LIMPOPO PROVINCIAL GOVERNMENT REPUBLIC OF SOUTH AFRICA	IVIUTEU	0750	DRAWN	02 July 2021	V.M		THE THE STATE OF T	4 X CLASSROOM BLOCK
			PUBLIC WORKS, ROADS & INFRASTRUCTURE	CONSULTING	TEL: (015) 291 4065	PROJECT MNG.				PROJECT No.	
					FAX: (015) 291 4043	APPROVED				LDPWRI-PROF/16003B	FOUNDATION LAYOUT & DETAILS
RE	DATE CHK APP	DESCRIPTION			website: www.muteo.co.za	CLIENT				DRG SIZE A1	LDPWRI SCHOOLS/B/MATSOBANE /04 0




FLOOR JOINTS LAYOUT






<u> Joint Details — Sections</u>

		CLIENT	MUTEO CONSULTING	39 GROBLER STREET	PROJECT APPR.	DATE	BY	SIGNATURE	SCALE	ALL DIMENSION IN mm UNLESS SPECIFIED OTHERWISE
				POLOKWANE 0699	DESIGNED	24/05/2021	V.M			TITLE
		A LIMPOPO	MUTEO	P.O. BOX 6196 POLOKWANE NORTH	CHECKED	24/05/2021	E.M		DO NOT SCALE IF IN DOUBT ASK.	MATSOBANE PRIMARY SCHOOL
		PROVINCIAL GOVERNMENT REPUBLIC OF SOUTHAFRICA	MUTEO	0750	DRAWN	24/05/2021	V.M		11 11 / 2 0 0 2 1 1 1 0 1 1	4 X CLASSROOM BLOCK
		PUBLIC WORKS, ROADS & INFRASTRUCTURE	CONSULTING	TEL: (015) 291 4065	PROJECT MNG.				PROJECT No.	FLOOR JOINTS
				FAX: (015) 291 4043	APPROVED				LDPWRI-PROF/16003B	DRAWING No. REV
REV DATE CHK APP	DESCRIPTION			website: www.muteo.co.za	CLIENT				DRG SIZE A1	LDPWRI SCHOOLS/B/MATSOBANE/05



FOUNDATION LAYOUT - PLAN



1. GENERAL NOTES

- 1.1. All work to be done in accordance with the National Building Regulations and the relevant SABS Specifications.
- 1.2. All drawings to be read in conjunction with Architect's drawings and any discrepancies must be reported to the Engineer prior to any setting out of work.
- 1.3. No structural alterations are to be made without amended drawings.
- 1.4. All drawings must be checked by the Contractor and any
- discrepancies should be reported to the Engineer before any work commences 1.5. All waterproofing and drainage to be to Architect's details and instructions.
- 1.6. Contractor to ensure that stability of banks and excavations are continuously maintained throughout the construction period

2. R.C. CONSTRUCTION

- 2.1. No concrete is to be poured before the Engineer has inspected and approved the fixing of the reinforcement, 48 hours notice is required.
- tixing of the reinforcement , 48 nours notice is required.
- 2.2. Breaks in concrete and construction joints are to be made only with Engineer's approval.2.3. Shuttering and propping may be struck only after the lapse of the following times (in days):
- Beam sides, walls and unloaded columns 2
 Slab soffits without removal of slab props 4
 Beam soffits without removal of beam props 7

 Props unloaded slabs 10
- Props unloaded slabs 10
 Props unloaded beams 14
 2.4. Minimum concrete cover to reinforcement (in mm)
- piles 50 beams 3
 pile caps 50 slabs 2
 ground beams 50 retaining walls (earth face) 3
 columns 30 retaining walls (exposed face) 3
- 2.5. Concrete cube strength at 28 days in (MPa)

billiding	13	beams	25
Mortar(Class A)	15	slabs	25
columns	30	walls	25

- 2.6. Concrete cover to reinforcing to be maintained by the use of either nylon spacers or precast concrete blocks with binding wires cast in.
- 2.7. All floor levels, unless otherwise indicated, are structural slab levels.

3. FOUNDING

- 3.1. Foundations are subject to alterations as excavations proceed.
- 3.2. No foundations are to be cast or reinforcement fixed in bases until excavations have been approved by an Engineer.
- 3.3. All backfill material under foundations and floors to be as follows:
- G6 Material or better
- Compacted to 96% MOD AASHTO in layers of 150mm
- Non-cohesive and free draining

4. ADDITIONAL NOTES

- 4.1. All exposed concrete slabs and beams bearing on brickwork to have a slip joint made up of 2 sheets of masonite with smooth faces abutting each other at top of brick-concrete interface. Joint to extend through plaster.
- 4.2. Special attention to be given to curing of concrete. Exact details to be discussed with Engineer on site prior to pouring of any concrete.
- 4.3. Two lintels plus five courses of brickwork to be built over all openings
- reinforced every course with brickforce.4.4. All brickwork to have a minimum compressive strength of 15MPa.
- 4.4. All brickwork to have a minimum compressive strength of 15MPa.

 4.5. A construction joint sealed with suitable flexible sealant is to be formed at all
- junctions between new brickwork and existing brickwork.
- 4.6. No brickwork is to be built onto suspended slabs or beams until slabs/beams have attained their full strength and have been depropped
- 4.7. All deviations from architect's drawing to be confirmed by architect prior to construction.
- 4.8. All work to be carried out in accordance with the National Building Regulations, Environmental and Occupational Health and Safety Act, (latest revision) and the Construction Regulations.
- and Occupational Health and Safety Act, (latest revision) and the Construction Regulation 4.9. The main contractor is to ensure that a competent person, approved by the South African
- Qualification Authority supervises and approves all aspects of the requirements of the Occupational Health and Safety Act, latest revision.

 4.10. All temporary works to be designed, detailed, supervised and certified by a competent person
- or professional engineer as defined in the OHS ACT.

 4.11. The works will be inspected from time to time by the consulting engineer to ascertain that the
- contractor is carrying out the work in general conformity with the engineering drawings and documents. Such inspections are not carried out for the benefit of the contractor, and do not relieve him of the responsibility for the proper construction of the works in accordance with the engineering drawings, documents & good building practice.

5. COMPLETION CERTIFICATE

5.1. No completion certificate shall be issued if all material amd compaction test results are not submitted to the Engineer

I OUNDATION DETA	<u> </u>

				CLIENT
				\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
				LIMPOPO PROVINCIAL GOVERNMENT REPUBLIC OF SOUTH AFRICA
				PUBLIC WORKS, ROADS & INFRASTRUCTURE
RE	V DATE	СНК	APP DESCRIPTION	

MUTEO

MUTEO CONSULTING

39 GROBLER STREET
POLOKWANE 0699
P.O. BOX 6196
POLOKWANE NORTH
0750
TEL: (015) 291 4065
FAX: (015) 291 4043
website: www.muteo.co.za

	PROJECT APPR.	DATE	BY	SIGNATURE	SCALE
	DESIGNED	02 July 2021	V.M		
	CHECKED	02 July 2021	E.M		DO NOT SCALE IF IN DOUBT ASK.
	DRAWN	02 July 2021	V.M		— II IIV DOODT ASK.
	PROJECT MNG.				PROJECT No.
•	APPROVED				LDPWRI-PROF/16003B
a	CLIENT				DRG SIZE A1

TITLE

MATSOBANE PRIMARY SCHOOL


MEDIUM ADMIN BLOCK

FOUNDATION LAYOUT & DETAILS


DRAWING No.
LDPWRI SCHOOLS/B/MATSOBANE/06

REV

0



FLOOR JOINT LAYOUT - PLAN



JOINT DETAILS - SECTIONS

1. GENERAL NOTES

- 1.1. All work to be done in accordance with the National Building Regulations and the relevant SABS Specifications.
- 1.2. All drawings to be read in conjunction with Architect's drawings and any discrepancies must be reported to the Engineer prior to any setting out of work.
- 1.3. No structural alterations are to be made without amended drawings.
- 1.4. All drawings must be checked by the Contractor and any discrepancies should be reported to the Engineer before any work commences
- 1.5. All waterproofing and drainage to be to Architect's details and instructions.
- 1.6. Contractor to ensure that stability of banks and excavations are continuously maintained throughout the construction period

2. R.C. CONSTRUCTION

- 2.1. No concrete is to be poured before the Engineer has inspected and approved the
- fixing of the reinforcement , 48 hours notice is required.
- 2.2. Breaks in concrete and construction joints are to be made only with Engineer's approval.2.3. Shuttering and propping may be struck only after the lapse of the following times (in days):
- Beam sides, walls and unloaded columns
 Slab soffits without removal of slab props
 Beam soffits without removal of beam props
 Props unloaded slabs
 1
 Props unloaded beams
- 2.4. Minimum concrete cover to reinforcement (in mm)

piles	50	beams	30
pile caps	50	slabs	20
ground beams	50	retaining walls (earth face)	30
columns	30	retaining walls (exposed face)	30

2.5. Concrete cube strength at 28 days in (MPa)

blinding	15	beams	25
Mortar(Class A)	15	slabs	25
columns	30	walls	25

- 2.6. Concrete cover to reinforcing to be maintained by the use of either nylon spacers or precast concrete blocks with binding wires cast in.
- 2.7. All floor levels, unless otherwise indicated, are structural slab levels.

3. FOUNDING

+ 6 |-REAMED WIDTH

8mm BACKING CORD

INITIAL SAW CUT

SAW CUT JOINT

- 3.1. Foundations are subject to alterations as excavations proceed.
- 3.2. No foundations are to be cast or reinforcement fixed in bases until excavations have been approved by an Engineer.
- 3.3. All backfill material under foundations and floors to be as follows:

 G6 Material or better

Compacted to 96% MOD AASHTO in layers of 150mm
Non-cohesive and free draining

4. ADDITIONAL NOTES


- 4.1. All exposed concrete slabs and beams bearing on brickwork to have a slip joint made up of 2 sheets of masonite with smooth faces abutting each other at top of brick-concrete interface. Joint to extend through plaster.
- 4.2. Special attention to be given to curing of concrete. Exact details to be discussed with Engineer on site prior to pouring of any concrete.
- 4.3. Two lintels plus five courses of brickwork to be built over all openingsreinforced every course with brickforce.
- 4.4. All brickwork to have a minimum compressive strength of 15MPa.
- 4.5. A construction joint sealed with suitable flexible sealant is to be formed at all junctions between new brickwork and existing brickwork.
- 4.6. No brickwork is to be built onto suspended slabs or beams until slabs/beams have
- attained their full strength and have been depropped
 4.7. All deviations from architect's drawing to be confirmed by architect prior to construction.
- 4.8. All work to be carried out in accordance with the National Building Regulations, Environmental and Occupational Health and Safety Act, (latest revision) and the Construction Regulations.
- 4.9. The main contractor is to ensure that a competent person, approved by the South African Qualification Authority supervises and approves all aspects of the requirements of the Occupational Health and Safety Act, latest revision.
- 4.10. All temporary works to be designed, detailed, supervised and certified by a competent person or professional engineer as defined in the OHS ACT.
- 4.11. The works will be inspected from time to time by the consulting engineer to ascertain that the contractor is carrying out the work in general conformity with the engineering drawings and documents. Such inspections are not carried out for the benefit of the contractor, and do not relieve him of the responsibility for the proper construction of the works in accordance with

5. COMPLETION CERTIFICATE


the engineering drawings, documents & good building practice.


5.1. No completion certificate shall be issued if all material amd compaction test results are not submitted to the Engineer


	CLIENT	MUTEO CONSULTING	39 GROBLER STREET	PROJECT APPR.	DATE	BY	SIGNATURE	SCALE	ALL DIMENSION IN mm UNLESS SPECIFIED OTHERWISE
			POLOKWANE 0699	DESIGNED	24/05/2021	V.M			TITLE
		NAUTEO	P.O. BOX 6196 POLOKWANE NORTH	CHECKED	24/05/2021	E.M		DO NOT SCALE IF IN DOUBT ASK.	MATSOBANE PRIMARY SCHOOL
	LIMPOPO PROVINCIAL GOVERNMENT REPUBLIC OF SOUTH AFRICA	MUTEO	0750	DRAWN	24/05/2021	V.M		n nyboobi nom	SMALL ADMIN BLOCK
	PUBLIC WORKS, ROADS & INFRASTRUCTURE	CONSULTING	TEL: (015) 291 4065	PROJECT MNG.				PROJECT No.	FLOOR JOINTS
			FAX: (015) 291 4043	APPROVED				LDPWRI-PROF/16003B	DRAWING No. REV
REV DATE CHK APP DESCRIPTION			website: www.muteo.co.za	CLIENT				DRG SIZE A1	LDPWRI SCHOOLS/B/MATSOBANE/07



FOUNDATION LAYOUT - PLAN








BASE REINFORCEMENT See Bending Schedule for Details

SECTION THROUGH STRIP FOUNDATION - 600 x 250 Dp Base 230 WALLS EXTERNAL WALLS



— Y10-400 - SF01 4Y12 - SF02

SECTION THROUGH

STRIP FOUNDATION - 600 x 250 Dp Base

230 WALLS INTERNAL WALLS

BASE REINFORCEMENT

See Bending Schedule for Details



APRON DETAIL

FOUNDATION DETAILS - SECTIONS

1. GENERAL NOTES

- 1.1. All work to be done in accordance with the National Building Regulations and the relevant SABS Specifications.
- 1.2. All drawings to be read in conjunction with Architect's drawings and any discrepancies must be reported to the Engineer prior to any setting out of work.
- 1.3. No structural alterations are to be made without amended drawings.
- 1.4. All drawings must be checked by the Contractor and any discrepancies should be reported to the Engineer before any work commences
- 1.5. All waterproofing and drainage to be to Architect's details and instructions.
- 1.6. Contractor to ensure that stability of banks and excavations are continuously maintained throughout the construction period

2. R.C. CONSTRUCTION

- 2.1. No concrete is to be poured before the Engineer has inspected and approved the
- fixing of the reinforcement, 48 hours notice is required.
- 2.2. Breaks in concrete and construction joints are to be made only with Engineer's approval. 2.3. Shuttering and propping may be struck only after the lapse of the following times (in days):
- Beam sides, walls and unloaded columns Slab soffits without removal of slab props Beam soffits without removal of beam props Props unloaded slabs Props unloaded beams
- 2.4. Minimum concrete cover to reinforcement (in mm)

pile caps	50	slabs	20
ground beams	50	retaining walls (earth face)	30
columns	30	retaining walls (exposed face)	30

2.5. Concrete cube strength at 28 days in (MPa)

biinaing	15	beams	25
Mortar(Class A)	15	slabs	25
columns	30	walls	25

- 2.6. Concrete cover to reinforcing to be maintained by the use of either nylon spacers or precast concrete blocks with binding wires cast in.
- 2.7. All floor levels, unless otherwise indicated, are structural slab levels.

3. FOUNDING

- 3.1. Foundations are subject to alterations as excavations proceed.
- 3.2. No foundations are to be cast or reinforcement fixed in bases until excavations have been approved by an Engineer.
- 3.3. All backfill material under foundations and floors to be as follows:
- G6 Material or better Compacted to 96% MOD AASHTO in layers of 150mm
- Non-cohesive and free draining

4. ADDITIONAL NOTES

- 4.1. All exposed concrete slabs and beams bearing on brickwork to have a slip joint made up of 2 sheets of masonite with smooth faces abutting each other at top of brick-concrete interface. Joint to extend through plaster.
- 4.2. Special attention to be given to curing of concrete. Exact details to be discussed with Engineer on site prior to pouring of any concrete.
- 4.3. Two lintels plus five courses of brickwork to be built over all openings
- reinforced every course with brickforce.
- 4.4. All brickwork to have a minimum compressive strength of 15MPa.
- 4.5. A construction joint sealed with suitable flexible sealant is to be formed at all
- junctions between new brickwork and existing brickwork. 4.6. No brickwork is to be built onto suspended slabs or beams until slabs/beams have
- attained their full strength and have been depropped
- 4.7. All deviations from architect's drawing to be confirmed by architect prior to construction. 4.8. All work to be carried out in accordance with the National Building Regulations, Environmental
- and Occupational Health and Safety Act, (latest revision) and the Construction Regulations. 4.9. The main contractor is to ensure that a competent person, approved by the South African
- Qualification Authority supervises and approves all aspects of the requirements of the Occupational Health and Safety Act, latest revision.
- 4.10. All temporary works to be designed, detailed, supervised and certified by a competent person or professional engineer as defined in the OHS ACT.
- 4.11. The works will be inspected from time to time by the consulting engineer to ascertain that the contractor is carrying out the work in general conformity with the engineering drawings and documents. Such inspections are not carried out for the benefit of the contractor, and do not relieve him of the responsibility for the proper construction of the works in accordance with the engineering drawings, documents & good building practice.

5. COMPLETION CERTIFICATE

5.1. No completion certificate shall be issued if all material amd compaction test results are not submitted to the Engineer

|--|


\bigcap					CLIENT	MUTEO CONSULTING
					LIMPOPO PROVINCIAL GOVERNMENT REPUBLIC OF SOUTH AFRICA	M
					PUBLIC WORKS, ROADS & INFRASTRUCTURE	
					FUBLIC WORKS, ROADS & INFRASTRUCTURE	
F	EV DATE	СНК	APP	DESCRIPTION		

]
MUTEO	I
MUTEO	(
CONSULTING	-
CONSOLITING]
	W
	1


	39 GROBLER STREET	PROJECT APPR.	DATE	BY	SIGNATURE	SCA	LE
	POLOKWANE 0699	DESIGNED	02 July 2021	V.M			
	P.O. BOX 6196	CHECKED	02 July 2021	E.M		DO NOT	SCA
	POLOKWANE NORTH	DRAWN		V.M		IF IN DOU	JBT
	0750		02 July 2021	V .1VI		PROJEC	T No
	TEL: (015) 291 4065 FAX: (015) 291 4043	PROJECT MNG.				LDPWRI-PRO	
	, ,	APPROVED				LDI WKI-I KC	1710
website: www.muteo.co.za		CLIENT				DRG SIZE	

	PROJECT APPR.	DATE	BY	SIGNATURE	SCAI	Æ	A
	DESIGNED	02 July 2021	V.M				TIT
ſ	CHECKED	02 July 2021	E.M		DO NOT IF IN DOU		
	DRAWN	02 July 2021	V.M		пптьос	DI IISIK.	
	PROJECT MNG.				PROJECT	ΓNo.	
	APPROVED				LDPWRI-PRO	F/16003B	
za	CLIENT				DRG SIZE	A1	DRA


ALL DIMENSION IN mm UNLESS SPECIFIED OTHERWISE MATSOBANE PRIMARY SCHOOL WATER BORNE TOILET BLOCK FOUNDATION LAYOUT & DETAILS LDPWRI SCHOOLS/B/MATSOBANE/08



FOUNDATION LAYOUT - PLAN




<u> Joint Details — Sections</u>



SECTION THROUGH STRIP FOUNDATION - 600 x 250 Dp Base 230 WALLS EXTERNAL WALLS

See Bending Schedule for Details



Y10-400 - SF01 4Y12 - SF02

SECTION THROUGH STRIP FOUNDATION - 600 x 250 Dp Base 230 WALLS INTERNAL WALLS

BASE REINFORCEMENT

See Bending Schedule for Details



APRON DETAIL

FOUNDATION DETAILS — SECTIONS

1. GENERAL NOTES

- 1.1. All work to be done in accordance with the National Building Regulations and the relevant SABS Specifications.
- 1.2. All drawings to be read in conjunction with Architect's drawings and any discrepancies must be reported to the Engineer prior to any setting out of work.
- 1.3. No structural alterations are to be made without amended drawings.
- 1.4. All drawings must be checked by the Contractor and any discrepancies should be reported to the Engineer before any work commences
- 1.5. All waterproofing and drainage to be to Architect's details and instructions.
- 1.6. Contractor to ensure that stability of banks and excavations are continuously maintained throughout the construction period

2. R.C. CONSTRUCTION

- 2.1. No concrete is to be poured before the Engineer has inspected and approved the
- fixing of the reinforcement , 48 hours notice is required.
- 2.2. Breaks in concrete and construction joints are to be made only with Engineer's approval.2.3. Shuttering and propping may be struck only after the lapse of the following times (in days):
- Beam sides, walls and unloaded columns 2
 Slab soffits without removal of slab props 4
 Beam soffits without removal of beam props 7
 Props unloaded slabs 10
 Props unloaded beams 14
- 2.4. Minimum concrete cover to reinforcement (in mm) piles 50 beams
- piles 50 beams 36 ground beams 50 slabs 20 ground beams 50 retaining walls (earth face) 36 columns 30 retaining walls (exposed face) 36
- 2.5. Concrete cube strength at 28 days in (MPa)

billiulig	13	Deams	23
Mortar(Class A)	15	slabs	25
columns	30	walls	25

- 2.6. Concrete cover to reinforcing to be maintained by the use of either nylon spacers or precast concrete blocks with binding wires cast in.
- 2.7. All floor levels, unless otherwise indicated, are structural slab levels.

3. FOUNDING

- 3.1. Foundations are subject to alterations as excavations proceed.
- 3.2. No foundations are to be cast or reinforcement fixed in bases until excavations have been approved by an Engineer.
- 3.3. All backfill material under foundations and floors to be as follows:
 - G6 Material or better PI < 6
 - Compacted to 96% MOD AASHTO in layers of 150mm Non-cohesive and free draining


4. ADDITIONAL NOTES


- 4.1. All exposed concrete slabs and beams bearing on brickwork to have a slip joint made up of 2 sheets of masonite with smooth faces abutting each other at top of brick-concrete interface. Joint to extend through plaster.
- 4.2. Special attention to be given to curing of concrete. Exact details to be discussed with Engineer on site prior to pouring of any concrete.
- 4.3. Two lintels plus five courses of brickwork to be built over all openings
- reinforced every course with brickforce.
- 4.4. All brickwork to have a minimum compressive strength of 15MPa.4.5. A construction joint sealed with suitable flexible sealant is to be formed at all
- junctions between new brickwork and existing brickwork.
- 4.6. No brickwork is to be built onto suspended slabs or beams until slabs/beams have attained their full strength and have been depropped
- 4.7. All deviations from architect's drawing to be confirmed by architect prior to construction.4.8. All work to be carried out in accordance with the National Building Regulations, Environmental
- and Occupational Health and Safety Act, (latest revision) and the Construction Regulations. 4.9. The main contractor is to ensure that a competent person, approved by the South African
- Qualification Authority supervises and approves all aspects of the requirements of the Occupational Health and Safety Act, latest revision.
- 4.10. All temporary works to be designed, detailed, supervised and certified by a competent person or professional engineer as defined in the OHS ACT.
- 4.11. The works will be inspected from time to time by the consulting engineer to ascertain that the contractor is carrying out the work in general conformity with the engineering drawings and documents. Such inspections are not carried out for the benefit of the contractor, and do not relieve him of the responsibility for the proper construction of the works in accordance with the engineering drawings, documents & good building practice.


5. COMPLETION CERTIFICATE


5.1. No completion certificate shall be issued if all material amd compaction test results are not submitted to the Engineer

	CLIENT	MUTEO CONSULTING	39 GROBLER STREET	PROJECT APPR.	DATE	BY	SIGNATURE	SCALE	ALL DIMENSION IN mm UNLESS SPECIFIED OTHERWISE
			POLOKWANE 0699	DESIGNED	02 July 2021	V.M			TITLE
	.W. LIMPORO	MUTEO	P.O. BOX 6196 POLOKWANE NORTH	CHECKED	02 July 2021	E.M		DO NOT SCALE IF IN DOUBT ASK.	MATSOBANE PRIMARY SCHOOL
	LIMPOPO PROVINCIAL GOVERNMENT REPUBLIC OF SOUTH AFRICA	MUTEO	0750	DRAWN	02 July 2021	V.M		n nyboobi non.	ENVIROLOO TOILET BLOCK
	PUBLIC WORKS, ROADS & INFRASTRUCTURE	CONSULTING	TEL: (015) 291 4065	PROJECT MNG.				PROJECT No.	
			FAX: (015) 291 4043	APPROVED				LDPWRI-PROF/16003B	FOUNDATION LAYOUT & DETAILS
REV DATE CHK APP DESCRIPTION			website: www.muteo.co.za	CLIENT				DRG SIZE A1	LDPWRI SCHOOLS/B/MATSOBANE/09 REV 0









				CLIENT	MUTEO CONSULTING
				LIMPOPO PROVINCIAL GOVERNMENT REPUBLIC OF SOUTH AFRICA DEPARTMENT OF PUBLIC WORKS, ROADS & INFRASTRUCTURE	MUTEO
REV DATE	CHK	APP	DESCRIPTION		

	MUTEO
	MOTEO
A.C.	CONSULTING

39 GROBLER STREET

POLOKWANE NORTH

website: www.muteo.co.za

TEL: (015) 291 4065 FAX: (015) 291 4043

POLOKWANE 0699

P.O. BOX 6196

PROJECT APPR.	DATE	BY	SIGNATURE	SCALE
DESIGNED	02 July 2021	V.M		
CHECKED	02 July 2021	E.M		DO NOT SCALE IF IN DOUBT ASK.
DRAWN	02 July 2021	V.M		II II V B G G B I I I I I I I
PROJECT MNG.				PROJECT No.
APPROVED				LDPWRI-PROF/16003B
CLIENT				DRG SIZE A1

ALL DIMENSION IN mm UNLESS SPECIFIED OTHERWISE TITLE MATSOBANE SECONDARY SCHOOL SEPTIC TANK REV


REPUBLIC OF SOUTH AFRICA

LIMPOPO DEPARTMENT OF PUBLIC WORKS & INFRASTRUCTURE

MATSOBANE PRIMARY SCHOOL

LDPWRI-B/20103

ELECTRICAL DRAWINGS





ELECTRICAL NOTES.

- 1. 2 core XLPE copper cable to be used for site reticulation buried at 1200mm below surface ground
- 2. Cables installation to be 800mm away from road edge and at least 3000mm away from nearest building wall.
- 3. Manholes to be used at road crossing and at cable bends of 90 degrees.
- 4. PVC sleeves to be used to connect manholes5. Switching station to be finalised once ESKOM has defined the bulk power supply philosophy.

ELECTRICAL LEGEND

OL	DESCRIPTION	QUANTITY
\supset	16kVA Dedicated Transformer with an associated Meter Box	0
_	16mm2 PVC Cu Cable	50m
	4mm2 PVC Cu Cable	250m
(Kiosk	0






SYMBOL LIGHTING LEGEND. TYPE 1 - 1200mm x 350mm 35W Surface LED channel complete with electronic ballast. Fittings to be equivalent to REGENT LIGHTING NANO CR180 fittings. TYPE B1 - IP65 Wall mounted 280mm diameter bulkhead complete with 2 x 18W CFL.Fittings shall be equivalent to the BEKA series 31. Fittings to me 1 lever 1 way switch. Mounting shall be 1400mm After Finished Floor Level. 16A Flush mounted double socket outlet. Mounting at 300mm AFFL. Flush Mounted Distribution Board

4 CLASSROOM BLOCK ELECTRICAL NOTES.

- Install new electrical installation as per the design drawing.
 All conduit to be used for small power and lighting installation shall be Ø25mm and Ø20mm SABS approved PVC conduit respectively.
 2.5mm2 and 4mm2 GP wire (with 2.5mm2 bare copper earth wire for all circuits) shall be used for wiring the lighting and small power circuits respectively.
 Positions of socket outlets on this drawings are indicative. Actual positions of the socket outlets to be finalised on site.
 Light fittings shall bear the SABS stamp of approval.
 Light fittings, sockets, light switches and distribution board shall be installed flush and square and at positions indicated on the drawing. Change of position shall be effected after approval by the Electrical Engineer.
 After installation is complete, label equipment, test and issue Certificate of Compliance for the installation.
- 1. The earthing and lightning protection shall be installed by a specialist.
- Such specialist as appointed by the contractor shall ensure the installation is compliant to the requirements of SANS 10199 and SANS 62305 and shall issue a certificate after completion of the works.
- 3. All down conductors shall be of Solid Aluminium conductor and shall be installed inside Ø25mm pvc pipes which shall be chased inside the wall.
- 4. 4" x 4" Test Boxes shall also be installed at 300mm AFFL. These shall be installed flash on the outside wall for all earthing connections.
- 5. All connections between conductor and earth spikes shall be exothermically welded.
- 6. The layout shown for electrode installation is a guide and should there be any need to drive the rods deeper into the ground or add more rods to lower the ground resistance the specialist shall inform the Electrical Engineer.

Symbol Description

1500mm earth spike



HOT AND/OR COLD WATER METAL PIPES TO BE BONDED TO MAIN EARTH

DETAIL SYMBOL

		location sheet	de
			L
REV	ISIONS DUR	ING CONSTRUCTION	
No	DATE	DESCRIPTION	
		OR CONSTRUCTION	
No	DATE	DESCRIPTION	
VEV	DLAN		
ĸĿY	PLAN:		
ELE		ENGINEERS	




LIMPOPO DEPARTMENT OF PUBLIC WORKS


PROJECT TITLE

Matsobane Primary School

PROJECT ELECTRICAL ENGINEER PRINCE KWEMBEYA DRAWING TITLE NEW 4 CLASSROOM BLOCK LIGHTING AND SMALL POWER

PROJECT No STAGE REV DRG No NSK-00028 NSK-MM-04 SCALE DATE DRAWN CHECKED NTS 13/07/2021 M.S






- Install new electrical installation as per the design drawing. 2. All conduit to be used for small power and lighting installation shall
- be Ø25mm and Ø20mm SABS approved PVC conduit respectively. 2.5mm2 and 4mm2 GP wire (with 2.5mm2 bare copper earth wire for all circuits) shall be used for wiring the lighting and small power circuits respectively.
- 4. Positions of socket outlets on this drawings are indicative. Actual positions of the socket outlets to be finalised on site.
- 5. Light fittings shall bear the SABS stamp of approval.
- 6. Light fittings , sockets , light switches and distribution board shall be installed flush and square and at positions indicated on the drawing. Change of position shall be effected after approval by the Electrical Engineer.
- 7. After installation is complete, label equipment, test and issue Certificate of Compliance for the installation.


- certificate after completion of the works.
- 3. All down conductors shall be of Solid Aluminium conductor and shall be installed inside Ø25mm pvc pipes which shall be chased inside the wall.
- 4. 4" x 4" Test Boxes shall also be installed at 300mm AFFL. These shall be installed flash on the outside wall for all earthing connections.
- 5. All connections between conductor and earth spikes shall be exothermically welded.
- 6. The layout shown for electrode installation is a guide and should there be any need to drive the rods deeper into the ground or add more rods to lower the ground resistance the specialist shall inform the Electrical Engineer.


Description Symbol

1500mm earth spike



RE RONDED TO MAIN FARTH







NTS


13/07/2021

M.S

P.K









- 1. The earthing and lightning protection shall be installed by a specialist.
- Such specialist as appointed by the contractor shall ensure the installation is compliant to the requirements of SANS 10199 and SANS 62305 and shall issue a certificate after completion of the works.
- All down conductors shall be of Solid Aluminium conductor and shall be installed inside Ø25mm pvc pipes which shall be chased inside the wall.
- 4" x 4" Test Boxes shall also be installed at 300mm AFFL. These shall be installed flash on the outside wall for all earthing connections.
- 5. All connections between conductor and earth spikes shall be exothermically welded.
- The layout shown for electrode installation is a guide and should there be any need to
 drive the rods deeper into the ground or add more rods to lower the ground resistance
 the specialist shall inform the Electrical Engineer.

Symbol Description 1500mm earth spike



HOT AND/OR COLD WATER METAL PIPES TO BE BONDED TO MAIN EARTH




REV	ISIONS DURI	NG CONSTRUCTION	
No	DATE	DESCRIPTION	SIGN
RFV	ISIONS PRIO	R CONSTRUCTION	
No	DATE	DESCRIPTION	SIGN
KEY	PLAN:		
ELE	ECTRICAL E	NGINEERS	
1			
1		142	
		ELECTRICAL & CONSTRUCTION MANAGERS	
Phys	ELECTRIC sical Address al Address	AL AND CONSTRUCTION MANAGERS F s: Block 7, 38 Burger Street, Polokwane, :Suite kkk133, Private Bag, X9700, Polo	0699.
Tel Cel Ema	il	: 015 295 2104 : 082 459 9082 / 079 765 0921 : nsk_ecm@yahoo.com or prince@nske	
	CHITECT		
	IENT	DARTMENT OF EDUCATION	
LIN	IPOPO DEF	PARTMENT OF EDUCATION	
	00 1505	TITLE	
PF	ROJECT	IIILE	
M	ATSOR	ANE PRIMARY SCHOOL	_

PROJECT ELECTRICAL ENGINEER PRINCE KWEMBEYA

DRAWING TITLE NEW ADMINISTRATION BLOCK

POWER, LIGHTING & LIGHTNING LAYOUT PROJECT No DRG No

STAGE REV NSK-MM-03 NSK-00102 DRAWN CHECKED SCALE DATE 1:50 13/06/2021 M.S P.K



SYMBOL LIGHTING LEGEND.


1 lever 1 way switch. Mounting shall be 1400mm After Finished Floor Level.



TYPE B1 - IP65 surface mounted 183mm diameter bulkhead complete with 15W CFL.Fittings shall be equivalent to the BEKA series 31. Fittings to be mounted at 2200mm After Finished Floor Level.



Flush Mounted Distribution Board



REVISIONS DURING CONSTRUCTION No DATE DESCRIPTION REVISIONS PRIOR CONSTRUCTION No DATE DESCRIPTION REVISIONS PRIOR CONSTRUCTION No DATE DESCRIPTION KEY PLAN: REVISIONS PRIOR CONSTRUCTION No DATE DESCRIPTION REVISIONS PRIOR CONSTRUCTION REVISIONS PRIOR CONSTRUCTION No DATE DESCRIPTION REVISIONS PRIOR CONSTRUCTION No DATE DESCRIPTION REVISIONS PRIOR CONSTRUCTION RIOR CONSTRUCTION			location sheet detail she
REVISIONS PRIOR CONSTRUCTION No DATE DESCRIPTION REVISIONS PRIOR CONSTRUCTION No DATE DESCRIPTION KEY PLAN: KEY PLAN	DF V	ISINNS NIIRI	NG CONSTRUCTION
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address :Block 7, 38 Burger Street, 20stal Address :Suite kik133, Private Bag, Tel : 015 295 2104 Cel : 082 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS Interpretation Electrical & Construction Mail			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address :Block 7, 38 Burger Street, Postal Address :Suite kik133, Private Bag, Tel : 015 295 2104 Cel : 082 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
ELECTRICAL ENGINEERS KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address Solide kikh 133, Private Bag, Tel O82 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or j			
KEY PLAN: ELECTRICAL ENGINEERS ELECTRICAL AND CONSTRUCTION MA Physical Address: Postal Address: Suite kkk133, Private Bag, Tel: 015 295 2104 Cel: 082 459 9082 / 079 765 08 Email: nsk_ecm@yahoo.com or			
ELECTRICAL ENGINEERS ELECTRICAL & CONSTRUCTION MA Polysical Address :Block 7, 38 Burger Street, Postal Address :Suite kkk133, Private Bag, Tel : 015 295 2104 Cel : 082 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or page 1	No	DATE	DESCRIPTION
ELECTRICAL ENGINEERS ELECTRICAL & CONSTRUCTION MA Polysical Address :Block 7, 38 Burger Street, Postal Address :Suite kkk133, Private Bag, Tel : 015 295 2104 Cel : 082 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or page 1			
ELECTRICAL ENGINEERS ELECTRICAL & CONSTRUCTION MA Polysical Address :Block 7, 38 Burger Street, Postal Address :Suite kkk133, Private Bag, Tel : 015 295 2104 Cel : 082 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or page 1			
ELECTRICAL ENGINEERS ELECTRICAL & CONSTRUCTION MA Polysical Address :Block 7, 38 Burger Street, Postal Address :Suite kkk133, Private Bag, Tel : 015 295 2104 Cel : 082 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or page 1			
ELECTRICAL ENGINEERS ELECTRICAL & CONSTRUCTION MA Polysical Address :Block 7, 38 Burger Street, Postal Address :Suite kkk133, Private Bag, Tel : 015 295 2104 Cel : 082 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or page 1			
ELECTRICAL ENGINEERS ELECTRICAL & CONSTRUCTION MA Polysical Address :Block 7, 38 Burger Street, Postal Address :Suite kkk133, Private Bag, Tel : 015 295 2104 Cel : 082 459 9082 / 079 765 08 Email : nsk_ecm@yahoo.com or page 1			
RISK ELECTRICAL AND CONSTRUCTION MAPPhysical Address: Postal Address: Tel: Cel::082 459 9082 / 079 765 09 Email::082 459 9082 / 079 765 09 Ensk_ecm@yahoo.com or p	KEY	PLAN:	
RISK ELECTRICAL AND CONSTRUCTION MAPPhysical Address: Postal Address: Tel: Cel::082 459 9082 / 079 765 09 Email::082 459 9082 / 079 765 09 Ensk_ecm@yahoo.com or p			
RISK ELECTRICAL AND CONSTRUCTION MAPPhysical Address: Postal Address: Tel: Cel::082 459 9082 / 079 765 09 Email::082 459 9082 / 079 765 09 : nsk_ecm@yahoo.com or p			
RISK ELECTRICAL AND CONSTRUCTION MAPPhysical Address: Postal Address: Tel: Cel::082 459 9082 / 079 765 09 Email::082 459 9082 / 079 765 09 : nsk_ecm@yahoo.com or p			
RISK ELECTRICAL AND CONSTRUCTION MAPPhysical Address: Postal Address: Tel: Cel::082 459 9082 / 079 765 09 Email::082 459 9082 / 079 765 09 : nsk_ecm@yahoo.com or p			
RISK ELECTRICAL AND CONSTRUCTION MAPPhysical Address: Postal Address: Tel: Cel::082 459 9082 / 079 765 09 Email::082 459 9082 / 079 765 09 : nsk_ecm@yahoo.com or p			
RISK ELECTRICAL AND CONSTRUCTION MAPPhysical Address: Postal Address: Tel: Cel::082 459 9082 / 079 765 09 Email::082 459 9082 / 079 765 09 : nsk_ecm@yahoo.com or p			
RELECTRICAL & CONSTRUCTION MA NSK ELECTRICAL AND CONSTRUCTION MA Physical Address	ELE	CTRICAL E	ENGINEERS
RELECTRICAL & CONSTRUCTION MA NSK ELECTRICAL AND CONSTRUCTION MA Physical Address	1		NGL
NSK ELECTRICAL	1		FLECTRICAL & CONSTRUCTION MA
Postal Address	NSK	ELECTRIC	:AL AND CONSTRUCTION M
Email : nsk_ecm@yahoo.com or	Posta Tel	al Address	:Suite kkk133, Private Bag, : 015 295 2104
ARCHITECT	Emai		
	AR	CHITECT	

LIMPOPO DEPARTMENT OF PUBLIC WORKS

PROJECT TITLE

Matsobane Primary School

NSK-00028