

BID NUMBER: LDPWRI-B/20355

APPOINTMENT OF CONTRACTOR FOR CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUNCIL OFFICES THROUGH THE FRAMEWORK CONTRACT CATEGORY B

for the

THE DEPARTMENT OF COPERATIVE GOVERNANCE, HUMAN SETTLEMENTS AND TRADITIONAL AFFAIRS LIMPOPO PROVINCE

Issued by:

Limpopo Department of Public Works, Roads and Infrastructure Works Towers Building 43 Church Street Polokwane 0700


Contact Person: General Queries

Name	: Mr NJ Motsopye,
Tel No.	: 015 284 7126
Email	: motsopyen@dpw.limpopo.gov.za

Technical: Technical Queries

Name	: Mr. Maluleke ZV
Tel No.	: 015 284 7219
Email	: MalulekeZV@dpw.limpopo.gov.za

Name of the Bidder :....



CONTENTS

THE TENDER

Part T1: Tendering procedures

- T1.1 Tender notice and invitation to tender
- T1.2 Tender data

Part T2: Returnable documents

- T2.1 List of returnable documents
- T2.2 Returnable schedules

THE CONTRACT

- Part C1: Agreements and Contract data
- C1.1 Form of offer and acceptance
- C1.2 Contract data


Joint Venture Agreement (If Applicable)

Part C2: Pricing data

- C2.1 Part 1 Pricing Instructions
- C2.2 Part 2 Bills of Quantities

Part C3: Scope of Works

- C3.1 Special Notes to Bidders
- C3.2 OHS Specifications
- Part C4 Drawings



PART T1: TENDERING PROCEDURE




T1.1 Tender Notice and Invitation to Tender

The Limpopo Department of Public Works, Roads and Infrastructure invites tenderers from contractors appointed on the framework agreement on category B for CONSTRUCTION OF A NEW BASHAI DITLOU TRADITIONAL COUNCIL OFFICE for a period of 12 months. It is estimated that tenderers must have a CIDB contractor grading designation of 6 GB or higher.

The conditions of the CIDB Standard for for Indirect Targeting for Enterprise Development through Construction Works Contracts **Gazette Notice No. 36190 of 25 February 2013** will be applicable on this project

Project Name	CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUNCIL OFFICE for a period of 12 months.		
Tender Number	LDPWRI-B/20355		
Tender documents	Limpopo Department o	of Public Works, Roads and Infrastructure website	
availability			
Address for submission	DEPARTMENT OF PL	JBLIC WORKS, ROADS & INFRASTRUCTURE.	
of tenders			
		ner River and Blaauwberg Streets, Ladanna, 0699.	
Closing date of the tender	As per Tender invite		
Closing time of the tender	As per Tender invite		
Compulsory briefing	Yes 🛛 🛛 🛛		
meeting (Tenderers must	Meeting venue	As per Tender invite	
sign the attendance register			
in the name of the tendering entity. Addenda (if any) will			
be issued only to those	Date	As per Tender invite	
tendering entities appearing	Time: As per Tender invite		
on the attendance register)		-	
Evaluation criteria		ith mandatory or compulsory requirements	
		ent on current projects	
	3. Price		
	4. Preference		
Mandatory or	Only tenderers who are appointed on category B registered with the		
Compulsory	Construction Industry Development Board (CIDB) with designation of 6GB or		
Requirements (failure to submit or comply with these	higher than a contractor grading designation determined in accordance with		
requirements will lead to	the sum tendered, or a value determined in accordance with Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations are		
automatic disqualification)	eligible to have their tenders evaluated		
	Completed and signed		



T1.2 Tender Data

Clause number	Tender Data			
	The conditions of tender are the Standard Conditions of Tender as contained in Annex C of Board Notice 423 of 2019 in Government Gazette No. 42622 of 08 August 2019, Construction Industry Development Board (CIDB) Standard for Uniformity in Construction Procurement. (See www.cidb.org.za) which are reproduced without amendment or alteration for the convenience of tenderers as an Annex to this Tender Data.			
	The Standard Conditions of Tender make several references to the Tender Data for details that apply specific to this tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsisted between it and the standard conditions of tender. Each item of data given below is cross-referenced to the claring the Standard Conditions of Tender to which it mainly applies.			
	The contractor shall achieve in the performance of the contract the Contract Participation Goals (CPG) relating to the engagement of targeted enterprises as established in the CIDB Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts Gazette Notice <i>No. 36190 of 25 February 2013</i> . In this case, contractor shall provide a <i>minimum Contract Participation Goal (CPG) of 5%</i> of the total project value and develop targeted enterprises stated under C3 of this document.			
	The following variations, amendments and additions to the Standard Conditions of Tender as set out in the Tender Data below shall apply to this tender. Add the following to clauses in Standard Conditions of Tender:			
C.1.1	The Employer is the Department of Public Works, Roads and Infrastructure			
C.1.2	The Tender Part T1: Tendering procedures T1.1 Tender notice and invitation to tender T1.2 Tender data			
	Part T2: Returnable documents T2.1 List of returnable documents T2.2 Returnable schedules			
	The Contract Part C1: Agreements and contract data C1.1 Form of offer and acceptance C1.2 Contract data C1.3 Joint Venture Agreement (If Applicable)			
	The Contract Part C2: Pricing data C2.1 Pricing instructions C2.2 Bills of Quantities			
	Part 3: Scope of work C3.1 Special Notes to Bidders C3.2 OHS Specifications			
	Part 4: Site information C4 Drawings			

C.1.4	The employer's representative is :
	Name : Tel No. : Email :
	However, all communications related to this bid should be directed to the persons indicated under Enquires on this tender document.
	Attention is also drawn to the fact that verbal information, given by the Employer's agent during site visits/clarification meetings or at any other time prior to the award of the Contract, will not be regarded as binding on the Employer. Only information issued formally by the Employer in writing to Tenderers will be regarded as amending the Tender Documents
C.1.5	The employer reserve to cancel the tender prior to the award of the tender.
C1.6.2	A competitive negotiation procedure will not be followed.
C1.6.3	A two-stage system will not be followed.
C.2.1	Eligibility in respect of CIDB grading
	Only tenderers who are appointed on framework agreement category A and registered with the Construction Industry Development Board (CIDB) with designation of 6 GB or higher than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations, are eligible to have their tenders evaluated
C2.2	Cost of tendering
	The tenderer accept that, unless otherwise stated in the tender data, the employer will not compensate the tenderer for any costs incurred in the preparation and submission of a tender offer, including the costs of any testing necessary to demonstrate that aspects of the offer complies with requirements
C.2.7	Compulsory site briefing
	A compulsory briefing meeting will be held as per Tender invite
	Tenderers must sign the attendance list in the name of the tendering entity. Addenda (if any) will be issued only to those tendering entities appearing on the attendance list
C.2.11	Alterations to the documents
	Bidders are required to not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations
C.2.12	Alternative tender offer
	No alternative tender offer is permitted in this tender.
C.2.13.2	<i>Replace sub-clause C.2.13.2 with the following;</i> Return all returnable documents to the employer after completing them in their entirety by writing in non-erasable black ink
C.2.13.3	Parts of each tender offer communicated on paper shall be submitted as an original

C.2.13.4	The tender shall be signed by a person duly authorized to do so.
C.2.13.5	The employer's details and address for delivery of tender offers and identification details that are to be shown on each tender offer package are:
	Location of tender box: DEPARTMENT OF PUBLIC WORKS, ROADS & INFRASTRUCTURE. Physical address: Corner River and Blaauwberg Streets, Ladanna, 0699 Identification details: Sealed Tender with Tender reference number, Title of Tender and the closing date and time of the tender.
C.2.15.1	The closing time for submission of tender offers is as stated in the Tender Notice and Invitation to Tender. Telephonic, telegraphic, telex, facsimile or e-mailed tender offers will not be accepted.
C.2.16.1	The tender offer validity period is 12 weeks or 90 days.
C.2.16.2	The tender accepts that a tender submission that has been submitted to the employer may only be withdrawn or substituted by giving the employer's agent written notice before the closing time for tenders that a tender is to be withdrawn or substituted. If the validity period stated in C.2.16 lapses before the employer evaluating tender, the contractor reserves the right to review the price based on Consumer Price Index (CPI).
C.3.1	The tenderer is required to indicate how they claim points for each preference point system and attached relevant supporting documents. The specific goals for claiming of preference points include the following:
	 Persons who had no franchise in national elections prior to 1983 and 1993 Women Disabled persons Promotion of SMMEs Enterprise located in Limpopo Province Promotion of youth
	CIDB Grading Certificate
	Tenders are required to provide proof of registration with the CIDB register of contractors indicating the category of registration, grading as well as the CRS number of the tenderer.
	Letter of Good Standing
	Tender are required to submit, bound with the tender submission, a letter of good from the compensation commissioner indicating that the bidder is in good standing.
C3.2	Notwithstanding any requests for confirmation of receipt of Addenda issued, the tenderer shall be deemed to have received such addenda if the employer can show proof of transmission thereof (or a notice in respect thereof) via electronic mail, facsimile or registered post.
C.3.4.1	Tenders will not be opened immediately after the closing time for tenders.

C.3.11	The tender (i) (ii) (iii) (iv)	ers will be evaluated in four stages Stage 1: Compliance with mandatory requirements as stated in Part T1.1 Stage 2: Risk assessment on current projects Stage 3: Price Stage 4: Preference
	evaluation and any ad should prov skills, quali be expecte	ical capacity (functionality) of the contractors will not be evaluated any further during of the RFQ. However, the contractors will be required to declare the status of their key staff liministrative compliance. In cases where there are changes in the key staff, the contractor vide CVs and qualifications of the new staff to LDPWRI. The new staff should have similar fications and experience as the staff submitted during tender. Similarly, the contractors will ed to provide an update on any changes in their administrative compliances – and should required SBD document in such cases.
	and the cor	will only be issued to contractors with valid Tax Clearance certificates, active CIDB grading ntractor who meets all the legislative requirement – this shall be verified by SCM in line with nental SCM Policy.
		alue of current projects for a contractor under consideration cannot exceed the twice the value of their relevant CIDB grade. ¹
	a)	Stage 1: Administrative Compliance: The Compliance or compulsory documents and returnables are detailed in Section T.2.1 of this tender document. Failure to submit, complete or comply with these requirements will lead to automatic disqualification.
	b)	Stage 2: Risk assessment on current projects
		The total value of current projects for a contractor under consideration cannot exceed the twice the maximum value of their relevant CIDB grade.

Stage 3 and 4:

The procedure for final evaluation of responsive tenders is Method 2 (Financial offer and preference). The total number of tender evaluation points (T_{EV}) shall be determined in accordance with the following formula.

$$T_{EV} = N_{FO} + N_P$$

a) *N_{FO}* is the number of tender evaluation points awarded for the financial offer made. The score for financial offer is calculated using the following formula:

$$P = A * \left(1 - \frac{(P_o - P_m)}{P_m}\right)$$

Where:

A is 80 since the estimated financial value of works inclusive of VAT is equals or is less than R 50,000,000.00.

P is the points awarded to the bid under consideration

 P_m is the lowest Comparative bid price

 P_o is the comparative price under consideration

 N_P is the number of tender evaluation points awarded for preferences claimed in accordance with the Preferencing Schedule in 3.18



PART T2: RETURNABLE DOCUMENTS

Bidder's initials




T2.1 : LIST OF RETURNABLE DOCUMENTS

The following documents will form part of the documents submitted to the Contractors as part of the Request for Proposals:

- 2.1 Fully completed Form of Offer
- 2.2 Bills of Quantities
- 2.3 Proof of specific goal for award of the preference points as determined on the Request for Proposal 2.4 SBD 6.1.
- 2.5 Declaration on the status of Administration compliance.
- 2.6 CIDB grading certificate
- 2.7 CSD Report
- 2.8 Tax clearance certificate
- 2.9 Declaration of current projects

Failure by the service provider to submit or complete item 2.1 or 2.2 will render their proposal not responsive and will not be considered.

The bidder should also not appear on the National Treasury's list of black listed entities



T 2.2 : RETURNABLE SCHEDULE

	Document Name		nable ment
1.	Preferencing schedule:	□Yes	🗆 No
2.	Proposed amendments and qualifications (if applicable)	□Yes	🗆 No
3.	SBD 1: Invitation to tender	□Yes	🗆 No
4.	SBD 6.1: Reference Points claim form in terms of the Preferential Procurement Regulations 2017 or amended	□Yes	🗆 No
5.	Form of offer	□Yes	🗆 No
6.	CSD summary report	□Yes	🗆 No
7.	Original tax clearance certificate or tax pin	□Yes	🗆 No
8.	Priced bills of quantities	□Yes	🗆 No
9.	Proof of CIDB class grading: 6GB or higher.	□Yes	🗆 No
10.	Declaration with regard to current projects	□Yes	🗆 No



Declaration on the status of administrative compliance

Please indicate, by circling either **Yes** or **No**, whether the administrative information submitted with the original framework tender documents has changed or not. If yes, kindly provide the particulars below and any supporting documents.

Signed	 Date	
Name	 Position	
Enterprise		



Record of Addenda to tender documents

Attach additional pages if more space is required.

Signed	 Date	
Name	 Position	
Tenderer	 	

Bidder's initials



Proposed amendments and qualifications


The Tenderer should record any deviations or qualifications he may wish to make to the tender documents in this Returnable Schedule. Alternatively, a tenderer may state such deviations and qualifications in a covering letter to his tender and reference such letter in this schedule.

The Tenderer's attention is drawn to clause 5.8 of SANS 10845-3 regarding the employer's handling of material deviations and qualifications.

Page	Clause or item	Proposal
Signe	ed	Date

Signed	 Date	
Name	 Position	
Tenderer	 	

Bidder's initials



SBD 1

PART A: INVITATION TO BID

YOU ARE HERE	eby invited to bi Ire	D FOR REQUIREN	MENTS OF T	HE LIMPOP	D DEPARTMENT	OF PU	BLIC WORKS, F	ROADS AND
BID NUMBER:	LDPWRI-B/20355		CLOSING [DATE	As per Tender Advert	CLOSI	NG TIME:	11:00am
DESCRIPTION	CONSTRUCTIO DISTRICT	N OF NEW BAS	SHAI DITLO	OU TRADIT	IONAL COUN	CIL OF	FICES IN THE	MOPANI
BID RESPONSE	DOCUMENTS MAY E	BE DEPOSITED IN	THE BID BOX	SITUATED A	AT (STREET ADD	RESS)		
	T OF PUBLIC WC	1						
	ess: Corner River a		· · · · · · · · · · · · · · · · · · ·	iuanna, 008	<i>.</i>			
CONTACT PERS		Mr. NJ Motsopye						
TELEPHONE NU		0152847126	E-MAIL A	DDRESS		motsop	yen@dpw.limpop	o.gov.za
CONTACT PERS	SON (TECHNICAL)	Mr. Vincent Malul	eke					
TELEPHONE NU		0152847219	E-MAIL A	DDRESS		malule	kev@dpw.limpopo).gov.za
SUPPLIER INFO	RMATION	I						
NAME OF BIDDE	R							
POSTAL ADDRE								
STREET ADDRE	SS							
TELEPHONE NU	IMBER	CODE		NUMBER				
CELLPHONE NU	IMBER							
E-MAIL ADDRES	S							
VAT REGISTRAT		TAX	1	1				
SUPPLIER COM	PLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE No	: MA		
ARE YOU THE A		□Yes	□No		FOREIGN BASE		Yes	No
REPRESENTATI AFRICA FOR TH /SERVICES /WO		[IF YES ENCLOS			FOR THE GOOD WORKS OFFEF		[IF YES, ANSW QUESTIONNAI	
QUESTIONNAIR	E TO BIDDING FORE	EIGN SUPPLIERS		•			•	
IS THE ENTITY A	A RESIDENT OF THE	REPUBLIC OF SO	UTH AFRICA	(RSA)?			□ Y	ES 🗌 NO
DOES THE ENTI	TY HAVE A BRANCH	I IN THE RSA?					🗌 Y	ES 🗌 NO
DOES THE ENTI	IENT ESTABLISHM	ENT IN THE	RSA?			Π Υ	ES 🗌 NO	
DOES THE ENTITY HAVE ANY SOUR		RCE OF INCOME IN THE RSA?				□ Y	ES 🗌 NO	
IS THE ENTITY L	LIABLE IN THE RSA F	FOR ANY FORM OF	TAXATION?				☐ Y	ES 🗌 NO
IF THE ANSWER System Pin CC	R IS "NO" TO ALL OF DE FROM THE SOU	THE ABOVE, THEI TH AFRICAN REVE	N IT IS NOT A ENUE SERVIO	REQUIREME CE (SARS) AN	ENT TO REGISTE ND IF NOT REGIS	R FOR A	TAX COMPLIAN PER 2.3 BELOW	ICE STATUS 1.

PART B: TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2017, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM (SBD7).

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolution)	
DATE:	



SBD 6.1

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 90/10 preference point system.
- b) The applicable preference point system for this tender is the 80/20 preference point system.
- c) Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. **DEFINITIONS**

- (a) **"tender"** means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "**price**" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "**rand value**" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "**the Act**" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).
- (f)

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

or

80/20

90/10

 $Ps = 80\left(1 - \frac{Pt - P\min}{P\min}\right)$ or $Ps = 90\left(1 - \frac{Pt - P\min}{P\min}\right)$ Where

- Ps = Points scored for price of tender under consideration
- Pt = Price of tender under consideration
- Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10 $Ps = 80\left(1 + \frac{Pt - P\max}{P\max}\right)$ or $Ps = 90\left(1 + \frac{Pt - P\max}{P\max}\right)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Persons who had no franchise in national elections prior to 1983 and 1993 (Attach certified copy of South African ID as proof)	2	6		
Women (Attach Director's certified copy of South African ID as proof + company registration documents)	1	3		
Disabled persons (Attach letter from Health Professional as proof)	1	2		
Promotion of SMMEs (Attach financial statement as proof)	1	2		
Enterprises located in Limpopo Province (Attach proof of address / Lease agreement)	1	2		
Promotion of enterprises located in the relevant District (Attach proof of address / Lease agreement)	1	2		
Promotion of youth (Attach Director's	1	1		

certified copy of South African ID as proof)			
Promotion of enterprises located in rural areas (Attach letter from Traditional Council/ Chief/Ward Councilor if not Traditional Council)	2	2	

DECLARATION WITH REGARD TO COMPANY/FIRM

- 4.3. Name of company/firm.....
- 4.4. Company registration number:
- 4.5. TYPE OF COMPANY/ FIRM
 - Partnership/Joint Venture / Consortium
 - One-person business/sole propriety
 - □ Close corporation
 - Public Company
 - Personal Liability Company
 - (Pty) Limited
 - □ Non-Profit Company
 - State Owned Company

[TICK APPLICABLE BOX]

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
 - i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
 - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;

- (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the *audi alteram partem* (hear the other side) rule has been applied; and
- (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE:	
ADDRESS:	



DECLARATION OF CURRENT PROJECTS

Current value refers to current value of projects for both General Building (GB) and Civil Engineering (CE).

Please list the current projects which your company is busy executing in the table below.

If no projects at the moment the tender must indicate/write on this table

Table 1 List of current projects executed by the bidder

- 1. Do you have the current projects being executed Yes/No?
- 2. If Yes, please indicate the details on the table below. Please note that it is compulsory to answer the question and if the answer is yes, complete the table. If the question not answered or the table not completed the points will not be allocated.


Project Description	Project Value	Start date	Planned end date	Client Name	Contact Person number

	1	1		




THE CONTRACT

Bidder's initials



PART C1: AGREEMENT AND CONTRACT DATA

Bidder's initials



C1.1. FORM OF OFFER AND ACCEPTANCE

Offer

The employer, identified in the acceptance signature block, has solicited offers to enter into a contract in respect of the following works:

CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUNCIL OFFICES AT MOPANI DISTRICT

The tenderer, identified in the offer signature block, has examined the documents listed in the tender data and addenda thereto as listed in the tender schedules, and by submitting this offer has accepted the conditions of tender.

By the representative of the tenderer, deemed to be duly authorized, signing this part of the Form of Offer and Acceptance, the tenderer offers to perform all of the obligations and liabilities of the contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the contract data.

THE OFFERED TOTAL OF THE PRICE INCLUSIVE OF VALUE ADDED TAX IS (CONTRACT PRICE)

Rand (in words); R.....

.....

(in figures) R.....

This offer may be accepted by the employer by signing the acceptance part of this form of offer and acceptance and returning one copy of this document to the tenderer before the end of the period of validity stated in the tender data, whereupon the tenderer becomes the party named as the contractor in the conditions of contract identified in the contract data.

Signature(5)	
Name(s)		
Capacity		
For tl tenderer:	ne	
Name signature witness		Date

Acceptance (To be completed by the employer – not the bidder)

By signing this part of this Form of Offer and Acceptance, the *Employer* identified below accepts the tenderer's Offer. In consideration thereof, the *Employer* shall pay the Consultant the amount due in accordance with the *conditions of contract* identified in the Contract Data. Acceptance of the tenderer's Offer shall form an agreement between the *Employer* and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract, are contained in:

- Part C1 Agreements and Contract Data, (which includes this Form of Offer and Acceptance)
- Part C2 Pricing Data
- Part C3 Scope of Work

and drawings and documents (or parts thereof), which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Returnable Schedules as well as any changes to the terms of the Offer agreed by the tenderer and the *Employer* during this process of offer and acceptance, are contained in the Schedule of Deviations attached to and forming part of this Form of Offer and Acceptance. No amendments to or deviations from said documents are valid unless contained in this Schedule.

The tenderer shall within two weeks of receiving a completed copy of this agreement, including the Schedule of Deviations (if any), contact the *Employer's* agent (whose details are given in the Contract Data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the *conditions* of *contract* identified in the Contract Data. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed original copy of this document, including the Schedule of Deviations (if any). Unless the tenderer (now *Consultant*) within five working days of the date of such receipt notifies the *Employer* in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the Parties.

For the Employer

Signature	
Name	
Capacity	

Name and address of organization

Signature and Name of Witness

Signature	
Name	
Capacity	


Schedule of Deviations

1 Subject	
Details	
2 Subject	
Details	
3 Subject	
-	
Details	
4 Subject	
•	
Details	

By the duly authorised representatives signing this agreement, the *Employer* and the Tenderer agree to and accept the foregoing schedule of deviations as the only deviations from and amendments to the documents listed in the Tender Data and addenda thereto as listed in the returnable schedules, as well as any confirmation, clarification or changes to the terms of the offer agreed by the Tenderer and the *Employer* during this process of offer and acceptance.

It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this Agreement shall have any meaning or effect in the contract between the parties arising from this agreement.

.....



PART C2: PRICING DATA


C2.1 CONTRACT DATA

The Conditions of Contract are clauses 1 to 41 of the JBCC Series 2000 Principal Building Agreement (Edition 4.1 of March 2005) published by the Joint Building Contracts Committee.

Copies of these conditions of contract may be obtained from the Association of South African Quantity Surveyors (011-3154140), Master Builders Association (011-205-9000; 057- 3526269) South African Association of Consulting Engineers (011-4632022) or South African Institute of Architects (051-4474909; 011-4860684; 053-8312003;)

The JBCC Principal Building Agreement makes several references to the Contract Data for specific data, which together with these conditions collectively describe the risks, liabilities, and obligations of the contracting parties and the procedures for the administration of the Contract. The Contract Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the JBCC Principal Building Agreement.

The contractor shall achieve in the performance of the contract the Contract Participation Goals (CPG) relating to the engagement of targeted enterprises as established in the CIDB Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts Gazette Notice No. 36190 of 25 February 2013."




PART C2.2: BILLS OF QUANTITIES

Bidder's initials



PART C3 SCOPE OF WORKS

Bidder's initials




PART C3.1: SPECIAL NOTES TO BIDDERS

The following special conditions are for compliance and attention to bidders:

- 1.1. LDPWRI reserve the right to call interviews with short-listed bidders before final selection.
- 1.2. LDPWRI reserve the right to conduct supplier due diligence prior to final award or at any time during the contract period. This may include surprise site visits.
- 1.3. LDPWRI reserve the right to appoint the bidder that proves to be fully capable and qualified to handle and execute the job.
- 1.4. The proposals submitted must be in line with the detailed specification.
- 1.5. LDPWRI reserve the right to cancel or withdraw this bid if:
 - i. Due to changed circumstances, there is no longer a need for this services; or
 - ii. Funds are no longer available to cover the total envisaged expenditure; or
 - iii. No acceptable bids are received; or
 - iv. There is a material irregularity in the Bid process.
- 1.6. In the case of sub-contracting or joint venture agreement, LDPWRI will enter into a single contract with the principal bidder.
- 1.7. Bidders who are not registered on Central Supplier Database (CSD) must register before submission of bids.
- 1.8. Any completion of the bid document in pencil or erasable ink will not be acceptable and will automatically disqualify the submitted bid.
- 1.9. Successful bidder will be required to sign and enter into a formal contract upon the award.
- 1.10. Notwithstanding shortcomings and/or inconsistencies, if any, in this specification, which is only a minimum specification, a bidder shall make provision for a complete solution that will deliver the required service efficiently and cost-effectively.
- 1.11. Bid documents must be submitted physically to the closing address as reflected on the Request for Quotations.
- 1.12. Quotations received after the closing date and time will not be accepted for consideration.
- 1.13. This request for bid document contains confidential information about LDPWRI, which has been provided to supply potential bidders with the data necessary to provide a holistic response.
- 1.14. No part of the contents may be used, copied, disclosed or conveyed in whole or in part to any party, in any manner whatsoever without the prior written permission of LDPWRI.
- 1.15. Any reproduction or transmission of information contained in this document except for the sole purpose of responding to this bid is strictly prohibited.

References to LDPWRI must not be made in any literature, promotional material, and brochures or sales presentations without the express written consent of LDPWRI



PART C3.2: OHS SPECIFICATIONS



PART C4 SITE INFORMATION

CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUNCIL OFFICES FOR THE LIMPOPO DEPARTMENT OF COPERATIVE GOVERNANCE, HUMAN SETTLEMENTS AND TRADITIONAL AFFAIRS CONTRACT No. LDPWRI-B/20355



C4.1 DRAWINGS

Bidder's initials

-

		Quantity	Rate	Amou
<u>SEC</u>	TION No. 1 BILL No. 1			
<u>PRE</u>	LIMINARIES			
i)	The agreement is to be the JBCC Series 2000 Principal Building Agreement (Edition 4.1 Code 2101 March 2005) prepared by the Joint Building Contracts Committee			
ii)	The preliminaries are to be the JBCC Series 2000 Preliminaries prepared by the Joint Building Contracts Committee, Code 2103 May 2005 Edition and shall be deemed to be incorporated herein			
iii)	Tenderers are referred to the above mentioned documents for the full intent and meaning of each clause thereof (hereinafter referred to by heading and clause number only) for which such allowance must be made as may be considered necessary			
iv)	Where standard clauses or alternatives are not entirely applicable to this contract such modifications, corrections or supplements as will apply are given under each relevant clause heading			
v)	Where any item is not relevant to this specific contract such item is marked N/A (signifying "not applicable")			
vi)	If Alternative A as set out in clause B10.3 hereinafter is to be used for the adjustment of the preliminaries each item priced is to be allocated to one or more of the three categories, where "F" denotes a fixed amount (amount not to be varied), "V" denotes an amount variable in proportion to value and "T" denotes an amount in proportion to time			
	TION A: PRINCIPAL BUILDING AGREEMENT D IN CONJUCTION WITH THE CONTRACT DATA			
Section	Carried to Collection		R	
Prelin	ninaries STRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUN COGHSTA		Œ	

	Definitions (A1)			
1	Definitions and interpretation (clause 1) Fixed	Item		
2	Value Related	Item		
3	Time Related	Item		
	Objective (A2)			
4	Offer acceptance and performance (clause 2)			
	Fixed	Item		
5	Value Related	Item		
6	Time Related	ltem		
	Preparation (A3-A14)			
7	Documents (clause 3) Fixed			
		Item		
8	Value Related	ltem		
9	Time Related	ltem		
10	Design responsibility (clause 4) Fixed	Item		
11	Value Related	Item		
12	Time Related	Item		
13	Employer's agents (clause 5) Fixed	ltem		
14	Value Related	Item		
15	Time Related	ltem		
16	Site representative (clause 6) Fixed	ltem		
17	Value Related	ltem		
			_	
	Carried to Collection Section No. 1		R	
	Bill No. 1 Preliminaries			
	CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA			

18	Time Related	Item		
19	Compliance with regulations (clause 7) Fixed	Item		
20	Value Related	Item		
21	Time Related	Item		
22	Works risk (clause 8) Fixed	Item		
23	Value Related	Item		
24	Time Related	Item		
25	Indemnities (clause 9) Fixed	Item		
26	Value Related	Item		
27	Time Related	Item		
28	Works insurance (clause 10) Fixed	Item		
29	Value Related	Item		
30	Time Related	Item		
31	Liability insurances (clause 11) Fixed	Item		
32	Value Related	Item		
33	Time Related	Item		
34	Effecting insurance (clause 12) Fixed	Item		
35	Value Related	Item		
36	Time Related	Item		
37	No clause (clause 13) Fixed	Item		
38	Value Related	Item		
39	Time Related	Item		
	Carried to Collection Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUL FOR COGHSTA	NCIL OFFICE	R	

40	Security (clause 14) Fixed	Item		
41	Value Related	Item		
42	Time Related	Item		
	Execution (A15-A22)			
43	Preparation for and execution of the works (clause 15) Fixed	ltem		
44	Value Related	Item		
45	Time Related	Item		
46	Access to the works (clause 16) Fixed	Item		
47	Value Related	Item		
48	Time Related	Item		
49	Contract instructions (clause 17) Fixed	Item		
50	Value Related	Item		
51	Time Related	Item		
52	Assignment (clause 19) Fixed	Item		
53	Value Related	Item		
54	Time Related	Item		
55	Setting out of the works (clause 18) Fixed	Item		
56	Value Related	Item		
57	Time Related	Item		
	Carried to Collection Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU	NCIL OFFICE	R	
	FOR COGHSTA			

	The contractor shall notify the principal agent if any encroachments of adjoining foundations, buildings, structures, pavements, boundaries, etc. exist in order that the necessary arrangements may be made for the rectification of any such encroachments.			
58	Nominated subcontractors (clause 20) Fixed	Item		
59	Value Related	Item		
60	Time Related	Item		
61	Selected subcontractors (clause 21) Fixed			
		Item		
62	Value Related	Item		
63	Time Related	Item		
64	Employer's Direct Contractors (clause 22) Fixed	Item		
65	Value Related	Item		
66	Time Related	Item		
67	Contractor's Domestic Sub-Contractors (Clause 23) Fixed	lton		
		Item		
68	Value Related	Item		
69	Time Related	Item		
	Completion (A24-A30)			
70	Practical completion (clause 24) Fixed	Item		
71	Value Related	Item		
72	Time Related	Item		
	Carried to Collection Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU		R	
	FOR COGHSTA			

73	Works completion (clause 25) Fixed	Item		
74	Value Related	Item		
75	Time Related	Item		
76	Final completion (clause 26) Fixed	Item		
77	Value Related	Item		
78	Time Related	Item		
79	Latent defects liability period (clause 27) Fixed			
		Item		
80	Value Related	Item		
81	Time Related	Item		
82	Sectional completion (clause 28) Fixed	Item		
83	Value Related	Item		
84	Time Related	Item		
85	Revision of date of practical completion (clause 29) Fixed			
	Fixeu	Item		
86	Value Related	Item		
87	Time Related	Item		
88	Penalty for non-completion (clause 30) Fixed	Item		
89	Value Related	Item		
90	Time Related	Item		
				 —
	Carried to Collection Section No. 1		R	
	Bill No. 1 Preliminaries			
	CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA			

	<u> Payment (A31 - A35)</u>			
91	Interim payment to the contractor (clause 31) Fixed	Item		
92	Value Related	Item		
93	Time Related	Item		
94	Adjustment to the contract value (clause 32) Fixed	Item		
95	Value Related	Item		
96	Time Related	Item		
	Notwithstanding the provisions of clause 32.13 fluctuations in costs shall not be adjusted as per heyllet formular (CPA)			
97	Recovery of expense and loss (clause 33) Fixed	Item		
98	Value Related	Item		
99	Time Related	Item		
100	Final account and final payment (clause 34) Fixed	Item		
101	Value Related	Item		
102	Time Related	Item		
103	Payment to other parties (clause 35) Fixed	Item		
104	Value Related	Item		
105	Time Related	Item		
	Cancellation (A36-A39)			
106	Cancellation by employer - contractor's default (clause 36) Fixed	Item		
107	Value Related	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA	NCIL OFFICE		

108	Time Related	Item		
109	Cancellation by employer - loss and damage (clause 37)			
	Fixed	Item		
110	Value Related	Item		
111	Time Related	Item		
112	Cancellation by contractor - employer's default (clause 38) Fixed			
		Item		
113	Value Related	Item		
114	Time Related	Item		
115	Cancellation - cessation of the works (clause 39) Fixed	Item		
116	Value Related	Item		
117	Time Related	Item		
	Dispute (A40)			
118	Settlement of disagreements and disputes (clause 40) Fixed			
		Item		
119	Value Related	Item		
120	Time Related	Item		
	Contract variables (A41)			
121	The schedule:Pre-tender information (clause 41) Fixed	Item		
122	Value Related	Item		
123	Time Related	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1			
	Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		E	

Information necessary for completion of those clauses contained in the schedule which are necessary for tender purposes is given hereunder	
41.1.1 Employer:	
DEPARTMENT OF PUBLIC WORKS ROADS AND INFRASTRUCTURE LIMPOPO	
Postal Address: Private Bag x 9490 POLOKWANE 0700	
Physical Address: 43 Church Street Polokwane 0699	
Tel . (015) 284-7000 Fax (015) 284 7044 E-mail :	
41.1.2 Principal Agent:	
DEPARTMENT OF PUBLIC WORKS ROADS AND INFRASTRUCTURE LIMPOPO	
Postal Address: Private Bag x 9490 POLOKWANE 0700	
Physical Address: 43 Church Street Polokwane 0699	
Tel . (015) 284-7000 Fax (015) 284 7044 E-mail :	
Carried to Collection	
Section No. 1 Bill No. 1	
Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUNCIL OFFICE FOR COGHSTA	

41.1.3 Other A	gents: Architect		
DEPART	MENT OF PUBLIC WORKS ROADS AND IRUCTURE LIMPOPO		
Postal A Private E POLOKV 0700	ag x 9490		
Physical 43 Churc Polokwa 0699			
Tel . (01: E-mail :	5) 284-7000 Fax (015) 284 7044		
<u>41.1.4</u> Other Ag	gents : Quantity Surveyors		
	MENT OF PUBLIC WORKS ROADS AND IRUCTURE LIMPOPO		
Postal A Private E POLOKV 0700	ag x 9490		
Physical 43 Churc Polokwa 0699			
Tel . (01: E-mail :	5) 284-7000 Fax (015) 284 7044		
Section N		R	_
Bill No.	l aries RUCTION OF NEW BASHAI DITLOU TRADITIONAL COU	CE	

41.2	CONTRACT DETAILS		
41.2.1	Works Description:		
	The work consist of the construction of a new single storey traditional council building approximately 550m2 ,guardhouse approximately 30m2 and general site works		
41.2.2	Site Description:		
	The site is at Manangeng Village		
41.2.3	Work for installation by direct contractors:		
	N/A		
	This agreement is for a government contract: contract where there are specific option that		
are	applicable to a state organ only Yes		
41.2.5	Date on which possession of the site is intended to be given: Approximately within 14 (fourteen) calender days from the date of the letter of acceptance		
	Period for the commencement of the works is liately after the contractor takes possession of the		
41.2.7	Completion in sections are required No		
	Carried to Collection	R	
Section Bill No.	n No. 1 . 1		
	naries TRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUNCIL OF OGHSTA	FICE	

	 41.2.8 Intended date of practical completion and the penalty per calender day for the works as a whole: 12 calendar months from the date of the possession of the site and penalties will be 0.05% of the contract sum Penalty per calender day: 0.05% of the Contract Sum per calendar day on the completion of the work may be in arrears SPECIAL COMPLETION REQUIREMENTS Not applicable 			
124	41.2.9 Arbitration rules as recommended by the Association of Arbitrators (SA) Fixed	Item		
125	Value Related	Item		
126	Time Related	Item		
127	41.2.10 The law applicable to this agreement shall be that of			
	South Africa Fixed	Item		
128	Value Related	Item		
129	Time Related	Item		
120				
	Carried to Collection		R	
	Section No. 1 Bill No. 1			
	Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA			

	41.4.3 State other system if document is not drawn up in accordance with the Standard System of Measuring Building Work (6th Edition) (Revised) 1999			
	41.4.4 Number of days for submission of priced documents: 7 working days			
	Notwithstanding the provisions of Clause 41.4.4, no payments will be certified unless the priced document are agreed with the Quantity surveyors.			
	41.4.5 JBCC N/S Subcontract Agreement are to be included in the documents:			
	41.4.6 Alternative if contract value is not adjusted using CPAP:			
	Prices and rates shall remain firm and fixed, there shall be no adjustment of the tender amounts			
	41.4.7 Details of changes made to the provision of JBCC standard documentation:			
	Payment will be made 21 days after issue of a payment certificate.			
	The Contractor shall issue a Tax Invoice immediately to enable the Employer to process payment. For accounting purposes, the Employer's VAT number as required by current legislation on the Tax invoice is <u>to be advised</u>			
	SECTION B: PRELIMINARIES			
	Definition and interpretation (B1)			
137	Definition and interpretation (B1.1 - B1.6.5) Fixed	Item		
138	Value Related	Item		
139	Time Related	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1			
	Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL CO FOR COGHSTA			
	I			

	Documents (B2)			
140	Checking of documents (B2.1) Fixed	Item		
141	Value Related	Item		
142	Time Related	Item		
143	These bills of quantities contain pages and annexures as indexed on the flyleaf			
	The items in these bills of quantities are to be read and priced in conjunction with and the descriptions regarded as amplified by the Model Preambles for Trades as recommended and published by the Association of South African Quantity Surveyors, 2008 edition, and no claim arising from brevity of description of items fully described in the said Model Preambles for Trades will be entertained			
		Item		
144	Provisional bills of quantities (B2.2) Fixed	N/A		
145	Value Related	Item		
146	Time Related	Item		
147	Availability of construction documentation for contracts based on provisional bills of quantities (B2.3) Fixed	Item		
148	Value Related	Item		
149	Time Related	Item		
150	Interests of agents (B2.4) Fixed	Item		
151	Value Related	Item		
152	Time Related	Item		
153	Priced documents (B2.5) Fixed	Item		
154	Value Related	Item		
155	Time Related	Item		
				-
	Carried to Collection Section No. 1		R	 ╞
	Bill No. 1 Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA			

156	Tender submission (B2.6) Fixed	Item		
157	Value Related	Item		
158	Time Related	Item		
159	Notwithstanding anything contained in this clause tenders shall be valid for a period of 45 days from the closing date of tenders Fixed	Item		
160	Value Related	Item		
161	Time Related	Item		
	<u>The site (B3)</u>			
162	Defined works area (B3.1) Fixed	Item		
163	Value Related	Item		
164	Time Related	Item		
165	The area of the works to be occupied by the contractor, any restriction on the area and the limit of access or exit will be pointed out to the contractor by the principal agent at the official site briefing meeting.			
		Item		
166	Geotechnical investigation (B3.2)			
	Geotechnical information will be made available to the successful bidder at the site handover meeting Fixed	ltem		
167	Value Related	Item		
168	Time Related	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		¢E	

169	Inspection of the site (B3.3)			
	It remains the responsibility of the bidder to visit the project site on his / her own to check and acquaint themselves with the site and its conditions before submitting a tender as no claims will be entertained later.			
		Item		
170	No claims for extras arising from the contractor having			
	failed to comply with this clause will be entertained Fixed	ltem		
171	Value Related	ltem		
172	Time Related	Item		
173	Existing premises occupied (B3.4) Fixed	ltem		
174	Value Related	ltem		
175	Time Related	ltem		
176	Previous work - dimensional accuracy (B3.5) Fixed	ltem		
177	Value Related	ltem		
178	Time Related	ltem		
179	Previous work - defects (B3.6) Fixed	ltem		
180	Value Related	Item		
181	Time Related	Item		
182	Services - known (B3.7) Fixed	Item		
183	Value Related	Item		
184	Time Related	ltem		
185	Services - unknown (B3.8) Fixed	ltem		
				╞
	Carried to Collection		R	 L
	Section No. 1 Bill No. 1 Preliminaries			
	CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		CE	

186	Value Related	Item		
187	Time Related	Item		
188	Protection of trees etc (B3.9) Fixed	Item		
189	Value Related	Item		
190	Time Related	Item		
191	Articles of value (B3.10) Fixed	Item		
192	Value Related	Item		
193	Time Related	Item		
194	Inspection of adjoining properties etc (B3.11) Fixed	Item		
195	Value Related	Item		
196	Time Related	Item		
	Management of contract (B4)			
197	Management of the works (B4.1) Fixed	Item		
198	Value Related	Item		
199	Time Related	Item		
200	Progress meetings (B4.3) Fixed	Item		
201	Value Related	Item		
202	Time Related	Item		
203	Technical meetings (B4.4) Fixed	Item		
204	Value Related	Item		
205	Time Related	Item		
	Samples and shop drawings and manufacturer's instructions (B5)			
206	Samples of materials (B5.1) Fixed	Item		
			-	 +
	Carried to Collection		R	
	Section No. 1 Bill No. 1			
	Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU			
	FOR COGHSTA			

207	Value Related	Item		
208	Time Related	Item		
209	Workmanship samples (B5.2) Fixed	Item		
210	Value Related	Item		
211	Time Related	Item		
212	Shop drawings (B5.3) Fixed	Item		
213	Value Related	Item		
214	Time Related	Item		
	Temporary works and plant (B6)			
215	Deposits and fees (B6.1) Fixed	Item		
216	Value Related	Item		
217	Time Related	Item		
218	Enclosure of the works (B6.2) Fixed	Item		
219	Value Related	Item		
220	Time Related	Item		
221	Advertising (B6.3) Fixed			
		Item		
222	Value Related	Item		
223	Time Related	Item		
224	Plant, equipment, sheds and offices (B6.4) Fixed	Item		
225	Value Related	Item		
226	Time Related	Item		
227	Main notice board (B6.5) Fixed	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1			
	Preliminaries			
	CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA			

228	Value Related	Item	
229	Time Related	Item	
230	Subcontractors notice board (B6.6) Fixed	ltem	
231	Value Related	Item	
232	Time Related	Item	
	Temporary services (B7)		
233	Location (B7.1) Fixed	Item	
234	Value Related	Item	
235	Time Related	Item	
236	Water (B7.2) Fixed	Item	
237	Value Related	Item	
238	Time Related	Item	
239	Electricity (B7.3) Fixed	Item	
240	Value Related	Item	
241	Time Related	Item	
242	Telecommunication equipment (B7.4) Fixed	Item	
243	Value Related	Item	
244	Time Related	Item	
245	Ablution facilities (B7.5) Fixed	Item	
246	Value Related	Item	
247	Time Related	Item	
	Prime cost amounts (B8)		
248	Responsibility for prime cost amounts (B8.1) Fixed	Item	
	Carried to Collection		R
	Bill No. 1 Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		

			I	I
249	Value Related	Item		
250	Time Related	Item		
	Attendance on N/S Subcontractors (B9)			
251	General attendance (B9.1) Fixed	Item		
252	Value Related	Item		
253	Time Related	Item		
254	Special attendance (B9.2) Fixed	Item		
255	Value Related	Item		
256	Time Related	Item		
257	Commissioning - Fuel, water and power (B9.3) Fixed	Item		
258	Value Related	Item		
259	Time Related	Item		
	Financial aspects (B10)			
260	Statutory taxes, duties and levies (B10.1) Fixed	Item		
261	Value Related	Item		
262	Time Related	Item		
263	Provision for Value Added Tax (VAT) is made in the			
	Final Summary. Fixed	Item		
264	Value Related	Item		
265	Time Related	Item		
266	Payment of preliminaries (B10.2) Fixed	Item		
267	Value Related	Item		
268	Time Related	Item		
	Carried to Collection		R	
	Section No. 1			
	Bill No. 1 Preliminaries			
	CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA			

Adjustment of preliminaries (B10.3) Fixed	Item		
Value Related	Item		
Time Related	Item		
Payment certificate cash flow (B10.4) Fixed	Item		
Value Related	Item		
Time Related	Item		
Contractor information supply (B10.5) Fixed	Item		
Value Related	Item		
Time Related	Item		
<u>General (B11)</u>			
Protection of works (B11.1) Fixed	Item		
Value Related	Item		
Time Related	Item		
Protection/isolation of existing/sectionally occupied works (B11.2) Fixed	Item		
Value Related	Item		
Time Related	Item		
Site security (B11.3) Fixed	Item		
Value Related	Item		
Time Related	Item		
Notice before covering work (B11.4) Fixed	Item		
Value Related	Item		
Time Related	Item		
Carried to Collection Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUL FOR COGHSTA	NCIL OFFICE	R	
	Value Related Time Related Payment certificate cash flow (B10.4) Fixed Value Related Time Related Contractor information supply (B10.5) Fixed Value Related General (B11) Protection of works (B11.1) Fixed Value Related Time Related Protection/isolation of existing/sectionally occupied works (B11.2) Fixed Value Related Time Related Site security (B11.3) Fixed Value Related Time Related Notice before covering work (B11.4) Fixed Value Related Time Related Time Related Time Related Site security (B11.3) Fixed Value Related Time Related Carried to Collection	Value Related Item Time Related Item Payment certificate cash flow (B10.4) Fixed Item Value Related Item Time Related Item Contractor information supply (B10.5) Fixed Item Value Related Item Value Related Item Value Related Item General (B11) Value Related Item Protection of works (B11.1) Fixed Item Item Value Related Item Item Notice before covering work (B11.4) Fixed Item <tr< td=""><td>Value Related Item Time Related Item Payment certificate cash flow (B10.4) Fixed Item Value Related Item Time Related Item Contractor information supply (B10.5) Fixed Item Value Related Item Time Related Item Time Related Item Seneral (B11) Protection of works (B11.1) Fixed Item Value Related Item Protection/isolation of existing/sectionally occupied Works (B11.2) Fixed Item Time Related Item Site security (B11.3) Fixed Item Value Related Item Time Related Item Value Related Item Time Related Item Value Related Item Time Related Item Site security (B11.3) Fixed Item Value Related Item Time Related Item Time Related Item Time Related Item Notice before covering work (B11.4) Fixed Item Time Related Item Related Item Notice before covering work (B11.4) Fixed Item Time Related Item Time Related Item Related Item Related Item Related Item Time Related Item Related Item Related Item Related Item Related Item Time Related Item Related Item Related Item Related Item Related Item Time Related Item Related Item R</td></tr<>	Value Related Item Time Related Item Payment certificate cash flow (B10.4) Fixed Item Value Related Item Time Related Item Contractor information supply (B10.5) Fixed Item Value Related Item Time Related Item Time Related Item Seneral (B11) Protection of works (B11.1) Fixed Item Value Related Item Protection/isolation of existing/sectionally occupied Works (B11.2) Fixed Item Time Related Item Site security (B11.3) Fixed Item Value Related Item Time Related Item Value Related Item Time Related Item Value Related Item Time Related Item Site security (B11.3) Fixed Item Value Related Item Time Related Item Time Related Item Time Related Item Notice before covering work (B11.4) Fixed Item Time Related Item Related Item Notice before covering work (B11.4) Fixed Item Time Related Item Time Related Item Related Item Related Item Related Item Time Related Item Related Item Related Item Related Item Related Item Time Related Item Related Item Related Item Related Item Related Item Time Related Item Related Item R

290	Disturbance (B11.5) Fixed	Item		
291	Value Related	Item		
292	Time Related	Item		
293	Works cleaning and clearing (B11.6) Fixed	Item		
294	Value Related	Item		
295	Time Related	Item		
296	Vermin (B11.7) Fixed	Item		
297	Value Related	Item		
298	Time Related	Item		
299	Overhand work (B11.8) Fixed			
		Item		
300	Value Related	Item		
301	Time Related	Item		
	Schedule of variables (B12)			
302	Pre-tender information (B12.1) Fixed	Item		
303	Value Related	Item		
304	Time Related	Item		
	Information necessary for elections and completion of those clauses contained in the schedule which are necessary for tender purposes is given hereunder. Where no information is given it shall mean that either no details or specific requirements are available or that the clause is not relevant to this specific contract			
	Carried to Collection Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA	NCIL OFFICE	R	

12.1.1 Provisional bills of quantities (B2.2) The quantities are provisional: Yes	
12.1.2 Availability of construction documentation (B2.3) Construction documentation is complete Yes	
12.1.3 Interest of agents (B2.4) N/A	
12.1.4 Defined works area (B3.1)	
See site information	
12.1.5 Geotechnical investigation (B3.2)	
To obtain from the Project Geotechnical Specialist	
Geotechnical information will be made available to the successful bidder at the site handover meeting	
12.1.6 Existing premises occupied (B3.4)	
12.1.7 Services - known (B3.7)	
Existing services and points of connection will be pointed out to the successful contractor by the principal agent	
12.1.8 Protection of trees (B3.9)	
12.1.9 Inspection of adjoining properties (B3.11)	
12.1.10 Enclosure of the works (B6.2)	
Carried to Collection	R
Section No. 1	
Bill No. 1 Preliminaries	
CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUNCIL OFFICE FOR COGHSTA	

12.1.11 Offices (B6.4.3) The contractor shall provide, maintain and remove on completion of the work an office minimum size 4 x 6 x 3m high internally, suitably insulated and ventilated, provided with electric lighting and fitted with boarded floor, desk, chair, and lockup drawer for drawings. The office shall be kept clean and fit for use at all times		
12.1.12 Main notice board (B6.5) The contractor shall provide, erect where directed, maintain and remove on completion of the works a notice board size 3 x 3m, all constructed of suitable boarding with flat smooth surface and with edging bead 19mm thick all round outer edges and projecting 12mm from face of boarding and rounded on front edge. The board shall be securely fixed to hoarding, where hoarding is provided, or fixed to and including a suitable supporting structure of timber or tubular posts and braces. The board is to be painted ivory white and the bead and and 12mm wide dividing lines, deep blue. All wording shall be inscribed in deep blue painted "sans serif" lettering		
12.1.13 Subcontractors notice board (B6.6) A notice board is required No		
12.1.14 Water (B7.2)		
Contractor to provide		
12.1.15 Electricity (B7.3)		
Contractor to provide		
12.1.16 Telecommunications (B7.4)		
Contractor to provide		
12.1.17 Ablution facilities (B7.5)		
Contractor to provide		
12.1.18 Special attendance (B9.2)		
Carried to Collection Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUNCIL OFF	R	
FOR COGHSTA		

	12.1.19 Protection of the works (B11.1)			
	12.1.20 Protection of existing/sectionally occupied works (B11.2)			
	Protection is required Yes			
	12.1.21 Disturbance (B11.5)			
	The contractor's attention is drawn to the fact that certain portions of the Works will be constructed in the vicinity of built up areas, The contractor shall exercise all necessary precautions to ensure the safety and convenience of the public.			
305	Post tender information (B12.2) Fixed			
		ltem		
306	Value Related	Item		
307	Time Related	Item		
	12.2.1 Payment of preliminaries			
	Alternative selected: (B)			
	12.2.2 Adjustment of preliminaries			
	Alternative selected: (A)			
	12.2.3 Additional agreed preliminaries item N/A			
	SECTION C: SPECIFIC PRELIMINARIES			
308	PROPRIETARY BRANDED PRODUCTS			
	The contractor shall take delivery of, handle, store, use apply and/or fix all proprietary branded products in strict accordance with the manufacturers' instruction after consultation with the manufacturer's authorized representative Fixed			
		Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1			
	Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU		CE	
	FOR COGHSTA			

		1	II	I
309	Value Related	Item		
310	Time Related	Item		
311	OVERTIME			
	Should overtime be required to be worked for any reason whatsoever, the costs of such overtime are to be borne by the contractor unless the principal agent has specifically authorized in writing, prior to the execution thereof, that costs for such overtime are to be borne by the employer. Fixed			
		Item		
312	Value Related	Item		
313	Time Related	Item		
314	AS BUILT DRAWINGS			
	The position of construction breaks and the extent of individual concrete pours are to be recorded by the contractor on the structural engineer's drawings and are to be submitted to the principal agent and the structural engineer for their records. Fixed			
		Item		
315	Value Related	Item		
316	Time Related	Item		
317	SITE INSTRUCTIONS			
	Site instructions issued on site are to be recorded in triplicate in a site instruction book which is to be maintained on site by the contractor Fixed			
		Item		
318	Value Related	Item		
319	Time Related	Item		
	Carried to Collection		R	
	Section No. 1			
	Bill No. 1 Preliminaries			
	CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA			

320	LABOUR RECORD			
	At the end of each week the contractor shall provide the principal agent with a written record, in schedule form, reflecting the number and description of tradesmen and labourers employed by him and all subcontractors on the works each day. Fixed	Item		
321	Value Related	Item		
322	Time Related	Item		
323	PLANT RECORD			
	At the end of each week the contractor shall provide the principal agent with a written record, in schedule form, reflecting the number, type and capacity of all plant, excluding hand tools, currently used on the works. Fixed	Item		
324	Value Related	Item		
325	Time Related	Item		
326	NON CESSION OF MONIES			
	The contractor shall not cede nor assign his rights or claims to any monies due or to become due under this contract Fixed	ltem		
327	Value Related	Item		
328	Time Related	Item		
329	BLACK ECONOMIC EMPOWERMENT			
	The contractor shall study and acquaint himself with the guidelines of the Black Economic Empowerment Act, and demonstrate his compliance with the requirements of the Act. Fixed	Item		
330	Value Related	Item		
331	Time Related	Item		
			_	 ┢
	Carried to Collection Section No. 1		R	 ╞
	Bill No. 1 Preliminaries			
	CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		¢E	

332	LOCAL LABOUR			
	The contractor shall make use of local labour. It is desirable by the Employer that all unskilled labour be recruited from the local areas of the vicinity of the Works. The contractor will demonstrate his effort to fulfill compliance with this requirement Fixed	ltem		
333	Value Related	ltem		
334	Time Related	ltem		
335	LABOUR DESK			
	The contractor shall establish a labour desk on site with a dedicated office of maximum 9m2 with and including a desk, 2 chairs and electricity. From the labour desk, the contractor will appoint a dedicated community liaison officer. The community liaison officer will be employed by and will report to the contractor, who will in turn forward such reports to the Principal Agent. Fixed	ltem		
336	Value Related	ltem		
337	Time Related	Item		
338	SITE ACCOMMODATION STORAGE			
	Provide an office facilities for Principal Agent Representative (to include desk, 2chairs and Electricity per office)			
	Provide meeting Facility to accommodate 12 chairs Provide Ablution facilities for the above Fixed	Item		
339	Value Related	ltem		
340	Time Related	ltem		
341	HEALTH AND SAFETY ACT (Act 85 of 1993)			
	Compliance with the Occupational Health and Safety Act (Act 85 of 1993) and all relevant and applicable regulations, especially the Construction Health & Safety Act (Act 85 of 1993) (as amended) for the duration of			
	the contract Fixed	Item		
342	Value Related	Item		
	Carried to Collection		R	
	Section No. 1 Bill No. 1			
	Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA	NCIL OFFIC	E	

343	Time Related	Item	
344	Provisions of OH&S Plan prior to commencement of works as well as a full consolidated copy of such plan at the completion of construction work inclusive of a record of all drawings, designs, copies of statutory appointments, material used and other similar information concerning completed contract	Item	
345	Implementation of approved OHS Plan for duration of contract, including daily/weekly inspections, monthly meetings, required audits, consolidated health and safety file, etc	Item	
346	Registration with Compensation Fund or approved /licensed compensation insurer	Item	
347	Full time competent employee of the Contractor as safety construction supervisor and assistant safety construction supervisors for duration of contract	Item	
348	Health and safety training and induction requirements of all persons entering the site	Item	
349	HIV AND AIDS POLICY		
	Observation of all legislation, policies and by-laws regulating the "AIDS" endemic and "HIV" prevention, treatment and observation	Item	
	Provision of Training Allowance in terms of EPWP prescipts		
350	Training allowance paid to targeted labour in terms of formal training days	PDT	
351	Extra over for the administration payment of training allowances to targeted labour (25% of training allowance)	ltem	10 000.00
352	Transport and accommodation of workers for training where it is not possible to undertake the training in close proximity to the site (Provisional Sum)	Item	1 000.00
	Carried to Collection Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL FOR COGHSTA	L COUNCIL OFFICE	R

Section No. 1		
Bill No. 1		
Preliminaries		
COLLECTION		
	Page No	Amount
Total Brought Forward from Page No.	1	
	2	
	3	
	4	
	5	
	6	
	7	
	8	
	9	
	10	
	11	
	12	
	13	
	14	
	15	
	16	
	17	
	18	
	19	
	20	
Carried Forward Section No. 1 Bill No. 1 Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA	NCIL OFFICE	R

Section No. 1			
Bill No. 1			
Preliminaries			
COLLECTION			
	Page No		Amount
Brought Forward	NO	R	
Total Brought Forward from Page No.	21		
	22		
	23		
	24		
	25		
	26		
	27		
	28		
	29		
	30		
Carried to Final Summary		R	
Section No. 1 Bill No. 1			
Preliminaries CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUL FOR COGHSTA		Œ	

ltem No			Quantity	Rate	Amount
	SECTION No. 2BILL No. 1				
	EARTHWORKS (PROVISIONAL)				
	PREAMBLES				
	For Preambles see "Model Preambles For Trades"				
	EXCAVATION, FILLING, ETC OTHER THAN BULK				
	SITE CLEARANCE				
	<u>Site Clearance, etc</u>				
1	Digging up and removing rubbish, debris and trees n.e 200mm girth, bush,etc	m2	2 638		
	Excavation in earth not exceeding 2m deep				
2	Trenches	m3	254		
3	Holes	m3	6		
	Extra over bulk excavation in earth for excavation in				
4	Soft rock	m3	25		
5	Hard rock	m3	27		
	Extra over all excavations for carting away				
6	Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor	m3	116		
	Risk of collapse of excavations				
7	Sides of excavations not exceeding 1,5m deep	m2	757		
	Keeping excavations free of water				
8	Keeping excavations free of water		Item		
	Carried to Collection Section No. 2 Bill No. 1 Earthworks (Provisional) CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL FOR COGHSTA	L COUI	NCIL OFFIC	R	

	Earth filling obtained from the excavations and/or prescribed stock piles on site compacted to 93% Mod AASHTO density				
9	As backfilling to foundations	m3	127		
10	Under floors, steps, pavings, etc	m3	117		
	Earth filling supplied by the contractor compacted to 93% Mod AASHTO density				
11	Under floors, steps, pavings, etc	m3	167		
	Compaction of surfaces				
12	Compaction of ground surface under floors etc including scarifying for a depth of 100mm, breaking down oversize material, adding suitable material where necessary and compacting to 93% Mod AASHTO density	m2	650		
	Prescribed density tests on filling				
13	"Modified AASHTO Density" test	No	16		
	PROTECTION AGAINST TERMITES				
	Soil insecticide				
14	Poisoning surface of ground in bottoms of trenches, bases, etc	m2	1 014		
15	Poisoning surface of ground or filling under floors, steps, etc. including raking out 75mm deep V-shaped channels against the walls, etc., treated with poison solution, backfilling and ramming	m2	650		
	BUDGETARY ALLOWANCES				
16	Provide the sum of R 350 000-00 (Three hundred and Fifty thousand Rand) for unforeseen foundation conditions- Main Building and Gatehouse		Item		350 000.00
	Carried to Collection			R	
	Section No. 2 Bill No. 1 Earthworks (Provisional) CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONA FOR COGHSTA	AL COU			

Section No. 2			
Bill No. 1			
Earthworks (Provisional)			
COLLECTION			
Total Brought Forward from Page No.	Page No 33 34		Amount
Carried Forward to Summary of Section No. 2		R	
Section No. 2 Bill No. 1 Earthworks (Provisional) CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		¢E	

ltem No			Quantity	Rate	Amount
	SECTION No. 2BILL No. 2				
	CONCRETE, FORMWORK AND REINFORCEMENT				
	PREAMBLES				
	For Preambles see "Model Preambles For Trades"				
	UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES				
	15Mpa/19mm Concrete				
1	Surface blinding under footings and bases	m3	13		
2	Apron	m3	19		
	REINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES				
	<u>30 MPa/19mm Concrete</u>				
3	Strip footings	m3	58		
4	Base	m3	3		
	REINFORCED CONCRETE				
	<u>30 MPa/19mm Concrete</u>				
5	Slab	m3	1		
6	Surface beds	m3	60		
7	Columns	m3	6		
	25 MPa/19mm Concrete				
8	Ring beam	m3	8		
	Carried to Collectio	n		R	
	Section No. 2 Bill No. 2				
	Concrete, Formwork & Reinforcement CONSTRUCTION OF NEW BASHAI DITLOU TRADITIC FOR COGHSTA	ONAL COU		E	

	TEST BLOCKS	1	I		I
9	TEST BLOCKS Making and testing a set of three 150 x 150 x 150mm				
Ū	concrete strength test cube (Provisional)	No	24		
	Finishing top surfaces of concrete smooth with a wood float				
10	Surface beds, slabs, etc	m2	822		
	SMOOTH FORMWORK (DEGREE OF ACCURACY II)				
	Smooth formwork to sides				
11	Edges, risers, ends and reveals not exceeding 300mm high or wide	m	346		
12	Edges, risers, ends and reveals, exceeding 300mm high or wide	m	14		
13	Columns propped up exceeding 1,50m and not exceeding 3,50m high	m2	44		
	Smooth formwork to soffits				
14	Slabs propped up exceeding 1,50m and not exceeding 3,50m high	m2	11		
	REINFORCEMENT				
	Mild steel reinforcement to structural concrete work				
15	Steel bar reinforcement of various diameters (100kg/m3)	t	8.24		
	Fabric reinforcement				
16	Ref 395 mesh steel reinforcement in foundation, etc	m2	1		
17	Ref 395 mesh steel reinforcement in surface beds, etc	m2	651		
					 +
	Carried to Collection Section No. 2			R	
	Bill No. 2 Concrete, Formwork & Reinforcement				
	CONSTRUCTION OF NEW BASHAI DITLOU TRADITION. FOR COGHSTA	AL COU		E	

Section No. 2				
Bill No. 2				
Concrete, Formwork & Reinforcement				
COLLECTION				
Total Brought Forward from Page No.	Page No 36 37		Amount	
Carried Forward to Summary of Section No. 2		R		
Section No. 2 Bill No. 2 Concrete, Formwork & Reinforcement CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		CE		

ltem No			Quantity	Rate	Amount
	SECTION No. 2BILL No. 3				
	MASONRY				
	PREAMBLES				
	For Preambles see "Model Preambles For Trades"				
	SUPPLEMENTARY PREAMBLES				
	BRICKWORK				
	Sizes in descriptions				
	Where sizes in descriptions are given in brick units, "one brick" shall represent the length and "half brick" the width of a brick				
	Face bricks				
	Bricks shall be ordered timeously to obtain uniformity in size and colour				
	Pointing				
	Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc				
	FOUNDATIONS				
	Brickwork of NFXE bricks (14 MPa nominal compressive strength) in class I mortar in loadbearing walls etc				
1	Brick piers	m3	1		
2	Half brick wall	m2	105		
3	One brick walls	m2	322		
	Carried to Collection Section No. 2 Bill No. 3 Masonry CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL FOR COGHSTA	COU		R):E	

]	Brickwork reinforcement				
4	75mm Wide reinforcement built in horizontally	m	615		
5	150mm Wide reinforcement built in horizontally	m	1 876		
	SUPERSTRUCTURE				
	Brickwork of NFXE bricks (14 MPa nominal compressive strength) in class I mortar in loadbearing walls etc				
6	Brick piers	m3	3		
7	Half brick walls	m2	208		
8	Half brick wall in beamfilling	m2	41		
9	One brick walls	m2	706		
	BRICKWORK SUNDRIES				
	Galvanised hoop iron cramps, ties, etc				
10	30 x 1,6mm Roof tie 1,5m long with one end fixed to timber and other end built into brickwork	No	172		
	Brickwork reinforcement				
11	75mm Wide reinforcement	m	906		
12	150mm Wide reinforcement	m	2 035		
	Prestressed precast concrete fabricated lintels				
13	110 x 75mm Lintels in lengths exceeding 3m	m	90		
	Turning pieces to lintels etc				
14	110mm Wide turning pieces	m	143		
	FIBRE-CEMENT WINDOW SILLS				
	Carried to Collection			R	
	Section No. 2 Bill No. 3 Masonry				
	CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONA FOR COGHSTA	L COU		E	

	<u>Natural grey sills in single lengths bedded in class II mortar including metal fixing lugs etc</u>				
15	15 x 150mm Wide sills set flat and slightly projecting	m	66		
	Joint forming material in movement joints				
16	12mm Fibre board built in vertically between concrete surface and brick skins	m2	16		
	FACE BRICKWORK				
	External facings in approved face bricks (FBS) with a PC Amount of R 5 500.00 per thousand bricks delivered to site (excluding VAT) pointed with square recessed horizontal and vertical joints				
17	Extra over brickwork for face brickwork in foundation	m2	154		
18	Extra over brickwork for external face brickwork	m2	378		
19	Extra over brickwork for brick-on-edge header course lintels one course high, pointed on face and 110mm soffit	m	67		
	Brick-on-edge header course copings, sills, etc of Approved face bricks (FBS) with a PC Amount of R 3 500.00 per thousand bricks delivered to site (excluding VAT) pointed with polished recessed joints on all exposed faces				
20	180mm Wide sill sloping and slightly projecting	m	66		
	Carried to Collection	n		R	
	Section No. 2 Bill No. 3 Masonry CONSTRUCTION OF NEW BASHAI DITLOU TRADITIO			` E	
	FOR COGHSTA			νE	

I	Section No. 2			
	Bill No. 3			
	Masonry			
	COLLECTION			
	COLLECTION Total Brought Forward from Page No.	Page 39 40 41		Amount
	Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 3 Masonry CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUL FOR COGHSTA	NCIL OFFI	R CE	

ltem No			Quantity	Rate	Amount
	SECTION No. 2 BILL No. 4				
	WATERPROOFING				
	PREAMBLES				
	For Preambles see "Model Preambles For Trades"				
	SUPPLEMENTARY PREAMBLES				
	Waterproofing				
	Waterproofing of roofs, basements, etc shall be laid under a ten year guarantee. Waterproofing to roofs shall be laid to even falls to outlets etc with necessary ridges, hips and valleys. Descriptions of sheet or membrane waterproofing shall be deemed to include additional labour to turn-ups and turn-downs				
	Waterproofing to roofs shall be laid to even falls to outlets etc with necessary ridges, hips and valleys. Descriptions of sheet or membrane waterproofing shall be deemed to include additional labour to turn - ups and turn - downs				
	DAMP-PROOFING OF WALLS AND FLOORS				
	One layer of 375 micron "Consol Plastics Brikgrip DPC" embossed damp proof course				
1	In walls	m2	75		
2	In walls under cills	m2	29		
	One layer of 250 micron "Consol plastics Gunplas black" waterproof sheeting sealed at laps " Gunplas pressure sensitive tape"				
3	Under surface beds	m2	650		
	WATERPROOFING TO ROOFS, BASEMENTS, ETC				
	Carried to Collection Section No. 2 Bill No. 4 Waterproofing CONSTRUCTION OF NEW BASHAI DITLOU TRADITION FOR COGHSTA	AL COU		R	

	4mm "Derbigum SP" waterproofing				
ŀ	To upstands, etc	m2	11		
	JOINT SEALANTS ETC				
	Two-part grey polysulphide sealing compound including backing cord, bond breaker, primer, etc				
5	10 x 15mm In expansion joints in floors including raking out expansion joint filler as necessary	m	28		
	Carried to Collectio	n		R	 <u> </u>
	Bill No. 4 Waterproofing CONSTRUCTION OF NEW BASHAI DITLOU TRADITION			_	
	FOR COGHSTA			-	

Section No. 2			
Bill No. 4			
Waterproofing			
COLLECTION			
Total Brought Forward from Page No.	Page No 43 44		Amount
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 4 Waterproofing CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		R CE	

ltem No			Quantity	Rate	Amount
	SECTION No. 2BILL No. 5				
	ROOF COVERING				
	PREAMBLES				
	For Preambles see "Model Preambles For Trades"				
	PROFILED METAL SHEETING AND ACCESSORIES				
	0,6mm "Brownbuilt Kliplock" steel sheet in single lengths fixed to steel rails and 900mm centres embossed galvanised sheet steel accessories				
1	Roof covering with 25 degrees pitch	m2	816		
2	Ridge_capping 550mm girth	m	83		
3	Valley cappings 550mm girth	m	21		
4	Hip capping 550mm girth	m	27		
	<u>SHEET METAL FLASHINGS, LININGS, COPINGS, ETC</u>				
	0,6mm Galvanised sheet iron				
5	Flashings	m2	1		
	ROOF AND WALL INSULATION				
6	"Sisalation 410" housing grade glass fibre reinforced aluminium foil bonded insulation Insulation laid taut over purlins (at approximately 1,20mm centres) and fixed concurrent with roof covering including galvanised steel straining wires	m2	803		
	Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 5 Roof Coverings CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL OF FOR COGHSTA	cou	NCIL OFFIC	R	

ltem No		Quantity	Rate	Amount
	SECTION No. 2BILL No. 6			
	CARPENTRY AND JOINERY			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			
	ROOFS ETC			
	Roof guarantee			
1	Allow for certificate under the control of a registered structural Engineer in accordance with SABS 0160 AND 0163		SUM	
	Plate nailed timber roof truss construction			
	The following is applicable in respect of roof trusses:			
	Trusses are at maximum 760mm centres Roof covering is Double Roman Concrete Tiles on 38 x 38mm battens on Ceilings are 4mm Fibre Cement board ceiling The references given in the descriptions are to the respective types of trusses detailed on the architect's drawings numbered annexed to these bills of quantities/accompanying these bills of quantities for tender purposes The dimensions in the descriptions of the trusses are nominal and actual measurements are to be obtained from the architect and/or the site before design or fabrication commences ROOFS, ETC			
	Carried to Collection Section No. 2 Bill No. 6 Carpentry CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		R CE	
	-47-			

Ì	Sawn softwood				
2	Roof construction to double pitched roof with three hipped ends and one valley, 14.04 x 6.96m overall on plan x 1251mm high overall, including trusses, jack rafters, permanent bracing and 50 x 76mm purlins at 1000mm centres for roof covering (wall plates elsewhere)				
		No	2		
3	Roof construction to double pitched roof one valley ends, 14.15 x 10.19m overall on plan x 1846mm high overall, including trusses, jack rafters, permanent bracing and 50 x 76mm purlins at 1000mm centres for roof covering (wall plates elsewhere)	No	1		
4	Roof construction to double pitched roof with one valley ends, 13.92 x 10.19m overall on plan x 1846mm high overall, including trusses, jack rafters, permanent bracing and 50 x 76mm purlins at 1000mm centres for roof covering (wall plates elsewhere)				
	roor covering (wair plates elsewhere)	No	1		
5	Roof construction to double pitched roof with gable ends, 9.97 x 6.96m overall on plan x 1251mm high overall, including trusses, jack rafters, permanent bracing and 50 x 76mm purlins at 1000mm centres for roof covering (wall plates elsewhere)	No	1		
	Wrought laminated Saligna				
6	Purpose made pergola 50 x 150mm Boltedto steel				
Ŭ	beams and steel columns beams, etc	m	4		
	FACIAS, BARGE BOARDS, ETC:				
7	12 x 225 mm Fibre cement barge board drilled and brass screwed and including steel jointing strips between lengths.	m	235		
	SKIRTINGSWrought Meranti				
8	19 x 76mm Skirting nailed to walls with heads of nails punched and filled including 19mm quadrant bead planted on at junction with floor	m	23		
	Carried to Collection Section No. 2			R	 _
	Bill No. 6 Carpentry				
	CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL	COU		CE	

	DOORS				
	NOTE All framed and ledged batten doors and combination doors, where battens are utilised, shall only be of construction acceptable SABS, i.e. mortice and tenon where the tenon is exposed on the outside edges of styles and where the tenon is wedged to form a dovetailed shape				
	<u>Semi-solid core door with 3mm thick tampered</u> Hardboard sides and concealed hardware edges				
9	44 mm Door, size 813 x 2032 mm.	No	14		
	Solid core door with 3mm thick tampered Hardboard sides and concealed hardware edges				
10	44 mm Door, size 813 x 2032 mm.	No	7		
11	44 mm Door, size 900 x 2032 mm.	No	2		
12	44 mm Double door, size 1511 x 2032mm.	No	1		
	Wrought meranti doors hung to steel frames				
13	44mm Framed, ledged and braced batten door 813 x 2032mm high of 150mm wide top rail and stiles, 22 x 150mm middle ledge and braces and 22 x 220mm bottom ledge, filled in with 22mm tongued and grooved V-jointed one side vertical boarding with tongued and grooved joints to top rail and stiles and with inner edges of framing and abutting edges of boarding chamfered to form V-joint				
		No	7		
	BUDGETARY ALLOWANCES				
14	Provide the sum of R 30 000-00 (Thirty thousand Rand) for the Sectional Overhead Sliding Double Garage Door installed complete.		Item		30 000.00
	Carried to Collection Section No. 2 Bill No. 6 Carpentry CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL FOR COGHSTA	L COU	ICIL OFFIC	R	

Section No. 2		
Bill No. 6		
Carpentry		
COLLECTION		
Total Brought Forward from Page No.	Page 47 48 49	Amount
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 6 Carpentry CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL FOR COGHSTA	COUNCIL OFFICE	R

ltem No		Quantity	Rate	Amount
	SECTION No. 2BILL No. 7			
	CEILINGS, PARTITIONS AND ACCESS FLOORING			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			
	SUPPLEMENTARY PREAMBLES			
	Descriptions:			
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete			
	Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 600mm centres, and where described as "bolted" the bolts have been given elsewhere			
	CEILINGS ETC			
	NAILED UP CEILINGS			
	<u>12,5mm "Rhino" gypsum plasterboard with taped</u> and skimmed joints finished with one coat rhinolite plaster			
1	Ceilings including 38 x 38mm sawn softwood brandering at 350mm centres m2	447		
2	Extra over ceiling for opening of 650 x 650mm trap door complete with trimmers, frame,etc No	11		
	<u>Cornices</u>			
3	50 mm Fibre cement coved cornice planted on including mitres, etc. m	456		
	SUSPENDED CEILINGS			
	Carried to Collection Section No. 2		R	
	Bill No. 7 Ceilings, partitions and Access Flooring CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		CE	

	Pre-painted 600 x 1200 x 17mm "Armstrong Fine Fissured 95% RH" or equally approved acoustic panels on aluminium pre-painted exposed tee suspension system including main and cross tees, necessary hangers, grids, etc				
4	Ceilings suspended not exceeding 1m below steel trusses	m2	205		
	Cornices to suspended ceilings				
5	25 x 25mm Angle profile cornice	m	103		
	Aerolite insulation				
6	50mm Thick insulation laid on ceiling boards	m2	650		
	Carried to Collection Section No. 2 Bill No. 7 Ceilings, partitions and Access Flooring CONSTRUCTION OF NEW BASHAI DITLOU TRADITION FOR COGHSTA			R ZE	

Section No. 2			
Bill No. 7			
Ceilings, partitions and Access Flooring			
COLLECTION			
Total Brought Forward from Page No.	Page No 51 52		Amount
Carried Forward to Summary of Section No. 2		R	
Section No. 2 Bill No. 7 Ceilings, partitions and Access Flooring CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA	NCIL OFFIC	E	

ltem No		Quantity	Rate	Amount	
	SECTION No. 2 BILL No. 8				
	FLOOR COVERINGS, WALL LININGS, ETC.				
	PREAMBLES				
	For Preambles see "Model Preambles For Trades"				
	All materials shall be in colours to be selected by the Representative/Agent and, where applicable, laid to approved patterns				
	FLOOR COVERINGS				
	500 x 500mm "Nexus Berber Point" or equally approved carpet tiles				
1	On floors m2	1			
	Carried Forward to Summary of Section No. 2 Section No. 2		R		_
	Bill No. 8 Floor Coverings, Wall Linings, etc. CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA)E		

		Quantity	Rate	Amount
<u> </u>	RONMONGERY			
5	SECTION No. 2 BILL No. 9			
E	PREAMBLES			
F	or Preambles see "Model Preambles For Trades"			
<u>s</u>	SUPPLEMENTARY PREAMBLES			
tı ir	tems, materials or methods to be used specified by rade names or catalogue numbers are only an ndication of the quality required. Items, materials or nethods of similar quality may be used with prior approval from the architect			
Ē	inishes to ironmongery			
b c e A b	Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following listBS Satin bronze lacqueredCH Chromium platedSC Satin chromium platedSE Silver enamelledGE Grey enamelledAS Anodised silverAB Anodised bronzeAG Anodised goldABL Anodised blackPB Polished brassPL Polished and lacqueredPT Epoxy coatedSD Sanded			
Ē	ixing			
ir	tems described as "plugged" shall be deemed to nclude screwing to fibre, plastic or metal plugs in prickwork or concrete			
<u>E</u>	References			
	References in brackets at the end of descriptions refer o the Architect's shedules			
Ŀ	<u>-OCKS</u>			
	Carried to Collection		R	
B Ir C	Section No. 2 Sill No. 9 Fonmongery CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		CE	

	"Union"				
1	Three lever double cylinder lockset code 2222 or similar with Gower Handel code CZ682-05 SC complete with striking plate fixed to metal	No	36		
2	Four-lever lockset with striking plate fixed to metal	No	7		
3	DMWS-SS-008 or similar Bathroom /WC small case deadlock	No	8		
	LETTERS, NAMEPLATES, ETC				
4	DSS4 'Wheelchair' or similar pictogram on 76mm diameter stainless steel plate	No	2		
5	DSS2 'Female' or similar pictogram on 76mm diameter stainless steel plate	No	2		
6	DSS1 'Male' or similar pictogram on 76mm diameter stainless steel plate	No	3		
	<u>SUNDRIES</u>				
	<u>"Dorma " or similar approved</u>				
7	AL87722AS Hat and coat hook with rubber tip	No	10		
8	Approved Aluminium door stop with rubber insert	No	50		
9	Overhead surface mounted type door closer with aluminium casing	No	8		
	"Kimberley Clark" or similar approved				
10	Approved soap dispenser, top-up system with 800ml capacity fixed against wall in positions as shown on detail layouts and details, all as per manufacturers spec	No	8		
11	Approved stainless steel 3m toilet paper dispenser fixed against wall as per manufacturers specifications	No	8		
12	425792 'Kim dry' 650mm towel dispenser rail fixed against wall as per manufacturers spec	No	8		
	Carried to Collection Section No. 2			R	
	Bill No. 9 Ironmongery CONSTRUCTION OF NEW BASHAI DITLOU TRADITION/ FOR COGHSTA	AL COU		Œ	

Section No. 2			
Bill No. 9			
Ironmongery			
COLLECTION			
Total Brought Forward from Page No.	Page No 55 56		Amount
Carried Forward to Summary of Section No. 2 Section No. 2		R	
Bill No. 9 Ironmongery CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		¢E	

ltem No		Quantity	Rate	Amount
	SECTION No. 2 BILL No. 10			
	STRUCTURAL STEELWORK			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			
	SUPPLEMENTARY PREAMBLES			
	<u>Descriptions</u>			
	Descriptions of bolts shall be deemed to include nuts and washers			
	Descriptions of L-shaped and U-shaped anchor bolts shall be deemed to include bending, threading, nuts and washers and embedding in concrete			
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete			
	Descriptions of L-shaped and U-shaped anchor bolts shall be deemed to include bending, threading, nuts and washers and embedding in concrete. Where anchor bolts are described as embedded in sides or soffits of concrete it shall be deemed to include holes through formwork.			
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete.			
	GLAVANISED STEEL COLUMNS AND BEAMS			
	Welded columns in single length, with flat section base, top, bearer and connection plates bolted to reinforced concrete at bottom and parallel flanged channel top			
1	100mm x 3mm x 4.53kg/m circular hollow section column t	0.53		
	Carried to Collection		R	
	Section No. 2 Bill No. 10 Structural Steel work CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA			

150 x 150 x 10mm Base plates inc suite m16 bolts. bolts included	luding 4 no . holes to	No	4		
150 x 150 x 10mm Top connector holes to suite m16 bolts. botls inclu	plates including 2 no . ided	No	4		
Section No. 2	Carried to Collection			R	
Bill No. 10 Structural Steel work CONSTRUCTION OF NEW BASH FOR COGHSTA	AI DITLOU TRADITION		OFFICE		

Section No. 2			
Bill No. 10			
Structural Steel work			
COLLECTION			
Total Brought Forward from Page No.	Page No 58 59		Amount
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 10 Structural Steel work CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		CE	

ltem No		Quantity	Rate	Amount
	SECTION No. 2BILL No. 11			
	METALWORK			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			
	SUPPLEMENTARY PREAMBLES			
	<u>Descriptions</u>			
	Descriptions of bolts shall be deemed to include nuts and washers			
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete			
	Metalwork described as "bolted" shall be deemed to exclude the bolts unless otherwise described			
	Hot-dipped double spelter galvanised mild steel grab rails formed of 32mm outside diameter x 1,6mm round section rails and 75mm diameter x 3mm flat section fixing flanges each three times holed and bolted to walls with M8 x 50mm expansion bolts			
1	32mm Grab rail 700mm long with two 80mm return ends bolted No	4		
	PRESSED STEEL GATES			
	The following in framed and welded mild steel security gates and fixing in position complete			
2	2100 x 900mm Steel gate comprising of 75 x 50 x 2mmsquare tubing outer frame and 20 x 20mm square tubingverticals at 120mm centresNo	6		
	Carried to Collection		R	
	Section No. 2 Bill No. 11 Metalwork			
	CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		CE	

1	PRESSED STEEL DOOR FRAMES	Ì	1		1
	NOTE				
	The rates for door frames shall include for welding of all hinge pins at completion				
	<u>1,2mm thick Double rebated mild steel door frames</u> suitable for half brick walls. Frame complete with one pair standard butt hinges and factory applied primer				
3	Frame for door 813 x 2032mm high	No	7		
4	Frame for door 813 x 2032mm high and fixed fanlight 305mm high	No	10		
	<u>1,2mm_thick Double rebated mild steel door frames</u> suitable for one brick walls. Frame complete with one pair standard butt hinges and factory applied primer				
5	Frame for door 813 x 2 032mm high	No	9		
6	Frame for door 813 x 2032mm high and fixed fanlight 305mm high	No	2		
7	Frame for door 914 x 2 032mm high				
,		No	2		
8	Frame for door 1 511 x 2 032mm high	No	1		
	STEEL RECORDROOM AND STRONGROOM DOORS, VENTILATORS, ETC				
9	"Mutual" strongroom doors etc suitable for 230mm walls fixed to brickwork or concrete "Mutual DS3 CAT2" strongroom door and frame 775 x 1875mm high overall with a mass of 380kg	No	2		
	STEEL WINDOWS, DOORS, ETC				
	Carried to Collection			R	
	Section No. 2 Bill No. 11 Metalwork CONSTRUCTION OF NEW BASHAI DITLOU TRADITION FOR COGHSTA		IL OFFICE		

Standard residential windows with 10mm square burglar bars to fixed lights and opening sashes					
Window type NE1, 533 x 654mm high	٩	9			
Window type NCT1S, 533 X 949mm high	١o	3			
Window type ND2, 1022 x 1245mm high	١o	20			
Window type ND4, 1511 x 1245mm high	١o	8			
Window type NE8, 1022 x 654mm high	١o	6			
Window type NG2, 1022 x 359mm high	١o	6			
ALUMINIUM SLIDING DOORS					
Natural anodised sliding doors as per "AAMSA specification" system, complete with subframes, ironmongery, glass, sealing, etc and fixing to brickwork or concrete					
Standard door type OXXO 147 (4221), 4100 x 2095mm high (W8)	٩v	1			
ALUMINUIM SHOPFRONTS					
Natural anodized shopfronts as per AAMSA spec complete with subframes, ironmongery, glass, sealing, etc and fixing to brickwork or concrete					
Purpose made shopfront, 6780 x 2510mm high with one double door 1800 x 2510mm high with two corner and side fixture of 2580 x 2510mm each (W7)	٩v	1			
Carried to Collection			R		
Section No. 2 Bill No. 11 Metalwork					
CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL CO FOR COGHSTA	DU		E		
	burglar bars to fixed lights and opening sashes Window type NE1, 533 x 654mm high Window type NCT1S, 533 X 949mm high Window type ND2, 1022 x 1245mm high Window type ND2, 1022 x 1245mm high Window type ND4, 1511 x 1245mm high Window type NE8, 1022 x 654mm high Window type NE8, 1022 x 359mm high ALUMINIUM SLIDING DOORS Natural anodised sliding doors as per "AAMSA specification" system, complete with subframes, irronmongery, glass, sealing, etc and fixing to brickwork or concrete Standard door type OXXO 147 (4221), 4100 x 2095mm high (W8) ALUMINUM SHOPFRONTS Natural anodized shopfronts as per AAMSA spec complete with subframes, irronmongery, glass, sealing, etc and fixing to brickwork or concrete Purpose made shopfront, 6780 x 2510mm high with one double door 1800 x 2510mm high with two corner and side fixture of 2580 x 2510mm each (W7) Natural to Collection Section No. 2 Bill No. 11 Metalwork CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL CON	burglar bars to fixed lights and opening sashes Window type NE1, 533 x 654mm high No Window type NCT1S, 533 X 949mm high No Window type ND2, 1022 x 1245mm high No Window type ND4, 1511 x 1245mm high No Window type NE8, 1022 x 654mm high No Window type NG2, 1022 x 359mm high No ALUMINIUM SLIDING DOORS No Natural anodised sliding doors as per "AAMSA specification" system, complete with subframes, ironmongery, glass, sealing, etc and fixing to brickwork or concrete No Standard door type OXXO 147 (4221), 4100 x 2095mm high (W8) No ALUMINUIM SHOPFRONTS Natural anodized shopfronts as per AAMSA spec complete with subframes, ironmongery, glass, sealing, etc and fixing to brickwork or concrete No Purpose made shopfront, 6780 x 2510mm high with one double door 1800 x 2510mm high with two corner and side fixture of 2580 x 2510mm each (W7) No Section No. 2 Sili No. 11 No Section No. 2 Sili No. 11 Metalwork CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU COU Section No. 2	burglar bars to fixed lights and opening sashes Window type NE1, 533 x 654mm high No Window type NCT1S, 533 X 949mm high No Window type NCT1S, 533 X 949mm high No Window type ND2, 1022 x 1245mm high No Window type ND4, 1511 x 1245mm high No Window type NE8, 1022 x 654mm high No Window type NE8, 1022 x 359mm high No ALUMINIUM SLIDING DOORS A Natural anodised sliding doors as per "AAMSA specification" system, complete with subframes, ironmongery, glass, sealing, etc and fixing to brickwork or concrete No Standard door type OXXO 147 (4221), 4100 x 2095mm high (W8) No 1 ALUMINUIM SHOPFRONTS No 1 Natural anodized shopfronts as per AAMSA spec complete with subframes, ironmongery, glass, sealing, etc and fixing to brickwork or concrete No Purpose made shopfront, 6780 x 2510mm high with one double door 1800 x 2510mm high with two corner and side fixture of 2580 x 2510mm each (W7) No 1 Section No. 2 Bill No. 11 Section No. 2 Bill No. 11 Metawork CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUNCLI OFFICE Section No. 2	burglar bars to fixed lights and opening sashes Image: Comparison of the c	Burglar bars to fixed lights and opening sashes No 9 Window type NE1, 533 x 654mm high No 3 Window type NCT1S, 533 X 949mm high No 3 Window type ND2, 1022 x 1245mm high No 8 Window type ND4, 1511 x 1245mm high No 6 Window type ND2, 1022 x 359mm high No 6 ALUMINUM SLIDING DOORS No 6 Natural anodised silding doors as per "AAMSA spectification" system, complete with subframes, irronmongery, glass, sealing, etc and fixing to brickwork or concrete No Standard door type OXXO 147 (4221), 4100 x 2095mm high (W8) No 1 ALUMINUM SHOPFRONTS No 1 Natural anodized shopfronts as per AAMSA spec complete with subframes, irronmongery, glass, sealing, etc and fixing to brickwork or concrete No Standard door type OXXO 147 (4221), 4100 x 2095mm high with one double door 1800 x 2510mm high with two corner and side fixture of 2560 x 2510mm high with two corner and side fixture of 2560 x 2510mm each (W7) No 1 Purpose made shopfront, 6780 x 2510mm high with two corner and side fixture of 2560 x 2510mm each (W7) No 1 Section No. 2 Emplete with subframes, irronmongery, glass, sealing, etc and fixing to brickwork or concrete R Purpose made shopfront, 6780 x 2

1	Section No. 2				
	Bill No. 11				
	Metalwork				
	COLLECTION				
	COLLECTION Total Brought Forward from Page No.	Page No 61 62 63		Amount	
	Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 11 Metalwork CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUL FOR COGHSTA	NCIL OFFI	R		

ltem No			Quantity	Rate	Amount	
	SECTION No. 2BILL No. 12					
	PLASTERING					
	PREAMBLES					
	For Preambles see "Model Preambles For Trades"					
	SCREEDS					
	Screeds on concrete					
1	25mm Thick on floors	m2	650			
	INTERNAL PLASTER					
	Cement plaster on brickwork					
2	On vertical surfaces	m2	1 488			
3	On narrow widths	m2	21			
	EXTERNAL PLASTER					
	Cement plaster on brickwork					
4	On walls	m2	26			
5	On narrow width	m2	1			
	CORNER PROTECTORS, DIVIDING STRIPS, ETC					
6	30 X 3mm Flat section brass dividing strip between different floor finishes	m	11			
						-
	Carried Forward to Summary of Section No. 2			R		=
	Section No. 2 Bill No. 12 Plastering					
	CONSTRUCTION OF NEW BASHAI DITLOU TRADITION FOR COGHSTA	AL COU		E		

m			Quantity	Rate	Amount	
)	SECTION No. 2BILL No. 13					
	TILING					l
	PREAMBLES					
	For Preambles see "Model Preambles For Trades"					
	SUPPLEMENTARY PREAMBLES					
	Unless described as "fixed with adhesive to plaster (plaster elsewhere)" descriptions of tiling on brick or concrete walls columns, etc shall be deemed to include 1:4 cement plaster backing and descriptions of tiling on concrete floors etc shall be deemed to include 1:3 plaster bedding					
	WALL TILING					
	<u>198 x 198 x 6mm White glazed ceramic wall tiles</u> <u>fixed with an approved tile adhesive to plaster</u> (elsewhere measured) and jointed with waterproofing coloured jointing compound					
1	On vertical surfaces	m2	149			
	FLOOR TILING					
	Approved 600 x 600mm bodied Porcelain floor tiles (PC Amount of R300 excluding VAT) fixed on 25mm screed (elsewhere measured) flush pointed with tinted waterproof jointing compound and approved adhesive					
2	On floors and landings	m2	637			
3	Skirting 75mm high (of cut tiles)	m	358			
	Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 13 Tiling CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL	COU		R		_
	FOR COGHSTA			_		I

ltem No			Quantity	Rate	Amount
	SECTION No. 2BILL No. 14				
	PLUMBING AND DRAINAGE (PROVISIONAL)				
	PREAMBLES				
	For Preambles see "Model Preambles For Trades"				
	RAINWATER DISPOSAL				
	0.6mm Galvanised sheet steel gutters and rainwater pipes with powder coated finish on outside.				
1	100 x 75mm Rainwater pipes	m	159		
2	Extra over gutter for stopped end	No	2		
3	Extra over gutter for angle	No	2		
4	Extra over gutter for outlet for 75 x 75mm pipe	No	13		
5	100 x 75mm diameter gutter, etc	m	36		
6	Extra over rainwater pipe for bend	No	26		
7	Extra over rainwater pipe for eaves or plinth offset	No	13		
8	Extra over rainwater pipes for shoe	No	13		
	STORMWATER CHANNEL				
	Rectangular cast in situ concrete surface water channels				
9	100mm Thick shallow equal 'V' shaped rectangular 20MPa concrete drainage channel 1m wide overall including all earthworks, formwork and ref 193 mesh reinforcement cast in panels not exceeding 3m long, backfilling etc and finishing tops and sides smooth with woodfloat	m	1		
	Carried to Collection Section No. 2 Bill No. 14 Plumbing and Drainage (Provisional) CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL FOR COGHSTA	coui	NCIL OFFIC	R	

=

10	Extra over for angles, intersections, ends, dressing into sides of catchpits, etc	No	1		
	SANITARY FITTINGS				
	Approved Water Tanks, etc				
11	5000 litre Plastic Water tank for rain harvesting including installation	No	3		
	'Vaal' or equally approved				
12	635 x 485mm "Lotus" White vitreous china basin (code 7026) with three semi-punched tap holes and 301 slotted waste with plug and chain, with intergrated overflow mounted using universal half pedestal and hanger mechanism (code 715221)	No	12		
	'Vaal' or equally approved				
13	"Concorde" White vitreous china close coupled WC suite comprising 90 degrees outlet closed rim washdown pan (product code 7727700) and matching 9 litre top dual flush cistern (product code 7104DT) complete with lid, fitments and purpose made wooden seat (Code 852720)	N			
		No	6		
14	"Protea" Paraplegic white vitreous china floor mounted paraplegic WC pan (product code 750200) comprising 90 degrees outlet pan (product code 750200) and matching 9 litre cistern (product code 710631) including lid, fitment and purpose made chrome plated side flush lever	No	2		
	'Vaal' or equally approved				
15	Approved flat back wall mounted bowl urinal fixed with matching brackets, one C.P. flush valve complete with flush pipes as required and one approved C.P. plated bottle trap	No	2		
					┢
	Carried to Collection Section No. 2			R	╞
	Bill No. 14 Plumbing and Drainage (Provisional) CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL FOR COGHSTA	COU	NCIL OFFIC	Æ	
					•

	'Franke' sink or equally approved				
16	Approved 535 x 455mm Type 304 Stainless steel drip sink with 100mm splash back, grid, etc on 25 x 25mm brackets all as supplied by manufacturers installed 500 mm F.F.L, one 20mm C.P hose bib cock 1000mm F.F.L, one 40mm diameter C.P outlet an one 40mm diameter C.P bottle trap	No	1		
17	Single bowl 900mm x 500mm Type 304 stainless steel inlay type fixed onto kitchen unit, one approved C.P mixer, one 40mm diameter C.P outlet and one one approved 40mm diameter C.P. bottle trap	No	1		
	WASTE UNIONS				
	Cobra Watertech				
18	40mm 316 CP sink waste union	No	3		
	TRAPS ETC				
	<u>Traps, etc. including joints to steel pipes and/or</u> <u>fittings unless otherwise described</u>				
19	40mm Deep seal "P" or "S" trap	No	15		
	Chromium plated				
20	Flexible connectors, etc.	No	24		
	TAPS, VALVES, ETC				
	Valves, etc. including joints to steel pipes and/or fittings unless otherwise described				
21	15mm Chromium plated full way ballcock shut-off control valve with screw type control	No	3		
22	15mm Brass stopcock	No	28		
	Cobra Watertech or equally approved				
23	15mm Chromium sink mixer (Code 266/04/10)	No	1		
24	Selene 953, pillartap	No	22		
	Carried to Collection Section No. 2 Bill No. 14 Plumbing and Drainage (Provisional) CONSTRUCTION OF NEW BASHAI DITLOU TRADITION FOR COGHSTA	AL COUNC	IL OFFICE	R	

	WATER SUPPLIES						
	Class 1 copper pipes with capillary couplings						
25	15mm Pipe fixed in and including chase in walls	m	184				
26	22mm Pipe fixed in and including chase in walls	m	61				
	Extra over copper pipes for capillary fittings						
27	15mm Fittings	No	60				
28	22mm Fittings	No	22				
	SUBSOIL DRAINAGE						
	<u>uPVC pipes</u>						
29	50mm Pipes fixed to walls, etc.	m	52				
30	110mm Pipes fixed to walls, etc.	m	19				
31	110mm Pipes laid in and including trenches not exceeding 1m deep	m	181				
	Extra over uPVC pipes for fittings						
32	50mm Bend	No	22				
33	50mm Access bend	No	6				
34	110mm Bend	No	25				
35	110mm Tee junction	No	11				
36	110 x 50 mm Reducing junction	No	6				
	THE FOLLOWING IN SEPTIC TANK AND FRENCH DRAIN						
	Earthworks for Septic tank and Conservative drain						
37	Excavation in earth excavation n.e 2m	m3	1				
	Carried to Collection	1		R		 	
	Section No. 2 Bill No. 14 Plumbing and Drainage (Provisional) CONSTRUCTION OF NEW BASHAI DITLOU TRADITION FOR COGHSTA	NAL COU		Œ			

38	Excavation in earth excavation 2m and not exceeding 4m deep	m3	1		
	Earth filling of clean drain rock				
39	As backfilling for drain pipe	m3	1		
	Earth filling obtained from the excavations and/or prescribed stock piles on site compacted to 90% Mod AASHTO density				
40	As backfilling to drain pipe	m3	1		
	Concrete, Formwork and Reinforcement for Septic tank				
41	20Mpa Reinforced Concrete in bottoms	m3	1		
42	25Mpa Reinforced Concrete in slab	m3	1		
43	Type 193 fabric reinforcement in concrete bottoms	m2	1		
44	Type 617 fabric reinforcement in concrete bottoms	m2	1		
	Masonry for Septic tank				
45	Half Brick wall	m2	1		
46	One Brick wall	m2	1		
	Plastering for Septic tank				
47	13mm thick Cement plaster on brick walls	m2	1		
48	610 x 610 x 97kg Type 2B Mild steel Manhole cover and frame	No	1		
	<u>Sundries</u>				
49	110 diameter drain	m	1		
50	Double layer of Geofabric	m2	1		
	FIRE SERVICES				
	Carried to Collection			R	
	Section No. 2 Bill No. 14 Plumbing and Drainage (Provisional) CONSTRUCTION OF NEW BASHAI DITLOU TRADITION FOR COGHSTA	AL COU		Œ	
					1

	Fire appliances including piping, etc	1			
51	4,5kg DCP dry powder portable fire extinguisher on and including wrought Meranti backboard size 520 x 100 x 22mm thick plugged and screwed to wall and finished with two coats of polyurethane varnish, including 120 x 20 x 2mm mild steel strip bent to form hook	No	7		
52	Fire hose reel complete with 30m rubber hose, chromium plated stopcock, shut-off nozzle and wall bracket bolted to wall with and including expansion bolts	No	2		
	ELECTRIC WATER HEATERS				
53	100 Litre horizontal wall mounted electric water heater	No	1		
	TESTING				
54	Testing soil drainage system		Item		
55	Testing waste pipe system		Item		
56	Testing water pipe system		Item		
	BUDGETARY ALLOWANCES				
57	Water to supply fire appliances		Item		
58	Provide the sum of R 16 500.00 (Sixteen Thousand five hundred Rand) for the construction of a 3 x Plinths for the Water Tanks (elsewhere measured)				
			Item		16 500.00
59	Provide the sum of R 80 000.00 (Eighty Thousand Rand) for the construction of a Septic Tank and French		lite and		00.000.00
	Drain		Item		80 000.00
				_	
	Carried to Collection Section No. 2			R	
	Bill No. 14 Plumbing and Drainage (Provisional) CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONA FOR COGHSTA	AL COUN	CIL OFFICE		

Section No. 2				
Bill No. 14				
Plumbing and Drainage (Provisional)				
COLLECTION				
COLLECTION Total Brought Forward from Page No.	Page No 67 68 69 70 71 72		Amount	
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 14 Plumbing and Drainage (Provisional) CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		R CE		_

ltem	
No	

m o			Quantity	Rate	Amount	
-	SECTION No. 2BILL No. 15					
	<u>GLAZING</u>					
	PREAMBLES					
	For Preambles see "Model Preambles For Trades"					
	GLAZING TO STEEL WITH PUTTY					
	<u>6mm Clear float glass</u>					
1	Panes exceeding 0,1m ² and not exceeding 0,5m ²	m2	3			
2	Panes exceeding 0,5m ² and not exceeding 2m ²	m2	41			
	<u>6mm obscure glass</u>					
3	Panes exceeding 0,1m ² and not exceeding 0,5m ²	m2	6			
	MIRRORS, SHELVES, ETC					
	6 mm Silvered float glass copper backed mirrors					
4	600 x 450 x 6mm Thick SABS Approved mirror with building paper at back fixed against wall with four C.P. capped mirror screens in position as shown on detail layout	No	12			
	Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 15 Glazing			R		_
	CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL FOR COGHSTA	- COUI	NCIL OFFI¢	E		

ltem No		Quantity	Rate	Amount
	SECTION No. 2BILL No. 16			
	PAINTWORK			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			
	ON FLOATED PLASTER			
	Prepare, stop and apply one coat alkali resistant primer, one coat universal undercoat and two full coats eggshell enamel paint			
1	On internal plastered walls m2	2 1 508		
2	On external plastered walls m2	2 27		
	ON PLASTER BOARD			
	One coat primer and two coats interior quality PVA emulsion paint			
3	On ceilings and cornices m2	2 650		
	ON FIBRE CEMENT			
	One coat primer and two coats exterior quality PVA emulsion paint			
4	On fascias and barge boards m2	2 107		
	ON METAL			
	One primer, one undercoat and two coats alkyd enamel paint on steel			
5	On grille gates and screens (both sides measured on flat) m2	2 21		
	Carried to Collection Section No. 2		R	
	Bill No. 16 Paintwork			
	CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL CO		¢E	
	I	I	I	н І

	One coat undercoat and two coats polyurethane enamel. Sandpaper lightly between coats. Colour to be determined on site				
6	On windows with burglar bars	m2	98		
7	On door frames	m2	38		
	ON WOOD				
	<u>One coat wood primer, one undercoat and two coats alkyd enamel paint</u>				
8	On doors	m2	83		
	Three coats polyurethane suede varnish				
9	On skirtings, rails, etc. not exceeding 300mm girth	m	2		
10	On doors	m2	24		
	Carried to Collection			R	 \square
	Section No. 2			ĸ	 ╞
	Bill No. 16 Paintwork				
	CONSTRUCTION OF NEW BASHAI DITLOU TRADITION FOR COGHSTA	NAL COU		ЭЕ	

Section No. 2			
Bill No. 16			
Paintwork			
COLLECTION			
Total Brought Forward from Page No.	Page No 75 76		Amount
Carried Forward to Summary of Section No. 2 Section No. 2 Bill No. 16 Paintwork CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUR FOR COGHSTA		R CE	

Amount

_ _

- - - -

- - - -

_ _ .

- -

- - -

. _ _ .

- - - -

. . . .

- - - -

_ _ _

- - - -

_ _ _ _ _ _ _

R

_ _ _ _ _ _ _

Page

No

35

38

42

45

46

50

53

54

57

60

64

65

66

73

74

77

	SECTION SUMMARY - BUILDING WORK
Bill No	
1	Earthworks (Provisional)
2	Concrete, Formwork & Reinforcement
3	Masonry
4	Waterproofing
5	Roof Coverings
6	Carpentry
7	Ceilings, partitions and Access Flooring
8	Floor Coverings, Wall Linings, etc.
9	Ironmongery
10	Structural Steel work
11	Metalwork
12	Plastering
13	Tiling
14	Plumbing and Drainage (Provisional)
15	Glazing
16	Paintwork
	Carried to Final Summary Section No. 2
	CONSTRUCTION OF NEW BASHALDITLOU TRADITION

CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COUNCIL OFFICE FOR COGHSTA

ltem No		Quantity	Rate	Amount
	SECTION No. 3 BILL No. 1			
	PLATFORMS			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			
	Open face excavation over sloping site			
1	Open face excavation to form			
	platform under parking areas etc and depositing excavated material over site including haulage not exceeding 1km from perimeter of			
	excavations m3	956		
	Extra over all excavations for carting away			
2	Surplus material from stock piles on site to a dumping site to be located by the contractor m3	717		
	Compaction of surfaces			
3	Compaction of ground surface areas etc. by wetting and compacting with vibratory roller	4.500		
	m2	1 593		
	Carried to Collection		R	
	Section No. 3 Bill No. 1 Platforms CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		CE	

	Keeping excavations free of water				
4	Keeping excavations free of all water other than subterranean water		ltem		
5	Earth filling supplied by the contractor overplatform base etc				
	Over site of G6 material in accordance with SABS 1200 DM compacted to 95% Mod AASHTO density in 150mm layers	m3	956		
	Prescribed density tests on filling				
6	In-situ dry density (sand replacement) test in accordance with method A10 (a) of TMH 1	No	120		
		Carried to Collection		R	-
	Section No. 3 Bill No. 1				=
	Platforms CONSTRUCTION OF NEW BASH FOR COGHSTA	AI DITLOU TRADITIONAL COU		CE	

Section No. 3			
Bill No. 1			
Platforms			
COLLECTION			
Total Brought Forward from Page No.	Page No 79 80		Amount
Carried Forward to Summary of Section No. 3 Section No. 3 Bill No. 1 Platforms CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		R	

em lo			Quantity	Rate	Amount
	SECTION No. 3BILL No. 2				
	ROADS AND PARKING				
	PREAMBLES				
	For Preambles see "Model Preambles For Trades"				
	EXCAVATION, FILLING, ETC OTHER THAN BULK				
	Excavation				
1	Open face excavation in earth to reduce levels	m3	602		
2	Extra over all excavations for carting away surplus material from excavations and/or from stockpiles on site to a dumping site to be located by the Contractor	m3	301		
3	Extra over open face excavations in earth for excavations in soft rock	m3	60		
4	Extra over open face excavations in earth for excavations in hard rock	m3	30		
5	Allow for keeping all excavations entirely free from water and mud		Item		
	<u>Filling, etc.</u>				
6	Earth filling from the excavations to make up levels around buildings compacted to 90% modified AASHTO density	m3	301		
7	Imported natural gravel material (minimum G5/6 material to TRH14) supplied by the Contractor and brought onto site from commercial sources in filling under paving, etc compacted in layers not exceeding 150mm thick to 90% modified AASHTO density	m3	622		
8	Base layer of imported natural gravel material (minimum G1 material to TRH14) supplied by the Contractor and brought onto site from commercial sources and compacted to 100% modified AASHTO density	m3	151		
	Carried to Collection Section No. 3 Bill No. 2			R	
	Roads and Parking CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONA FOR COGHSTA	L COU		E	

9	Compaction of ground surface under pavings, etc. including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where				
	necessary and compact to 93% modified AASHTO density	m2	1 004		
10	50mm Thick clean, dry, riversand layer treated with an approved weed killer at the rate of 50 grams per square metre, spread and levelled to receive paving blocks (elsewhere)	m2	1 004		
	Tests				
11	Tests to determine the degree of compaction, etc. of ground or filling	No	20		
	PRECAST CONCRETE				
12	85mm Interlocking concrete paving blocks in accordance with SABS Specification 1058 and laid to falls on sand layer (elsewhere) with joints filled in with sand and vibrated, including all straight cutting	m2	1 500		
13	Mountable kerbing to SABS 927 Fig. 3 in 1m lengths with 10mm wide butt joints filled in with (1:3) cement/sand mortar and pointed with grooved half round joints and 10mm wide open butt joints at 3m centres including 15MPa/19mm mass concrete bedding size 30mm thick x 400mm wide and 20MPa/19mm mass concrete hunching size 112.5mm long x 112.5mm high x 85mm thick at joints and backfilling at back of kerbs, topsoiled and levelled to adjacent surfaces	m	180		
	ROAD MARKINGS				
	Prepare and apply one coat white reflective road marking paint on precast concrete paving blocks, etc				
14	100mm Wide line	m	60		
15	60mm Letter-STOP	No	8		
	BUDGETARY ALLOWANCES				
16	Provide the sum of R 220 000-00 (Two hundred and Twenty thousand Rand) for Storm water Drainage		ltem		220 000.00
	Carried to Collection			R	
	Section No. 3 Bill No. 2 Roads and Parking CONSTRUCTION OF NEW BASHAI DITLOU TRADITION FOR COGHSTA				
	-83-	-			-

Section No. 3			
Bill No. 2			
Roads and Parking			
COLLECTION			
Total Brought Forward from Page No.	Page No 82 83		Amount
Carried Forward to Summary of Section No. 3		R	
Section No. 3 Bill No. 2 Roads and Parking CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		¢E	

ltem No			Quantity	Rate	Amount
	SECTION No. 3BILL No. 3				
	FENCING AND GATES				
	PREAMBLES				
	For Preambles see "Model of Preambles For Trades"				
	Reinforced Pre cast concrete palisade fence, finished smooth on exposed surfaces, including site clearance and preparation of ground.				
1	Palisade fence 3.0m high above ground level over flat terrain with 80mm tapering to 220mm x 3m long intermediate and end posts at centres cast into concrete bases, 145 x 80mm x 2m long top and bottom horizontal rails at intersections, including stopping off bolt holes with cement holes	m	400		
	<u>Gates</u>				
2	Galvanised mild steel sliding gate size 5,500mm wide x 3,000mm high overall comprising 2mm thick x 76mm wide x 50mm hollow section frame and running on 50 x 50 x 2mm thick angle section track embedded into and including 400mm wide x 600mm deep 25Mpa concrete ground beam and excavations for the same, filling, carting away of excess excavated material,etc	No	1		
3	Galvanised mild steel Pedestrian gate size 1,200 mm wide x 3,000mm high overall comprising 2mm thick x 76mm wide x 50mm hollow section frame and running on 50 x 50 x 2mm thick angle section track embedded into and including 400mm wide x 600mm deep 25Mpa concrete ground beam and excavations for the same, filling, carting away of excess excavated material,etc	No	1		
	Carried Forward to Summary of Section No. 3 Section No. 3 Bill No. 3 Fencing and gates CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL FOR COGHSTA	cou		R	

ltem No		Quantity	Rate	Amount
	Excavation in earth not exceeding 2m deep			
1	Trenches m3	92		
2	Cut to spoil m3	92		
	Extra over trench and hole excavations in earth for excavation in			
3	Soft rock m3	10		
	Extra over all excavations for carting away			
4	Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor m3	92		
5	Compaction of ground surface under floors etc including scarifying for a depth of 100mm, breaking down oversize material, adding suitable material where necessary and compacting to 93% Mod AASHTO density	34		
6	Soil poisoning to sides and bottom of excavations m2	214		
	Carried to Collection Section No. 3 Bill No. 4 Retaining walls(Provisional) CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA		R)E	

	<u>Earth filling supplied by the</u> contractor over platform bases etc				
7	Over site of G6 material in accordance with SABS 1200 DM compacted to 95% Mod AASHTO density in 150mm layers	m3	912		
	Risk of collapse of excavations				
8	Sides of trench and hole excavations	S			
	not exceeding 1,5m deep	m2	296		
	Keeping excavations free of water				
9	Keep excavations free from water		Item		
	<u>Tests</u>				
10	Modified AASHTO Density test compacting to 93% Mod AASHTO density	No	6		
	Filtration				
11	Geofabric class A5	 m2	245		
		Corriad to Collection			
	Section No. 3	Carried to Collection		R	
	Bill No. 4 Retaining walls(Provisional) CONSTRUCTION OF NEW BASHA FOR COGHSTA	I DITLOU TRADITIONAL COU		CE	

1				1	1
	15MPa/19mm mass concrete				
12	Blinding	m3	11		
	25MPa/19mm reinforced concrete				
13	Strip footings and base	m3	72		
14	Retaining wall	m3	103		
	Test blocks				
15	Making and testing a set of three 150 x 150 x 150mm concrete strength test cube	No	18		
	Smooth formwork to sides				
16	Edges, risers, ends and reveals not exceeding 300mm high or wide	m	122		
17	Sides of retaining wall	m2	568		
	High tensile steel reinforcement to structural concrete work				
18	10mm Diameter bars	t	0.08		
	Carried to Colle Section No. 3 Bill No. 4 Retaining walls(Provisional) CONSTRUCTION OF NEW BASHAI DITLOU TRAD FOR COGHSTA			R	

19	12mm Diameter bars				
			t	5.86	
20	16mm diameter		t	1.66	
21	20mm diameter		t	3.15	
22	25mm diameter		t	3.15	
	Car Section No. 3	ried to Collection			R
	Bill No. 4 Retaining walls(Provisional)				
	CONSTRUCTION OF NEW BASHAI DI FOR COGHSTA	ITLOU TRADITIONAL CO		OFFICE	
					I

Section No. 3				
Bill No. 4				
Retaining walls(Provisional)				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	86			
	87			
	88			
	89			
Carried Forward to Summary of Section No. 3		R		_
Section No. 3 Bill No. 4				
Retaining walls(Provisional) CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU				
FOR COGHSTA		¢⊑		

	SECTION SUMMARY - EXTERNAL WORKS				
Bill No		Page No		Amount	
1	Platforms	81			_
2	Roads and Parking	84			_
3	Fencing and gates	85			_
4	Retaining walls(Provisional)	90			
					-
					_
	Carried to Final Summary		R		
	Section No. 3 CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU		CE		-
	FOR COGHSTA				

ltem No		Unit	Quantity	Rate	Amount
	SECTION No. 4 BILL No. 1				
	PROVISIONAL SUMS				
	PREAMBLES				
	For Preambles see "Model Preambles For Trades,2008"				
	ELECTRICAL WORKS				
1	Provide the sum of R 1,850 000.00 (One million eight hundred and fifty thousand Rand) for the supply and installation of Electrical Works and Solar.		Item		1 850 000.00
2	Add for profit upon above, if required.		ltem		
3	Add for attendance		ltem		
	MECHANICAL WORKS				
4	Provide an amount of R400,000.00(Four hundred thousand Rand) for the installation of Mechanical Works including Fire detectors		Item		400 000.00
5	Add for profit upon above, if required		ltem		
6	Add for attendance		ltem		
	BORE HOLE				
7	Provide the sum of R 200 000.00 (Two Hundred Thousand rand) for the drilling of a Bore Hole including equipping, supply and installation of a 5000 litre "Jojo" or equally approved Tank and a 6m "Jojo" or equally approved Steel Stand including pipe connection to the building and a pressure pump secured in a suitable steel cage complete.		Item		200 000.00
8	Add for profit upon above, if required.		ltem		
9	Add for attendance		ltem		
	Carried to Collection Section No. 4 Bill No. 1 Provisional Sums CONSTRUCTION OF NEW BASHAI DITLOU TRADITION FOR COGHSTA	IAL COU		R	

	GEOHYDROLOGICAL SURVEY		
10	Provide the sum of R50 000.00(Fifty Thousand rand) for Geohydrological survey and the production of borehole reports.	Item	50 000.00
11	Add for profit upon above, if required	Item	
12	Add for attendance	Item	
	JOINERY FITTINGS		
13	Provide the sum of R 150 000-00 (One Hundred and Fifty thousand Rand) for the supply, delivery and installation of Joinery Fittings including Granite tops (Kitchen Unit, Fixed Benches, etc) complete.	Item	150 000.00
14	Add for profit upon above, if required.	Item	
15	Add for attendance	Item	
	SIGNAGE		
16	Provide the sum of R 30 000-00 (Thirty thousand rand) for supply and installation signage complete	Item	30 000.00
17	Add for profit upon above, if required.	Item	
18	Add for attendance	Item	
	OCCUPATIONAL HEALTH AND SAFETY CONSULTANT		
19	Provide the sum of R360 000-00(Three Hundred Sixty Thousand Rand) for Occupational health and safety consultant to be appointed by the Employer	Item	360 000.00
20	Add for profit upon above, if required	Item	
21	Add for attendance	Item	
	SOCIAL FACILITATOR		
22	Provide the sum of R300 000-00(Three Hundred Thousand Rand) for Social Facilitator to be appointed by the Employer	Item	300 000.00
	Carried to Collection		٩
	Section No. 4 Bill No. 1		
	Provisional Sums CONSTRUCTION OF NEW BASHAI DITLOU TRADITION FOR COGHSTA	AL COUNCIL OFFICE	

23	Add for profit upon above, if required	Item		
24	Add for attendance	Item		
	COMMUNITY LAISON OFFICER			
25	Provide the sum of R 72 000-00 (Seventy two thousand rand) for remuneration	ltem		72 000.00
26	Add for profit upon above, if required.	Item		
27	Add for attendance	Item		
	PROJECT STEERING COMMITTEE			
28	Provide the sum of R 12 000-00 (Twelve thousand Rand) for remuneration	Item		12 000.00
29	Add for profit upon above, if required.	Item		
30	Add for attendance	Item		
	Carried to Collection Section No. 4		R	
	Bill No. 1 Provisional Sums			
	CONSTRUCTION OF NEW BASHAI DITLOU TRADITION FOR COGHSTA		CE	
	-94-			

Section No. 4			
Bill No. 1			
Provisional Sums			
COLLECTION			
	Page No		Amount
Total Brought Forward from Page No.	92		
	93		
	94		
Carried to Final Summary		R	
Section No. 4 Bill No. 1			
Provisional Sums			
CONSTRUCTION OF NEW BASHAI DITLOU TRADITION FOR COGHSTA		┢╘	

Amount	 R	Page No 32 78 91	PRELIMINARIES	Section No
2	R	78		1
R	R	-	BUILDING WORK	I
R	R	91		2
۲	R	Γ	EXTERNAL WORKS	3
2	R	95	PROVISIONAL SUMS	4
			Sub-total	
			<u>Contingencies</u>	
400 000.00		ltem	Allow an Amount of R 400 000.00 (Four hundred Thousand) for contingencies to be used as directed by the Project Manager and to be deducted in full if not used.	
२	R		Sub-total	
२	R		Value Added Tax Allow for Value Added Tax (15%)	
٩	R	NCIL OFFIC	CARRIED TO FORM OF TENDER CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU FOR COGHSTA	
		NCIL OFFIC	CONSTRUCTION OF NEW BASHAI DITLOU TRADITIONAL COU	