

BID NUMBER: LDPWRI-B/20302

APPOINTMENT OF A CONTRACTOR FOR THE DEMOLITION OF 10 CLASSROOMS AND 08 PIT TOILETS, REFURBISHMENT OF 8 CLASSROOMS AND CONSTRUCTION OF MEDIUM ADMINISTRATION, 04 CLASSROOMS, 2 GRADE R CLASSROOM, 04 SEATS WATER-BORNE TOILET AND 32 SEATS ENVIRO-LOO TOILET INCLUDING ALL RELATED EXTERNAL WORKS AT MAYEKE PRIMARY SCHOOL IN XIKUNDU VILLAGE, VHEMBE DISTRICT

for

LIMPOPO DEPARTMENT OF EDUCATION (LDOE),

LIMPOPO PROVINCE

FRAMEWORK CATEGORY A (7GB AND ABOVE)

Issued by:

Limpopo Department of Public Works, Roads and Infrastructure Works Towers Building 43 Church Street Polokwane 0700


Contact Person: General Queries
Name : Mr NJ Motsopye,
Tel No. : 015 284 7126

Email : motsopyen@dpw.limpopo.gov.za

Technical: Technical QueriesName : Mr K Modjadji
Tel No. : 083 673 5436

Email : ModjadjiM@dpw.limpopo.gov.za

Name of the Bidder:....



CONTENTS

THE TENDER

Part T1: Tendering procedures

T1.1 Tender notice and invitation to tender

T1.2 Tender data

Part T2: Returnable documents

- T2.1 List of returnable documents
 - A Mandatory Requirements
 - B Non- Mandatory Requirements
 - C Special Conditions and Departmental Rights
- T2.2 Returnable schedules

THE CONTRACT

Part C1: Agreements and Contract data

C1.1 Form of offer and acceptance

C1.2 Contract data

Joint Venture Agreement (If Applicable)

Part C2: Pricing data

C2.1 Part 1 - Pricing Instructions C2.2 Part 2 - Bills of Quantities


CONTRACT No. LDPWRI-B/20302

Part C3: Scope of Works

C3.1 Special Notes to Bidders C3.2 OHS Specifications

Part C4 Drawings

CONTRACT No. LDPWRI-B/20302




PART T1: TENDERING PROCEDURE

T1.1 Tender Notice and Invitation to Tender

The Limpopo Department of Public Works, Roads and Infrastructure invites tenderers from contractors appointed on the framework agreement on category A for APPOINTMENT OF A CONTRACTOR FOR THE DEMOLITION OF 10 CLASSROOMS AND 08 PIT TOILETS, REFURBISHMENT OF 8 CLASSROOMS AND CONSTRUCTION OF MEDIUM ADMINISTRATION, 04 CLASSROOMS, 2 GRADE R CLASSROOM, 04 SEATS WATER-BORNE TOILET AND 32 SEATS ENVIRO-LOO TOILET INCLUDING ALL RELATED EXTERNAL WORKS AT MAYEKE PRIMARY SCHOOL IN XIKUNDU VILLAGE, VHEMBE DISTRICT FOR LIMPOPO DEPARTMENT OF EDUCATION (LDOE) for a period of 20 months. It is estimated that tenderers must have a CIDB contractor grading designation of 7 GB or higher.

The conditions of the CIDB Standard for for Indirect Targeting for Enterprise Development through Construction Works Contracts **Gazette Notice No. 36190 of 25 February 2013** will be applicable on this project

APPOINTMENT OF A CONTRACTOR FOR THE DEMOLITION OF 10 CLASSROOMS AND 08 PIT TOILETS, REFURBISHMENT OF 8 CLASSROOMS AND CONSTRUCTION OF MEDIUM ADMINISTRATION, 04 CLASSROOMS, 2 GRADE R CLASSROOM, 04 SEATS WATER-BORNE TOILET AND 32 SEATS ENVIRO-LOO TOILET INCLUDING ALL RELATED EXTERNAL WORKS AT MAYEKE PRIMARY SCHOOL IN XIKUNDU VILLAGE, VHEMBE DISTRICT FOR LIMPOPO DEPARTMENT OF EDUCATION (LDOE) FOR A PERIOD OF 20 MONTHS						
LDPWRI- B/20302						
	of Public Works, Roads and Infrastructure website					
DEPARTMENT OF PU	IBLIC WORKS, ROADS & INFRASTRUCTURE.					
	ner River and Blaauwberg Streets, Ladanna, 0699.					
•						
As per Tender invite						
Yes □ No ⊠						
Meeting venue	As per Tender invite					
Data	As per Tender invite					
Time:	As per Tender invite					
Compliance with mandatory or compulsory requirements Risk assessment on current projects Price						
Construction Industry I higher than a contractor the sum tendered, or a (1B) or 25(7A) of the eligible to have their tendered and signed Priced Bills of Quantitien Record of addenda to the Proposed amendments	Form of Offer es tender documents					
	CLASSROOMS AND 08 AND CONSTRUCTION GRADE R CLASSROOI ENVIRO-LOO TOILET MAYEKE PRIMARY SC LIMPOPO DEPARTMEN LDPWRI- B/20302 Limpopo Department of DEPARTMENT OF PL Physical address: Corr As per Tender invite Yes					



T1.2 Tender Data

Clause number	Tender Data
	The conditions of tender are the Standard Conditions of Tender as contained in Annex C of Board Notice 423 of 2019 in Government Gazette No. 42622 of 08 August 2019, Construction Industry Development Board (CIDB) Standard for Uniformity in Construction Procurement. (See www.cidb.org.za) which are reproduced without amendment or alteration for the convenience of tenderers as an Annexure to this Tender Data.
	The Standard Conditions of Tender make several references to the Tender Data for details that apply specifically to this tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the standard conditions of tender. Each item of data given below is cross-referenced to the clause in the Standard Conditions of Tender to which it mainly applies.
	The contractor shall achieve in the performance of the contract the Contract Participation Goals (CPG) relating to the engagement of targeted enterprises as established in the CIDB Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts Gazette Notice No. 36190 of 25 February 2013. In this case, contractor shall provide a minimum Contract Participation Goal (CPG) of 5% of the total project value and develop targeted enterprises stated under C3 of this document.
	The following variations, amendments and additions to the Standard Conditions of Tender as set out in the Tender Data below shall apply to this tender. Add the following to clauses in Standard Conditions of Tender:
C.1.1	The Employer is the Department of Public Works, Roads and Infrastructure

C.1.2 The Tender Part T1: Tendering procedures T1.1 Tender notice and invitation to tender T1.2 Tender data Part T2: Returnable documents T2.1 List of returnable documents T2.2 Returnable schedules The Contract Part C1: Agreements and contract data C1.1 Form of offer and acceptance C1.2 Contract data C1.3 Joint Venture Agreement (If Applicable) The Contract Part C2: Pricing data C2.1 Pricing instructions C2.2 Bills of Quantities Part 3: Scope of work C3.1 Special Notes to Bidders C3.2 OHS Specifications Part 4: Site information C4 Drawings C.1.4 The employer's representative is: Name : Mr K Modjadji Tel No. : 083 673 5436 Email : ModjadjiM@dpw.limpopo.gov.za However, all communications related to this bid should be directed to the persons indicated under Enquires on this tender document. Attention is also drawn to the fact that verbal information, given by the Employer's agent during site visits/clarification meetings or at any other time prior to the award of the Contract, will not be regarded as binding on the Employer. Only information issued formally by the Employer in writing to Tenderers will be regarded as amending the Tender Documents. C.1.5 The employer reserve to cancel the tender prior to the award of the tender. C1.6.2 A competitive negotiation procedure will not be followed. C1.6.3 A two-stage system will not be followed. C.2.1 Eligibility in respect of CIDB grading Only tenderers who are appointed on framework agreement category A and registered with the Construction Industry Development Board (CIDB) with designation of 7 GB or higher than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations, are eligible to have their tenders evaluated. C2.2 Cost of tendering The tenderer accept that, unless otherwise stated in the tender data, the employer will not compensate the tenderer for any costs incurred in the preparation and submission of a tender offer, including the costs of any testing necessary to demonstrate that aspects of the offer complies with requirements.

C.2.7	Compulsory site briefing							
	A compulsory briefing meeting will be held as per Tender invite							
	Failure to attend the site briefing will result in the bidders not being considered for the project							
	Tenderers must sign the attendance list in the name of the tendering entity. Addenda (if any) will be issued only to those tendering entities appearing on the attendance list.							
C.2.11	Alterations to the documents							
	Bidders are required to not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations							
C.2.12	Alternative tender offer							
	No alternative tender offer is permitted in this tender.							
C.2.13.2	Replace sub-clause C.2.13.2 with the following; Return all returnable documents to the employer after completing them in by writing in non-erasable black ink (Black pen)							
C.2.13.3	Parts of each tender offer communicated on paper shall be submitted as an original							
C.2.13.4	The tender shall be signed by a person duly authorized to do so.							
C.2.13.5	The employer's details and address for delivery of tender offers and identification details that are to be shown on each tender offer package are:							
	Location of tender box: DEPARTMENT OF PUBLIC WORKS, ROADS & INFRASTRUCTURE. Physical address: Corner River and Blaauwberg Streets, Ladanna, 0699 Identification details: Sealed Tender with Tender reference number, Title of Tender and the closing date and time of the tender.							
C.2.15.1	The closing time for submission of tender offers is as stated in the Tender Notice and Invitation to Tender. Telephonic, telegraphic, telex, facsimile or e-mailed tender offers will not be accepted.							
C.2.16.1	The tender offer validity period is 120 days.							
C.2.16.2	The tender accepts that a tender submission that has been submitted to the employer may only be withdrawn or substituted by giving the employer's agent written notice before the closing time for tenders that a tender is to be withdrawn or substituted. If the validity period stated in C.2.16.1 lapses before the employer evaluating tender, the contractor reserves the right to review the price based on Consumer Price Index (CPI).							
C.3.1	The tenderer is required to indicate how they claim points for each preference point system and attached relevant supporting documents. The specific goals for claiming of preference points include the following: - Persons who had no franchise in national elections prior to 1983 and 1993 - Women - Disabled persons - Promotion of SMMEs - Enterprises located in Limpopo Province - Promotion of youth - South African owned enterprises							

	CIDB Grad	ding Certificate									
	Tenders are required to provide proof of registration with the CIDB register of contractors indicating the category of registration, grading as well as the CRS number of the tenderer.										
	Letter of C	Letter of Good Standing									
		s are required to submit, bound with the tender submission, a letter of good standing from insation commissioner indicating that the bidder is in good standing.									
C3.2	Notwithstanding any requests for confirmation of receipt of Addenda issued, the tenderer shall be deemed to have received such addenda if the employer can show proof of transmission thereof (or a notice in respect thereof) via electronic mail, facsimile or registered post.										
C.3.4.1	Tenders w	ill not be opened immediately after the closing time for tenders.									
C.3.11	The tenderers will be evaluated in four stages (i) Stage 1: Compliance with mandatory requirements as stated in Part T1.1 (ii) Stage 2: Risk assessment on current projects (iii) Stage 3: Price (iv) Stage 4: Preference										
	evaluation staff and a contractor have simila contractors	ical capacity (functionality) of the contractors will not be evaluated any further during of the RFQ. However, the contractors will be required to declare the status of their key any administrative compliance. In cases where there are changes in the key staff, the should provide CVs and qualifications of the new staff to LDPWR&I. The new staff should ar skills, qualifications and experience as the staff submitted during tender. Similarly, the swill be expected to provide an update on any changes in their administrative compliances and submit the required SBD document/forms in such cases.									
	The award will only be issued to contractors with valid Tax Clearance certificates, active CIDB grading and the contractor who meets all the legislative requirement – this shall be verified by SCM in line with the departmental SCM Policy.										
	The total value of current projects for a contractor under consideration cannot exceed twice the maximum value of their relevant CIDB grade. ¹										
	a)	Stage 1: Administrative Compliance: The Compliance or compulsory documents and returnables are detailed in Section T.2.1 of this tender document. Failure to submit, complete or comply with these requirements will lead to automatic disqualification.									
	b)	Stage 2: Risk assessment on current projects									
		The total value of current projects for a contractor under consideration cannot exceed twice the maximum value of their relevant CIDB grade. Should it exceed, the bidder will therefore not be appointed.									

Stage 3 and 4:

The procedure for final evaluation of responsive tenders is Method 2 (Financial offer and preference). The total number of tender evaluation points (T_{EV}) shall be determined in accordance with the following formula.

$$T_{EV} = N_{FO} + N_P$$

a) N_{FO} is the number of tender evaluation points awarded for the financial offer made. The score for financial offer is calculated using the following formula:

$$P = A * \left(1 - \frac{(P_o - P_m)}{P_m}\right)$$

Where:

A is 80 since the estimated financial value of works inclusive of VAT is equals or is less than R 50,000,000.00.


P is the points awarded to the bid under consideration

 P_m is the lowest Comparative bid price

 P_o is the comparative price under consideration


b) N_P is the number of tender evaluation points awarded for preferences claimed in accordance with the Preferencing Schedule in 3.18

CONTRACT No. LDPWRI-B/20302



PART T2: RETURNABLE DOCUMENTS

CONTRACT No. LDPWRI-B/20302



T2.1: LIST OF RETURNABLE DOCUMENTS

The following documents will form part of the documents submitted to the Contractors as part of the Request for Proposals:

A -- MANDATORY REQUIREMENTS

- 2.1 Fully completed Form of Offer (Fully Completed and Signed Form of Offer)
- 2.2 Bills of Quantities (P&Gs are allowed to have a lump sum total in the P&Gs Summary Page and the rest of the Bill of Quantities trades must be completed in full (Rates and Amounts))
- 2.3 Record of Addenda to tender documents (Records of addendum must be captured in full, whether applicable of not)
- 2.5 Declaration on the status of Administration compliance (Fully completed, circled and signed)
- 2.6 CIDB grading certificate (Valid CIDB)
- 2.7 Declaration of current projects (Fully completed, circled and signed)

B – NON- MANDATORY REQUIREMENTS

- 2.8 SBD 1 (Fully Completed and Signed)
- 2.9 SBD 4 (Fully Completed and Signed). False declaration by the bidder will render the proposal non-responsive and will not be considered
- 2.9 SBD 6.1 (Failure on the part of a bidder to complete and submit proof or documentation required in terms of this tender to claim points for specific goals with tender, will be interpreted to mean that preference points for specific goals are not claimed)

SPECIFIC GOALS	REQUIRED ATTACHMENT
Persons who had no franchise in national elections prior to 1983 and 1993	Attach certified copy of South African ID as proof
Women	Attach Director's certified copy of South African ID as proof + company registration documents
Disabled Persons	Bidder with disability must attach medical certificate completed by registered medical practitioner which is registered with Health Professions Council of South Africa (HPCSA) as proof
Promotion of SMMEs	Attach latest financial statement as proof
Enterprises located in Limpopo Province	N.B: The physical address given in the SBD 1 will be used and it should be consistent or the same as the preferred address in the Central Supplier Database Report a) A Title deed, Letter from a Traditional Authority or Municipal Statement which must not be older than three (3) months; or b) A Formal Lease Agreement together with Lessor's Municipal Account or Letter from Traditional Authority
Promotion of Youth	Attach Director's certified copy of South African ID as proof
South African owned enterprises	Attach Director's certified copy of South African ID as proof + company registration documents

CONTRACT No. LDPWRI-B/20302

- 2.10 Attach full CSD Report (For verification of the required attachments above)
- 2.11 Proposed amendments and qualifications (Proposed amendments and qualifications must be captured in full, whether applicable of not)

Failure by the service provider to submit or complete item 2.1, 2.2, 2.3, 2.5, 2.6, and 2.7 will render their proposal not responsive and will not be considered.


The bidder should also not appear on the National Treasury's list of black listed entities.

C -- SPECIAL NOTES TO BIDDERS AND DEPARTMENTAL RIGHTS

The following special conditions are for compliance and attention to bidders:

- I.1 LDPWR&I reserve the right to call interviews with short-listed bidders before final selection.
- I.2 LDPWR&I reserve the right to conduct supplier due diligence prior to final award or at any time during the contract period. This may include surprise site visits.
- I.3 LDPWR&I reserves the right to appoint the bidder that proves to be fully capable and qualifies to handle and execute the job.
- I.4 The proposals submitted must be in line with the detailed specification.
- I.5 LDPWR&I reserve the right to cancel or withdraw this bid if:
- i. Due to changed circumstances, there is no longer a need for these services; or
- ii. Funds are no longer available to cover the total envisaged expenditure; or
- iii. No acceptable bods are received; or
- iv. There is a material irregularity in the Bid process.
- 1.6 In the case of sub-contracting or joint venture agreement, LDPWR&I will enter into a single contract with the principal bidder.
- 1.7 Bidders who are not registered on Central Supplier Database (CSD) must register before submission of bids.
- 1.8 Any completion of the bid document in pencil or erasable ink will not be acceptable and will automatically disqualify the submitted bid.
- 1.9 Successful bidder will be required to sign and enter into a formal contract upon the award.
- 1.10 Notwithstanding shortcomings and/or inconsistencies, if any, in this specification, which is only a minimum specification, a bidder shall make provision for a complete solution that will deliver the required service efficiently and cost-effectively.
- 1.11 Bid documents must be submitted physically to the closing address as reflected on the Request for Quotation/Tender.
- 1.12 Quotations/Tenders received after the closing date and time will not be accepted for consideration.
- 1.13 This request for bid document contains confidential information about LDPWR&I, which has been provided to supply potential bidders with the data necessary to provide a holistic response.
- 1.14 No part of the contents may be used, copied, disclosed or conveyed in whole or in part to any party, in any manner whatsoever without the prior written permission of LDPWR&I.
- 1.15 Any reproduction or transmission of information contained in this document except for the sole purpose of responding to this bid is strictly prohibited.
- 1.16 References to LDPWR&I must not be made in any literature, promotional material, and brochures or sales presentations without the express written consent of LDPWR&I


CONTRACT No. LDPWRI-B/20302



T 2.2: RETURNABLE SCHEDULE

	Document Name	Returnable document		
1.	Fully completed Form of Offer	□Yes	□ No	
2.	Priced Bills of Quantities	□Yes	□ No	
3.	Record of Addenda to tender documents	□Yes	□ No	
4.	Proposed amendments and qualifications	□Yes	□ No	
5.	Proof of specific goals for award of the preference points	□Yes	□ No	
6.	SBD 1. Invitation to Tender	□Yes	□ No	
7.	SBD 6.1: Reference Points claim form in terms of the Preferential Procurement Regulations 2022 or amended	□Yes	□ No	
8.	Declaration on the status of Administration compliance.	□Yes	□ No	
9.	Proof of CIDB class grading: 7GB or higher.	□Yes	□ No	
10.	Full CSD Report	□Yes	□ No	
11.	Declaration of current projects	□Yes	□ No	


CONTRACT No. LDPWRI-B/20302



Declaration on the status of administrative compliance

٢	lease indicate	e, by	circling eitr	ner Yes	s or No, w	hether	the	admi	ınıstratı	ve inforn	natio	n submitte	d with th	ie orig	jinai
r	amework ten	der	documents	have	changed	or no	. If	yes,	kindly	provide	the	particulars	below	with	any
sı	upporting doc	cume	ents.												
• •		• • • •					• • • •				• • • •				
														,	
	Signed						Date	е			_				
	Name						Pos	ition							
	Enterprise														
	•														

CONTRACT No. LDPWRI-B/20302



Record of Addenda to tender documents

We co	onfirm that the following con offer, amending the tender	nmunications received from the Employer before the submission of this documents, have been taken into account in this tender offer:
	Date	Title or Details
1.		
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		
Attach	additional pages if more sp	pace is required.
Signe	d	Date
Name		Position
Tende	rer	

CONTRACT No. LDPWRI-B/20302




Proposed amendments and qualifications

The Tenderer should record any deviations or qualifications he may wish to make to the tender documents in this Returnable Schedule. Alternatively, a tenderer may state such deviations and qualifications in a covering letter to his tender and reference such letter in this schedule.

The Tenderer's attention is drawn to clause 5.8 of SANS 10845-3 regarding the employer's handling of material deviations and qualifications.

Page	Clause or item	Proposal	
Signs	٠	Doto	
Signe	u 	Date	
Name) ••	Position	
Tende	erer		

CONTRACT No. LDPWRI-B/20302



SBD 1 PART A: INVITATION TO BID

YOU ARE HERE INFRASTRUCTU	eby invited to bi	D FOR REQUIREN			DEPARTMENT	OF PU	BLIC WORKS, I	ROADS AND
			CLOSING E	DATE	As per			As per
BID NUMBER:	LDPWRI-B/20302				Tender Advert	CLOSII	NG TIME:	Tender Advert
DESCRIPTION	DEMOLITIONS,						RY SCHOOL	ı
BID RESPONSE	DOCUMENTS MAY E	BE DEPOSITED IN 1	THE BID BOX	SITUATED A	AT (STREET ADD	RESS)		
	T OF PUBLIC WC							
Physical addre	ess: Corner River	and Blaauwberg	Streets, La	idanna, 069	99.			
BIDDING PROCE	EDURE ENQUIRIES N	MAY BE DIRECTED	то					
CONTACT PERS	ON	Mr. NJ Motsopye						
TELEPHONE NU	MBER	0152847126	E-MAIL A	DDRESS		motsop	yen@dpw.limpop	o.gov.za
CONTACT PERS	ON (TECHNICAL)	Mr. K Modjadji						
TELEPHONE NU		083 673 5436	E-MAIL A	DDRESS		Modjad	jiM@dpw.limpopo	o.gov.za
SUPPLIER INFO	RMATION	T						
NAME OF BIDDE	ER							
POSTAL ADDRE	SS							
STREET ADDRE	SS				Γ			
TELEPHONE NU	IMBER	CODE	DE NUMBER					
CELLPHONE NU	IMBER							
E-MAIL ADDRES	S							
VAT REGISTRAT				1				
SUPPLIER COMI	PLIANCE STATUS	TAX COMPLIANCE		OR	CENTRAL SUPPLIER			
		SYSTEM PIN:		OK	DATABASE No	o: MA	AΑ	
ARE YOU THE	ACCREDITED			ARE YOU	A FOREIGN			
REPRESENTA		∏Yes	□No		UPPLIER FOR		□Yes	□No
SOUTH AFRIC			_		SERVICES /W	ORKS	[IF YES, ANSW	
OFFERED?	VICES /WORKS	[IF YES ENCLOSE	E PROOF] OFFERED?				QUESTIONNAI	RE BELOW]
	E TO BIDDING FORE	EIGN SUPPLIERS						
IS THE ENTITY A	A RESIDENT OF THE	REPUBLIC OF SOL	JTH AFRICA	(RSA)?				ES NO
IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? DOES THE ENTITY HAVE A BRANCH IN THE RSA?						ES NO		
					_			
	TY HAVE ANY SOUR						_	ES NO
								ES NO
IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 BELOW.								

CONTRACT No. LDPWRI-B/20302

PART B: TERMS AND CONDITIONS FOR BIDDING

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED—(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM.

2. TAX COMPLIANCE REQUIREMENTS

- 2.1 BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- 2.2 BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- 2.3 APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- 2.4 BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- 2.5 IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- 2.6 WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- 2.7 NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID.

SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolution)	
DATE:	

SBD 4

BIDDER'S DISCLOSURE

1. PURPOSE OF THE FORM

Any person (natural or juristic) may make an offer or offers in terms of this invitation to bid. In line with the principles of transparency, accountability, impartiality, and ethics as enshrined in the Constitution of the Republic of South Africa and further expressed in various pieces of legislation, it is required for the bidder to make this declaration in respect of the details required hereunder.

Where a person/s are listed in the Register for Tender Defaulters and / or the List of Restricted Suppliers, that person will automatically be disqualified from the bid process.

2. Bidder's declaration

2.1	Is the bidder, or any of its directors / trustees / shareholders / members / partners or any persor
	having a controlling interest2 in the enterprise,

employed by the state?

YES/NO

2.1.1 If so, furnish particulars of the names, individual identity numbers, and, if applicable, state employee numbers of sole proprietor/ directors / trustees / shareholders / members/ partners or any person having a controlling interest in the enterprise, in table below.

Full Name	Identity Number	Name of institution	State

2.2	Do you, or any person connected with the bidder, have a relationship with any person who is employed by the procuring institution? YES/NO
2.2.1	If so, furnish particulars:

² the power, by one person or a group of persons holding the majority of the equity of an enterprise, alternatively, the person/s having the deciding vote or power to influence or to direct the course and decisions of the enterprise.

CONTRACT No. LDPWRI-B/20302

2.3	Does the bidder or any of its directors / trustees / shareholders / member having a controlling interest in the enterprise have any interest in any whether or not they are bidding for this contract?	. , ,
2.3.1	If so, furnish particulars:	

3 DECLARATION

- 3.1 I have read and I understand the contents of this disclosure;
- 3.2 I understand that the accompanying bid will be disqualified if this disclosure is found not to be true and complete in every respect;
- 3.3 The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However, communication between partners in a joint venture or consortium3 will not be construed as collusive bidding.
- 3.4 In addition, there have been no consultations, communications, agreements or arrangements with any competitor regarding the quality, quantity, specifications, prices, including methods, factors or formulas used to calculate prices, market allocation, the intention or decision to submit or not to submit the bid, bidding with the intention not to win the bid and conditions or delivery particulars of the products or services to which this bid invitation relates.
- 3.4 The terms of the accompanying bid have not been, and will not be, disclosed by the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.
- 3.5 There have been no consultations, communications, agreements or arrangements made by the bidder with any official of the procuring institution in relation to this procurement process prior to and during the bidding process except to provide clarification on the bid submitted where so required by the institution; and the bidder was not involved in the drafting of the specifications or terms of reference for this bid.
- 3.6 I am aware that, in addition and without prejudice to any other remedy provided to combat any restrictive practices related to bids and contracts, bids that are suspicious will be reported to the Competition Commission for investigation and possible imposition of administrative penalties in terms of section 59 of the Competition Act No 89 of 1998 and or may be reported to the National Prosecuting Authority (NPA) for criminal investigation and or may be restricted from conducting

³ Joint venture or Consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

CONTRACT No. LDPWRI-B/20302

business with the public sector for a period not exceeding ten (10) years in terms of the Prevention and Combating of Corrupt Activities Act No 12 of 2004 or any other applicable legislation.

I CERTIFY THAT THE INFORMATION FURNISHED IN PARAGRAPHS 1, 2 and 3 ABOVE IS CORRECT.

I ACCEPT THAT THE STATE MAY REJECT THE BID OR ACT AGAINST ME IN TERMS OF PARAGRAPH 6 OF PFMA SCM INSTRUCTION 03 OF 2021/22 ON PREVENTING AND COMBATING ABUSE IN THE SUPPLY CHAIN MANAGEMENT SYSTEM SHOULD THIS DECLARATION PROVE TO BE FALSE.

Signature	Date
Position	Name of bidder

CONTRACT No. LDPWRI-B/20302



SBD 6.1

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 90/10 preference point system.
- b) The applicable preference point system for this tender is the 80/20 preference point system.
- c) Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

CONTRACT No. LDPWRI-B/20302

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10

$$Ps = 80\left(1 - \frac{Pt - Pmin}{Pmin}\right)$$
 or $Ps = 90\left(1 - \frac{Pt - Pmin}{Pmin}\right)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80\left(1+rac{Pt-P\,max}{P\,max}
ight)$$
 or $Ps = 90\left(1+rac{Pt-P\,max}{P\,max}
ight)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—

4.3.

(a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or

(b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)


The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)
Persons who had no franchise in national elections prior to 1983 and 1993	6	
Women	3	
Disabled persons	2	
Promotion of SMMEs	2	
Enterprises located in Limpopo Province	4	
Promotion of youth	1	
South African owned enterprises	2	

DECLARATION WITH REGARD TO COMPANY/FIRM

4.4.	Name of company/firm		
4.5.	Company registration number:		
4.6.	TYPE OF COMPANY/ FIRM		
	 □ Partnership/Joint Venture / Consortium □ One-person business/sole propriety □ Close corporation □ Public Company □ Personal Liability Company □ (Pty) Limited □ Non-Profit Company □ State Owned Company [TICK APPLICABLE BOX] 		

- 4.7. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
 - i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
 - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
 - (a) disqualify the person from the tendering process;
 - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
 - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
 - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
 - (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE:	
ADDRESS:	



DECLARATION OF CURRENT PROJECTS

Current value refers to current value of projects for both General Building (GB) and Civil Engineering (CE).

Please list the current projects which your company is busy executing in the table below.

If no projects at the moment the bidder must indicate/write on this table.

Misrepresentation of facts will render your bid non-responsive.

Table 1 List of current projects executed by the bidder

- 1. Do you have the current projects being executed Yes/No? (circle the correct answer)
- 2. Please note that it is compulsory to answer the question above and if the answer is yes, complete the table below. Failure by the service provider/bidder to answer the question above or complete the table below will render their proposal not responsive and will not be considered.

Project Description	Project Value	Start date	Planned end date	Client Name	Contact Person number

		1	

Signed	 Date	
Name	 Position	
Enterprise		



THE CONTRACT



PART C1: AGREEMENT AND CONTRACT DATA



C1.1. FORM OF OFFER AND ACCEPTANCE

Offer

The employer, identified in the acceptance signature block, has solicited offers to enter into a contract in respect of the following works:

DEMOLITIONS, REFURBISHMENT AND ADDITIONS AT MAYEKE PRIMARY SCHOOL IN XIKUNDU VILLAGE, VHEMBE DISTRICT.

The tenderer, identified in the offer signature block, has examined the documents listed in the tender data and addenda thereto as listed in the tender schedules, and by submitting this offer has accepted the conditions of tender.

By the representative of the tenderer, deemed to be duly authorized, signing this part of the Form of Offer and Acceptance, the tenderer offers to perform all of the obligations and liabilities of the contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the contract data.

THE OFFERED TOTAL OF THE PRICE INCLUSIVE OF VALUE ADDED TAX IS (CONTRACT PRICE)

Rand (in words); R	
(in figures) R	
This offer may be accepted by the employer by signing the accepted and returning one copy of this document to the tenderer be tender data, whereupon the tenderer becomes the party nanidentified in the contract data.	fore the end of the period of validity stated in the
Signature(s)	
Name(s)	
Capacity	
For the tenderer:	
Name & signature ofwitness	Date

Acceptance (To be completed by the employer – not the bidder)

By signing this part of this Form of Offer and Acceptance, the *Employer* identified below accepts the tenderer's Offer. In consideration thereof, the *Employer* shall pay the Consultant the amount due in accordance with the *conditions of contract* identified in the Contract Data. Acceptance of the tenderer's Offer shall form an agreement between the *Employer* and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract, are contained in:

Part C1 Agreements and Contract Data, (which includes this Form of Offer and Acceptance)

Part C2 Pricing Data

Part C3 Scope of Work

and drawings and documents (or parts thereof), which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Returnable Schedules as well as any changes to the terms of the Offer agreed by the tenderer and the *Employer* during this process of offer and acceptance, are contained in the Schedule of Deviations attached to and forming part of this Form of Offer and Acceptance. No amendments to or deviations from said documents are valid unless contained in this Schedule.


The tenderer shall within two weeks of receiving a completed copy of this agreement, including the Schedule of Deviations (if any), contact the *Employer's* agent (whose details are given in the Contract Data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the *conditions* of contract identified in the Contract Data. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed original copy of this document, including the Schedule of Deviations (if any). Unless the tenderer (now *Consultant*) within five working days of the date of such receipt notifies the *Employer* in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the Parties.

For the Employer	
Signature	
Name	
Capacity	
Name and address of organization	
Signature a	nd Name of Witness
Signature	
Name	
Capacity	

Schedule of Deviations

1 Subject
Details
2 Subject
Details
3 Subject
Details
4 Subject
Details
By the duly authorised representatives signing this agreement, the <i>Employer</i> and the Tenderer agree to and accept the
foregoing schedule of deviations as the only deviations from and amendments to the documents listed in the Tender Data at addenda thereto as listed in the returnable schedules, as well as any confirmation, clarification or changes to the terms of the offer agreed by the Tenderer and the <i>Employer</i> during this process of offer and acceptance.
It is expressly agreed that no other matter whether in writing, oral communication or implied during the period between the issue of the tender documents and the receipt by the tenderer of a completed signed copy of this Agreement shall have as meaning or effect in the contract between the parties arising from this agreement.




C2.1 CONTRACT DATA

The Conditions of Contract are clauses 1 to 41 of the **JBCC Series 2000 Principal Building Agreement (Edition 4.1 of March 2005)** published by the Joint Building Contracts Committee.

Copies of these conditions of contract may be obtained from the Association of South African Quantity Surveyors (011-3154140), Master Builders Association (011-205-9000; 057- 3526269) South African Association of Consulting Engineers (011-4632022) or South African Institute of Architects (051-4474909; 011-4860684; 053-8312003;)

The JBCC Principal Building Agreement makes several references to the Contract Data for specific data, which together with these conditions collectively describe the risks, liabilities, and obligations of the contracting parties and the procedures for the administration of the Contract. The Contract Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the JBCC Principal Building Agreement.

The contractor shall achieve in the performance of the contract the Contract Participation Goals (CPG) relating to the engagement of targeted enterprises as established in the CIDB Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts Gazette Notice No. 36190 of 25 February 2013."



PART C2: PRICING DATA

C2.1 Pricing instruction

- The Bills of Quantities have been drawn up in accordance with the Standard System of Measuring Building Work in accordance with the provisions of the Model Bills of Quantities or Electrical Work, published by the South African Association of Quantity Surveyors, (July, 2005).
- The agreement is under the JBCC N/S Subcontractor Agreement for use with the JBCC PBA (Edition 4.1 code 2101 March 2005) form of contract with Preliminaries (Code 2103 May 2005) incorporating the State Provisions of cl 41.0.
- It will be assumed that prices included in the Bills of Quantities are based on Acts, Ordinances, Regulations, By-laws, International Standards and National Standards that were published 28 days before the closing date for tenders.
- The prices and rates in these Bills of Quantities are fully inclusive prices for the work described under the items. Such prices and rates cover all costs and expenses that may be required in and for the execution of the work described in accordance with the provisions of the Scope of Work, and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the Contract Data, as well as overhead charges and profit. These prices will be used as a basis for assessment of payment for additional work that may have to be carried out.
- An item against which no price is entered will be considered to be covered by the other prices or rates in the Bills of Quantities. A single lump sum will apply should a number of items be grouped together for pricing purposes.
- The Contract Data and the standard form of contract referenced therein must be studied for the full extent and meaning of each and every clause set out in Section 1 (Preliminaries) of the Bills of Quantities.
- The Bills of Quantities is not intended for the ordering of materials. Any ordering of materials, based on the Bills of Quantities, is at the Contractor's risk.
- The bidder shall set aside a minimum of 5 % of the project value for sub-contractor/s and determine the amount to be paid for the Contract Participation Goal (CPG).



PART C2.2: BILLS OF QUANTITIES

		Quantity	Rate	Amount
SEC	TION NO. 1			
BILL	_ NO. 1			
PRE	LIMINARIES NOTES			
PRE	<u>AMBLES</u>			
in the	E : The tenderer is referred to the relevant clauses Model Preambles for Trades (2008 Edition) as d by the Association of South African Quantity eyors before pricing this bill.			
NOT	<u>ES</u>			
i)	The agreement is based on the JBCC Principal Building Agreement (version 4.1). The additions, deletions and alterations to the JBCC PBA and the <i>Principal Building Agreement: Contract Data</i> and these documents have been incorporated in the Contract section of this document. The tenderer is deemed to have referred to these documents for the full and meaning of each clause. The clauses are referred to by the number and heading only. Where standard clauses or options are not applicable to the contract such notifications or corrections are necessary are given under each relevant clause. Where an item is not relevant to this specific contract such item is marked. "N/A" signifying "Not Applicable".			
ii)	The Preliminaries for use with the JBCC Series 2000 Preliminaries prepared by the Joint Building Contracts Committee, edition code 2103 March 2005 and shall be deemed to be incorporated herein			
iii)	Tenderers are referred to the abovementioned documents for the full intent and meaning of each clause thereof (hereinafter referred to by heading and clause number only) for which such allowance must be made as may be considered necessary			
	Carried Forward		R	
Bill No	IMINARIES AND GENERAL o. 1 ninaries and General			

	Brought Forward		R	
	iv) Where standard clause or alternatives are not entirely applicable to this contract such modification, corrections or supplements as will apply are given under each relevant clause heading			
	v) Where any item is not relevant to this specific contract such item is marked N/A (signifying "not applicable")			
	vi) If Alternative A as set out in clause B10.3 hereinafter is to be used for the adjustment of the preliminaries each item priced is to be allocated to one or more of the three categories, where "F" denotes a fixed amount (amount not to be varied) "V" denotes an amount variable in proportion to value and "T" denotes an amount in proportion to time.			
	PRICING OF PRELIMINARIES			
	Items not priced in these Preliminaries shall be deemed to be included elsewhere in these Bills of Quantities.			
	SECTION A: JBCC PRINCIPAL BUILDING AGREEMENT - (Edition 4.1, March 2005)			
	DEFINITIONS AND INTERPRETATION (A1)			
1/1/1	Clause 1.0			
	F: T:	Item		
	OFFER, ACCEPTANCE AND PERFORMANCE OBLIGATIONS (A2)			
1/1/2	Clause 2.0			
	F: T:	Item		
	DOCUMENTS (A3)			
1/1/3	Clause 3.0			
	F: T:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1 Preliminaries and General			

	Brought Forward		R	
	DESIGN RESPOSIBILITY (A4)			
1/1/4	Clause 4.0			
	F: T:	Item		
		пеш		
	EMPLOYERS AGENTS (A5)			
1/1/5	Clause 5.0			
	F: T:	Item		
	SITE REPRESENTATIVE (A6)			
1/1/6	Clause 6.0			
	F:			
	T:	Item		
	COMPLIANCE WITH LAWS AND REGULATIONS (A7)			
1/1/7	Clause 7.0			
	F: T:	Item		
	INSURANCE AND SECURITY	ile		
4/4/0	WORKS RISK (A8)			
1/1/8	Clause 8.0			
	F: T:	Item		
	INDEMNITIES (A9)			
1/1/9	Clause 9.0			
	F: V:			
	T:	Item		
	Carried Forward		R	
	Section No. 1			
	PRELIMINARIES AND GENERAL BIII No. 1			
	Preliminaries and General			

	Brought Forward		R	
	WORKS INSURANCES (A10)			
1/1/10	Clause 10.0			
	F: T:	Item		
	LIABILITY INSURANCES (A11)			
1/1/11	Clause 11.0			
	F: T:	Item		
	EFFECTING INSURANCES (A12)			
1/1/12	Clause 12.0			
	F: T:	Item		
	NO CLAUSE (A13)			
1/1/13	Clause 13.0			
	F: T:	Item		
	SECURITY (A14)			
1/1/14	Clause 14.0			
	F: T:	Item		
	T	item		
	Carried Forward Section No. 1		R	
	PRELIMINARIES AND GENERAL Bill No. 1			
	Preliminaries and General			

	Brought Forward		R	
	EXECUTION			
	PREPARATION FOR AND EXECUTION OF THE WORKS (A15)			
1/1/15	Clause 15.0			
	F: T:	Item		
	ACCESS TO THE WORKS (A13)			
1/1/16	Clause 16.0			
	F: T:	Item		
	CONTRACT INSTRUCTION (A17)			
1/1/17	Clause 17.0			
	F: T:	Item		
	SETTING OUT OF THE WORKS (A18)			
1/1/18	Clause 18.0			
	F: T:	Item		
	ASSIGNMENT (A19)			
1/1/19	Clause 19.0			
	F: T:	Item		
	NOMINATED SUBCONTRACTORS (A20)			
1/1/20	Clause 20.0			
	F: T:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL BIII No. 1			
	Preliminaries and General			

	Brought Forward		R	
	SELECTED SUBCONTRACTORS (A21)			
1/1/21	Clause 21.0			
	F: T:	Item		
	EMPLOYERS DIRECT CONTRACTORS (A22)			
1/1/22	Clause 22.0			
	F: T:	Item		
	CONTRACTORS DOMESTIC SUBCONTRACTORS (A23)			
1/1/23	Clause 23.0			
	F: T:	Item		
	COMPLETION			
	PRACTICAL COMPLETION (A24)			
1/1/24	Clause 24.0 Contract Period: The period commencing on actual Site hand over date to the Contractor and ending on the date of Practical Completion or authorised extensions thereto including all Annual Industrial Holiday Periods, Sundays and Public Holidays.			
	F: T:	Item		
	WORKS COMPLETION (A25)			
1/1/25	Clause 25.0			
	F: T:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1 Preliminaries and General		K	

	Brought Forward		R	
	FINAL COMPLETION (A26)			ı
1/1/26	Clause 26.0			ı
	F: T:	Item		
	LATENT DEFECT'S LIABILITY PERIOD (A27)			ı
1/1/27	Clause 27.0			ı
	F: T:	Item		
	SECTIONAL COMPLETION (A28)			İ
1/1/28	Clause 28.0			1
	F: T:	Item		
	REVISION OF THE DATE FOR PRACTICAL COMPLETION (A29)			
1/1/29	Clause 29.0			ı
	F: T:	Item		
	PENALTY FOR LATE OR NON-COMPLETION (A30)			1
1/1/30	Clause 30.0			1
	F: T:	Item		
	PAYMENT			1
	INTERIM PAYMENT TO THE CONTRACTOR (A31)			ı
1/1/31	Clause 31.0			ı
	F: T:	Item		
				1
				<u> </u>
	Carried Forward		R	ı
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1 Preliminaries and General			
				i

	Brought Forward		R	
	ADJUSTMENT OF THE CONTRACT VALUE (A32)			ı
1/1/32	Clause 32.0			ı
	F: T:	Item		
	RECOVERY OF EXPENSE AND/OR LOSS (A33)			ı
1/1/33	Clause 33.0			ı
	F: T:	Item		
	FINAL ACCOUNT AND FINAL PAYMENT (A34)			1
1/1/34	Clause 34.0			1
	F: T:	Item		
	PAYMENT TO OTHER PARTIES (A35)			1
1/1/35	Clause 35.0			ı
	F: T:	Item		
	CANCELLATION			1
	CANCELLATION BY EMPLOYER - CONTRACTOR'S DEFAULT (A36)			1
1/1/36	Clause 36.0			1
	F: T:	Item		
	CANCELLATION BY EMPLOYER - LOSS AND DAMAGE (A37)			ſ
1/1/37	Clause 37.0			ı
	F: T:	Item		1
	0			
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1 Preliminaries and General		R	

	Brought Forward		R	ı
	CANCELLATION BY CONTRACTOR - EMPLOYER'S DEFAULT (A38)			l
1/1/38	Clause 38.0			İ
	F: T:	Item		
	CANCELLATION - CESSATION OF THE WORKS (A39)			
1/1/39	Clause 39.0			ı
	F: T:	Item		
	CANCELLATION - CESSATION OF THE WORKS (A39)			ĺ
1/1/40	Clause 39.0			İ
	F: T:	Item		
	DISPUTE			İ
	SETTLEMENT OF DISAGREEMENTS AND DISPUTES (A40)			
1/1/41	Clause 40.0			İ
	F: T:	Item		
	SUBSTITUTE PROVISIONS			İ
	STATE CLAUSES (A41)			1
1/1/42	Clause 41.0			İ
	F: T:	Item		
				İ
				1
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1 Preliminaries and General			Ĭ

	Brought Forward		R		
	SCHEDULE OF VARIABLES (A42)				
1/1/43	Clause 42.0				
	F: T:	Item			
	AGREEMENT				
	AGREEMENT				
1/1/44	Clause				
	F: T:	Item			
	Information necessary for completion of those clauses contained in the schedule which are necessary for tender purposes is given hereunder				
	CONTRACT DETAILS				
	Demolition of 10 classrooms and 08 pit toilets, Refurbishment of 8 classrooms and Construction of medium administration, 04 classrooms, 2 Grade R classroom, 04 seats water-borne toilet and 32 seats Enviro-loo toilet including all related external works				
	Site Description:				
	Mayeke Primary School 343 Xikundu Village, Limpopo Province				
	Work for installation by direct contractors: TBC				
	Carried Forward		R		
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1 Preliminaries and General				
				ii l	

	Brought Forward		K	
	This agreement is for a government contract: Yes			
	Date on which possession of the site is intended to be given: TBC			
	Period for the commencement of the works after the contractor takes possession of the site: 10 days			
	Completions in sections are required: No			
	Intended date of practical completion and the penalty per calender day for the works as a whole:			
	R 5 200.00			
	Contract duration : 20 months including national builder's break			
	SPECIAL COMPLETION REQUIREMENTS			
	Beneficial occupation dates: TBC			
	Tenant Installations beneficial occupation			
	F V T			
1/1/45	Arbitration rules as recommended by the Association of Arbitrators (SA)			
	F V T	Item		
1/1/46	The law applicable to this agreement shall be that of South Africa			
	F V T	Item		
	Carried Forward			
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		R	
	Preliminaries and General			

	Brought Forward		R		
	INSURANCES				
1/1/47	Contract works insurance to be effected by: Contractor				
	For the amount of: The Contract Sum plus 20% with deductible of R20 000.00				
	Notwithstanding the provisions of Clause 41.3.2, the first amount deductible will be for the Contractor's account				
	SASRIA insurance required:				
	F: T:	Item			
1/1/48	Public liability insurance to be effected by Contractor For the amount of: R 10 000 000.00 With a deductible of: R 10 000.00 per claim				
	F: V:				
	T:	Item			
	DOCUMENT				
	Waivers of contractors lien is required: Yes				
	Number of construction document copies to be supplied free of charge: 3				
	Number of days for submission of priced documents: TBA				
	Notwithstanding the provisions of the above clause, no payments will be certified unless the priced documents are agreed with the Quantity Surveyors.				
	JBCC Engineering General Conditions are to be included in the documents: No				
	Alternative if contract value is not adjusted using Contract Price Adjustment Provision: N/A				
	Tender Price is requested for Fixed Rates.				
	Carried Forward				
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1 Preliminaries and General		R		
			1	l l	

Brought Forward	R	
Details of changes made to the provision of JBCC standard documentation:		
The Contractor shall issue a Tax Invoice immediately to enable the Employer to process payment.		
Carried Forward	R	
Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1 Preliminaries and General		
Freminiales and General		

	Brought Forward		R	
	SECTION B: PRELIMINARIES			
	Definition and interpretation (B1)			
1/1/49	Definition and interpretation (B1.1 - B1.6.5)			
	F: T:	Item		
	Documents (B2)			
1/1/50	Checking of documents (B2.1)			
	F: T:	Item		
1/1/51	These bills of quantities contain pages and annexures as indexed on the flyleaf			
	The items in these bills of quantities are to be read and priced in conjunction with the descriptions regarded as amplified by the Model Preambles for Trades as recommended and published by the Association of South African Quantity Surveyors, 2008 edition, and no claim arising from brevity of description of items fully described in the said Model Preambles for Trades will be entertained.			
	F: T:	Item		
1/1/52	Provisional bills of quantities (B2.2)			
	F: T:	Item		
1/1/53	Availability of construction documentation for contracts based on provisional bills of quantities (B2.3)			
	F: T:	Item		
1/1/54	Interests of agents (B2.4)			
	F: T:	Item		
	Carried Forward			
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1 Preliminaries and General		R	

	Brought Forward		R	
1/1/55	Priced documents (B2.5)			
	F: T:	Item		
1/1/56	Tender submission (B2.6)			
	F: T:	Item		
1/1/57	Notwithstanding anything contained in this clause tenders shall be valid for a period of 90 days from the closing date of tenders			
	F: T:	Item		
	The site (B3)			
1/1/58	Defined works area (B3.1)			
	F: V:	Item		
1/1/59	The area of the works to be occupied by the contractor, any restriction on the area and the limit of access or exit will be pointed out to the contractor by the principal agent at the official site briefing meeting.			
	Site Meeting Date: TBC The meeting will be held at: TBC Tenderers are advise to arrive at least one hour earlier for the briefing meeting in order to avoid delays related to locating the venue.			
	F: T:	Item		
1/1/60	Inspection of the site (B3.3)			
	F: T:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1		, , ,	
	Preliminaries and General			

	Brought Forward		R	
1/1/61	A compulsory briefing meeting with representatives of the Employer will not take place due to the Covid-19 Lockdown restrictions. However, tenderers are welcomed to make arrangements to visit the site on a non-compulsory basis at the Mayeke Primary School			
	F: T:	Item		
1/1/62	Existing premises occupied (B3.4)			
	F: T:	Item		
1/1/63	Previous work - dimensional accuracy (B3.5)			
	F: T:	Item		
1/1/64	Previous work - defects (B3.6)			
	F: T:	Item		
1/1/65	Services - known (B3.7)			
	F: T:	Item		
1/1/66	Services - unknown (B3.8)			
	F: T:	Item		
1/1/67	Protection of trees etc (B3.9)			
	F: T:	Item		
1/1/68	Articles of value (B3.10)			
	F: T:	Item		
1/1/69	Inspection of adjoining properties etc (B3.11)			
	F: T:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			
	Preliminaries and General			

	Brought Forward		R	
	Management of contract (B4)			
1/1/70	Management of the works (B4.1)			
	The contractor is to submit with his tender a synopsis of the proposed management team envisaged for this project.			
	F: T:	Item		
1/1/71	Programme for the works			
	The contractor is to submit with his tender a detailed program outlining the envisaged programming of the works			
	F: V:			
	T:	Item		
1/1/72	Progress meetings (B4.3)			
	F: T:	Item		
1/1/73	Technical meetings (B4.4)			
	F: T:	Item		
	Samples and shop drawings and manufacturer's instructions (B5)			
1/1/74	Samples of materials (B5.1)			
	F: T:	Item		
1/1/75	Workmanship samples (B5.2)			
	F: T:	Item		
1/1/76	Shop drawings (B5.3)			
	F: T:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1 Preliminaries and General			

	Brought Forward		R	
	Temporary works and plant (B6)			
1/1/77	Deposits and fees (B6.1)			
	F: T:	Item		
1/1/78	Enclosure of the works (B6.2)			
	F: T:	Item		
1/1/79	Advertising (B6.3)			
	F: T:	Item		
1/1/80	Plant, equipment, sheds and offices (B6.4)			
	F: T:	Item		
1/1/81	Main notice board (B6.5)			
	Provision shall be made for 1 set of Professional boards			
	Lettering shall include 1 logo not exceeding 200 x 200mm per consultant and contractor all in colour and 1 Limpopo Department of Education chromadek signage board that must be 2 x 4m.			
	F: T:	Item		
1/1/82	Subcontractors notice board (B6.6)			
	F: T:	Item		
	Temporary services (B7)			
1/1/83	Location (B7.1)			
	F: T:	ltem		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1 Preliminaries and General			

	Brought Forward		R	
1/1/84	Water (B7.2)			1
	Alternative A			ı
	F: T:	Item		1
1/1/85	Electricity (B7.3)			ı
	Alternative A			ı
	F: T:	Item		
1/1/86	Telecommunication equipment (B7.4)			1
	Alternative A			1
	F: T:	Item		
1/1/87	Ablution facilities (B7.5)			1
	Alternative A			1
	F: T:	Item		
	Prime cost amounts (B8)			İ
1/1/88	Responsibility for prime cost amounts (B8.1)			İ
	F: T:	Item		
	Attendance on N/S Subcontractors (B9)			1
1/1/89	General attendance (B9.1)			1
	F: T:	Item		1
1/1/90	Special attendance (B9.2)			1
	F: T:	Item		1
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1 Preliminaries and General			

	Brought Forward		R	
1/1/91	Commissioning - Fuel, water and power (B9.3)			
	F:V:	Itom		
	T:	Item		
	Financial aspects (B10)			
1/1/92	Statutory taxes, duties and levies (B10.1)			
	F: T:	Item		
	1	Itom		
1/1/93	Payment of preliminaries (B10.2)			
	F: T:	Item		
1/1/94	Adjustment of preliminaries (B10.3)			
	F: T:	Item		
1/1/95	Payment certificate cash flow (B10.4)			
., ., .				
	F: T:	Item		
1/1/96	Contractor information supply (B10.5)			
	F: V:	Item		
	T:	item		
	General (B11)			
1/1/97	Protection of works (B11.1)			
	F: T:	Item		
	1	l lloin		
1/1/98	Protection/isolation of existing/sectionally occupied works (B11.2)			
	F: V:			
	T:	Item		
	Carried Forward		R	
	Section No. 1		'`	
	PRELIMINARIES AND GENERAL			
	Bill No. 1 Preliminaries and General			

	Brought Forward		R	
1/1/99	Site security (B11.3)			
	F: T:	Item		
1/1/100	Notice before covering work (B11.4)			
	F: V:			
	T:	Item		
1/1/101	Disturbance (B11.5)			
	F: T:	Item		
1/1/102	Works cleaning and clearing (B11.6)			
	F:			
	T:	Item		
1/1/103	Vermin (B11.7)			
	F: T:	Item		
1/1/104	Overhand work (B11.8)			
	F:V:			
	T:	Item		
	Schedule of variables (B12)			
1/1/105	Pre-tender information (B12.1)			
	F:V:	Item		
	T:	item		
	Information necessary for elections and completion of those clauses contained in the schedule which are			
	necessary for tender purposes is given hereunder. Where no information is given it shall mean that either			
	no details or specific requirements are available or that the clause is not relevant to this specific contract			
			_	
	Carried Forward Section No. 1		R	
	PRELIMINARIES AND GENERAL Bill No. 1			
	Preliminaries and General			

	Brought Forward		R	
1/1/106	12.1.1 Provisional bills of quantities (B2.2) The quantities are provisional: Yes			
	F: V:			
	T:	Item		
1/1/107	12.1.2 Availability of construction documentation (B2.3) Construction documentation is not complete: Yes			
	F: V:			
	T:	Item		
1/1/108	12.1.3 Interest of agents (B2.4)			
	F:V:	Itom		
	T:	Item		
1/1/109	12.1.4 Defined works area (B3.1)			
	F: V:			
	T:	Item		
1/1/110	12.1.5 Geotechnical investigation (B3.2)			
	F:V:	14		
	T:	Item		
1/1/111	12.1.6 Existing premises occupied (B3.4)			
	F: V:			
	T:	Item		
1/1/112	12.1.7 Services - known (B3.7)			
	F: V:			
	T:	Item		
1/1/113	12.1.8 Protection of trees (B3.9)			
	<u>F</u> :V:			
	T:	Item		
1/1/114	12.1.9 Inspection of adjoining properties (B3.11)			
	<u>F</u> :V:			
	T:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL			
	Bill No. 1			
	Preliminaries and General			

	Brought Forward		R		
1/1/115	12.1.10 Enclosure of the works (B6.2)			1	
	F: V:				
	T:	Item			
1/1/116	12.1.11 Offices (B6.4.3)				
	F: T:	Item			
1/1/117	12.1.12 Main notice board (B6.5)				
	Provision shall be made for 1 set of Professional boards				
	Lettering shall include 1 logo not exceeding 200 x 200mm per consultant and contractor all in colour and 1 Limpopo Department of Education chromadek signage board that must be 2 x 4m.				
	F: T:	Item			
1/1/118	12.1.13 Subcontractors notice board (B6.6) A notice board is required: No				
	F: T:	Item			
1/1/119	12.1.14 Water (B7.2) Alternative Selected: A				
	The contractor shall make provision for water connection requirements that will enable them to carry out works around the site. The contractor shall apply for all necessary supply connections requirements with the Local Authority. Should the local authority refuse services supply to site, the contractor shall connect to any other existing services pointed to him by the Principal Agent in the same manner that the Local authority would have supplied services to site ie in compliance with the specifications of the Local authority.				
	F: T:	Item			
	Carried Forward		R		
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1 Preliminaries and General				

	Brought Forward		R	
1/1/120	12.1.15 Electricity (B7.3) Alternative selected: A			
	The contractor shall make provision for electrical power connection requirements that will enable them to carry out works around the site. The contractor shall apply for all necessary supply connections requirements with the Local authority. The contractor shall connect to any other existing services pointed to him by the Principal Agent in the same manner that the Local authority would have supplied services to site ie in compliance wit the specifications of the Local authority.			
	F: T:	Item		
1/1/121	12.1.16 Telecommunications (B7.4) Alternative selected: A			
	The contractor shall make provision for telephone connection requirements that will enable them to carry out works around the site. The contractor shall apply for all necessary supply connections requirements with the relevant Agency. Should the Agency refuse services supply to site, the contractor shall connect to any other existing services pointed to him by the Principal Agent in the same manner that the Agency would have supplied services to site ie in compliance wit the specifications of the Agency.			
	F: T:	Item		
1/1/122	12.1.17 Ablution facilities (B7.5) Alternative selected: A			
	The contractor shall make provision for sewer connection requirements that will enable them to carry out works around the site. The contractor shall apply for all necessary supply connections requirements with the Local authority. The contractor shall connect to any other existing services pointed to him by the Principal Agent in the same manner that the Local authority would have supplied services to site ie in compliance wit the specifications of the Local authority.			
	F: T:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1 Preliminaries and General			

	Brou	ght Forward	R		
1/1/123	12.1.8 Special attendance (B9.2)				
	F:V:				
	T:	Item	1		
1/1/124	12.1.19 Protection of the works (B11.1)				
	<u>F</u> :V:				
	T:	ltem			
1/1/125	12.1.20 Protection of existing/sectionally occu (B11.2) Protection is required: Yes	pied works			
	The contractor shall conduct an as built so (photographic and written) prior to comme works. All damage caused by the Contract the contract shall be rectified at the Contract cost.	ncing or during			
	<u>F</u> :V:				
	T:	ltem			
1/1/126	12.1.21 Disturbance (B11.5)				
	F:V: T:	Item	l		
1/1/127	Post tender information (B12.2)				
	F:V:				
	T:	Item	1		
1/1/128	12.2.1 Payment of preliminaries Alternative selected: (A or B)				
	F:V:	Itom			
	T:	ltem			
1/1/129	12.2.2 Adjustment of preliminaries Alternative selected: (A or B)				
	F:V: T:	Item			
		1.0.1			
	Section No. 1	ied Forward	R		
	PRELIMINARIES AND GENERAL				
	Bill No. 1 Preliminaries and General				
			1	1	

	Brought Forward		R	
1/1/130	12.2.3 Additional agreed preliminaries items			
	F: T:			
		Item		
	SECTION C: SPECIFIC PRELIMINARIES			
1/1/131	GUARANTEE			
	Where guarantees are called for, the contractor shall obtain a written guarantee, addressed to the employer, from the firm supplying the materials and/or doing the work and shall deliver same to the principal agent on the certified completion of the contract. The guarantee shall state that workmanship, materials and installation are guaranteed for a specified period from the date of certified completion of the contract, and that any defects that may arise during the specified period shall be made good at the expense of the firm supplying the materials and/or doing the work, upon written notice from the principal agent to do so. This guarantee will not be enforced if the work is damaged by structural defects in the building in which case the responsibility for replacement shall rest entirely with the contractor unless found to be as a result of a design fault. F:			
	T:	Item		
1/1/132	SHOP DRAWINGS The contractor and/or nominated/selected subcontractor shall prepare and submit, at his own expense, three (3) copies of shop drawings of all fabricated work, working or setting out drawings shop details and schedules to the principal agent for approval prior to commencement of manufacture. Correction of shop drawings shall not constitute a change in scope of work unless the contractor notifies the Principal Agent in writing within seven (7) calender days and shall not proceed with fabrication until so authorised by the principal agent F:	Item		
	Carried Forward Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1 Preliminaries and General		R	

	Brought Forward		R	
1/1/133	SAMPLES			
	Samples are physical examples furnished by the contractor to illustrate materials, equipment or workmanship and to establish standards by which the work will be judged. The contractor shall furnish without delay such samples and "mock ups" as may be called for by the Principal Agent, who may reject all material and workmanship not corresponding with the approved samples.			
	Samples must be submitted in duplicate or as instructed and must allow a reasonable time for their consideration.			
	Samples must be properly labelled with the project name and location, contractor's name, the type, finish composition of materials date of submission and the contract document reference in which the project is identified.			
	F: T:	Item		
		ltom		
1/1/134	SITE INSTRUCTIONS			
	Site instructions issued are to be recorded in triplicate in a site instruction book which is to be maintained on site by the contractor.			
	Site instructions to the various sub-contractors may be issued only by the Principal Agent and must be issued via the contractor.			
	Copies of all site instructions issued are to be submitted for the principal agent and the quantity surveyors within two (2) days of issue.			
	F: V:			
	T:	Item		
	Carried Forward		R	
	Section No. 1 PRELIMINARIES AND GENERAL			
	Bill No. 1 Preliminaries and General			
	Figuriality and General			

	Brought Forward		R	
1/1/135	OVERTIME			
	Should overtime be required to be worked for any reason whatsoever, the costs of such overtime are to be borne by the contractor unless the Principal Agent has specifically authorised in writing, prior to the execution thereof, that costs for such overtime are to be borne by the employer.			
	F: T:	Item		
1/1/136	CO-OPERATION OF CONTRACTOR FOR COST CONTROL			
	It is specifically agreed that the contractor accepts the obligation of assisting the professional consultants in implementing proper cost control in an effort to prevent the final building cost from exceeding the budget.			
	It is specifically agreed that the professionals and the contractor will endeavour to agree and sign off variations within sixty days of them arising.			
	F: T:	Item		
1/1/137	SITE LEVELS			
	Before commencement of the works, the contractor shall carry out and provide the principal agent, for approval, a survey of the existing site levels in sufficient details to enable the preparation of a final account.			
	F: T:	Item		
1/1/138	PROPRIETARY BRANDED PRODUCTS			
	The contractor shall take delivery of, handle, store, use apply and/or fix all proprietary branded products in strict accordance with the manufacturers' instruction after consultation with the manufacturer's authorised representative			
	F: T:	Item		
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1 Preliminaries and General		R	

	Brought Forward		R	
1/1/139	AS BUILT DRAWINGS			
	The position of construction breaks and the extent of individual concrete pours are to be recorded by the contractor on the structural engineer's drawings and are to be submitted to the principal agent and the structural engineer for their records.			
	F: T:	Item		
1/1/140	OCCUPATIONAL HEALTH AND SAFETY ACT			
	In terms of the Occupational Health and Safety Regulations promulgated on 18 July 2003 and any latest editions/amendments, it will be expected from the contractor to comply fully with and adhere to all such regulations pertaining to this project as no claims in this regard will be entertained.			
	F: V: T:	Item		
1/1/141	COVID-19 RELATED ITEMS			
	In terms of the latest Covid-19 regulations and requirements, it will be expected from the contractor to comply fully with and adhere to all such regulations pertaining to this project as no claims in this regard will be entertained.			
	F: V: T:	Item		
	Carried to Final Summary		R	
	Section No. 1 PRELIMINARIES AND GENERAL Bill No. 1			_
	Preliminaries and General			

Item No		Quantity	Rate	Amount
	SECTION NO. 2			
	BILL NO. 1			
	EARTHWORKS (PROVISIONAL)			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	NOTES			
	Carting away of excavated material			
	Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site			
	Filling			
	Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any multiple handling of material			
	Excavations measured in successive depths of 2m.			
	SITE CLEARANCE ETC			
	Site clearance			
2/1/1	Digging up and removing rubbish, debris, vegetation, hedges, shrubs and trees not exceeding 200mm girth, bush, etc	m2 457		
	EXCAVATIONS			
	Carried Forward		R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 1 Earthworks			

	Brought Forward			R	
	Excavation in earth not exceeding 2m deep				
2/1/2	Trenches	m3	104		
	Extra over excavations in earth to trenches and holes for				
2/1/3	Excavation in soft rock	m3	10		
2/1/4	Excavation in hard rock	m3	5		
	Back excavation of vertical sides of excavation in earth for working space including backfilling compacted to 93% Mod AASHTO density				
	CARTING AWAY OF EXCAVATED MATERIAL				
	Note:				
	Description of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or , alternatively, from stock piles situated on the building site.				
2/1/5	Extra over all excavation for carting away surplus material from excavation and / or stockpile on site to a dumping site to be located by the Contractor	m3	57		
	RISK OF COLLAPSE OF EXCAVATIONS				
	Risk of collapse to side of excavation in earth not exceeding 1,5m deep				
2/1/6	Trenches and holes	m2	298		
	KEEPING EXCAVATIONS FREE FROM WATER				
2/1/7	Keeping excavations free of all water other than subterranean water		Item		
	FILLING, ETC.				
	Earth filling obtained from the excavations and/or prescribed stock piles on site compacted to 93% Mod AASHTO density in layers not exceeding 150mm thick				
2/1/8	Backfilling to trenches, holes, etc	m3	53		
2/1/9	Under floors, steps, pavings, etc	m3	222		
	Carried Forward			R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 1 Earthworks				

	Brought Forward			R	
	Imported gravel filling (G7) stabilise with 2-3% cement compacted to 93% Mod AASHTO density in layers not exceeding 150mm thick				
2/1/10	Backfilling to trenches, holes, etc	m3	16		
2/1/11	Under floors, steps, pavings, etc	m3	49		
	Filling supplied by the Contractor under floors, trenches, etc.				
2/1/12	Sub-base filling (G5) from excavations under solid floors, steps, etc. compacted to 95% modified AASHTO density in layers not exceeding 150mm thick	m3	49		
	COMPACTION OF SURFACES				
2/1/13	Prepare ground surface by scarifying sub-grade, rip and re-compact 150mm to 90% modified AASHTO density	m2	413		
	WEED KILLERS, INSECTICIDES, TERMITES, etc.				
	Protection against termites, ants, etc				
2/1/14	Under floors etc including forming and poisoning shallow furrows against foundation walls etc, filling in furrows and ramming	m2	413		
2/1/15	To bottom and sides of excavated trenches, Holes, etc.	m2	402		
	Carried Forward to Summary of Section No. Section No. 2 4 CLASSROOM BLOCK			R	
	Bill No. 1 Earthworks				

Item No		Quantity	Rate	Amount
	BILL NO. 2			
	CONCRETE, FORMWORK AND REINFORCEMENT			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	Cost of tests			
	The costs of making, storing and testing of concrete test cubes as required under clause 7, "Tests" of SANS 1200 G, shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)			
	<u>Formwork</u>			
	Descriptions of formwork shall be deemed to include use and waste only (except where described as "left in" or "permanent"), for fitting together in the required forms, wedging, plumbing and fixing to true angles and surfaces as necessary to ensure easy release during stripping and for reconditioning as necessary before reuse. The vertical strutting shall be carried down to such construction as is sufficiently strong to afford the required support without damage and shall remain in position until the newly constructed work is able to support itself.			
	Formwork to soffits of solid slabs, etc. shall be deemed to be to slabs not exceeding 250mm thick unless otherwise described. Formwork to soffits of slabs, beams, etc. shall be deemed to be propped up exceeding 1,5m and not exceeding 3,5m high unless otherwise described.			
	Carried Forward		R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 2 Concrete,Formwork and Reinforcement			

Formwork to sides of bases, pile caps, ground beams, etc. will only be measured where it is prescribed by the engineer for design reasons. Formwork necessitated by irregularity or collapse of excavated faces will not be measured and the cost thereof shall be deemed to be included in the allowance for taking the risk of collapse of the sides of the excavations, provision for which is made in "Earthworks".					
The Tenderer is to note that for the "off-shutter" concrete finish shall be in accordance with the architectural specification 616 CON-140: Smooth + fair finish:- Degree of accuracy: I Finish: Smooth and even Form facing material to produce a smooth, hard, uniform texture on the concrete Steel faced formwork. Joints grout-tight. Panels shall be as large as practicable and arranged in a regular pattern as a feature of the surface Formwork tie holes: to the approval of the architect Repair imperfections: not allowed. Tie bolt holes shall be patched Not permitted: blowholes, small fins, bulges, irregularities, voids, honeycombing, segregation and other large defects.					
a smooth finish of uniform texture, appearance and colour					
Tenderers are referred to the Structural Engineer's - Standard Specifications which should be read before pricing this trade in particular, but also the other trades. The use of extenders, fly-ash, etc. are clearly described on this drawing.					
GENERAL NOTES TO TENDERERS					
General notes, described in Bill No.1, shall equally apply to this Bill.					
UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES					
15Mpa/19mm concrete					
Blinding	m3		5		
Carried Forward Section No. 2 4 CLASSROOM BLOCK Bill No. 2 Concrete,Formwork and Reinforcement				R	
	engineer for design reasons. Formwork necessitated by irregularity or collapse of excavated faces will not be measured and the cost thereof shall be deemed to be included in the allowance for taking the risk of collapse of the sides of the excavations, provision for which is made in "Earthworks". The Tenderer is to note that for the "off-shutter" concrete finish shall be in accordance with the architectural specification 616 CON-140: Smooth + fair finish: Degree of accuracy: I Finish: Smooth and even Form facing material to produce a smooth, hard, uniform texture on the concrete Steel faced formwork. Joints grout-tight. Panels shall be as large as practicable and arranged in a regular pattern as a feature of the surface Formwork tie holes: to the approval of the architect Repair imperfections: not allowed. Tie bolt holes shall be patched Not permitted: blowholes, small fins, bulges, irregularities, voids, honeycombing, segregation and other large defects. Concrete surfaces: No further treatment to form a smooth finish of uniform texture, appearance and colour Structural Concrete Tenderers are referred to the Structural Engineer's - Standard Specifications which should be read before pricing this trade in particular, but also the other trades. The use of extenders, fly-ash, etc. are clearly described on this drawing. GENERAL NOTES TO TENDERERS General notes, described in Bill No.1, shall equally apply to this Bill. UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES 15Mpa/19mm concrete Blinding	engineer for design reasons. Formwork necessitated by irregularity or collapse of excavated faces will not be measured and the cost thereof shall be deemed to be included in the allowance for taking the risk of collapse of the sides of the excavations, provision for which is made in "Earthworks". The Tenderer is to note that for the "off-shutter" concrete finish shall be in accordance with the architectural specification 616 CON-140: Smooth + fair finish: Degree of accuracy: I Finish: Smooth and even Form facing material to produce a smooth, hard, uniform texture on the concrete Steel faced formwork. Joints grout-tight. Panels shall be as large as practicable and arranged in a regular pattern as a feature of the surface Formwork tie holes: to the approval of the architect Repair imperfections: not allowed. Tie bolt holes shall be patched Not permitted: blowholes, small fins, bulges, irregularities, voids, honeycombing, segregation and other large defects. Concrete surfaces: No further treatment to form a smooth finish of uniform texture, appearance and colour Structural Concrete Tenderers are referred to the Structural Engineer's - Standard Specifications which should be read before pricing this trade in particular, but also the other trades. The use of extenders, fly-ash, etc. are clearly described on this drawing. GENERAL NOTES TO TENDERERS General notes, described in Bill No.1, shall equally apply to this Bill. UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES 15Mpa/19mm concrete Blinding m3	engineer for design reasons. Formwork necessitated by irregularity or collapse of excavated faces will not be measured and the cost thereof shall be deemed to be included in the allowance for taking the risk of collapse of the sides of the excavations, provision for which is made in "Earthworks". The Tenderer is to note that for the "off-shutter" concrete finish shall be in accordance with the architectural specification 616 CON-140: Smooth + fair finish: Degree of accuracy: I Finish: Smooth and even Form facing material to produce a smooth, hard, uniform texture on the concrete Steel faced formwork. Joints grout-tight. Panels shall be as large as practicable and arranged in a regular pattern as a feature of the surface Formwork tie holes: to the approval of the architect Repair imperfections: not allowed. Tie bolt holes shall be patched Not permitted: blowholes, small fins, bulges, irregularities, voids, honeycombing, segregation and other large defects. Concrete surfaces: No further treatment to form a smooth finish of uniform texture, appearance and colour Structural Concrete Tenderers are referred to the Structural Engineer's - Standard Specifications which should be read before pricing this trade in particular, but also the other trades. The use of extenders, fly-ash, etc. are clearly described on this drawing. GENERAL NOTES TO TENDERERS General notes, described in Bill No.1, shall equally apply to this Bill. UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES 15Mpa/19mm concrete Blinding m3	engineer for design reasons. Formwork necessitated by irregularity or collapse of excavated faces will not be measured and the cost thereof shall be deemed to be included in the allowance for taking the risk of collapse of the sides of the excavations, provision for which is made in "Earthworks". The Tenderer is to note that for the "off-shutter" concrete finish shall be in accordance with the architectural specification 616 CON-140: Smooth + fair finish: Degree of accuracy: I Finish: Smooth and even Form facing material to produce a smooth, hard, uniform texture on the concrete Steel faced formwork. Joints grout-tight. Panels shall be as large as practicable and arranged in a regular pattern as a feature of the surface Formwork tie holes: to the approval of the architect Repair imperfections: not allowed. Tie bolt holes shall be patched Not permitted: blowholes, small fins, bulges, irregularities, voids, honeycombing, segregation and other large defects. Concrete surfaces: No further treatment to form a smooth finish of uniform texture, appearance and colour Structural Concrete Tenderers are referred to the Structural Engineer's - Standard Specifications which should be read before pricing this trade in particular, but also the other trades. The use of extenders, fly-ash, etc. are clearly described on this drawing. GENERAL NOTES TO TENDERERS General notes, described in Bill No.1, shall equally apply to this Bill. UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES 15Mpa/19mm concrete Blinding moncrete Blinding moncrete Blinding moncrete	engineer for design reasons. Formwork necessitated by irregularity or collapse of excavated faces will not be measured and the cost thereof shall be deemed to be included in the allowance for taking the risk of collapse of the sides of the excavations, provision for which is made in "Earthworks". The Tenderer is to note that for the "off-shutter" concrete finish shall be in accordance with the architectural specification 616 CON-140: Smooth + fair finish: Degree of accuracy: Finish: Smooth and even Form facing material to produce a smooth, hard, uniform texture on the concrete Steel faced formwork. Joints grout-tight. Panels shall be as large as practicable and arranged in a regular pattern as a feature of the surface Formwork tie holes: to the approval of the architect Repair imperfections: not allowed. Tie bolt holes shall be patched Not permitted: blowholes, small fins, bulges, irregularities, voids, honeycombing, segregation and other large defects. Concrete surfaces: No further treatment to form a smooth finish of uniform texture, appearance and colour Structural Concrete Tenderers are referred to the Structural Engineer's - Standard Specifications which should be read before pricing this trade in particular, but also the other trades, The use of extenders, fly-ash, etc. are clearly described on this drawing. GENERAL NOTES TO TENDERERS General notes, described in Bill No.1, shall equally apply to this Bill. UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES 15Mpa/19mm concrete Blinding m3 5

	Brought Forward			R	Π
	REINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACE				
	25MPa/19mm Concrete				
2/2/2	Strip footings	m3	26		
	REINFORCED CONCRETE CAST IN FORMWORK				
	20Mpa/19mm concrete				
2/2/3	Concrete Apron cast to fall etc,	m3	9		
	25MPa/19mm Concrete				
2/2/4	Surface beds cast in panels	m3	42		
	TEST BLOCKS				
	Notes:				
	Concrete strength test cubes, label and send to an approved laboratory for testing, pay all charges and submit report to the Regional Representative. Only successful tests will be paid for (Provisional)				
2/2/5	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	39		
	SUNDRIES TO CONCRETE				
	Surface treatment				
2/2/6	Power float top surface of concrete surface bed to a true and even level finish	m2	413		
	ROUGH FORMWORK (DEGREE OF ACCURACY II)				
	Rough formwork to sides				
2/2/7	Edges, risers, ends and reveals not exceeding 300mm high or wide	m	174		
	MOVEMENTS JOINTS ETC,				
	Saw cuts Joints				
2/2/8	3 x 30mm In saw cut joints in floors	m	73		
	Carried Forward			R	
	Section No. 2				
	4 CLASSROOM BLOCK Bill No. 2				
	Concrete,Formwork and Reinforcement				

	Brought Forward			R	
	Expansion joints				
2/2/9	10mm soft board or similar approved between concrete and brick wall	m	87		
	REINFORCEMENT (PROVISIONAL)				
	High and mild tensile steel reinforcement to structural concrete work				
2/2/10	All diameter bars	t	2		
	Fabric reinforcement:				
2/2/11	Type 245 fabric reinforcement in concrete surface beds, slabs, etc.	m2	326		
	Carried Forward to Summary of Section No.			R	
	Section No. 2 4 CLASSROOM BLOCK				
	Bill No. 2 Concrete,Formwork and Reinforcement				
			I	II	I

Item No		Quantity	Rate	Amount
	BILL NO. 3			
	MASONRY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	Sizes in descriptions			
	Where sizes in descriptions are given in brick units, "one brick" shall represent the length and "half brick" the width of a brick			
	Hollow walls etc			
	Descriptions of hollow walls shall be deemed to include leaving every fifth perpend of the bottom course of the external skin open as a weep hole. Walls in two skins described as "bagged and sealed" shall be deemed to include having the outer face of the inner skin bagged with 1:6 cement and sand mixture and sealed with two coats "Brickseal" bitumen emulsion waterproofing coating.			
	Face bricks			
	Bricks shall be ordered timeously to obtain uniformity in size and colour			
	Pointing			
	Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc			
	BRICKWORK IN FOUNDATION			
	Carried Forward		R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 3 Masonry			

	Brought Forward			R	
	Brickwork in 73mm burnt clay masonry units class NFP in Class II mortar, laid in stretcher bond with 10mm flush joints				
2/3/1	One brick wall	m2	112		
	SUPERSTRUCTURE BRICKWORK				
	Brickwork of NFP brick in class II mortar laid in stretcher bond with 10mm flush joints				
2/3/2	One brick wall	m2	338		
2/3/3	Half brick wall, in beamfilling	m2	14		
	FACE BRICKWORK				
	Bricks shall be ordered timeously to obtain uniformity in size and colour				
	"Corobrick" face bricks (Colour: TBC) with PC sum amount of R 4 500.00 per thousand bricks delivered to site (excluding VAT) manufactured in accordance with SANS 227-2007, bedded and jointed in Class II mortar and pointed with recessed 6mm joints in both directions				
2/3/4	Extra over brickwork for face brickwork in foundations (Provisional)	m2	224		
2/3/5	Extra over brickwork for face brickwork in superstructure	m2	252		
2/3/6	Extra over brickwork for face brickwork in brick-on-edge header course lintel	m	44		
2/3/7	Extra over brickwork for face brickwork in brick-on-edge header course sills, bedded in mortar and set slightly sloped	m	41		
2/3/8	Extra over brickwork for face brickwork in beamfilling	m2	14		
	BRICKWORK SUNDRIES				
	Brickwork reinforcement				
2/3/9	150mm Wide reinforcement built in horizontally.	m	1 651		
	"Allied concrete" or similar approved prestressed fabricated lintels				
2/3/10	100 x 70mm Lintels in lengths not exceeding 3m	m	52		
2/3/11	175 x 70mm Lintels in lengths not exceeding 3m	m	4		
	Carried Forward			R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 3 Masonry				

	Brought Forward			R	
	Turning pieces				
2/3/12	110mm Wide turning piece to flat brick lintels	m	44		
	Air bricks etc				
2/3/13	Set of 2 240 x 155mm Terracota air bricks as per architects specification	No	4		
	Roof ties				
2/3/14	30 x 1.2mm galvanised steel strapping, built into wall for 5 courses and minimum 800mm to be fixed to trusses	No	78		
	MOVEMENTS JOINTS ETC,				
	Expansion joints				
2/3/15	30mm softboard between vertical brick surfaces not exceeding 300mm wide	m2	22		
	Carried Forward to Summary of Section No.			R	
	Section No. 2 4 CLASSROOM BLOCK				
	Bill No. 3				
	Masonry				

Item No			Quantity	Rate	Amount
	BILL NO. 4				
	WATERPROOFING				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	DAMP PROOFING OF WALLS AND FLOORS				
	One layer of 375 micron "Consol Plastic Brikgrip DPC" embossed damp proof course				
2/4/1	Under walls	m2	3		
2/4/2	Under cills, etc.	m2	9		
	One layer of 250 micron "USB Green" or similar approved dampproof membrane sealed at laps with PVC self -adhesive tape				
2/4/3	Under surface beds.	m2	413		
	JOINTS SEALANTS, ETC.				
	Mastic grey polysulphide sealing compound including raking out of joints filler as necessary				
2/4/4	3 x 30mm In saw cut joints in floors	m	73		
2/4/5	10mm Isolation Joints between surface bed concrete and brick wall	m	87		
	Carried Forward to Summary of Section No.			R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 4 Waterproofing				

Item No		Quantity	Rate	Amount
	BILL NO. 5			
	ROOF COVERINGS			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	ROOF SHEETING			
	Similar Approved			
	0.6mm thick "Brownbuilt Klip-lok light Industrial" galvanised troughed roof sheeting with "Chromadek - Traffic Green" finish on one side, and 0.6mm galvanised steel accessories fixed to timber purlins or rails fixed in strict accordance to the manufacturer's instructions and fixed by an approved erector. A written and approved five (5) year guarantee of water-tightness shall be issued after approval of roofs by the manufacturer			
2/5/1	Roof sheeting pitch not exceeding 25 degrees m2	483		
2/5/2	550mm girth Ridge capping, 3 times bent and notched on site to suit roof profile	n 35		
2/5/3	550mm girth Hip capping, 3 times bent and notched on site to suit roof profile.	20		
	ROOF AND WALL INSULATION			
	Similar Approved Carried Forward Section No. 2		R	
	4 CLASSROOM BLOCK Bill No. 5 Roof Coverings			

	Brought Forward		R	
	Sisalation "Bubble Foil" aluminium foil binded insulation			
2/5/4	135mm thick Insulation laid over purlins (at approximately 750mm centres), fixed concurrent with sheeting with and including galvanised steel accessories m2	483		
	Carried Forward to Summary of Section No.		R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 5			
	Roof Coverings			

Item No		Quantity	Rate	Amount
	BILL NO. 6			
	CARPENTRY AND JOINERY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	<u>Joinery</u>			
	Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc.			
	Descriptions of hardwood joinery shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete.			
	<u>Fixing</u>			
	Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete			
	Decorative laminate finish			
	Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish			
	<u>Timber</u>			
	All softwood to be South African Pine			
	<u>Descriptions</u>			
	Items described as "bolted" shall be deemed to exclude the bolts and include the holes unless otherwise described.			
	Carried Forward		R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 6 Carpentry and Joinery			

Where the fixing of members is not stated it shall mean the nailing of one timber member to another.	
The term "planted on" shall mean the nailing of one timber member to another	
The term "screwed on" shall mean the countersunk screwing of one timber member to another.	
The term "screwed on and pelleted" shall mean the screwing of one timber member to another with the heads of screw sunk and pelleted.	
The term "plugged" shall mean the countersunk screwing of a timber member to and including plastic plugs in brickwork or concrete.	
The term "plugged and pelleted" shall mean the screwing of a timber member to and including plastic plugs in brickwork or concrete with heads of screw sunk and pelleted.	
Shelving, etc. described as screwed to steel must be fixed from underside and prices are to include for countersunk drilling through the steel for screw fixing.	
Descriptions of floors, ceilings, joinery, etc. shall be deemed to include for all square cutting	
Descriptions of items given in linear metre shall be deemed to include for mitres, stopped ends, fitted intersections, etc.	
Descriptions of rounded angles, rebates, grooves, chamfers, moulded edges, etc. shall be deemed to include for angles, ends, etc.	
ROOFS, ETC	
Carried Forward R	
Section No. 2 4 CLASSROOM BLOCK	
Bill No. 6 Carpentry and Joinery	

	Brought Forward			R	
	Plate nailed timber roof truss construction				
	The following is applicable in respect of roof trusses:				
	All timber to be sawn softwood in accordance with V4 or M4 as defined in SABS 563 or SABS 1245.				
	Metal connector plates shall have a minimum yield strength of 228 MPa and a minimum ultimate tensile strength of 330 Mpa with hot-dip galvanised finish.				
	All joints to be close fitted butt joints.				
	Trusses shall be designed by a registered supplier of prefabricated trusses who shall issue an Engineers Certificate upon completion of the installation.				
	The dimensions in the descriptions of the trusses are nominal and actual measurements are to be obtained on site before design or fabrication commences.				
	Tenderers must study the roof plan and sections as attached to the back of these bills of quantities and must obtain prices from a qualified and registered roof truss supplier as no claims in this regard will be entertained.				
	Roof trusses				
2/6/1	Design, supply, take delivery, temporary store, hoist in position and erect plate nailed timber roof trusses, purlins, gang boarding, temporary and permanent bracing, etc (measured on plan)	m2	403		
	Sawn softwood				
2/6/2	38 x 114mm Wall plates	m	94		
	<u>Sundries</u>				
2/6/3	Two coats creosote on sawn timbers	m2	35		
	Similar Approved				
	"Everite FC77" Fascia and badge boards				
	DOORS ETC				
	Section No. 2 4 CLASSROOM BLOCK Bill No. 6			R	
	Carpentry and Joinery				

Brought Forward			R	
44mm thick solid R&F panel meranti timber doors with masonite backing with 15 horizontal slates on both sides hung to steel frames				
914 x 2032mm single door	No	4		
WINDOWS				
Similar Approved				
"Nutec" fibre cement window cills				
150mm x 15mm thick fibre cement Window sill set flat and slightly projecting, with window sill lug screwed to underside of sill at 400mm centres, minimum of 75mm from end of window sill and bedded in 1:4 cement sand mortar with plastic slip joints at end of sills at plaster reveals and projecting from finished face of wall, all as per manufacturer's recommendations	m	41		
Carried Forward to Summary of Section No.			R	
Section No. 2 4 CLASSROOM BLOCK Bill No. 6				
Carpentry and Joinery				

Item No		Quantity	Rate	Amount
	BILL NO. 7			
	CEILINGS, PARTITIONS AND ACCESS FLOORING			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	Fixing			
	Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 500mm centres, and where described as "bolted", the bolts have been given elsewhere.			
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins, or to be shot-pinned, to brickwork or concrete			
	Ceilings & Bulkheads			
	Unless otherwise described ceilings shall be deemed to be horizontal			
	Steel components			
	All steel components for ceilings, partitions, etc are to be galvanised in accordance with SANS 121			
	Proprietary suspended ceilings			
	Hangers, suspension grids, "lay-in" panels, etc are to be in accordance with the manufacturers' recommendations			
	Carried Forward		R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 7 Ceilings,Partitions and Access Flooring			

	Brought Forward			R	
	Where electrical light fittings, diffusers, panels etc are units of the same dimensions as the suspension grid described and allowance must be made in the rates accordingly for their support inclusive of any flexibility in setting out that may be required (ceiling panels have not been deducted and pricing is to take cognisance thereof)				
	Suspension systems				
	Where suspensions of ceilings require a sub-grid, the tenderer should include in his rates for the sub-grid. The design of the sub-grid support is not specified, the tenderer is to obtain the necessary requirements and recommendations for a safe installation from the board and suspension system manufacturer to the satisfaction of the structural engineer.				
	NAILED UP CEILINGS				
	FIBRE - CEMENT BOARDS				
	Similar Approved				
	6mm "Everite Nutec" Fibre-cement boards, jointed with and including galvanised H-type primed pressed steel jointing strips, including brandering as per architect's specifications				
2/7/1	2400 x 1200mm x 6mm Horizontal ceilings, fixed to and including 38 x 38mm sawn softwood brandering at maximum 400mm centres using 38mm long galvanised nails	m2	310		
	CORNICES				
	"Rhino" plasterboard cornice				
2/7/2	75mm Coved cornice, plugged to brickwork	m	202		
	SUNDRIES				
	Extra over for Trap Doors				
2/7/3	Extra over ceiling for 600 x 600mm trap door of 38 x 50mm wrought softwood rebated framing, with one 38 x 38mm sawn softwood cross brander covered with ceiling board and fitted flush in opening	No	4		
	CEILING INSULATION				
					<u></u>
	Carried Forward			R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 7 Ceilings,Partitions and Access Flooring				
	· ·				

	Brought Forward		R	
	<u>Insulation</u>			
2/7/4	125mm thick Glass wool insulation blanket closely fitted and laid on top of ceiling panels, all in strict accordance with the manufacturer's specifications.	310		
	Carried Forward to Summary of Section No.		R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 7			
	Ceilings,Partitions and Access Flooring			

Item No		Quantity	Rate	Amount
	BILL NO. 8			
	IRONMONGERY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	Where ironmongery is described as plugged, prices are to include for screwing to and including approved patent plugs in concrete or brickwork with plaster or tiled finish, etc.			
	Proprietary items			
	Where applicable the manufacturers' names or product catalogue titles are given in sub-headings preceding the items			
	Prices are to be based on the specific products/articles specified. If tenderers wish to offer alternative products/articles for certain items, these items are to be clearly marked and the alternative specification given with supporting brochures etc clarifying the features of the products/articles offered			
	On request returnable samples are to be provided to the principal agent for consideration			
	Carried Forward Section No. 2 4 CLASSROOM BLOCK Bill No. 8		R	
	Ironmongery			

	Brought Forward			R	
	Finishes to ironmongery				ļ
	Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list: BS Satin bronze lacquered CH Chromium plated SC Satin chromium plated SE Silver enamelled GE Grey enamelled AN Anodised natural AS Anodised silver AB Anodised bronze AG Anodised gold ABL Anodised black PB Polished brass PL Polished and lacquered PT Epoxy coated SD Sanded Rates				
	The tenderer is to price for supply, taking delivery of, storing and fixing of the ironmongery listed below.				
	DOOR FURNITURE				
	Similar Approved				
	<u>Locks</u>				
2/8/1	SN 43mm five pin Euro-profile single cylinder master keyed (Code: DSC104301 MK)	No	4		
2/8/2	SC 150mm Cabin hook (Code: CH 150)	No	4		
	Kick and push plates				
2/8/3	SS 200 x 813 x 1.2mm thick Grade 430 kick plate, with 10 countersunk holes for screw fixing (Code: DKP-430-200)	No	8		
	Panic hardware				
2/8/4	Three point locking panic bar for single door (Code: PHA3/S DD)	Sets	4.0		
2/8/5	Exterior access lock with lever handle (cylinder not included) (Code: PHT3901)	No	4		
	PINNING BOARDS, WRITING BOARDS, PROJECTION SCREENS, etc.				
	Carried Forward			R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 8 Ironmongery				

	Brought Forward			R	
	Pinning board consisting of pinning material/carpet surface laminated to a soft board core, complete with beading all around with a natural anodised aluminium channel surround, and surround mitred at the corners				
2/8/6	2400 x 1200mm high board (Colour: Light Grey), fixed to wall in strict accordance with manufacturer's recommendations	No	8		
	Porcelain magnetic marker board, complete with anodised aluminium frame and slide-in aluminium pen tray				
2/8/7	2000 x 1300mm high board (Colour: White), fixed to wall in strict accordance with manufacturer's recommendations	No	8		
	SUNDRIES				
	<u>Approved</u>				
2/8/8	"CZ8730SC" Door stop or similarly approved to wall or floors	No	4		
	Carried Forward to Summary of Section No.			R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 8				
	Ironmongery				

Item No		Quantity	Rate	Amount
	BILL NO. 9			
	METALWORK			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	<u>ALUMINIUM</u>			
	The contractor is to make due allowance in his prices for complying with the following requirements.			
	SPECIFICATIONS			
	User Note:			
	Glazing			
	All Safety glazing material (individual panes) are to conform to all standards as stipulated in SANS 10400 Part N and SANS 10137 and any additional Engineer Specifications or relevant SANS glazing regulations not stipulated in this document. All tenderers are referred to the drawings for the glazing specification.			
	<u>Ironmongery</u>			
	All rates for windows, shopfronts and doors etc. must include for the supply, taking delivery or/and installation of the ironmongery to be specified.			
	Actuators			
	All rates for shopfronts with actuators to include for the supply and installation of actuators as specified			
	Carried Forward		R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 9 Metalwork			

Brought Forward	R	
Scaffolding		
All scaffolding should be provided by the contractor and no claims/ qualifications will be accepted.		
Protection		
With this tender, the glazing sub-contractor must supply a statement concerning protection that will be provided to finishes and components until Practical Completion. This to include specific references to the method of removal of such protection. All tenderers to include cost of protection in tender price.		
<u>Installation</u>		
All measurements to be checked on site prior to ordering and manufacturing.		
Aluminium sections and shop drawings to be accepted by Architect prior to manufacturing.		
Allow for water and weather proof polysulphide sealant to approved specifications all around frame junctions to plaster and other materials.		
<u>Profiles</u>		
Tenderers to provide typical details of proposed aluminium section to be used in the design.		
Structural Silicone		
Tenderers to allow a 10 year guarantee on all powdercoating.		
Preliminary and Shop Drawings:		
The contractor shall submit preliminary design drawings showing basic system sections for the Architect's approval.		
After approval and prior to fabrication detailed shop drawings shall be prepared and submitted to the Architect for approval.		
2		
Carried Forward Section No. 2 4 CLASSROOM BLOCK Bill No. 9 Metalwork	R	

Fixing: The contractor is to take special note of all fixing details of all aluminium elements and must allow in his price for properly securing the aluminium sections to the structure with and including all necessary steel brackets, rails, timber grounds and sub-frames, including all necessary holing and bolting, etc. This fixing is to be adequately spaced and securely fixed to ensure total stiffness of the		
of all aluminium elements and must allow in his price for properly securing the aluminium sections to the structure with and including all necessary steel brackets, rails, timber grounds and sub-frames, including all necessary holing and bolting, etc. This fixing is to be adequately spaced and securely fixed to ensure total stiffness of the		
door frames, windows, etc. as no sagging causing improper functioning of the windows and doors will be accepted.		
<u>Deflection of structure:</u>		
The contractor is advised to make adequate provision for the design deflection of the structure.		
<u>Tolerances:</u>		
Sizes are approximate only and measurements on site must be taken before fabrication. Due allowance must be made for tolerances in accordance with the Architect's details.		
Protection:		
The contractor will be required to protect his work during the course of construction, which protection shall be adequate for the purpose and to the full approval of the Architect.		
Such protection shall only be removed after a written instruction from the Architect.		
Cleaning:		
All work must be cleaned down upon completion. Glazing as installed will not be accepted as clean glass and the contractor must allow for polishing glass as and when instructed by the Architect.		
Note: All windows and doors should be read in conjunction with window and door schedules		
WELDED SCREENS, GATES, ETC.		
Carried Forward	R	
Section No. 2 4 CLASSROOM BLOCK Bill No. 9 Metalwork		

	Brought Forward			R	
	Welded MS gate consisting of 50 x 50 x 2.5mm				
	rectangular tubing section frame with 45 degrees mitre at corners, bolted to reveals with 10mm (10M) rawlbolts and welded with 50 x 50 x 5mm mild steel to walls, with 50 x 50 x 2.5mm mild steel rectangular tube gate leaf with 45 degree mitre at corners and two 50 x 50 x 2.5mm horizontal sections, with 12 x 12mm mild steel vertical style solid square bars at				
	100mm c/c, including 3x pair of 20mm diameter bullet-hinges per gate, with "Solid blesbok" 460/313 four lever lockset with rebate set, including welding, bolting, holes, bolts etc., all complete as per the architect's specifications				
2/9/1	Steel gate to door, size 914mm x 2032mm high	No	4		
	PRESSED STEEL DOOR FRAMES				
	1.2mm thick Single rebated frame suitable for one brick walls, complete with lugs and base ties, with red oxide primer factory finish by manufacturer				
2/9/2	914 x 2032mm single door	No	4		
	WINDOWS FRAMES, etc.				
	Standard mild steel school type Top-hung open out window frame (with brass fittings), with burglar bars to opening and fixed sections, consisting of 10mm diameter mild steel round bars to standard NBP2 pattern, welded at intersections and window frames, all as per architect's specification				
2/9/3	Window size 1143 x 1272mm high	No	36		
	MESH IN CEILING VOIDS				
	304/VEM 320G expanded metal mesh size 1200mm x 2400mm manufactured in accordance with SANS 190-1:1983 fixed to 76 x 50mm timber purlins using 40x 0.5mm hat channels @ 400mm centres with 12 x 20mm tac screws.				
2/9/4	In Ceiling voids	m2	252		
	STEEL COLUMNS AND BEAMS				
	Carried Forward			R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 9 Metalwork				

Brought Forward			R	
Welded columns and beams in single lengths with flat section bearer and connection plates bolted and welded to				
76 x 76 x 3mm x 6.54kg/m Mild steel square tubing column	kg	280		
Carried Forward to Summary of Section No.			R	
Section No. 2 4 CLASSROOM BLOCK Bill No. 9 Metalwork				

Item No			Quantity	Rate	Amount
	BILL NO. 10				
	PLASTERING				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	SCREEDS				
	1:4 Cement sand screed on concrete, worked down to a true and even surface with a steel trowel				
2/10/1	30mm Thick on floors and landings	m2	266		
	Granolithic screed on concrete, worked down to a true and even surface with a wood trowel				
2/10/2	30mm Thick on floors	m2	61		
	INTERNAL PLASTER				
	One coat smooth 1:5 cement sand plaster on brickwork to receive finish				
2/10/3	On brick walls	m2	379		
2/10/4	On narrow widths	m2	38		
	CORNER PROTECTORS, DIVIDING STRIPS, ETC				
2/10/5	Aluminium straight edge M-trim suitable for under- screed fixing in vinyl/ceramic, etc. installed as per manufactures recommendation and specification.	m	3		
	Carried Forward to Summary of Section No.			R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 10 Plastering				

Item No		Quantity	Rate	Amount
	BILL NO. 11			
	TILING			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	Pricing			
	Prices are to included for the following: Cutting, handling, labour, adhesive etc.			
	<u>Fixing</u>			
	Tiling described as "fixed with adhesive on power floated concrete" shall be deemed to include for approved tiling key-coat.			
	Ceramic, porcelain, marble and granite tiles are to be fixed, grouted and pointed with suitable adhesives and grouts, as recommended by the Architect. Costs are hereby deemed to include the cost of this requirement.			
	Payment for work that is deemed measurable, in respect of the conditions of contract, and which comprises cutting, leaving, or forming, rectangular holes and notches through tiling is hereby deemed to apply only to holes and notches that do not exceed 600mm girth. Those exceeding 600mm in girth are hereby deemed to be "square cutting", which is hereby deemed to be part of the work description for that type of tiling and is not measurable as a separate item of work.			
	<u>Wastage</u>			
	Tile wastage in excess of 10% will be for the tenderer's account.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No. 1, shall equally apply to this Bill.			
	Carried Forward		R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 11 Tiling			

	Brought Forward			R	
	<u>Note</u>				
	All scaffolding should be provided by the contractor and no claims/qualifications will be accepted.				
	FLOOR TILING				
	420 x 420 x 11.5mm Thick non-slip ceramic tiles (P.C allowance of R 200.00/m2 excludes V.A.T. but includes delivery to site), includes waste, laying, supply and fixing with an approved adhesive and jointing in waterproof cementetious grout				
2/11/1	On floors	m2	266		
2/11/2	75mm high skirting	m	131		
	ATTIC STOCK				
2/11/3	420 x 420 x 11.5mm Thick non-slip ceramic tiles (P.C allowance of R 200.00/m2 excludes V.A.T. but includes delivery to site)	m2	27		
	SUNDRIES				
	10mm aluminium straight edge trim				
2/11/4	Dividing strip between tiles and door frames	m	3		
	Carried Femurard to Summany of Section No.			D	
	Carried Forward to Summary of Section No. Section No. 2 4 CLASSROOM BLOCK Bill No. 11 Tiling			R	

Item No		Quantity	Rate	Amount
	BILL NO. 12			
	PLUMBING AND DRAINAGE (PROVISIONAL)			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	uPVC pipes and fittings:			
	Sewer and drainage pipes and fittings shall be jointed and sealed with butyl rubber rings			
	uPVC pressure pipes and fittings:			
	Pipes for water supply shall be of the class stated			
	Excavations:			
	No claim for excavation in material other than "earth" will be entertained unless the contractor has timeously notified the quantity surveyor thereof prior to backfilling, and has obtained, in writing, authorised classification thereof.			
	"Intermediate material" and " hard rock" shall be as defined in "Earthworks".			
	Quantities of all excavations, carting away excavated material and backfilling are calculated on the nett extent to be formed, or filled, in accordance with drawings and specifications, and the Contractor is to allow in his prices for any bulking.			
	Classes of excavation shall be as S.A.B.S 1200D clause 3.1.2.			
	Laying, backfilling, bedding, etc., of pipes:			
	Pipes shall be laid and bedded, and trenches shall be carefully backfilled, in accordance with the specific instructions			
	Carried Forward		R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 12 Plumbing and Drainage			

	Brought Forward			R	
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	RAINWATER GOODS				
	Similar Approved				
	<u>Gutters</u>				
2/12/1	100 x 100 x 0.6mm thick Ogee profile eaves gutter aluminium box gutter, fixed with and including fixing clips to fascia boards	m	94		
2/12/2	Extra over eaves gutter for stopped end	No	8		
2/12/3	Extra over eaves gutter for corner	No	41		
2/12/4	Extra over eaves gutter for outlet	No	10		
	Rainwater downpipes				
2/12/5	100mm diameter x 0.6mm thick rainwater downpipe with Chromadek finish (Colour: TBC), fixed with and including brackets to wall face, with brackets spaced as per manufacturer's recommendations, and with downpipes spaced as per engineer's specification	m	35		
2/12/6	Extra over downpipe for offset	No	20		
2/12/7	Extra over downpipe for shoe	No	10		
	FIRE FIGHTING EQUIPMENT				
	Extinguishers including initial charge and setting up in position:				
2/12/8	9kg dry chemical powder fire extinguisher	No	8		
2/12/9	Fire hose reel with 30m plastic hose, chromium plated stopcock, shut-off nozzle and wall bracket	No	2		
	Carried Forward to Summary of Section No. Section No. 2 4 CLASSROOM BLOCK Bill No. 12 Plumbing and Drainage			R	

Item No		Quantity	Rate	Amount
	BILL NO. 13			
	GLAZING			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No. 1, shall equally apply to this Bill.			
	Note:			
	All glazing to comply with SABS 1263 Part 3:1998. Light and ventilation to comply with Part O if NBR 0400			
	GLASS TO STEEL WITH PUTTY			
	5mm clear floated glass fixed glazing putty			
2/13/1	Panes exceeding 0.1m2 and not exceeding 0.5m2 m2	52		
	Carried Forward to Summary of Section No.		R	
	Section No. 2 4 CLASSROOM BLOCK			
	Bill No. 13 Glazing			
	Cozziig			

Item No			Quantity	Rate	Amount
	BILL NO. 14				
	<u>PAINTWORK</u>				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No. 1, shall equally apply to this Bill.				
	PAINTWORK ETC TO NEW WORK				
	FIBRE CEMENT				
	Prepare and apply one coat universal undercoat and two coats Super Acrylic PVA paint or similar approved, colour to be confirmed by architect				
2/14/1	On internal ceilings and cornices	m2	328		
2/14/2	Fibre cement fascias boards not exceeding 300mm high or wide painted on both side	m	94		
	FLOATED PLASTER INTERNAL WALLS				
	Prepare and apply one coat merit universal undercoat and two coats Super Acrylic PVA paint or similar approved, colour to be confirmed by architect				
2/14/3	Plastered walls	m2	379		
	METAL SURFACES				
	Prepare and apply one coat Duraphos, one coat universal under coat and two coats gloss enamel paint, colour to be confirmed by architect				
2/14/4	On gates, grilles, burglar screens, balustrades, etc (both sides measured on full flat area)	m2	15		
	Carried Forward			R	
	Section No. 2 4 CLASSROOM BLOCK Bill No. 14 Paintwork				

	Brought Forwa	ard		R	
2/14/5	On window frames	m2	52		
2/14/6	On door frames	m2	5		
2/14/7	On mild steel columns, beams, etc	m2	13		
2/14/8	On gutters	m	94		
2/14/9	On downpipes	m	36		
	WOOD				
	Prepare and paint three coats clear varnish:				
2/14/10	On door	m2	13		
	Carried Easyard to Common of Cartiers	No			
	Carried Forward to Summary of Section I Section No. 2 4 CLASSROOM BLOCK Bill No. 14 Paintwork	NO.		R	

	SECTION SUMMARY			
Bill No		Page No		Amount
2/1	Earthworks	2/3		
2/2	Concrete,Formwork and Reinforcement	2/7		
2/3	Masonry	2/10		
2/4	Waterproofing	2/11		
2/5	Roof Coverings	2/13		
2/6	Carpentry and Joinery	2/17		
2/7	Ceilings,Partitions and Access Flooring	2/20		
2/8	Ironmongery	2/23		
2/9	Metalwork	2/28		
2/10	Plastering	2/29		
2/11	Tiling	2/31		
2/12	Plumbing and Drainage	2/33		
2/13	Glazing	2/34		
2/14	Paintwork	2/36		
	Carried to Final Summary		R	
	Section No. 2			
	4 CLASSROOM BLOCK			

Item No		Quantity	Rate	Amount	-
	BILL NO. 1				_
	EARTHWORKS (PROVISIONAL)				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	<u>NOTES</u>				
	Carting away of excavated material				
	Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site				
	Filling				
	Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any multiple handling of material				
	Excavations measured in successive depths of 2m.				
	SITE CLEARANCE ETC				
					_
	Carried Forward Section No. 3 2 GRADE R CLASSROOM BLOCK		R		
	Bill No. 1 Earthworks				

	Brought Forward			R	
	Site clearance				
3/1/1	Digging up and removing rubbish, debris, vegetation, hedges, shrubs and trees not exceeding 200mm girth, bush, etc	m2	366		
	EXCAVATIONS				
	Excavation in earth not exceeding 2m deep				
3/1/2	Trenches	m3	94		
	Extra over excavations in earth to trenches and holes for				
3/1/3	Excavation in soft rock	m3	9		
3/1/4	Excavation in hard rock	m3	5		
	CARTING AWAY OF EXCAVATED MATERIAL				
	Note:				
	Description of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or , alternatively, from stock piles situated on the building site.				
3/1/5	Extra over all excavation for carting away surplus material from excavation and / or stockpile on site to a dumping site to be located by the Contractor	m3	54		
	RISK OF COLLAPSE OF EXCAVATIONS				
	Risk of collapse to side of excavation in earth not exceeding 1,5m deep				
3/1/6	Trenches and holes	m2	294		
	KEEPING EXCAVATIONS FREE FROM WATER				
3/1/7	Keeping excavations free of all water other than subterranean water		Item		
	FILLING, ETC.				
	Carried Forward			R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 1 Earthworks				

	Brought Forward			R	
	Earth filling obtained from the excavations and/or prescribed stock piles on site compacted to 93% Mod AASHTO density in layers not exceeding 150mm thick				
3/1/8	Backfilling to trenches, holes, etc	m3	45		
3/1/9	Under floors, steps, pavings, etc	m3	177		
	Imported gravel filling (G7) stabilise with 2-3% cement compacted to 93% Mod AASHTO density in layers not exceeding 150mm thick				
3/1/10	Backfilling to trenches, holes, etc	m3	14		
3/1/11	Under floors, steps, pavings, etc	m3	39		
	Filling supplied by the Contractor under floors, trenches, etc.				
3/1/12	Sub-base filling (G5) from excavations under solid floors, steps, etc. compacted to 95% modified AASHTO density in layers not exceeding 150mm thick	m3	39		
	COMPACTION OF SURFACES				
3/1/13	Prepare ground surface by scarifying sub-grade, rip and re-compact 150mm to 90% modified AASHTO density	m2	330		
	WEED KILLERS, INSECTICIDES, TERMITES, etc.				
	Protection against termites, ants, etc				
3/1/14	Under floors etc including forming and poisoning shallow furrows against foundation walls etc, filling in furrows and ramming	m2	330		
3/1/15	To bottom and sides of excavated trenches, Holes, etc.	m2	388		
	Coming Company to Common of Continue No.			5	
	Carried Forward to Summary of Section No. Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 1 Earthworks			R	

Item No		Quantity	Rate	Amount
	BILL NO. 2			
	CONCRETE, FORMWORK AND REINFORCEMENT			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	Cost of tests			
	The costs of making, storing and testing of concrete test cubes as required under clause 7, "Tests" of SANS 1200 G, shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)			
	<u>Formwork</u>			
	Descriptions of formwork shall be deemed to include use and waste only (except where described as "left in" or "permanent"), for fitting together in the required forms, wedging, plumbing and fixing to true angles and surfaces as necessary to ensure easy release during stripping and for reconditioning as necessary before reuse. The vertical strutting shall be carried down to such construction as is sufficiently strong to afford the required support without damage and shall remain in position until the newly constructed work is able to support itself.			
	Carried Forward Section No. 3 2 GRADE R CLASSROOM BLOCK		R	
	Bill No. 2 Concrete,Formwork and Reinforcement			

Formwork to soffits of solid slabs, etc. shall be deemed to be to slabs not exceeding 250mm thick unless otherwise described. Formwork to soffits of slabs, beams, etc. shall be deemed to be propped up exceeding 1,5m and not exceeding 3,5m high unless otherwise described. Formwork to sides of bases, pile caps, ground beams, etc. will only be measured where it is prescribed by the engineer for design reasons. Formwork necessitated by irregularity, or collapse of exceptated faces will not be		
etc. will only be measured where it is prescribed by the engineer for design reasons. Formwork necessitated by		
irregularity or collapse of excavated faces will not be measured and the cost thereof shall be deemed to be included in the allowance for taking the risk of collapse of the sides of the excavations, provision for which is made in "Earthworks".		
The Tenderer is to note that for the "off-shutter" concrete finish shall be in accordance with the architectural specification 616 CON-140: Smooth + fair		
finish:- Degree of accuracy: I Finish: Smooth and even Form facing material to produce a smooth, hard, uniform texture on the concrete Steel faced formwork. Joints grout-tight. Panels shall be as large as practicable and arranged in a regular pattern as a feature of the surface		
 Formwork tie holes: to the approval of the architect Repair imperfections: not allowed. Tie bolt holes shall be patched Not permitted: blowholes, small fins, bulges, irregularities, voids, honeycombing, segregation and other large defects. Concrete surfaces: No further treatment to form a smooth finish of uniform texture, appearance and colour 		
Structural Concrete		
Tenderers are referred to the Structural Engineer's - Standard Specifications which should be read before pricing this trade in particular, but also the other trades. The use of extenders, fly-ash, etc. are clearly described on this drawing.		
Carried Forward	R	
Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 2 Concrete,Formwork and Reinforcement		

	Broug	ht Forward		R	
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equente to this Bill.	ually apply			
	UNREINFORCED CONCRETE CAST AGEXCAVATED SURFACES	<u>AINST</u>			
	15Mpa/19mm concrete				
3/2/1	Blinding	m3	5		
	REINFORCED CONCRETE CAST AGAIN EXCAVATED SURFACE	<u>IST</u>			
	25MPa/19mm Concrete				
3/2/2	Strip footings	m3	23		
	REINFORCED CONCRETE CAST IN FORMWORK				
	20Mpa/19mm concrete				
3/2/3	Concrete Apron cast to fall etc,	m3	7		
	25MPa/19mm Concrete				
3/2/4	Surface beds cast in panels	m3	34		
	TEST BLOCKS				
	Notes:				
	Concrete strength test cubes, label and send tapproved laboratory for testing, pay all charges submit report to the Regional Representative. successful tests will be paid for (Provisional)	s and			
3/2/5	Making and testing 150 x 150 x 150mm concrestrength test cube (Provisional)	ete No	31		
	SUNDRIES TO CONCRETE				
	Carrie	ed Forward		R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 2				
	Concrete,Formwork and Reinforcement				

	Brought Forward			R	_
	Surface treatment				
3/2/6	Power float top surface of concrete surface bed to a true and even level finish	m2	330		
	ROUGH FORMWORK (DEGREE OF ACCURACY II)				
	Rough formwork to sides				
3/2/7	Edges, risers, ends and reveals not exceeding 300mm high or wide	m	143		
	MOVEMENTS JOINTS ETC,				
	Saw cuts Joints				
3/2/8	3 x 30mm In saw cut joints in floors	m	34		
	Expansion joints				
3/2/9	10mm soft board or similar approved between concrete and brick wall	m	72		
	REINFORCEMENT (PROVISIONAL)				
	High and mild tensile steel reinforcement to structural concrete work				
3/2/10	All diameter bars	t	2		
	Fabric reinforcement:				
3/2/11	Type 245 fabric reinforcement in concrete surface beds, slabs, etc.	m2	259		
					—
	Carried Forward to Summary of Section No. Section No. 3			R	_
	2 GRADE R CLASSROOM BLOCK Bill No. 2				
	Concrete,Formwork and Reinforcement				

Item No		Quantity	Rate	Amount
	BILL NO. 3			
	MASONRY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	Sizes in descriptions			
	Where sizes in descriptions are given in brick units, "one brick" shall represent the length and "half brick" the width of a brick			
	Hollow walls etc			
	Descriptions of hollow walls shall be deemed to include leaving every fifth perpend of the bottom course of the external skin open as a weep hole. Walls in two skins described as "bagged and sealed" shall be deemed to include having the outer face of the inner skin bagged with 1:6 cement and sand mixture and sealed with two coats "Brickseal" bitumen emulsion waterproofing coating.			
	Face bricks			
	Bricks shall be ordered timeously to obtain uniformity in size and colour			
	Carried Forward		R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 3 Masonry			

	Brought Forward			R	
	<u>Pointing</u>				
	Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc				
	BRICKWORK IN FOUNDATION				
	Brickwork in 73mm burnt clay masonry units class NFP in Class II mortar, laid in stretcher bond with 10mm flush joints				
3/3/1	One brick wall	m2	110		
	SUPERSTRUCTURE BRICKWORK				
	Brickwork of NFP brick in class II mortar laid in stretcher bond with 10mm flush joints				
3/3/2	One brick wall	m2	327		
3/3/3	Half brick wall	m2	65		
3/3/4	Half brick wall, in beamfilling	m2	11		
	Mass brickwork in regular piers of NFP brick in class II mortar laid in stretcher bond				
3/3/5	360 x 230mm Brick Piers	m3	2		
3/3/6	330 x 330mm Brick Piers	m3	4		
	FACE BRICKWORK				
	Bricks shall be ordered timeously to obtain uniformity in size and colour				
	"Corobrick" face bricks (Colour: TBC) with PC sum amount of R 4 500.00 per thousand bricks delivered to site (excluding VAT) manufactured in accordance with SANS 227-2007, bedded and jointed in Class II mortar and pointed with recessed 6mm joints in both directions				
3/3/7	Extra over brickwork for face brickwork in foundations (Provisional)	m2	220		
	Carried Forward Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 3 Masonry			R	

	Brought Forward			R	Τ
3/3/8	Extra over brickwork for face brickwork in superstructure	m2	215		
3/3/9	Extra over brickwork for face brickwork in brick-on-edge header course lintel	m	24		
3/3/10	Extra over brickwork for face brickwork in brick-on-edge header course sills, bedded in mortar and set slightly sloped	m	20		
3/3/11	Extra over brickwork for face brickwork to piers	m2	80		
3/3/12	Extra over brickwork for face brickwork in beamfilling	m2	11		
	BRICKWORK SUNDRIES				
	Brickwork reinforcement				
3/3/13	75mm Wide reinforcement built in horizontally	m	190		
3/3/14	150mm Wide reinforcement built in horizontally.	m	1 642		
	"Allied concrete" or similar approved prestressed fabricated lintels				
3/3/15	100 x 70mm Lintels in lengths not exceeding 3m	m	27		
3/3/16	175 x 70mm Lintels in lengths not exceeding 3m	m	19		
	Turning pieces				
3/3/17	110mm Wide turning piece to flat brick lintels	m	34		
	Air bricks etc				
3/3/18	Set of 2 240 x 155mm Terracota air bricks as per architects specification	No	5		
	Fair cutting to face brickwork				
3/3/19	Fair raking cutting at gables	m	77		
	Roof ties				
3/3/20	30 x 1.2mm galvanised steel strapping, built into wall for 5 courses and minimum 800mm to be fixed to trusses	No	64		
	Carried Forward			R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 3 Masonry				

	Brought Forward		R	
	MOVEMENTS JOINTS ETC,			
	Expansion joints			
3/3/21	30mm softboard between vertical brick surfaces not exceeding 300mm wide m2	2 15		
	Carried Forward to Summary of Section No.		R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 3			
	Masonry			

Item No			Quantity	Rate	Amount
	BILL NO. 4				
	WATERPROOFING				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	DAMP PROOFING OF WALLS AND FLOORS				
	One layer of 375 micron "Consol Plastic Brikgrip DPC" embossed damp proof course				
3/4/1	Under walls	m2	3		
3/4/2	Under cills, etc.	m2	4		
	One layer of 250 micron "USB Green" or similar approved dampproof membrane sealed at laps with PVC self -adhesive tape				
3/4/3	Under surface beds.	m2	330		
	JOINTS SEALANTS, ETC.				
	Mastic grey polysulphide sealing compound including raking out of joints filler as necessary				
3/4/4	3 x 30mm In saw cut joints in floors	m	34		
3/4/5	10mm Isolation Joints between surface bed concrete and brick wall	m	72		
	Carried Forward to Summary of Section No. Section No. 3			R	
	2 GRADE R CLASSROOM BLOCK Bill No. 4 Waterproofing				

Item No		Q	uantity	Rate	Amount
	BILL NO. 5				
	ROOF COVERINGS				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	ROOF SHEETING				
	0.6mm thick "Brownbuilt Klip-lok light Industrial" galvanised troughed roof sheeting with "Chromadek - Traffic Green" finish on one side, and 0.6mm galvanised steel accessories fixed to timber purlins or rails fixed in strict accordance to the manufacturer's instructions and fixed by an approved erector. A written and approved five (5) year guarantee of water-tightness shall be issued after approval of roofs by the manufacturer				
3/5/1	Roof sheeting pitch not exceeding 25 degrees	m2	366		
3/5/2	550mm girth Ridge capping, 3 times bent and notched on site to suit roof profile	m	28		
3/5/3	550mm girth Hip capping, 3 times bent and notched on site to suit roof profile.	m	21		
	ROOF AND WALL INSULATION				
	Carried Forward			R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 5 Roof Coverings			.,	

	Brought Forward			R	
	Sisalation "Bubble Foil" aluminium foil binded insulation				
3/5/4	135mm thick Insulation laid over purlins (at approximately 750mm centres), fixed concurrent with sheeting with and including galvanised steel accessories	m2	366		
					_
	Carried Forward to Summary of Section No. Section No. 3 2 GRADE R CLASSROOM BLOCK			R	
	Bill No. 5 Roof Coverings				

Item No		Quantity	Rate	Amount
	BILL NO. 6			
	CARPENTRY AND JOINERY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	<u>Joinery</u>			
	Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc.			
	Descriptions of hardwood joinery shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete.			
	<u>Fixing</u>			
	Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete			
	Decorative laminate finish			
	Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish			
	<u>Timber</u>			
	All softwood to be South African Pine			
	Carried Forward		R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 6 Carpentry and Joinery			

Brought Forward	R	
<u>Descriptions</u>		
Items described as "bolted" shall be deemed to exclude the bolts and include the holes unless otherwise described.		
Where the fixing of members is not stated it shall mean the nailing of one timber member to another.		
The term "planted on" shall mean the nailing of one timber member to another		
The term "screwed on" shall mean the countersunk screwing of one timber member to another.		
The term "screwed on and pelleted" shall mean the screwing of one timber member to another with the heads of screw sunk and pelleted.		
The term "plugged" shall mean the countersunk screwing of a timber member to and including plastic plugs in brickwork or concrete.		
The term "plugged and pelleted" shall mean the screwing of a timber member to and including plastic plugs in brickwork or concrete with heads of screw sunk and pelleted.		
Shelving, etc. described as screwed to steel must be fixed from underside and prices are to include for countersunk drilling through the steel for screw fixing.		
Descriptions of floors, ceilings, joinery, etc. shall be deemed to include for all square cutting		
Descriptions of items given in linear metre shall be deemed to include for mitres, stopped ends, fitted intersections, etc.		
Descriptions of rounded angles, rebates, grooves, chamfers, moulded edges, etc. shall be deemed to include for angles, ends, etc.		
ROOFS, ETC		
Carried Forward	R	
Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 6		
Carpentry and Joinery		

	Brought Forward			R	Г
	Plate nailed timber roof truss construction				
	The following is applicable in respect of roof trusses:				
	All timber to be sawn softwood in accordance with V4 or M4 as defined in SABS 563 or SABS 1245.				
	Metal connector plates shall have a minimum yield strength of 228 MPa and a minimum ultimate tensile strength of 330 Mpa with hot-dip galvanised finish.				
	All joints to be close fitted butt joints.				
	Trusses shall be designed by a registered supplier of prefabricated trusses who shall issue an Engineers Certificate upon completion of the installation.				
	The dimensions in the descriptions of the trusses are nominal and actual measurements are to be obtained on site before design or fabrication commences.				
	Tenderers must study the roof plan and sections as attached to the back of these bills of quantities and must obtain prices from a qualified and registered roof truss supplier as no claims in this regard will be entertained.				
	Roof trusses				
3/6/1	Design, supply, take delivery, temporary store, hoist in position and erect plate nailed timber roof trusses, purlins, gang boarding, temporary and permanent bracing, etc (measured on plan)	m2	305		
	Sawn softwood				
3/6/2	38 x 114mm Wall plates	m	76		
	<u>Sundries</u>				
3/6/3	Two coats creosote on sawn timbers	m2	28		
	Carried Forward			R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 6 Carpentry and Joinery				

"Everite FC77" Fascia and badge boards				i I	
15 x 225mm Pressed fibre cement fascia boards, fixed to supports and roof timbers with one brass screw at maximum 750mm centres, including standard aluminium half round cover strips at all joints, as per architect's specification	m	77			
15 x 80 x 300mm fibre cement barge board	m	77			
DOORS ETC					
44mm thick solid R&F panel meranti timber doors with masonite backing with 15 horizontal slates on both sides hung to steel frames					
813 x 2032mm single door	No	4			
914 x 2032mm single door	No	13			
WINDOWS					
"Nutec" fibre cement window cills					
150mm x 15mm thick fibre cement Window sill set flat and slightly projecting, with window sill lug screwed to underside of sill at 400mm centres, minimum of 75mm from end of window sill and bedded in 1:4 cement sand mortar with plastic slip joints at end of sills at plaster reveals and projecting from finished face of wall, all as per manufacturer's recommendations	m	20			
Carried Forward to Summary of Section No. Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 6			R		
	half round cover strips at all joints, as per architect's specification 15 x 80 x 300mm fibre cement barge board DOORS ETC 44mm thick solid R&F panel meranti timber doors with masonite backing with 15 horizontal slates on both sides hung to steel frames 813 x 2032mm single door 914 x 2032mm single door WINDOWS "Nutec" fibre cement window cills 150mm x 15mm thick fibre cement Window sill set flat and slightly projecting, with window sill lug screwed to underside of sill at 400mm centres, minimum of 75mm from end of window sill and bedded in 1:4 cement sand mortar with plastic slip joints at end of sills at plaster reveals and projecting from finished face of wall, all as per manufacturer's recommendations Carried Forward to Summary of Section No. Section No. 3 2 GRADE R CLASSROOM BLOCK	half round cover strips at all joints, as per architect's specification m 15 x 80 x 300mm fibre cement barge board m DOORS ETC 44mm thick solid R&F panel meranti timber doors with masonite backing with 15 horizontal slates on both sides hung to steel frames 813 x 2032mm single door No 914 x 2032mm single door No WINDOWS "Nutec" fibre cement window cills 150mm x 15mm thick fibre cement Window sill set flat and slightly projecting, with window sill lug screwed to underside of sill at 400mm centres, minimum of 75mm from end of window sill and bedded in 1:4 cement sand mortar with plastic slip joints at end of sills at plaster reveals and projecting from finished face of wall, all as per manufacturer's recommendations m Carried Forward to Summary of Section No. Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 6	half round cover strips at all joints, as per architect's specification m 77 15 x 80 x 300mm fibre cement barge board m 77 DOORS ETC 44mm thick solid R&F panel meranti timber doors with masonite backing with 15 horizontal slates on both sides hung to steel frames 813 x 2032mm single door No 4 914 x 2032mm single door No 13 WINDOWS "Nutec" fibre cement window cills 150mm x 15mm thick fibre cement Window sill set flat and slightly projecting, with window sill lug screwed to underside of sill at 400mm centres, minimum of 75mm from end of window sill and bedded in 1:4 cement sand mortar with plastic slip joints at end of sills at plaster reveals and projecting from finished face of wall, all as per manufacturer's recommendations m 20 Carried Forward to Summary of Section No. Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 6	half round cover strips at all joints, as per architect's specification m 77 15 x 80 x 300mm fibre cement barge board m 77 DOORS ETC 44mm thick solid R&F panel meranti timber doors with masonite backing with 15 horizontal slates on both sides hung to steel frames 813 x 2032mm single door No 13 WINDOWS "Nutec" fibre cement window cills 150mm x 15mm thick fibre cement Window sill set flat and slightly projecting, with window sill lug screwed to underside of sill at 400mm centres, minimum of 75mm from end of window sill and bedded in 1:4 cement sand mortar with plastic slip joints at end of sills at plaster reveals and projecting from finished face of wall, all as per manufacturer's recommendations m 20 Carried Forward to Summary of Section No. Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 6	half round cover strips at all joints, as per architect's specification m 77 15 x 80 x 300mm fibre cement barge board m 77 DOORS ETC 44mm thick solid R&F panel meranti timber doors with masonite backing with 15 horizontal slates on both sides hung to steel frames 813 x 2032mm single door No 4 914 x 2032mm single door No 13 WINDOWS "Nutec" fibre cement window cills 150mm x 15mm thick fibre cement Window sill set flat and slightly projecting, with window sill lug screwed to underside of sill at 400mm centres, minimum of 75mm from end of window sill and bedded in 1:4 cement sand mortar with plastic slip joints at end of sills at plaster reveals and projecting from finished face of wall, all as per manufacturer's recommendations m 20 Carried Forward to Summary of Section No. R Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 6

Item No		Quantity	Rate	Amount
	BILL NO. 7			
	CEILINGS, PARTITIONS AND ACCESS FLOORING			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	<u>Fixing</u>			
	Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 500mm centres, and where described as "bolted", the bolts have been given elsewhere.			
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins, or to be shot-pinned, to brickwork or concrete			
	Ceilings & Bulkheads			
	Unless otherwise described ceilings shall be deemed to be horizontal			
	Steel components			
	All steel components for ceilings, partitions, etc are to be galvanised in accordance with SANS 121			
	Carried Forward		R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 7			
	Ceilings,Partitions and Access Flooring			

	Brought Forward			R	
	Proprietary suspended ceilings				
	Hangers, suspension grids, "lay-in" panels, etc are to be in accordance with the manufacturers' recommendations				
	Where electrical light fittings, diffusers, panels etc are units of the same dimensions as the suspension grid described and allowance must be made in the rates accordingly for their support inclusive of any flexibility in setting out that may be required (ceiling panels have not been deducted and pricing is to take cognisance thereof)				
	Suspension systems				
	Where suspensions of ceilings require a sub-grid, the tenderer should include in his rates for the sub-grid. The design of the sub-grid support is not specified, the tenderer is to obtain the necessary requirements and recommendations for a safe installation from the board and suspension system manufacturer to the satisfaction of the structural engineer.				
	NAILED UP CEILINGS				
	FIBRE - CEMENT BOARDS				
	Similar Approved				
	6mm "Everite Nutec" Fibre-cement boards, jointed with and including galvanised H-type primed pressed steel jointing strips, including brandering as per architect's specifications				
3/7/1	2400 x 1200mm x 6mm Horizontal ceilings, fixed to and including 38 x 38mm sawn softwood brandering at maximum 400mm centres using 38mm long galvanised nails	m2	211		
	CORNICES				
	Similar Approved				
	"Rhino" plasterboard cornice				
3/7/2	75mm Coved cornice, plugged to brickwork	m	226		
	Carried Forward			R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 7 Ceilings,Partitions and Access Flooring			X	

	Brought Forward			R	
	SUNDRIES				
	Extra over for Trap Doors				
3/7/3	Extra over ceiling for 600 x 600mm trap door of 38 x 50mm wrought softwood rebated framing, with one 38 x 38mm sawn softwood cross brander covered with ceiling board and fitted flush in opening	No	2		
	CEILING INSULATION				
	Insulation				
3/7/4	125mm thick Glass wool insulation blanket closely fitted and laid on top of ceiling panels, all in strict accordance with the manufacturer's specifications.	m2	211		
	Carried Forward to Summary of Section No. Section No. 3			R	_
	2 GRADE R CLASSROOM BLOCK Bill No. 7 Coilings Portitions and Assess Flooring				
	Ceilings,Partitions and Access Flooring				

Item No		Quantity	Rate	Amount
	BILL NO. 8			
	IRONMONGERY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	Where ironmongery is described as plugged, prices are to include for screwing to and including approved patent plugs in concrete or brickwork with plaster or tiled finish, etc.			
	Proprietary items			
	Where applicable the manufacturers' names or product catalogue titles are given in sub-headings preceding the items			
	Prices are to be based on the specific products/articles specified. If tenderers wish to offer alternative products/articles for certain items, these items are to be clearly marked and the alternative specification given with supporting brochures etc clarifying the features of the products/articles offered			
	On request returnable samples are to be provided to the principal agent for consideration			
	Carried Forward		R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 8 Ironmongery			

	Brought Forward			R	
	Finishes to ironmongery				
	Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list: BS Satin bronze lacquered CH Chromium plated SC Satin chromium plated SE Silver enamelled GE Grey enamelled AN Anodised natural AS Anodised silver AB Anodised bronze AG Anodised gold ABL Anodised black PB Polished brass PL Polished and lacquered PT Epoxy coated SD Sanded				
	Rates The tenderer is to price for supply, taking delivery of, storing and fixing of the ironmongery listed below.				
	DOOR FURNITURE				
	Similar Approved				
	<u>Handles</u>				
3/8/1	SS 325 x 25mm straight tubular pull handle with flange fixing (Code: DPH301B)	No	4		
3/8/2	SS Pull handle BT fixed on a 75 x 170 x 1.2mm thick Grade 430 steel plate with no cylinder cutout, with steel plate to have 4 countersunk holes for screw fixing (Code: DHP-430-BL 75X170)	No	4		
3/8/3	SS Pull handle BT fixed on a 150 x 300 x 1.2mm thick Grade 430 steel plate with no cylinder cutout, with steel plate to have 6 countersunk holes for screw fixing (Code: DHP-430-BL 150X300)	No	6		
	<u>Locks</u>				
3/8/4	SS Bathroom deadlock, with case size 102 x 78mm, with forend size 155 x 22mm, with 57mm backset (Code: D032D SS)	No	6		
	Carried Forward			R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 8 Ironmongery				

	Brought Forward			R	
3/8/5	SS Cylinder deadlock, with case size 116.5 x 78mm, with forend size 168 x 22mm, with 57mm backset (Code: D037D SS)	No	6		
3/8/6	SN 43mm five pin Euro-profile single cylinder master keyed (Code: DSC104301 MK)	No	10		
3/8/7	SC 150mm Cabin hook (Code: CH 150)	No	4		
3/8/8	SS disabled WC indicator (red and white) and turnknob for the physically impaired (Code: DWC-006)	Sets	2.0		
3/8/9	SS bathroom WC indicator (red and white) and turnknob (Code: DWC-005)	Sets	4.0		
	Kick and push plates				
3/8/10	SS 200 x 813 x 1.2mm thick Grade 430 kick plate, with 10 countersunk holes for screw fixing (Code: DKP-430-200)	No	32		
3/8/11	SS 75 x 170 x 1.2mm thick Grade 430 steel plate, with steel plate to have 4 countersunk holes for screw fixing (Code: DPP-430-BL 75X170)	No	4		
3/8/12	SS 150 x 300 x 1.2mm thick Grade 430 steel plate, with cylinder cutout right, with steel plate to have 6 countersunk holes for screw fixing (Code: DPP-430-CR 150X300)	No	6		
	Signage				
3/8/13	SS 150 x 150mm "DISABLED PERSONS" sign (Code: DSS-133 P)	No	2		
	Panic hardware				
3/8/14	Three point locking panic bar for single door (Code: PHA3/S DD)	Sets	4.0		
3/8/15	Exterior access lock with lever handle (cylinder not included) (Code: PHT3901)	No	4		
	Carried Forward			R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 8 Ironmongery				

	Brought Forward			R		
	Door closers					
3/8/16	EN 2-4 parallel arm delayed action door closer, with push side fixing (parallel arm bracket included) EN 2 750-850, EN3 850-950, EN4 950-1100 (Colour: Silver) (Code: TS73V PA DC + parallel arm bracket)	No	2			
3/8/17	Non hold open cam action slide channel door closer for 950mm maximum door width, with closing force EN 3, with hydraulic speed control, with pull-side door leaf fixing (standard) and push-side transom fixing (Colour: Silver) (Code: TS91B)	No	6			
	<u>Sundries</u>					
3/8/18	Male / Female fixing screws (Qty 4 per pack)	Sets	10.0			
3/8/19	SS Hat and coat hook with rubber buffer (Code: DHC-SS-031B)	No	4			
3/8/20	NP floor mounted Door stop (Code: DDS-NP-018)	No	8			
	PINNING BOARDS, WRITING BOARDS, PROJECTION SCREENS, etc.					
	Pinning board consisting of pinning material/carpet surface laminated to a soft board core, complete with beading all around with a natural anodised aluminium channel surround, and surround mitred at the corners					
3/8/21	2400 x 1200mm high board (Colour: Light Grey), fixed to wall in strict accordance with manufacturer's recommendations	No	2			
	Porcelain magnetic marker board, complete with anodised aluminium frame and slide-in aluminium pen tray					
3/8/22	2000 x 1300mm high board (Colour: White), fixed to wall in strict accordance with manufacturer's recommendations	No	4			
	SUNDRIES					
	Carried Forward			R		
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 8 Ironmongery					
l		I		 	ı l	

	Brought Forward		R	
	<u>Approved</u>			
3/8/23	"CZ8730SC" Door stop or similarly approved to wall or floors No	17		
				<u> </u>
	Carried Forward to Summary of Section No.		R	<u> </u>
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 8			
	Ironmongery			

Item No		Quantity	Rate	Amount
	BILL NO. 9			
	METALWORK			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	ALUMINIUM			
	The contractor is to make due allowance in his prices for complying with the following requirements.			
	SPECIFICATIONS			
	User Note:			
	Glazing			
	All Safety glazing material (individual panes) are to conform to all standards as stipulated in SANS 10400 Part N and SANS 10137 and any additional Engineer Specifications or relevant SANS glazing regulations not stipulated in this document. All tenderers are referred to the drawings for the glazing specification.			
	Ironmongery			
	All rates for windows, shopfronts and doors etc. must include for the supply, taking delivery or/and installation of the ironmongery to be specified.			
	Carried Forward		R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 9 Metalwork			

Brought Forwa	ard R	
<u>Actuators</u>		
All rates for shopfronts with actuators to include for the supply and installation of actuators as specified		
Scaffolding		
All scaffolding should be provided by the contractor and no claims/ qualifications will be accepted.		
<u>Protection</u>		
With this tender, the glazing sub-contractor must supply a statement concerning protection that will be provided to finishes and components until Practical Completion. This to include specific references to the method of removal of such protection. All tenderers to include cost of protection in tender price.		
Installation		
All measurements to be checked on site prior to ordering and manufacturing.		
Aluminium sections and shop drawings to be accepted by Architect prior to manufacturing.		
Allow for water and weather proof polysulphide sealant to approved specifications all around frame junctions to plaster and other materials.		
<u>Profiles</u>		
Tenderers to provide typical details of proposed aluminium section to be used in the design.		
<u>Structural Silicone</u>		
Tenderers to allow a 10 year guarantee on all powdercoating.		
Preliminary and Shop Drawings:		
The contractor shall submit preliminary design drawings showing basic system sections for the Architect's approval.	5	
Carried Forwa	ard R	
Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 9 Metalwork		

Brought Forward	R	
After approval and prior to fabrication detailed shop drawings shall be prepared and submitted to the Architect for approval.		
Fixing:		
The contractor is to take special note of all fixing details of all aluminium elements and must allow in his price for properly securing the aluminium sections to the structure with and including all necessary steel brackets, rails, timber grounds and sub-frames, including all necessary holing and bolting, etc. This fixing is to be adequately spaced and securely fixed to ensure total stiffness of the door frames, windows, etc. as no sagging causing improper functioning of the windows and doors will be accepted.		
Deflection of structure:		
The contractor is advised to make adequate provision for the design deflection of the structure.		
<u>Tolerances:</u>		
Sizes are approximate only and measurements on site must be taken before fabrication. Due allowance must be made for tolerances in accordance with the Architect's details.		
Protection:		
The contractor will be required to protect his work during the course of construction, which protection shall be adequate for the purpose and to the full approval of the Architect.		
Such protection shall only be removed after a written instruction from the Architect.		
Cleaning:		
All work must be cleaned down upon completion. Glazing as installed will not be accepted as clean glass and the contractor must allow for polishing glass as and when instructed by the Architect.		
Note: All windows and doors should be read in conjunction with window and door schedules		
Carried Forward	R	
Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 9 Metalwork		

	Brought Forward	I		R	<u> </u>
	WELDED SCREENS, GATES, ETC.				
	Welded MS gate consisting of 50 x 50 x 2.5mm rectangular tubing section frame with 45 degrees mitre at corners, bolted to reveals with 10mm (10M) rawlbolts and welded with 50 x 50 x 5mm mild steel to walls, with 50 x 50 x 2.5mm mild steel rectangular tube gate leaf with 45 degree mitre at corners and two 50 x 50 x 2.5mm horizontal sections, with 12 x 12mm mild steel vertical style solid square bars at 100mm c/c, including 3x pair of 20mm diameter bullet-hinges per gate, with "Solid blesbok" 460/313 four lever lockset with rebate set, including welding, bolting, holes, bolts etc., all complete as per the architect's specifications				
3/9/1	Steel gate to door, size 813mm x 2032mm high	No	5		
	PRESSED STEEL DOOR FRAMES				
	1.2mm thick Single rebated frame suitable for half brick walls, complete with lugs and base ties, with red oxide primer factory finish by manufacturer				
3/9/2	813 x 2032mm single door	No	4		
3/9/3	914 x 2032mm single door	No	6		
	1.2mm thick Single rebated frame suitable for one brick walls, complete with lugs and base ties, with red oxide primer factory finish by manufacturer				
3/9/4	914 x 2032mm single door	No	7		
	WINDOWS FRAMES, etc.				
	Standard mild steel school type Top-hung open out window frame (with brass fittings), with burglar bars to opening and fixed sections, consisting of 10mm diameter mild steel round bars to standard NBP2 pattern, welded at intersections and window frames, all as per architect's specification				
3/9/5	Window size 881 x 1240mm high	No	12		
3/9/6	Window size 881 x 820mm high	No	8		
3/9/7	Window size 534 x 648mm high	No	4		
	Carried Forward to Summary of Section No. Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 9 Metalwork			R	

Item No			Quantity	Rate	Amount
	BILL NO. 10				
	PLASTERING				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	SCREEDS				
	1:4 Cement sand screed on concrete, worked down to a true and even surface with a steel trowel				
3/10/1	30mm Thick on floors and landings	m2	174		
3/10/2	30mm Thick to falls and currents	m2	7		
	INTERNAL PLASTER				
	One coat smooth 1:5 cement sand plaster on brickwork to receive finish				
3/10/3	On brick walls	m2	496		
3/10/4	On narrow widths	m2	50		
	CORNER PROTECTORS, DIVIDING STRIPS, ETC				
3/10/5	Aluminium straight edge M-trim suitable for underscreed fixing in vinyl/ceramic, etc. installed as per manufactures recommendation and specification.	m	100		
	Carried Forward to Summary of Section No.			R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 10 Plastering				

Item No		Quantity	Rate	Amount
	BILL NO. 11			
	TILING			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	Pricing			
	Prices are to included for the following: Cutting, handling, labour, adhesive etc.			
	<u>Fixing</u>			
	Tiling described as "fixed with adhesive on power floated concrete" shall be deemed to include for approved tiling key-coat.			
	Ceramic, porcelain, marble and granite tiles are to be fixed, grouted and pointed with suitable adhesives and grouts, as recommended by the Architect. Costs are hereby deemed to include the cost of this requirement.			
	Payment for work that is deemed measurable, in respect of the conditions of contract, and which comprises cutting, leaving, or forming, rectangular holes and notches through tiling is hereby deemed to apply only to holes and notches that do not exceed 600mm girth. Those exceeding 600mm in girth are hereby deemed to be "square cutting", which is hereby deemed to be part of the work description for that type of tiling and is not measurable as a separate item of work.			
	<u>Wastage</u>			
	Tile wastage in excess of 10% will be for the tenderer's account.			
	Carried Forward		R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 11 Tiling			

	Brought Forward			R	
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No. 1, shall equally apply to this Bill.				
	<u>Note</u>				
	All scaffolding should be provided by the contractor and no claims/qualifications will be accepted.				
	WALL TILING				
	150 x 150 x 6mm ceramic tiles (PC allowance of R 120.00/m2 excludes V.A.T. but includes delivery to site), includes waste, laying, supply and fixing with an approved adhesive and jointing white grout all as per manufacturers specifications				
3/11/1	Splash backs	m2	1		
	FLOOR TILING				
	420 x 420 x 11.5mm Thick non-slip ceramic tiles (P.C allowance of R 200.00/m2 excludes V.A.T. but includes delivery to site), includes waste, laying, supply and fixing with an approved adhesive and jointing in waterproof cementetious grout				
3/11/2	On floors	m2	180		
3/11/3	75mm high skirting	m	156		
	ATTIC STOCK				
3/11/4	420 x 420 x 11.5mm Thick non-slip ceramic tiles (P.C allowance of R 200.00/m2 excludes V.A.T. but includes delivery to site)	m2	18		
	SUNDRIES				
	10mm aluminium straight edge trim				
3/11/5	Dividing strip between tiles and door frames	m	4		
	0 : 15 1/ 0 / 0 / 1				
	Carried Forward to Summary of Section No. Section No. 3			R	
	2 GRADE R CLASSROOM BLOCK Bill No. 11 Tiling				

Item No		Quantity	Rate	Amount
	BILL NO. 12			
	PLUMBING AND DRAINAGE (PROVISIONAL)			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	uPVC pipes and fittings:			
	Sewer and drainage pipes and fittings shall be jointed and sealed with butyl rubber rings			
	uPVC pressure pipes and fittings:			
	Pipes for water supply shall be of the class stated			
	Excavations:			
	No claim for excavation in material other than "earth" will be entertained unless the contractor has timeously notified the quantity surveyor thereof prior to backfilling, and has obtained, in writing, authorised classification thereof.			
	"Intermediate material" and " hard rock" shall be as defined in "Earthworks".			
	Quantities of all excavations, carting away excavated material and backfilling are calculated on the nett extent to be formed, or filled, in accordance with drawings and specifications, and the Contractor is to allow in his prices for any bulking.			
	Classes of excavation shall be as S.A.B.S 1200D clause 3.1.2.			
	Carried Forward		R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 12 Plumbing and Drainage			

	Brought Forward			R	Π
	Laying, backfilling, bedding, etc., of pipes:				
	Pipes shall be laid and bedded, and trenches shall be carefully backfilled, in accordance with the specific instructions				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	RAINWATER GOODS				
	<u>Gutters</u>				
3/12/1	100 x 100 x 0.6mm thick Ogee profile eaves gutter aluminium box gutter, fixed with and including fixing clips to fascia boards	m	77		
3/12/2	Extra over eaves gutter for stopped end	No	8		
3/12/3	Extra over eaves gutter for corner	No	33		
3/12/4	Extra over eaves gutter for outlet	No	8		
	Rainwater downpipes				
3/12/5	100mm diameter x 0.6mm thick rainwater downpipe with Chromadek finish (Colour: TBC), fixed with and including brackets to wall face, with brackets spaced as per manufacturer's recommendations, and with downpipes spaced as per engineer's specification	m	28		
3/12/6	Extra over downpipe for offset	No	16		
3/12/7	Extra over downpipe for shoe	No	8		
	SANITARY FITTINGS				
	Refer to sanitary schedule drawing for full description of abbreviations				
	WASH HAND BASINS				
					\vdash
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 12 Plumbing and Drainage			R	

	Brought Forward			R	
1	Vaal Sanitaryware "Hibiscus" vitreous china basin with three semi-punched holes tap holes, including integrated overflow, including chain stay hole through the centre semi-punched tap hole, supplied with plug and chain, hung to walls (PC allowance of R450.00/no excludes V.A.T. but includes delivery to site), includes waste, supply and fixing				
3/12/8	WHB, installed complete	No	4		
	WATER CLOSET				
	Vaal Sanitaryware "Daisy" semi-close coupled water closet comprising double flap heavy duty thermoplastic seat rim pan and matching 9 litre cistern complete with lid, fitments and flush pipe elbow (PC allowance of R2 800.00/no excludes V.A.T. but includes delivery to site), includes waste, supply and fixing				
3/12/9	WC, installed complete	No	2		
	Vaal Sanitaryware "Pearl Paraplegic" semi-close coupled water closet, comprising double flap heavy duty thermoplastic seat rim pan and matching 9 litre cisten, including dog leg twice bent 45 degrees and straight cistern back grab rail, including purpose made chromium plated side-flush lever. (PC allowance of R9 300.00/no excludes V.A.T. but includes delivery to site), includes waste, supply and fixing				
3/12/10	Paraplegic WC, installed complete	No	2		
	Stainless steel single bowl sink, size 1350 x 457mm complete on and including integrated supports and legs (PC allowance of R1500.00/no excludes V.A.T. but includes delivery to site), includes waste, supply and fixing				
3/12/11	Stainless steel Sink, complete.	No	2		
	CHROME PLATED WASTE UNIONS, ETC. (Supply & Fit)				
3/12/12	32mm Basin waste union	No	4		
	Carried Forward			R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 12 Plumbing and Drainage				

	Brought Forward			R	
3/12/13	38mm Sink waste union	No	2		
	TOILET ROLL HOLDER				
	To be approved by Architect				
3/12/14	130 x 560 x 130mm mild steel vandal proof Toilet paper roll holder (Colour: White), plugged and screwed to walls	No	2		
	SOAP DISPENSER				
	To be approved by Architect				
3/12/15	110 x 170 x 35mm high plastic Soap dispenser (Colour: White and transparent), with lever button and pump, plugged and screwed to wall	No	3		
	PAPER TOWEL DISPENSER				
	To be approved by Architect				
3/12/16	360 x 380 x 240mm high lockable auto-cut (reflex) plastic Paper towel dispenser (Colour: White), plugged and screwed to wall	No	2		
	TAPS, VALVES, ETC				
	Similar Approved				
3/12/17	15mm Cobra brass watertight hose Bib tap (Code: 108- 15)	No	2		
3/12/18	15mm Cobra Watertech chrome plated single tap hole Sink mixer with overarm swivel sprout (Code: 3396ST)	No	2		
	FIRE FIGHTING EQUIPMENT				
	Extinguishers including initial charge and setting up in position:				
3/12/19	9kg dry chemical powder fire extinguisher	No	2		
	Carried Forward			R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 12 Plumbing and Drainage				

	Brought Forward		R		—
3/12/20	Fire hose reel with 30m plastic hose, chromium plated stopcock, shut-off nozzle and wall bracket No	2			
	TESTING				
3/12/21	Testing water pipe system	Item			
	BUDGETARY ALLOWANCE				
3/12/22	Allow an amount of R170 000.00 (One Hundred and Seventy Thousand) for the supply and installation of Sanitary Fitting Sundries	Item		170 000.	00
	Carried Forward to Summary of Section No.		R		
	Section No. 3				=
	2 GRADE R CLASSROOM BLOCK Bill No. 12 Plumbing and Drainage				
		I	I	ll I	

Item No		C	Quantity	Rate	Amount
	BILL NO. 13				
	GLAZING				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No. 1, shall equally apply to this Bill.				
	Note:				
	All glazing to comply with SABS 1263 Part 3:1998. Light and ventilation to comply with Part O if NBR 0400				
	GLASS TO STEEL WITH PUTTY				
	5mm clear floated glass fixed glazing putty				
3/13/1	Panes not exceeding 0.1m2	m2	19		
	6mm obscure floated glass fixed glazing putty				
3/13/2	Panes not exceeding 0.1m2	m2	1		
	TOPS, SHELVES, DOORS, MIRROR ETC				
	6mm Polished plate float glass mirrors with square polished edges plugged with chrome plated detachable screws or similarly approved				
3/13/3	Mirror 400 x 600 mm high	No	2		
	Carried Forward to Summary of Section No.			R	
	Section No. 3 2 GRADE R CLASSROOM BLOCK Bill No. 13 Glazing				

Item No			Quantity	Rate	Amount
	BILL NO. 14				
	PAINTWORK				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No. 1, shall equally apply to this Bill.				
	FIBRE CEMENT				
	Prepare and apply one coat universal undercoat and two coats Super Acrylic PVA paint or similar approved, colour to be confirmed by architect				
3/14/1	On internal ceilings and cornices	m2	230		
3/14/2	Fibre cement fascias boards not exceeding 300mm high or wide painted on both side	m	155		
	Prepare and apply one coat alkali resistant sealer and two coats mat enamel paint, colour to be confirmed by architect				
3/14/3	Fiber cement window sill not exceeding 300mm high or wide	m	20		
	FLOATED PLASTER INTERNAL WALLS				
	Carried Forward Section No. 3			R	
	2 GRADE R CLASSROOM BLOCK Bill No. 14 Paintwork				
	I	ا			ı l

	Brought Forward			R	
	Prepare and apply one coat merit universal undercoat and two coats Super Acrylic PVA paint or similar approved, colour to be confirmed by architect				
3/14/4	Plastered walls	m2	496		
	METAL SURFACES				
	Prepare and apply one coat Duraphos, one coat universal under coat and two coats gloss enamel paint, colour to be confirmed by architect				
3/14/5	On gates, grilles, burglar screens, balustrades, etc (both sides measured on full flat area)	m2	19		
3/14/6	On window frames	m2	20		
3/14/7	On door frames	m2	22		
3/14/8	On gutters	m	77		
3/14/9	On downpipes	m	28		
	WOOD				
	Prepare and apply one coat universal undercoat and two coats acrylic PVA, colour to be confirmed by architect				
3/14/10	On door	m2	40		
	Prepare and paint three coats clear varnish:				
3/14/11	On door	m2	16		
					_
	Carried Forward to Summary of Section No. Section No. 3			R	<u> </u>
	2 GRADE R CLASSROOM BLOCK Bill No. 14 Paintwork				

	SECTION SUMMARY			
Bill No		Page No		Amount
3/1	Earthworks	3/3		
3/2	Concrete,Formwork and Reinforcement	3/7		
3/3	Masonry	3/11		
3/4	Waterproofing	3/12		
3/5	Roof Coverings	3/14		
3/6	Carpentry and Joinery	3/18		
3/7	Ceilings,Partitions and Access Flooring	3/21		
3/8	Ironmongery	3/26		
3/9	Metalwork	3/30		
3/10	Plastering	3/31		
3/11	Tiling	3/33		
3/12	Plumbing and Drainage	3/38		
3/13	Glazing	3/39		
3/14	Paintwork	3/41		
	• • • • • •		_	
	Carried to Final Summary Section No. 3		R	
	2 GRADE R CLASSROOM BLOCK			

Item No		Quantity	Rate	Amount
	SECTION NO. 4			
	BILL NO. 1			
	EARTHWORKS (PROVISIONAL)			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	NOTES			
	Carting away of excavated material			
	Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site			
	Filling			
	Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any multiple handling of material			
	Excavations measured in successive depths of 2m.			
	SITE CLEARANCE ETC			
			_	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 1 Earthworks		R	

	Brought Forward			R	
	Site clearance				
4/1/1	Digging up and removing rubbish, debris, vegetation, hedges, shrubs and trees not exceeding 200mm girth, bush, etc	m2	440		
	EXCAVATIONS				
	Excavation in earth not exceeding 2m deep				
4/1/2	Trenches	m3	143		
4/1/3	Holes	m3	159		
	Extra over excavations in earth to trenches and holes for				
4/1/4	Excavation in soft rock	m3	30		
4/1/5	Excavation in hard rock	m3	15		
4/1/6	Back excavation of vertical sides of excavation in earth for working space including backfilling compacted to 93% Mod AASHTO density Exceeding 1,5m and not exceeding 3,0m deep for placing and removing formwork to walls etc 500mm				
	away from excavated face CARTING AWAY OF EXCAVATED MATERIAL	m2	213		
	Note:				
	Description of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site.				
4/1/7	Extra over all excavation for carting away surplus material from excavation and / or stockpile on site to a dumping site to be located by the Contractor	m3	237		
	RISK OF COLLAPSE OF EXCAVATIONS				
	Carried Forward			R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 1 Earthworks				

	Brought Forward			R	
	Risk of collapse to side of excavation in earth not				
	exceeding 1,5m deep				
4/1/8	Trenches and holes	m2	622		
	KEEPING EXCAVATIONS FREE FROM WATER				
4/1/9	Keeping excavations free of all water other than subterranean water		Item		
	FILLING, ETC.				
	Earth filling obtained from the excavations and/or prescribed stock piles on site compacted to 93% Mod AASHTO density in layers not exceeding 150mm thick				
4/1/10	Backfilling to trenches, holes, etc	m3	72		
4/1/11	Under floors, steps, pavings, etc	m3	183		
	Imported gravel filling (G7) stabilise with 2-3% cement compacted to 93% Mod AASHTO density in layers not exceeding 150mm thick				
4/1/12	Backfilling to trenches, holes, etc	m3	21		
4/1/13	Under floors, steps, pavings, etc	m3	26		
	Filling supplied by the Contractor under floors, trenches, etc.				
4/1/14	Sub-base filling (G5) from excavations under solid floors, steps, etc. compacted to 95% modified AASHTO density in layers not exceeding 150mm thick	m3	32		
	COMPACTION OF SURFACES				
4/1/15	Prepare ground surface by scarifying sub-grade, rip and re-compact 150mm to 90% modified AASHTO density	m2	473		
	WEED KILLERS, INSECTICIDES, TERMITES, etc.				
	Carried Forward			R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 1 Earthworks				

	Brought Forward			R		
	Protection against termites, ants, etc					
4/1/16	Under floors etc including forming and poisoning shallow furrows against foundation walls etc, filling in furrows and ramming	m2	394			
4/1/17	To bottom and sides of excavated trenches, Holes, etc.	m2	845			
						+
	Carried Forward to Summary of Section No. Section No. 4			R		\downarrow
	4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 1					
	Earthworks					
	I	1	ı	ı	l	I

Item No		Quantity	Rate	Amount
	BILL NO. 2			
	CONCRETE, FORMWORK AND REINFORCEMENT			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	<u>Cost of tests</u>			
	The costs of making, storing and testing of concrete test cubes as required under clause 7, "Tests" of SANS 1200 G, shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)			
	<u>Formwork</u>			
	Descriptions of formwork shall be deemed to include use and waste only (except where described as "left in" or "permanent"), for fitting together in the required forms, wedging, plumbing and fixing to true angles and surfaces as necessary to ensure easy release during stripping and for reconditioning as necessary before reuse. The vertical strutting shall be carried down to such construction as is sufficiently strong to afford the required support without damage and shall remain in position until the newly constructed work is able to support itself.			
	Carried Forward		R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 2 Concrete,Formwork and Reinforcement		.,	

	R	
Formwork to soffits of solid slabs, etc. shall be deemed to be to slabs not exceeding 250mm thick unless otherwise described. Formwork to soffits of slabs, beams, etc. shall be deemed to be propped up exceeding 1,5m and not exceeding 3,5m high unless otherwise described.		
Formwork to sides of bases, pile caps, ground beams, etc. will only be measured where it is prescribed by the engineer for design reasons. Formwork necessitated by irregularity or collapse of excavated faces will not be measured and the cost thereof shall be deemed to be included in the allowance for taking the risk of collapse of the sides of the excavations, provision for which is made in "Earthworks".		
The Tenderer is to note that for the "off-shutter" concrete finish shall be in accordance with the architectural specification 616 CON-140: Smooth + fair		
finish:- Degree of accuracy: I Finish: Smooth and even Form facing material to produce a smooth, hard, uniform texture on the concrete Steel faced formwork. Joints grout-tight. Panels shall be as large as practicable and arranged in a regular pattern as a feature of the surface		
 Formwork tie holes: to the approval of the architect Repair imperfections: not allowed. Tie bolt holes shall be patched Not permitted: blowholes, small fins, bulges, irregularities, voids, honeycombing, segregation and other large defects. Concrete surfaces: No further treatment to form a smooth finish of uniform texture, appearance and colour 		
Structural Concrete		
Tenderers are referred to the Structural Engineer's - Standard Specifications which should be read before pricing this trade in particular, but also the other trades. The use of extenders, fly-ash, etc. are clearly described on this drawing.		
Carried Forward	R	
	1	

	Brought Forward			R	
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES				
	15Mpa/19mm concrete				
4/2/1	Blinding	m3	7		
	REINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACE				
	25MPa/19mm Concrete				
4/2/2	Strip footings	m3	36		
	REINFORCED CONCRETE CAST IN FORMWORK				
	20Mpa/19mm concrete				
4/2/3	Concrete Apron cast to fall etc,	m3	18		
	25MPa/19mm Concrete				
4/2/4	Surface beds cast in panels	m3	32		
4/2/5	Slabs including beams and inverted beams	m3	7		
	TEST BLOCKS				
	Notes:				
	Concrete strength test cubes, label and send to an approved laboratory for testing, pay all charges and submit report to the Regional Representative. Only successful tests will be paid for (Provisional)				
4/2/6	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	44		
	SUNDRIES TO CONCRETE				
	Carried Forward			R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 2				
	Concrete,Formwork and Reinforcement				

	Brought Forward			R	
	Surface treatment				
4/2/7	Power float top surface of concrete surface bed to a true and even level finish	m2	476		
	ROUGH FORMWORK (DEGREE OF ACCURACY II)				
	Rough formwork to sides				
4/2/8	Edges, risers, ends and reveals not exceeding 300mm high or wide	m	556		
	Rough formwork to soffits				
4/2/9	Flat slabs not exceeding 250mm thick, propped up not exceeding 3,5m high from bearing level	m2	83		
	MOVEMENTS JOINTS ETC,				
	Expansion joints				
4/2/10	10mm soft board or similar approved between concrete and brick wall	m	268		
	REINFORCEMENT (PROVISIONAL)				
	High and mild tensile steel reinforcement to structural concrete work				
4/2/11	All diameter bars	t	3		
	Fabric reinforcement:				
4/2/12	Type 245 fabric reinforcement in concrete surface beds, slabs, etc.	m2	215		
	Carried Forward to Summary of Section No.			R	
	Section No. 4			``	+
	4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 2 Concrete,Formwork and Reinforcement				

Item No		Quantity	Rate	Amount
	BILL NO. 3			
	MASONRY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	Sizes in descriptions			
	Where sizes in descriptions are given in brick units, "one brick" shall represent the length and "half brick" the width of a brick			
	Hollow walls etc			
	Descriptions of hollow walls shall be deemed to include leaving every fifth perpend of the bottom course of the external skin open as a weep hole. Walls in two skins described as "bagged and sealed" shall be deemed to include having the outer face of the inner skin bagged with 1:6 cement and sand mixture and sealed with two coats "Brickseal" bitumen emulsion waterproofing coating.			
	Face bricks			
	Bricks shall be ordered timeously to obtain uniformity in size and colour			
	Carried Forward		R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 3 Masonry			

	Brought Forward			R	
	<u>Pointing</u>				
	Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc				
	BRICKWORK IN FOUNDATION				
	Brickwork in 73mm burnt clay masonry units class NFP in Class II mortar, laid in stretcher bond with 10mm flush joints				
4/3/1	One brick wall	m2	154		
	SUPERSTRUCTURE BRICKWORK				
	Brickwork of NFP brick in class II mortar laid in stretcher bond with 10mm flush joints				
4/3/2	One brick wall	m2	831		
4/3/3	Half brick wall	m2	89		
4/3/4	Half brick wall, in beamfilling	m2	48		
	Mass brickwork in regular piers of NFP brick in class II mortar laid in stretcher bond				
4/3/5	340 x 230mm Brick Piers	m3	4		
4/3/6	360 x 230mm Brick Piers	m3	4		
	FACE BRICKWORK				
	Bricks shall be ordered timeously to obtain uniformity in size and colour				
	"Corobrick" face bricks (Colour: TBC) with PC sum amount of R 4 500.00 per thousand bricks delivered to site (excluding VAT) manufactured in accordance with SANS 227-2007, bedded and jointed in Class II mortar and pointed with recessed 6mm joints in both directions				
4/3/7	Extra over brickwork for face brickwork in foundations (Provisional)	m2	307		
	Carried Forward Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 3 Masonry			R	

	Brought Forward			R	Τ
4/3/8	Extra over brickwork for face brickwork in superstructure	m2	685		
4/3/9	Extra over brickwork for face brickwork in brick-on-edge header course lintel	m	30		
4/3/10	Extra over brickwork for face brickwork in brick-on-edge header course sills, bedded in mortar and set slightly sloped	m	17		
4/3/11	Extra over brickwork for face brickwork to piers	m2	107		
4/3/12	Extra over brickwork for face brickwork in beamfilling	m2	48		
	BRICKWORK SUNDRIES				
	Brickwork reinforcement				
4/3/13	75mm Wide reinforcement built in horizontally	m	262		
4/3/14	150mm Wide reinforcement built in horizontally.	m	3 379		
	"Allied concrete" or similar approved prestressed fabricated lintels				
4/3/15	100 x 70mm Lintels in lengths not exceeding 3m	m	27		
4/3/16	175 x 70mm Lintels in lengths not exceeding 3m	m	92		
	Turning pieces				
4/3/17	110mm Wide turning piece to flat brick lintels	m	85		
	Air bricks etc				
4/3/18	Set of 2 240 x 155mm Terracota air bricks as per architects specification	No	16		
	Roof ties				
4/3/19	30 x 1.2mm galvanised steel strapping, built into wall for 5 courses and minimum 800mm to be fixed to trusses	No	154		
	MOVEMENTS JOINTS ETC,				
				_	+
	Section No. 4			R	
	4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 3 Masonry				

	Brought Forward		R		
	Expansion joints				
4/3/20	30mm softboard between vertical brick surfaces not exceeding 300mm wide m2	30			
	Carried Forward to Summary of Section No. Section No. 4		R		
	4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 3 Masonry				
		1	ı	II .	

Item No			Quantity	Rate	Amount
	BILL NO. 4				
	WATERPROOFING				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	DAMP PROOFING OF WALLS AND FLOORS				
	One layer of 375 micron "Consol Plastic Brikgrip DPC" embossed damp proof course				
4/4/1	Under walls	m2	11		
4/4/2	Under cills, etc.	m2	4		
	One layer of 250 micron "USB Green" or similar approved dampproof membrane sealed at laps with PVC self -adhesive tape				
4/4/3	Under surface beds.	m2	394		
	JOINTS SEALANTS, ETC.				
	Mastic grey polysulphide sealing compound including raking out of joints filler as necessary				
4/4/4	10mm Isolation Joints between surface bed concrete and brick wall	m	268		
	Carried Forward to Summary of Section No.			R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 4 Waterproofing				
	T vvalor probling				

Item No			Quantity	Rate	Amount
	BILL NO. 5				
	ROOF COVERINGS				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	ROOF SHEETING				
	Similar Approved				
	0.6mm thick "Brownbuilt Klip-lok light Industrial" galvanised troughed roof sheeting with "Chromadek - Traffic Green" finish on one side, and 0.6mm galvanised steel accessories fixed to timber purlins or rails fixed in strict accordance to the manufacturer's instructions and fixed by an approved erector. A written and approved five (5) year guarantee of water-tightness shall be issued after approval of roofs by the manufacturer				
4/5/1	Roof sheeting pitch not exceeding 25 degrees	m2	322		
4/5/2	550mm girth Ridge capping, 3 times bent and notched on site to suit roof profile	m	46		
4/5/3	550mm girth Hip capping, 3 times bent and notched on site to suit roof profile.	m	81		
	ROOF AND WALL INSULATION				
	Similar Approved				
	Carried Forward Section No. 4			R	
	4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 5 Roof Coverings				

	Brought Forward		R	
	Sisalation "Bubble Foil" aluminium foil binded insulation			
4/5/4	135mm thick Insulation laid over purlins (at approximately 750mm centres), fixed concurrent with sheeting with and including galvanised steel accessories m2	322		
	Carried Forward to Summary of Section No.		R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 5 Roof Coverings			

Item No		Quantity	Rate	Amount
	BILL NO. 6			
	CARPENTRY AND JOINERY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	<u>Joinery</u>			
	Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc.			
	Descriptions of hardwood joinery shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete.			
	<u>Fixing</u>			
	Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete			
	Decorative laminate finish			
	Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish			
	<u>Timber</u>			
	All softwood to be South African Pine			
	Carried Forward		R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 6			
	Carpentry and Joinery			

Brought Forward	R	
<u>Descriptions</u>		
Items described as "bolted" shall be deemed to exclude the bolts and include the holes unless otherwise described.		
Where the fixing of members is not stated it shall mean the nailing of one timber member to another.		
The term "planted on" shall mean the nailing of one timber member to another		
The term "screwed on" shall mean the countersunk screwing of one timber member to another.		
The term "screwed on and pelleted" shall mean the screwing of one timber member to another with the heads of screw sunk and pelleted.		
The term "plugged" shall mean the countersunk screwing of a timber member to and including plastic plugs in brickwork or concrete.		
The term "plugged and pelleted" shall mean the screwing of a timber member to and including plastic plugs in brickwork or concrete with heads of screw sunk and pelleted.		
Shelving, etc. described as screwed to steel must be fixed from underside and prices are to include for countersunk drilling through the steel for screw fixing.		
Descriptions of floors, ceilings, joinery, etc. shall be deemed to include for all square cutting		
Descriptions of items given in linear metre shall be deemed to include for mitres, stopped ends, fitted intersections, etc.		
Descriptions of rounded angles, rebates, grooves, chamfers, moulded edges, etc. shall be deemed to include for angles, ends, etc.		
ROOFS, ETC		
Carried Forward	R	
Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8		
Bill No. 6 Carpentry and Joinery		

	Brought Forward			R	_
	Plate nailed timber roof truss construction				
	The following is applicable in respect of roof trusses:				
	All timber to be sawn softwood in accordance with V4 or M4 as defined in SABS 563 or SABS 1245.				
	Metal connector plates shall have a minimum yield strength of 228 MPa and a minimum ultimate tensile strength of 330 Mpa with hot-dip galvanised finish.				
	All joints to be close fitted butt joints.				
	Trusses shall be designed by a registered supplier of prefabricated trusses who shall issue an Engineers Certificate upon completion of the installation.				
	The dimensions in the descriptions of the trusses are nominal and actual measurements are to be obtained on site before design or fabrication commences.				
	Tenderers must study the roof plan and sections as attached to the back of these bills of quantities and must obtain prices from a qualified and registered roof truss supplier as no claims in this regard will be entertained.				
	Roof trusses				
4/6/1	Design, supply, take delivery, temporary store, hoist in position and erect plate nailed timber roof trusses, purlins, gang boarding, temporary and permanent bracing, etc (measured on plan)	m2	268		
	Sawn softwood				
4/6/2	38 x 114mm Wall plates	m	185		
	Sundries				
4/6/3	Two coats creosote on sawn timbers	m2	69		
	Similar Approved				
	Carried Forward			R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 6				
	Carpentry and Joinery				

	Brought Forward			R	
	"Everite FC77" Fascia and badge boards				
4/6/4	15 x 225mm Pressed fibre cement fascia boards, fixed to supports and roof timbers with one brass screw at maximum 750mm centres, including standard aluminium half round cover strips at all joints, as per architect's specification	m	185		
	DOORS ETC				
	44mm thick solid R&F panel meranti timber doors with masonite backing with 15 horizontal slates on both sides hung to steel frames				
4/6/5	813 x 2032mm single door	No	32		
4/6/6	914 x 2032mm single door	No	16		
	WINDOWS				
	Similar Approved				
	"Nutec" fibre cement window cills				
4/6/7	150mm x 15mm thick fibre cement Window sill set flat and slightly projecting, with window sill lug screwed to underside of sill at 400mm centres, minimum of 75mm from end of window sill and bedded in 1:4 cement sand mortar with plastic slip joints at end of sills at plaster reveals and projecting from finished face of wall, all as per manufacturer's recommendations	m	17		
					_
	Carried Forward to Summary of Section No. Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 6 Carpentry and Joinery			R	

m o		Quantity	Rate	Amount
	BILL NO. 7			
	CEILINGS, PARTITIONS AND ACCESS FLOORING			
	PREAMBLES PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	<u>Fixing</u>			
	Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 500mm centres, and where described as "bolted", the bolts have been given elsewhere.			
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins, or to be shot-pinned, to brickwork or concrete			
	Ceilings & Bulkheads			
	Unless otherwise described ceilings shall be deemed to be horizontal			
	Steel components			
	All steel components for ceilings, partitions, etc are to be galvanised in accordance with SANS 121			
	Carried Forward		R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 7			
	Ceilings,Partitions and Access Flooring			

	Brought Forward			R	
	Proprietary suspended ceilings				
	Hangers, suspension grids, "lay-in" panels, etc are to be in accordance with the manufacturers' recommendations				
	Where electrical light fittings, diffusers, panels etc are units of the same dimensions as the suspension grid described and allowance must be made in the rates accordingly for their support inclusive of any flexibility in setting out that may be required (ceiling panels have not been deducted and pricing is to take cognisance thereof)				
	Suspension systems				
	Where suspensions of ceilings require a sub-grid, the tenderer should include in his rates for the sub-grid. The design of the sub-grid support is not specified, the tenderer is to obtain the necessary requirements and recommendations for a safe installation from the board and suspension system manufacturer to the satisfaction of the structural engineer.				
	NAILED UP CEILINGS				
	FIBRE - CEMENT BOARDS				
	Similar Approved				
	6mm "Everite Nutec" Fibre-cement boards, jointed with and including galvanised H-type primed pressed steel jointing strips, including brandering as per architect's specifications				
4/7/1	2400 x 1200mm x 6mm Horizontal ceilings, fixed to and including 38 x 38mm sawn softwood brandering at maximum 400mm centres using 38mm long galvanised nails	m2	136		
	CORNICES				
	Similar Approved				
	"Rhino" plasterboard cornice				
4/7/2	75mm Coved cornice, plugged to brickwork	m	305		
	Carried Forward			R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 7				
	Ceilings,Partitions and Access Flooring				

	Brought Forward			R	
	SUNDRIES				
	Extra over for Trap Doors				
4/7/3	Extra over ceiling for 600 x 600mm trap door of 38 x 50mm wrought softwood rebated framing, with one 38 x 38mm sawn softwood cross brander covered with ceiling board and fitted flush in opening	No	16		
	CEILING INSULATION				
	<u>Insulation</u>				
4/7/4	125mm thick Glass wool insulation blanket closely fitted and laid on top of ceiling panels, all in strict accordance with the manufacturer's specifications.	m2	136		
		2	.00		
					_
	Carried Forward to Summary of Section No.			R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 7 Collings Partitions and Assess Flooring				
	Ceilings,Partitions and Access Flooring				

Item No		Quantity	Rate	Amount
	BILL NO. 8			
	IRONMONGERY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	Where ironmongery is described as plugged, prices are to include for screwing to and including approved patent plugs in concrete or brickwork with plaster or tiled finish, etc.			
	Proprietary items			
	Where applicable the manufacturers' names or product catalogue titles are given in sub-headings preceding the items			
	Prices are to be based on the specific products/articles specified. If tenderers wish to offer alternative products/articles for certain items, these items are to be clearly marked and the alternative specification given with supporting brochures etc clarifying the features of the products/articles offered			
	On request returnable samples are to be provided to the principal agent for consideration			
	Carried Forward		R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 8 Ironmongery			

	Brought Forward			R	
	Finishes to ironmongery				
	Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list: BS Satin bronze lacquered CH Chromium plated SC Satin chromium plated SE Silver enamelled GE Grey enamelled AN Anodised natural AS Anodised silver AB Anodised bronze AG Anodised gold ABL Anodised black PB Polished brass PL Polished and lacquered PT Epoxy coated SD Sanded				
	Rates The tenderer is to price for supply, taking delivery of, storing and fixing of the ironmongery listed below.				
	DOOR FURNITURE				
	Similar Approved				
	<u>Handles</u>				
4/8/1	SS Pull handle BT fixed on a 75 x 170 x 1.2mm thick Grade 430 steel plate with no cylinder cutout, with steel plate to have 4 countersunk holes for screw fixing (Code: DHP-430-BL 75X170)	No	32		
	Locks				
4/8/2	SS Bathroom deadlock, with case size 102 x 78mm, with forend size 155 x 22mm, with 57mm backset (Code: D032D SS)	No	32		
4/8/3	SN 43mm five pin Euro-profile single cylinder master keyed (Code: DSC104301 MK)	No	16		
4/8/4	SC 150mm Cabin hook (Code: CH 150)	No	16		
4/8/5	SS bathroom WC indicator (red and white) and turnknob (Code: DWC-005)	Sets	32.0		
	Carried Forward			R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 8 Ironmongery			K	

	Brought Forward			R	_
	Kick and push plates				
4/8/6	SS 200 x 813 x 1.2mm thick Grade 430 kick plate, with 10 countersunk holes for screw fixing (Code: DKP-430-200)	No	96		
4/8/7	SS 75 x 170 x 1.2mm thick Grade 430 steel plate, with steel plate to have 4 countersunk holes for screw fixing (Code: DPP-430-BL 75X170)	No	32		
	Panic hardware				
4/8/8	Three point locking panic bar for single door (Code: PHA3/S DD)	Sets	16.0		
4/8/9	Exterior access lock with lever handle (cylinder not included) (Code: PHT3901)	No	16		
	<u>Sundries</u>				
4/8/10	Male / Female fixing screws (Qty 4 per pack)	Sets	32.0		
4/8/11	SS Hat and coat hook with rubber buffer (Code: DHC-SS-031B)	No	32		
	SUNDRIES				
	Approved				
4/8/12	"CZ8730SC" Door stop or similarly approved to wall or floors	No	80		
					_
	Carried Forward to Summary of Section No. Section No. 4			R	_
	4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 8 Ironmongery				

Item No		Quantity	Rate	Amount
	BILL NO. 9			
	METALWORK			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	<u>ALUMINIUM</u>			
	The contractor is to make due allowance in his prices for complying with the following requirements.			
	SPECIFICATIONS			
	User Note:			
	Glazing			
	All Safety glazing material (individual panes) are to conform to all standards as stipulated in SANS 10400 Part N and SANS 10137 and any additional Engineer Specifications or relevant SANS glazing regulations not stipulated in this document. All tenderers are referred to the drawings for the glazing specification.			
	Ironmongery			
	All rates for windows, shopfronts and doors etc. must include for the supply, taking delivery or/and installation of the ironmongery to be specified.			
	Carried Forward		R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 9 Metalwork			

Brought Forward	R	
Actuators		
All rates for shopfronts with actuators to include for the supply and installation of actuators as specified		
Scaffolding		
All scaffolding should be provided by the contractor and no claims/ qualifications will be accepted.		
<u>Protection</u>		
With this tender, the glazing sub-contractor must supply a statement concerning protection that will be provided to finishes and components until Practical Completion. This to include specific references to the method of removal of such protection. All tenderers to include cost of protection in tender price.		
<u>Installation</u>		
All measurements to be checked on site prior to ordering and manufacturing.		
Aluminium sections and shop drawings to be accepted by Architect prior to manufacturing.		
Allow for water and weather proof polysulphide sealant to approved specifications all around frame junctions to plaster and other materials.		
<u>Profiles</u>		
Tenderers to provide typical details of proposed aluminium section to be used in the design.		
Structural Silicone		
Tenderers to allow a 10 year guarantee on all powdercoating.		
Preliminary and Shop Drawings:		
The contractor shall submit preliminary design drawings showing basic system sections for the Architect's approval.		
Carried Forward	R	
Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 9 Metalwork		

Brought Forward	R	
After approval and prior to fabrication detailed shop drawings shall be prepared and submitted to the Architect for approval.		
Fixing:		
The contractor is to take special note of all fixing details of all aluminium elements and must allow in his price for properly securing the aluminium sections to the structure with and including all necessary steel brackets, rails, timber grounds and sub-frames, including all necessary holing and bolting, etc. This fixing is to be adequately spaced and securely fixed to ensure total stiffness of the door frames, windows, etc. as no sagging causing improper functioning of the windows and doors will be accepted.		
<u>Deflection of structure:</u>		
The contractor is advised to make adequate provision for the design deflection of the structure.		
Tolerances:		
Sizes are approximate only and measurements on site must be taken before fabrication. Due allowance must be made for tolerances in accordance with the Architect's details.		
Protection:		
The contractor will be required to protect his work during the course of construction, which protection shall be adequate for the purpose and to the full approval of the Architect.		
Such protection shall only be removed after a written instruction from the Architect.		
Cleaning:		
All work must be cleaned down upon completion. Glazing as installed will not be accepted as clean glass and the contractor must allow for polishing glass as and when instructed by the Architect.		
Note: All windows and doors should be read in conjunction with window and door schedules		
Carried Forward	R	
Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 9 Metalwork		

	Brought Forward			R	_
	WELDED SCREENS, GATES, ETC.				
	Welded MS gate consisting of 50 x 50 x 2.5mm rectangular tubing section frame with 45 degrees mitre at corners, bolted to reveals with 10mm (10M) rawlbolts and welded with 50 x 50 x 5mm mild steel to walls, with 50 x 50 x 2.5mm mild steel rectangular tube gate leaf with 45 degree mitre at corners and two 50 x 50 x 2.5mm horizontal sections, with 12 x 12mm mild steel vertical style solid square bars at 100mm c/c, including 3x pair of 20mm diameter bullet-hinges per gate, with "Solid blesbok" 460/313 four lever lockset with rebate set, including welding, bolting, holes, bolts etc., all complete as per the architect's specifications				
4/9/1	Steel gate to door, size 914mm x 2032mm high	No	16		
	PRESSED STEEL DOOR FRAMES				
	1.2mm thick Single rebated frame suitable for half brick walls, complete with lugs and base ties, with red oxide primer factory finish by manufacturer				
4/9/2	813 x 2032mm single door	No	32		
	1.2mm thick Single rebated frame suitable for one brick walls, complete with lugs and base ties, with red oxide primer factory finish by manufacturer				
4/9/3	914 x 2032mm single door	No	16		
	Standard mild steel school type Top-hung open out window frame (with brass fittings), with burglar bars to opening and fixed sections, consisting of 10mm diameter mild steel round bars to standard NBP2 pattern, welded at intersections and window frames, all as per architect's specification				
4/9/4	Window size 533 x 950mm high	No	32		
					<u> </u>
	Carried Forward to Summary of Section No. Section No. 4			R	_
	4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 9 Metalwork				

Item No			Quantity	Rate	Amount
	BILL NO. 10				
	PLASTERING				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	SCREEDS				
	1:4 Cement sand screed on concrete, worked down to a true and even surface with a steel trowel				
4/10/1	30mm Thick on floors and landings	m2	214		
4/10/2	30mm Thick to falls and currents	m2	21		
	INTERNAL PLASTER				
	One coat smooth 1:5 cement sand plaster on brickwork to receive finish				
4/10/3	On brick walls	m2	749		
4/10/4	On narrow widths	m2	75		
	CORNER PROTECTORS, DIVIDING STRIPS, ETC				
4/10/5	Aluminium straight edge M-trim suitable for underscreed fixing in vinyl/ceramic, etc. installed as per manufactures recommendation and specification.	m	13		
	Carried Forward to Summary of Section No.			R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 10 Plastering				

Item No		Quantity	Rate	Amount
	BILL NO. 11			
	TILING			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	Pricing			
	Prices are to included for the following: Cutting, handling, labour, adhesive etc.			
	<u>Fixing</u>			
	Tiling described as "fixed with adhesive on power floated concrete" shall be deemed to include for approved tiling key-coat.			
	Ceramic, porcelain, marble and granite tiles are to be fixed, grouted and pointed with suitable adhesives and grouts, as recommended by the Architect. Costs are hereby deemed to include the cost of this requirement.			
	Payment for work that is deemed measurable, in respect of the conditions of contract, and which comprises cutting, leaving, or forming, rectangular holes and notches through tiling is hereby deemed to apply only to holes and notches that do not exceed 600mm girth. Those exceeding 600mm in girth are hereby deemed to be "square cutting", which is hereby deemed to be part of the work description for that type of tiling and is not measurable as a separate item of work.			
	<u>Wastage</u>			
	Tile wastage in excess of 10% will be for the tenderer's account.			
	Carried Forward		R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 11 Tiling			

	Brought Forward			R	
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No. 1, shall equally apply to this Bill.				
	<u>Note</u>				
	All scaffolding should be provided by the contractor and no claims/qualifications will be accepted.				
	WALL TILING				
	150 x 150 x 6mm ceramic tiles (PC allowance of R 120.00/m2 excludes V.A.T. but includes delivery to site), includes waste, laying, supply and fixing with an approved adhesive and jointing white grout all as per manufacturers specifications				
4/11/1	Plastered walls	m2	446		
4/11/2	On narrow widths	m2	45		
4/11/3	Splash backs	m2	6		
	FLOOR TILING				
	420 x 420 x 11.5mm Thick non-slip ceramic tiles (P.C allowance of R 200.00/m2 excludes V.A.T. but includes delivery to site), includes waste, laying, supply and fixing with an approved adhesive and jointing in waterproof cementetious grout				
4/11/4	On floors	m2	235		
4/11/5	75mm high skirting	m	583		
	ATTIC STOCK				
4/11/6	150 x 150 x mm ceramic tiles(PC allowance of R 120.00/m2 excludes V.A.T. but includes delivery to site)	m2	45		
4/11/7	420 x 420 x 11.5mm Thick non-slip ceramic tiles (P.C allowance of R 200.00/m2 excludes V.A.T. but includes delivery to site)	m2	24		
	SUNDRIES				
	Carried Forward			R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 11 Tiling				

	Brought Forward		R	
	10mm aluminium straight edge trim			
4/11/8	Dividing strip between tiles and door frames m	13		
	Carried Forward to Summary of Section No.		R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8			<u> </u>
	Bill No. 11 Tiling			

Item No		Quantity	Rate	Amount
	BILL NO. 12			
	PLUMBING AND DRAINAGE (PROVISIONAL)			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	uPVC pipes and fittings:			
	Sewer and drainage pipes and fittings shall be jointed and sealed with butyl rubber rings			
	uPVC pressure pipes and fittings:			
	Pipes for water supply shall be of the class stated			
	Excavations:			
	No claim for excavation in material other than "earth" will be entertained unless the contractor has timeously notified the quantity surveyor thereof prior to backfilling, and has obtained, in writing, authorised classification thereof.			
	"Intermediate material" and " hard rock" shall be as defined in "Earthworks".			
	Quantities of all excavations, carting away excavated material and backfilling are calculated on the nett extent to be formed, or filled, in accordance with drawings and specifications, and the Contractor is to allow in his prices for any bulking.			
	Classes of excavation shall be as S.A.B.S 1200D clause 3.1.2.			
	Carried Forward		R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 12 Plumbing and Drainage			

	Brought Forward			R	
	Laying, backfilling, bedding, etc., of pipes:				
	Pipes shall be laid and bedded, and trenches shall be carefully backfilled, in accordance with the specific instructions				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	RAINWATER GOODS				
	Similar Approved				
	<u>Gutters</u>				
4/12/1	100 x 100 x 0.6mm thick Ogee profile eaves gutter aluminium box gutter, fixed with and including fixing clips to fascia boards	m	185		
4/12/2	Extra over eaves gutter for stopped end	No	64		
4/12/3	Extra over eaves gutter for corner	No	139		
4/12/4	Extra over eaves gutter for outlet	No	32		
	Rainwater downpipes				
4/12/5	100mm diameter x 0.6mm thick rainwater downpipe with Chromadek finish (Colour: TBC), fixed with and including brackets to wall face, with brackets spaced as per manufacturer's recommendations, and with				
	downpipes spaced as per engineer's specification	m	111		
4/12/6	Extra over downpipe for offset	No	64		
4/12/7	Extra over downpipe for shoe	No	32		
	SANITARY FITTINGS				
	Refer to sanitary schedule drawing for full description of abbreviations				
	WASH HAND BASINS				
	Carried Forward			R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 12 Plumbing and Drainage				

	Brought Forward			R	
	Similar Approved				
	Vaal Sanitaryware "Hibiscus" vitreous china basin with three semi-punched holes tap holes, including integrated overflow, including chain stay hole through the centre semi-punched tap hole, supplied with plug and chain, hung to walls (PC allowance of R450.00/no excludes V.A.T. but includes delivery to site), includes waste, supply and fixing				
4/12/8	WHB, installed complete	No	16		
	WATER CLOSET				
	Similar Approved				
	Vaal Sanitaryware "Daisy" semi-close coupled water closet comprising double flap heavy duty thermoplastic seat rim pan and matching 9 litre cistern complete with lid, fitments and flush pipe elbow (PC allowance of R2 800.00/no excludes V.A.T. but includes delivery to site), includes waste, supply and fixing				
4/12/9	WC, installed complete	No	32		
	CHROME PLATED WASTE UNIONS, ETC. (Supply & Fit)				
4/12/10	32mm Basin waste union	No	16		
	TOILET ROLL HOLDER				
	To be approved by Architect				
4/12/11	130 x 560 x 130mm mild steel vandal proof Toilet paper roll holder (Colour: White), plugged and screwed to walls				
		No	32		
	SOAP DISPENSER				
	To be approved by Architect				
4/12/12	110 x 170 x 35mm high plastic Soap dispenser (Colour: White and transparent), with lever button and pump, plugged and screwed to wall	No	5		
	Carried Forward			R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 12 Plumbing and Drainage				

	Brought Forward			R	
	PAPER TOWEL DISPENSER				
	To be approved by Architect				
4/12/13	360 x 380 x 240mm high lockable auto-cut (reflex) plastic Paper towel dispenser (Colour: White), plugged and screwed to wall	No	5		
	TAPS, VALVES, ETC				
	Similar Approved				
4/12/14	15mm Cobra brass watertight hose Bib tap (Code: 108-15)	No	16		
	TESTING				
4/12/15	Testing water pipe system		Item		
	BUDGETARY ALLOWANCE				
4/12/16	Allow an amount of R859 200.00 (Eight Hundred and Fifty Nine Thousand Two Hundred) for the supply and installation of Sanitary Fitting Sundries		Item		859 200.00
4/12/17	Allow an amount of R1 600 000.00 (One Million Six Hundred Thousand) for the supply and installation of Enviro-loo complete		Item		1 600 000.00
	Carried Forward to Summary of Section No.			R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8				
	Bill No. 12 Plumbing and Drainage				

Item No		Quantity	Rate	Amount
	BILL NO. 13			
	GLAZING			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No. 1, shall equally apply to this Bill.			
	Note:			
	All glazing to comply with SABS 1263 Part 3:1998. Light and ventilation to comply with Part O if NBR 0400			
	GLASS TO STEEL WITH PUTTY			
	6mm obscure floated glass fixed glazing putty			
4/13/1	Panes exceeding 0.5m2 and not exceeding 2.0m2	m2 16		
	TOPS, SHELVES, DOORS, MIRROR ETC			
	6mm Polished plate float glass mirrors with square polished edges plugged with chrome plated detachable screws or similarly approved			
4/13/2	Mirror 400 x 600 mm high	No 16		
	Carried Forward to Summary of Section No.		R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8			
	Bill No. 13 Glazing			
	3			

tem No			Quantity	Rate	Amount
	BILL NO. 14				
	<u>PAINTWORK</u>				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No. 1, shall equally apply to this Bill.				
	PAINTWORK ETC TO NEW WORK				
	FIBRE CEMENT				
	Prepare and apply one coat universal undercoat and two coats Super Acrylic PVA paint or similar approved, colour to be confirmed by architect				
/14/1	On internal ceilings and cornices	m2	166		
/14/2	Fibre cement fascias boards not exceeding 300mm high or wide painted on both side	m	185		
	Prepare and apply one coat alkali resistant sealer and two coats mat enamel paint, colour to be confirmed by architect				
/14/3	Fiber cement window sill not exceeding 300mm high or wide	m	17		
	FLOATED PLASTER INTERNAL WALLS				
	Carried Forward			R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8				

	Brought Forward			R	Τ
	Prepare and apply one coat merit universal undercoat and two coats Super Acrylic PVA paint or similar approved, colour to be confirmed by architect				
4/14/4	Plastered walls	m2	749		
	METAL SURFACES				
	Prepare and apply one coat Duraphos, one coat universal under coat and two coats gloss enamel paint, colour to be confirmed by architect				
4/14/5	On gates, grilles, burglar screens, balustrades, etc (both sides measured on full flat area)	m2	60		
4/14/6	On window frames	m2	16		
4/14/7	On door frames	m2	102		
4/14/8	On gutters	m	185		
4/14/9	On downpipes	m	114		
	Prepare and apply one coat Merit universal undercoat and two coats gloss enamel paint, colour to be confirmed by architect				
	WOOD				
	Prepare and apply one coat universal undercoat and two coats acrylic PVA, colour to be confirmed by architect				
4/14/10	On door	m2	223		
	Prepare and paint three coats clear varnish:				
4/14/11	On door	m2	53		
				_	+
	Carried Forward to Summary of Section No. Section No. 4			R	+
	4 SEATER ENVIROLOO TOILET BLOCK X 8 Bill No. 14 Paintwork				
			l		1

	SECTION SUMMARY			
Bill No		Page No		Amount
4/1	Earthworks	4/4		
4/2	Concrete,Formwork and Reinforcement	4/8		
4/3	Masonry	4/12		
4/4	Waterproofing	4/13		
4/5	Roof Coverings	4/15		
4/6	Carpentry and Joinery	4/19		
4/7	Ceilings,Partitions and Access Flooring	4/22		
4/8	Ironmongery	4/25		
4/9	Metalwork	4/29		
4/10	Plastering	4/30		
4/11	Tiling	4/33		
4/12	Plumbing and Drainage	4/37		
4/13	Glazing	4/38		
4/14	Paintwork	4/40		
	Carried to Final Summary		R	
	Section No. 4 4 SEATER ENVIROLOO TOILET BLOCK X 8			
	I	l	I	l I

Item No		Quantity	Rate	Amount
	SECTION NO. 5			
	BILL NO. 1			
	EARTHWORKS (PROVISIONAL)			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	NOTES			
	Carting away of excavated material			
	Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site			
	<u>Filling</u>			
	Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any multiple handling of material			
	Excavations measured in successive depths of 2m.			
	SITE CLEARANCE ETC			
	Site clearance			
5/1/1	Digging up and removing rubbish, debris, vegetation, hedges, shrubs and trees not exceeding 200mm girth, bush, etc	m2 435		
	EXCAVATIONS			
	Carried Forward Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 1 Earthworks		R	

	Brought Forward			R	
	Excavation in earth not exceeding 2m deep				
5/1/2	Trenches	m3	109		
	Extra over excavations in earth to trenches and holes for				
5/1/3	Excavation in soft rock	m3	11		
5/1/4	Excavation in hard rock	m3	5		
	CARTING AWAY OF EXCAVATED MATERIAL				
	Note:				
	Description of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or , alternatively, from stock piles situated on the building site.				
5/1/5	Extra over all excavation for carting away surplus material from excavation and / or stockpile on site to a dumping site to be located by the Contractor	m3	62		
	RISK OF COLLAPSE OF EXCAVATIONS				
	Risk of collapse to side of excavation in earth not exceeding 1,5m deep				
5/1/6	Trenches and holes	m2	335		
	KEEPING EXCAVATIONS FREE FROM WATER				
5/1/7	Keeping excavations free of all water other than subterranean water		Item		
	FILLING, ETC.				
	Earth filling obtained from the excavations and/or prescribed stock piles on site compacted to 93% Mod AASHTO density in layers not exceeding 150mm thick				
5/1/8	Backfilling to trenches, holes, etc	m3	53		
5/1/9	Under floors, steps, pavings, etc	m3	237		
	Imported gravel filling (G7) stabilise with 2-3% cement compacted to 93% Mod AASHTO density in layers not exceeding 150mm thick				
/1/10	Backfilling to trenches, holes, etc	m3	16		
5/1/11	Under floors, steps, pavings, etc	m3	46		
	Carried Forward			R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 1 Earthworks			, , ,	

	Brought Forward			R	Π
	Filling supplied by the Contractor under floors, trenches, etc.				
5/1/12	Sub-base filling (G5) from excavations under solid floors, steps, etc. compacted to 95% modified AASHTO density in layers not exceeding 150mm thick	m3	46		
	COMPACTION OF SURFACES				
5/1/13	Prepare ground surface by scarifying sub-grade, rip and re-compact 150mm to 90% modified AASHTO density	m2	484		
	WEED KILLERS, INSECTICIDES, TERMITES, etc.				
	Protection against termites, ants, etc				
5/1/14	Under floors etc including forming and poisoning shallow furrows against foundation walls etc, filling in furrows and ramming	m2	484		
5/1/15	To bottom and sides of excavated trenches, Holes, etc.	m2	444		
	Carried Forward to Summary of Section No. Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 1 Earthworks			R	

Item No		Quantity	Rate	Amount
	BILL NO. 2			
	CONCRETE, FORMWORK AND REINFORCEMENT			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	Cost of tests			
	The costs of making, storing and testing of concrete test cubes as required under clause 7, "Tests" of SANS 1200 G, shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)			
	<u>Formwork</u>			
	Descriptions of formwork shall be deemed to include use and waste only (except where described as "left in" or "permanent"), for fitting together in the required forms, wedging, plumbing and fixing to true angles and surfaces as necessary to ensure easy release during stripping and for reconditioning as necessary before reuse. The vertical strutting shall be carried down to such construction as is sufficiently strong to afford the required support without damage and shall remain in position until the newly constructed work is able to support itself.			
	Formwork to soffits of solid slabs, etc. shall be deemed to be to slabs not exceeding 250mm thick unless otherwise described. Formwork to soffits of slabs, beams, etc. shall be deemed to be propped up exceeding 1,5m and not exceeding 3,5m high unless otherwise described.			
	Carried Forward		R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 2 Concrete,Formwork and Reinforcement		, ,	
		1		

	Duncould Faurrand			ь	 _
	Brought Forward			R	
	Formwork to sides of bases, pile caps, ground beams, etc. will only be measured where it is prescribed by the engineer for design reasons. Formwork necessitated by irregularity or collapse of excavated faces will not be measured and the cost thereof shall be deemed to be included in the allowance for taking the risk of collapse of the sides of the excavations, provision for which is made in "Earthworks".				
	The Tenderer is to note that for the "off-shutter" concrete finish shall be in accordance with the architectural specification 616 CON-140: Smooth + fair finish:-				
	 Degree of accuracy: I Finish: Smooth and even Form facing material to produce a smooth, hard, uniform texture on the concrete Steel faced formwork. Joints grout-tight. Panels shall be as large as practicable and arranged in a regular pattern as a feature of the surface Formwork tie holes: to the approval of the architect Repair imperfections: not allowed. Tie bolt holes shall be patched Not permitted: blowholes, small fins, bulges, irregularities, voids, honeycombing, segregation and other large defects. Concrete surfaces: No further treatment to form a smooth finish of uniform texture, appearance and colour 				
	Structural Concrete				
	Tenderers are referred to the Structural Engineer's - Standard Specifications which should be read before pricing this trade in particular, but also the other trades. The use of extenders, fly-ash, etc. are clearly described on this drawing.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES				
	15Mpa/19mm concrete				
5/2/1	Blinding	m3	5		
	Carried Forward			R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 2 Concrete,Formwork and Reinforcement			K	

	Brought Forward			R	
	REINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACE				
	25MPa/19mm Concrete				
5/2/2	Strip footings	m3	27		
	REINFORCED CONCRETE CAST IN FORMWORK				
	20Mpa/19mm concrete				
5/2/3	Concrete Apron cast to fall etc,	m3	18		
	25MPa/19mm Concrete				
5/2/4	Surface beds cast in panels	m3	40		
5/2/5	Slabs including beams and inverted beams	m3	1		
	TEST BLOCKS				
	Notes:				
	Concrete strength test cubes, label and send to an approved laboratory for testing, pay all charges and submit report to the Regional Representative. Only successful tests will be paid for (Provisional)				
5/2/6	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	42		
	SUNDRIES TO CONCRETE				
	Surface treatment				
5/2/7	Power float top surface of concrete surface bed to a true and even level finish	m2	489		
	ROUGH FORMWORK (DEGREE OF ACCURACY II)				
	Rough formwork to sides				
5/2/8	Edges, risers, ends and reveals not exceeding 300mm high or wide	m	277		
	Rough formwork to soffits				
5/2/9	Flat slabs not exceeding 250mm thick, propped up not exceeding 3,5m high from bearing level	m2	5		
	MOVEMENTS JOINTS ETC,				
	Carried Forward			R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 2				
	Concrete,Formwork and Reinforcement				

	Brought Forward			R	
	Saw cuts Joints				
5/2/10	3 x 30mm In saw cut joints in floors	m	19		
	Expansion joints				
5/2/11	10mm soft board or similar approved between concrete and brick wall	m	87		
	REINFORCEMENT (PROVISIONAL)				
	High and mild tensile steel reinforcement to structural concrete work				
5/2/12	All diameter bars	t	2		
	Fabric reinforcement:				
5/2/13	Type 245 fabric reinforcement in concrete surface beds, slabs, etc.	m2	305		
	Comind Formand to Commercial Control			5	
	Carried Forward to Summary of Section No. Section No. 5			R	+
	MEDIUM ADMINISTRATION BLOCK Bill No. 2				
	Concrete,Formwork and Reinforcement				

Item No		Quantity	Rate	Amount
	BILL NO. 3			
	MASONRY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	Sizes in descriptions			
	Where sizes in descriptions are given in brick units, "one brick" shall represent the length and "half brick" the width of a brick			
	Hollow walls etc			
	Descriptions of hollow walls shall be deemed to include leaving every fifth perpend of the bottom course of the external skin open as a weep hole. Walls in two skins described as "bagged and sealed" shall be deemed to include having the outer face of the inner skin bagged with 1:6 cement and sand mixture and sealed with two coats "Brickseal" bitumen emulsion waterproofing coating.			
	Face bricks			
	Bricks shall be ordered timeously to obtain uniformity in size and colour			
	Pointing			
	Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc			
	BRICKWORK IN FOUNDATION			
	Carried Forward		R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 3 Masonry			

	Brought Forward			R	
	Brickwork in 73mm burnt clay masonry units class NFP in Class II mortar, laid in stretcher bond with 10mm flush joints				
5/3/1	One brick wall	m2	126		
	SUPERSTRUCTURE BRICKWORK				
	Brickwork of NFP brick in class II mortar laid in stretcher bond with 10mm flush joints				
5/3/2	One brick wall	m2	377		
5/3/3	Half brick wall	m2	127		
5/3/4	Half brick wall, in beamfilling	m2	14		
	Mass brickwork in regular piers of NFP brick in class II mortar laid in stretcher bond				
5/3/5	340 x 230mm Brick Piers	m3	1		
5/3/6	360 x 230mm Brick Piers	m3	1		
	FACE BRICKWORK				
	Bricks shall be ordered timeously to obtain uniformity in size and colour				
	"Corobrick" face bricks (Colour: TBC) with PC sum amount of R 4 500.00 per thousand bricks delivered to site (excluding VAT) manufactured in accordance with SANS 227-2007, bedded and jointed in Class II mortar and pointed with recessed 6mm joints in both directions				
5/3/7	Extra over brickwork for face brickwork in foundations (Provisional)	m2	252		
5/3/8	Extra over brickwork for face brickwork in superstructure	m2	256		
5/3/9	Extra over brickwork for face brickwork in brick-on-edge header course lintel	m	41		
5/3/10	Extra over brickwork for face brickwork in brick-on-edge				
	header course sills, bedded in mortar and set slightly sloped	m	32		
5/3/11	Extra over brickwork for face brickwork to piers	m2	27		
5/3/12	Extra over brickwork for face brickwork in beamfilling	m2	14		
	BRICKWORK SUNDRIES				
	Carried Forward			R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 3 Masonry				

	Brought Forward			R		_
	Brickwork reinforcement					
5/3/13	75mm Wide reinforcement built in horizontally	m	374			
5/3/14	150mm Wide reinforcement built in horizontally.	m	1 857			
	"Allied concrete" or similar approved prestressed fabricated lintels					
5/3/15	100 x 70mm Lintels in lengths not exceeding 3m	m	43			
5/3/16	175 x 70mm Lintels in lengths not exceeding 3m	m	33			
	Turning pieces					
5/3/17	110mm Wide turning piece to flat brick lintels	m	57			
	Air bricks etc					
5/3/18	Set of 2 240 x 155mm Terracota air bricks as per architects specification	No	4			
	Roof ties					
5/3/19	30 x 1.2mm galvanised steel strapping, built into wall for 5 courses and minimum 800mm to be fixed to trusses	No	76			
	MOVEMENTS JOINTS ETC,					
	Expansion joints					
5/3/20	30mm softboard between vertical brick surfaces not exceeding 300mm wide	m2	18			
	Carried Forward to Summary of Section No.			R		
	Section No. 5					_
	MEDIUM ADMINISTRATION BLOCK Bill No. 3 Masonry					

Item No			Quantity	Rate	Amount
	BILL NO. 4				
	WATERPROOFING				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	DAMP PROOFING OF WALLS AND FLOORS				
	One layer of 375 micron "Consol Plastic Brikgrip DPC" embossed damp proof course				
5/4/1	Under walls	m2	3		
5/4/2	Under cills, etc.	m2	7		
	One layer of 250 micron "USB Green" or similar approved dampproof membrane sealed at laps with PVC self -adhesive tape				
5/4/3	Under surface beds.	m2	484		
	JOINTS SEALANTS, ETC.				
	Mastic grey polysulphide sealing compound including raking out of joints filler as necessary				
5/4/4	3 x 30mm In saw cut joints in floors	m	19		
5/4/5	10mm Isolation Joints between surface bed concrete and brick wall	m	87		
	Carried Forward to Summary of Section No.			l R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 4 Waterproofing				

Item No		(Quantity	Rate	Amount
	BILL NO. 5				
	ROOF COVERINGS				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	ROOF SHEETING				
	Similar Approved				
	0.6mm thick "Brownbuilt Klip-lok light Industrial" galvanised troughed roof sheeting with "Chromadek - Traffic Green" finish on one side, and 0.6mm galvanised steel accessories fixed to timber purlins or rails fixed in strict accordance to the manufacturer's instructions and fixed by an approved erector. A written and approved five (5) year guarantee of water-tightness shall be issued after approval of roofs by the manufacturer				
5/5/1	Roof sheeting pitch not exceeding 25 degrees	m2	441		
5/5/2	550mm girth Ridge capping, 3 times bent and notched on site to suit roof profile	m	25		
5/5/3	550mm girth Hip capping, 3 times bent and notched on site to suit roof profile.	m	39		
5/5/4	550mm girth close cut and mitred Valley gutter, 4 times bent and including soakers, etc	m	9		
	ROOF AND WALL INSULATION				
	Similar Approved				
	Carried Forward			R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 5 Roof Coverings			.`	

	Brought Forward		R	
	Sisalation "Bubble Foil" aluminium foil binded insulation			
5/5/5	135mm thick Insulation laid over purlins (at approximately 750mm centres), fixed concurrent with sheeting with and including galvanised steel accessories m2	441		
	Carried Forward to Summary of Section No. Section No. 5		R	<u> </u>
	MEDIUM ADMINISTRATION BLOCK Bill No. 5 Roof Coverings			

Item No		Quantity	Rate	Amount
	BILL NO. 6			
	CARPENTRY AND JOINERY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	<u>Joinery</u>			
	Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc.			
	Descriptions of hardwood joinery shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete.			
	<u>Fixing</u>			
	Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete			
	Decorative laminate finish			
	Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish			
	<u>Timber</u>			
	All softwood to be South African Pine			
	<u>Descriptions</u>			
	Items described as "bolted" shall be deemed to exclude the bolts and include the holes unless otherwise described.			
	Carried Forward		R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 6 Carpentry and Joinery			
		I		

Brought Forward	R	
Where the fixing of members is not stated it shall mean the nailing of one timber member to another.		
The term "planted on" shall mean the nailing of one timber member to another		
The term "screwed on" shall mean the countersunk screwing of one timber member to another.		
The term "screwed on and pelleted" shall mean the screwing of one timber member to another with the heads of screw sunk and pelleted.		
The term "plugged" shall mean the countersunk screwing of a timber member to and including plastic plugs in brickwork or concrete.		
The term "plugged and pelleted" shall mean the screwing of a timber member to and including plastic plugs in brickwork or concrete with heads of screw sunk and pelleted.		
Shelving, etc. described as screwed to steel must be fixed from underside and prices are to include for countersunk drilling through the steel for screw fixing.		
Descriptions of floors, ceilings, joinery, etc. shall be deemed to include for all square cutting		
Descriptions of items given in linear metre shall be deemed to include for mitres, stopped ends, fitted intersections, etc.		
Descriptions of rounded angles, rebates, grooves, chamfers, moulded edges, etc. shall be deemed to include for angles, ends, etc.		
ROOFS, ETC		
Carried Forward	R	
Section No. 5 MEDIUM ADMINISTRATION BLOCK		
Bill No. 6 Carpentry and Joinery		

		Brought Forward		R	
	Plate nailed timber roof truss constru	<u>uction</u>			
	The following is applicable in respect of	roof trusses:			
	All timber to be sawn softwood in accor M4 as defined in SABS 563 or SABS 12				
	Metal connector plates shall have a mir strength of 228 MPa and a minimum ult strength of 330 Mpa with hot-dip galvar	timate tensile			
	All joints to be close fitted butt joints.				
	Trusses shall be designed by a regis of prefabricated trusses who shall is Engineers Certificate upon completic installation.	sue an			
	The dimensions in the descriptions of are nominal and actual measurement obtained on site before design or fabronmences.	ts are to be			
	Tenderers must study the roof plan a attached to the back of these bills of must obtain prices from a qualified a roof truss supplier as no claims in the entertained.	quantities and and registered			
	Roof trusses				
5/6/1	Design, supply, take delivery, temporary position and erect plate nailed timber repurlins, gang boarding, temporary and placing, etc (measured on plan)	oof trusses,	367		
	Sawn softwood				
5/6/2	38 x 114mm Wall plates	m	92		
	<u>Sundries</u>				
5/6/3	Two coats creosote on sawn timbers	m2	34		
	Similar Approved				
		Osmis d Farmand			
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 6 Carpentry and Joinery	Carried Forward		R	
			1		

	Brought Forward			R	
	"Everite FC77" Fascia and badge boards				
5/6/4	15 x 225mm Pressed fibre cement fascia boards, fixed to supports and roof timbers with one brass screw at maximum 750mm centres, including standard aluminium half round cover strips at all joints, as per architect's specification	m	94		
	DOORS ETC				
	44mm thick solid R&F panel meranti timber doors with masonite backing with 15 horizontal slates on both sides hung to steel frames				
5/6/5	914 x 2032mm single door	No	11		
5/6/6	1500 x 2400mm double door	No	2		
	WINDOWS				
	Similar Approved				
	"Nutec" fibre cement window cills				
5/6/7	150mm x 15mm thick fibre cement Window sill set flat and slightly projecting, with window sill lug screwed to underside of sill at 400mm centres, minimum of 75mm from end of window sill and bedded in 1:4 cement sand mortar with plastic slip joints at end of sills at plaster reveals and projecting from finished face of wall, all as	m	32		
	per manufacturer's recommendations	m	32		
	Carried Forward to Summary of Section No.			R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK				
	Bill No. 6 Carpentry and Joinery				

Item No		Quantity	Rate	Amount
	BILL NO. 7			
	CEILINGS, PARTITIONS AND ACCESS FLOORING			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	<u>Fixing</u>			
	Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 500mm centres, and where described as "bolted", the bolts have been given elsewhere.			
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins, or to be shot-pinned, to brickwork or concrete			
	Ceilings & Bulkheads			
	Unless otherwise described ceilings shall be deemed to be horizontal			
	Steel components			
	All steel components for ceilings, partitions, etc are to be galvanised in accordance with SANS 121			
	Proprietary suspended ceilings			
	Hangers, suspension grids, "lay-in" panels, etc are to be in accordance with the manufacturers' recommendations			
	Carried Forward		R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK			
	Bill No. 7 Ceilings,Partitions and Access Flooring			

NA/leave aleastrical limbs fittings difference paraleasts are					1
Where electrical light fittings, diffusers, panels etc are units of the same dimensions as the suspension grid described and allowance must be made in the rates accordingly for their support inclusive of any flexibility in setting out that may be required (ceiling panels have not been deducted and pricing is to take cognisance thereof)					
Suspension systems					
Where suspensions of ceilings require a sub-grid, the tenderer should include in his rates for the sub-grid. The design of the sub-grid support is not specified, the tenderer is to obtain the necessary requirements and recommendations for a safe installation from the board and suspension system manufacturer to the satisfaction of the structural engineer.					
NAILED UP CEILINGS					
FIBRE - CEMENT BOARDS					
Similar Approved					
6mm "Everite Nutec" Fibre-cement boards, jointed with and including galvanised H-type primed pressed steel jointing strips, including brandering as per architect's specifications					
2400 x 1200mm x 6mm Horizontal ceilings, fixed to and including 38 x 38mm sawn softwood brandering at maximum 400mm centres using 38mm long galvanised nails	m2	284			
CORNICES					
"Rhino" plasterboard cornice					
75mm Coved cornice, plugged to brickwork	m	254			
SUNDRIES					
Extra over for Trap Doors					
Extra over ceiling for 600 x 600mm trap door of 38 x 50mm wrought softwood rebated framing, with one 38 x 38mm sawn softwood cross brander covered with ceiling board and fitted flush in opening	No	2			
CEILING INSULATION					
					_
Carried Forward			R		
Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 7 Ceilings,Partitions and Access Flooring					
Caskt St Atotrac II II St GIVIA Cirr O - T ST II Exco	described and allowance must be made in the rates accordingly for their support inclusive of any flexibility in setting out that may be required (ceiling panels have not been deducted and pricing is to take cognisance thereof) Suspension systems Where suspensions of ceilings require a sub-grid, the tenderer should include in his rates for the sub-grid. The design of the sub-grid support is not specified, the tenderer is to obtain the necessary requirements and recommendations for a safe installation from the board and suspension system manufacturer to the satisfaction of the structural engineer. NAILED UP CEILINGS FIBRE - CEMENT BOARDS Similar Approved 6mm "Everite Nutec" Fibre-cement boards, jointed with and including galvanised H-type primed pressed steel jointing strips, including brandering as per architect's specifications 2400 x 1200mm x 6mm Horizontal ceilings, fixed to and including 38 x 38mm sawn softwood brandering at maximum 400mm centres using 38mm long galvanised nails CORNICES "Rhino" plasterboard cornice 75mm Coved cornice, plugged to brickwork SUNDRIES Extra over for Trap Doors Extra over ceiling for 600 x 600mm trap door of 38 x 50mm wrought softwood rebated framing, with one 38 x 38mm sawn softwood cross brander covered with ceiling board and fitted flush in opening CEILING INSULATION Carried Forward Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 7	described and allowance must be made in the rates accordingly for their support inclusive of any flexibility in setting out that may be required (celling panels have not been deducted and pricing is to take cognisance thereof) Suspension systems Where suspensions of ceilings require a sub-grid, the tenderer should include in his rates for the sub-grid. The design of the sub-grid support is not specified, the tenderer is to obtain the necessary requirements and recommendations for a safe installation from the board and suspension system manufacturer to the satisfaction of the structural engineer. NAILED UP CEILINGS FIBRE - CEMENT BOARDS Similar Approved 6mm "Everite Nutec" Fibre-cement boards, jointed with and including galvanised H-type primed pressed steel jointing strips, including brandering as per architect's specifications 2400 x 1200mm x 6mm Horizontal ceilings, fixed to and including 38 x 38mm sawn softwood brandering at maximum 400mm centres using 38mm long galvanised nails CORNICES "Rhino" plasterboard cornice 75mm Coved cornice, plugged to brickwork Maximum Softwood rebated framing, with one 38 x 38mm sawn softwood cross brander covered with ceiling board and fitted flush in opening No CEILING INSULATION Carried Forward Section No. 5 MEDIUM ADMINISTRATION BLOCK Sill No. 7	described and allowance must be made in the rates accordingly for their support inclusive of any flexibility in setting out that may be required (ceiling panels have not been deducted and pricing is to take cognisance thereof) Suspension systems Where suspensions of ceilings require a sub-grid, the tenderer should include in his rates for the sub-grid. The design of the sub-grid support is not specified, the tenderer is to obtain the necessary requirements and recommendations for a safe installation from the board and suspension system manufacturer to the satisfaction of the structural engineer. NAILED UP CEILINGS FIBRE - CEMENT BOARDS Similar Approved Similar Approved Similar Approved Similar Approved Similar Approved Somm "Everite Nutec" Fibre-cement boards, jointed with and including galvanised H-type primed pressed steel jointing strips, including brandering as per architect's specifications 2400 x 1200mm x 6mm Horizontal ceilings, fixed to and including 38 x 38mm sawn softwood brandering at maximum 400mm centres using 38mm long galvanised nails CORNICES "Rhino" plasterboard cornice 75mm Coved cornice, plugged to brickwork SUNDRIES Extra over for Trap Doors Extra over ceiling for 600 x 600mm trap door of 38 x 50mm wrought softwood rebated framing, with one 38 x 38mm som softwood cross brander covered with ceiling board and fitted flush in opening CEILING INSULATION Carried Forward Section No. 5 MEDIUM ADMINISTRATION BLOCK 3ill No. 7	described and allowance must be made in the rafes accordingly for their support inclusive of any flexibility in setting out that may be required (ceiling panels have not been deducted and pricing is to take cognisance thereof) Suspension systems Where suspensions of ceilings require a sub-grid, the tenderer should include in his rates for the sub-grid. The design of the sub-grid support is not specified, the tenderer is to obtain the necessary requirements and recommendations for a safe installation from the board and suspension system manufacturer to the satisfaction of the structural engineer. NAILED UP CEILINGS FIBRE - CEMENT BOARDS Similar Approved Bomm "Everite Nutec" Fibre-cement boards, jointed with and including galvanised H-type primed pressed steel jointing strips, including brandering as per architect's specifications 2400 x 1200mx x 6mm Horizontal ceilings, fixed to and notucling 38 x 38mm sawn softwood brandering at maximum 400mm centres using 38mm long galvanised naises CORNICES "Rhino" plasterboard cornice 75mm Coved cornice, plugged to brickwork SUNDRIES Extra over for Trap Doors Extra over ceiling for 600 x 600mm trap door of 38 x 50mm wrought softwood cross brander covered with ceiling board and fitted flush in opening CEILING INSULATION Carried Forward R Section No. 5 MEDIUM ADMINISTRATION BLOCK 311 No. 7	described and allowance must be made in the rates accordingly for their support inclusive of any flexibility in setting out that may be required (ceiling panels have not been deducted and pricing is to take cognisance thereof) Suspension systems Where suspensions of ceilings require a sub-grid, the denderer should include in his rates for the sub-grid. The design of the sub-grid support is not specified, the tenderer is to obtain the necessary requirements and recommendations for a safe installation from the board and suspension system manufacturer to the satisfaction of the structural engineer. NAILED UP CEILINGS FIBRE - CEMENT BOARDS Similar Approved Smm "Everite Nutec" Fibre-cement boards, jointed with and including galvanised H-type primed pressed steel jointing strips, including brandering as per architect's specifications 2400 x 1200mm x form Horizontal ceilings, fixed to and including 3x 38mm sawn softwood brandering at maximum 400mm centres using 38mm long galvanised nails CORNICES "Rhino" plasterboard cornice 75mm Coved cornice, plugged to brickwork m 254 SUNDRIES Extra over for Trap Doors Extra over ceiling for 600 x 600mm trap door of 38 x 50mm wrought softwood brandering with one 38 x 38mm sawn softwood cross brander covered with ceiling board and fittled flush in opening No CEILING INSULATION Carried Forward R Section No. 5 MCDIUM ADMINISTRATION BLOCK 311NO.

	Brought Forward		R	
5/7/4	<u>Insulation</u>			
3/174	125mm thick Glass wool insulation blanket closely fitted and laid on top of ceiling panels, all in strict accordance with the manufacturer's specifications. m2	284		
	Carried Forward to Summary of Section No. Section No. 5		R	
	MEDIUM ADMINISTRATION BLOCK Bill No. 7 Ceilings,Partitions and Access Flooring			

Item No		Quantity	Rate	Amount
	BILL NO. 8			
	IRONMONGERY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	Where ironmongery is described as plugged, prices are to include for screwing to and including approved patent plugs in concrete or brickwork with plaster or tiled finish, etc.			
	Proprietary items			
	Where applicable the manufacturers' names or product catalogue titles are given in sub-headings preceding the items			
	Prices are to be based on the specific products/articles specified. If tenderers wish to offer alternative products/articles for certain items, these items are to be clearly marked and the alternative specification given with supporting brochures etc clarifying the features of the products/articles offered			
	On request returnable samples are to be provided to the principal agent for consideration			
	Carried Forward Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 8		R	
	Ironmongery			

	Brought Forward			R	
	Finishes to ironmongery				
	Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list: BS Satin bronze lacquered CH Chromium plated SC Satin chromium plated SE Silver enamelled GE Grey enamelled AN Anodised natural AS Anodised silver AB Anodised bronze AG Anodised gold ABL Anodised black PB Polished brass PL Polished and lacquered PT Epoxy coated SD Sanded Rates The tenderer is to price for supply, taking delivery of,				
	storing and fixing of the ironmongery listed below.				
	DOOR FURNITURE				
	Similar Approved				
	<u>Handles</u>				
5/8/1	SS Lever handle on rose with cylinder escutcheons (Code: TH120 Cyl S.S)				
		Sets	2.0		
5/8/2	SS Pull handle BT fixed on a 150 x 300 x 1.2mm thick Grade 430 steel plate with no cylinder cutout, with steel plate to have 6 countersunk holes for screw fixing (Code: DHP-430-BL 150X300)	No	11		
	<u>Locks</u>				
5/8/3	SS Cylinder sash lock, with case size 116.5 x 78mm, with forend size 168 x 22mm, with 57mm backset and 61mm centre (Code: D036S SS)	No	2		
5/8/4	SS Cylinder deadlock, with case size 116.5 x 78mm, with forend size 168 x 22mm, with 57mm backset (Code: D037D SS)	No	11		
					<u></u>
	Carried Forward			R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 8 Ironmongery				

	Prescribt Faccount			R	Г
	Brought Forward			K	
5/8/5	SN 66mm five pin Euro-profile double cylinder master keyed (Code: DDC106601 MK)	No	2		
5/8/6	SN 43mm five pin Euro-profile single cylinder master keyed (Code: DSC104301 MK)	No	11		
5/8/7	NP Rebate conversion kit for Euro-profile locks D036S, D037D (Code: D038R NP)	No	2		
5/8/8	SC heavy duty 150 x 32mm Barrel bolt (Code: BHD 150)	No	2		
5/8/9	SC heavy duty 150 x 32mm Necked barrel bolt (Code: NBHD 150)	No	2		
5/8/10	SC 150mm Cabin hook (Code: CH 150)	No	4		
	Kick and push plates				
5/8/11	SS 200 x 813 x 1.2mm thick Grade 430 kick plate, with 10 countersunk holes for screw fixing (Code: DKP-430-200)	No	30		
5/8/12	SS 150 x 300 x 1.2mm thick Grade 430 steel plate, with cylinder cutout right, with steel plate to have 6 countersunk holes for screw fixing (Code: DPP-430-CR 150X300)	No	11		
	Door closers				
5/8/13	Non hold open cam action slide channel door closer for 950mm maximum door width, with closing force EN 3, with hydraulic speed control, with pull-side door leaf fixing (standard) and push-side transom fixing (Colour: Silver) (Code: TS91B)	No	11		
	Sundries				
5/8/14	Male / Female fixing screws (Qty 4 per pack)	Sets	11.0		
5/8/15	NP floor mounted Door stop (Code: DDS-NP-018)	No	11		
	PINNING BOARDS, WRITING BOARDS, PROJECTION SCREENS, etc.				
	Approved				
5/8/16	White magnetic boards 3000mm x 1200mm high with aluminium frame plugged @ 1100mm above floor level on centre of the wall	No	5		
	SUNDRIES				
	0				
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 8 Ironmongery			R	

	Brought Forward		R	
	<u>Approved</u>			
5/8/17	"CZ8730SC" Door stop or similarly approved to wall or floors No	26		
	Carried Forward to Summary of Section No.		R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 8			
	Ironmongery			

Item No		Quantity	Rate	Amount
	BILL NO. 9			
	<u>METALWORK</u>			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	ALUMINIUM			
	The contractor is to make due allowance in his prices for complying with the following requirements.			
	SPECIFICATIONS			
	User Note:			
	Glazing			
	All Safety glazing material (individual panes) are to conform to all standards as stipulated in SANS 10400 Part N and SANS 10137 and any additional Engineer Specifications or relevant SANS glazing regulations not stipulated in this document. All tenderers are referred to the drawings for the glazing specification.			
	Ironmongery			
	All rates for windows, shopfronts and doors etc. must include for the supply, taking delivery or/and installation of the ironmongery to be specified.			
	<u>Actuators</u>			
	All rates for shopfronts with actuators to include for the supply and installation of actuators as specified			
	Carried Forward		R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 9 Metalwork			

Scaffolding All scaffolding should be provided by the			1
contractor and no claims/ qualifications will be accepted.			
Protection			
With this tender, the glazing sub-contractor must so a statement concerning protection that will be proved to finishes and components until Practical Completed This to include specific references to the method or removal of such protection. All tenderers to include cost of protection in tender	ided ion. f		
Installation			
All measurements to be checked on site prior to ordering and manufacturing.			
Aluminium sections and shop drawings to be acceptly Architect prior to manufacturing.	oted		
Allow for water and weather proof polysulphide sea to approved specifications all around frame junction plaster and other materials.			
<u>Profiles</u>			
Tenderers to provide typical details of proposed aluminium section to be used in the design.			
Structural Silicone			
Tenderers to allow a 10 year guarantee on all powdercoating.			
Preliminary and Shop Drawings:			
The contractor shall submit preliminary design draw showing basic system sections for the Architect's approval.	vings		
After approval and prior to fabrication detailed shown drawings shall be prepared and submitted to the Architect for approval.			
Carried F	orward	R	
Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 9 Metalwork			

Fixing: The contractor is to take special note of all fixing details of all aluminium elements and must allow in his price for		
properly securing the aluminium sections to the structure with and including all necessary steel brackets, rails, timber grounds and sub-frames, including all necessary holing and bolting, etc. This fixing is to be adequately spaced and securely fixed to ensure total stiffness of the door frames, windows, etc. as no sagging causing improper functioning of the windows and doors will be accepted.		
<u>Deflection of structure:</u>		
The contractor is advised to make adequate provision for the design deflection of the structure.		
<u>Tolerances:</u>		
Sizes are approximate only and measurements on site must be taken before fabrication. Due allowance must be made for tolerances in accordance with the Architect's details.		
Protection:		
The contractor will be required to protect his work during the course of construction, which protection shall be adequate for the purpose and to the full approval of the Architect.		
Such protection shall only be removed after a written instruction from the Architect.		
Cleaning:		
All work must be cleaned down upon completion. Glazing as installed will not be accepted as clean glass and the contractor must allow for polishing glass as and when instructed by the Architect.		
Note: All windows and doors should be read in conjunction with window and door schedules		
WELDED SCREENS, GATES, ETC.		
Carried Forward	R	
Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 9		

	Brought Forward			R	-
	Welded MS gate consisting of 50 x 50 x 2.5mm rectangular tubing section frame with 45 degrees mitre at corners, bolted to reveals with 10mm (10M) rawlbolts and welded with 50 x 50 x 5mm mild steel to walls, with 50 x 50 x 2.5mm mild steel rectangular tube gate leaf with 45 degree mitre at corners and two 50 x 50 x 2.5mm horizontal sections, with 12 x 12mm mild steel vertical style solid square bars at 100mm c/c, including 3x pair of 20mm diameter bullet-hinges per gate, with "Solid blesbok" 460/313 four lever lockset with rebate set, including welding, bolting, holes, bolts etc., all complete as per the architect's specifications				
5/9/1	Steel gate to door, size 1500mm x 2400mm high	No	2		
	PRESSED STEEL DOOR FRAMES 1.2mm thick Single rebated frame suitable for half brick walls, complete with lugs and base ties, with red oxide primer factory finish by manufacturer				
5/9/2	914 x 2032mm single door	No	10		
	1.2mm thick Single rebated frame suitable for one brick walls, complete with lugs and base ties, with red oxide primer factory finish by manufacturer				
5/9/3	914 x 2032mm single door	No	1		
5/9/4	STRONG ROOM DOORS ETC, SUITABLE FOR 220MM WALLS FIXED TO BRICKWORK AND CONCRETE Similar Approved DS-70mm SABS Category 2 ADM strong room door, 190mm thick and steel frame, 813 x 2032mm including 8 bolts of 40 diameter-4 front and 4 back, 2x7- lever security keylock, non-deteriorating insulation material, rust proof undercoat for final painting by contractors, weight- 630 kg Door size 914 x 2032mm				
0/0/1	D001 3126 314 X 2032111111	No	1		
	WINDOWS FRAMES, etc.				
				_	_
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 9 Metalwork			R	

	Brought Forward			R	
	Standard mild steel school type Top-hung open out window frame (with brass fittings), with burglar bars to opening and fixed sections, consisting of 10mm diameter mild steel round bars to standard NBP2 pattern, welded at intersections and window frames, all as per architect's specification				
5/9/5	Window size 1022 x 900mm high	No	3		
5/9/6	Window size 1022 x 949mm high	No	3		
5/9/7	Window size 2000 x 1170mm high	No	1		
5/9/8	Window size 533 x 950mm high	No	5		
5/9/9	Window size 1511 x 1170mm high	No	14		
	ALUMINIUM WINDOWS, DOORS, ETC				
	Extruded aluminium door frame in configuration with glazed double doors, with laminated safety glass accordingly to ISO 9001:200 Quality Management Standards, including installation of ironmongery, actuators, smoke seal around door frame and all necessary framework, doors, spandrels panels, sealants, closure pieces, gaskets etc, all complete to architect's approval and as per architect's drawings and specifications				
5/9/10	Size 1500mm x 2100mm	No	2		
	MESH IN CEILING VOIDS				
	304/VEM 320G expanded metal mesh size 1200mm x 2400mm manufactured in accordance with SANS 190-1:1983 fixed to 76 x 50mm timber purlins using 40x 0.5mm hat channels @ 400mm centres with 12 x 20mm tac screws.				
5/9/11	In Ceiling voids	m2	284		
	FLAG POST				
5/9/12	2 x 15m high flag poles bolted to steel channel (211mm x 100mm) & channel to be anchored in concrete bases		Item		
	Carried Forward to Summary of Section No. Section No. 5			R	
	MEDIUM ADMINISTRATION BLOCK Bill No. 9 Metalwork				

Item No			Quantity	Rate	Amount
	BILL NO. 10				
	PLASTERING				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	SCREEDS				
	1:4 Cement sand screed on concrete, worked down to a true and even surface with a steel trowel				
5/10/1	30mm Thick on floors and landings	m2	581		
5/10/2	30mm Thick to falls and currents	m2	17		
	INTERNAL PLASTER				
	One coat smooth 1:5 cement sand plaster on brickwork to receive finish				
5/10/3	On brick walls	m2	692		
5/10/4	On narrow widths	m2	69		
	CORNER PROTECTORS, DIVIDING STRIPS, ETC				
5/10/5	Aluminium straight edge M-trim suitable for under- screed fixing in vinyl/ceramic, etc. installed as per manufactures recommendation and specification.	m	6		
	Carried Forward to Summary of Section No.			R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 10 Plastering				

Item No		Quantity	Rate	Amount
	BILL NO. 11			
	<u>TILING</u>			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	Pricing			
	Prices are to included for the following: Cutting, handling, labour, adhesive etc.			
	Fixing			
	Tiling described as "fixed with adhesive on power floated concrete" shall be deemed to include for approved tiling key-coat.			
	Ceramic, porcelain, marble and granite tiles are to be fixed, grouted and pointed with suitable adhesives and grouts, as recommended by the Architect. Costs are hereby deemed to include the cost of this requirement.			
	Payment for work that is deemed measurable, in respect of the conditions of contract, and which comprises cutting, leaving, or forming, rectangular holes and notches through tiling is hereby deemed to apply only to holes and notches that do not exceed 600mm girth. Those exceeding 600mm in girth are hereby deemed to be "square cutting", which is hereby deemed to be part of the work description for that type of tiling and is not measurable as a separate item of work.			
	<u>Wastage</u>			
	Tile wastage in excess of 10% will be for the tenderer's account.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No. 1, shall equally apply to this Bill.			
	Carried Forward		R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 11 Tilling			

	Brought Forward			R	
	<u>Note</u>				
	All scaffolding should be provided by the contractor and no claims/qualifications will be accepted.				
	WALL TILING				
	150 x 150 x 6mm ceramic tiles (PC allowance of R 120.00/m2 excludes V.A.T. but includes delivery to site), includes waste, laying, supply and fixing with an approved adhesive and jointing white grout all as per manufacturers specifications				
5/11/1	Plastered walls	m2	162		
5/11/2	On narrow widths	m2	16		
5/11/3	Splash backs	m2	1		
	FLOOR TILING				
	420 x 420 x 11.5mm Thick non-slip ceramic tiles (P.C allowance of R 200.00/m2 excludes V.A.T. but includes delivery to site), includes waste, laying, supply and fixing with an approved adhesive and jointing in waterproof cementetious grout				
5/11/4	On floors	m2	408		
5/11/5	75mm high skirting	m	372		
	ATTIC STOCK				
5/11/6	150 x 150 x 6mm ceramic tiles (PC allowance of R 120.00/m2 excludes V.A.T. but includes delivery to site)	m2	16		
5/11/7	420 x 420 x 11.5mm Thick non-slip ceramic tiles (P.C allowance of R 200.00/m2 excludes V.A.T. but includes delivery to site)	m2	41		
	SUNDRIES				
	10mm aluminium straight edge trim				
5/11/8	Dividing strip between tiles and door frames	m	9		
				<u></u>	
	Carried Forward to Summary of Section No. Section No. 5			R	\vdash
	MEDIUM ADMINISTRATION BLOCK Bill No. 11 Tiling				

Item No		Quantity	Rate	Amount
	SECTION NO. 5			
	BILL NO. 12			
	PLUMBING AND DRAINAGE (PROVISIONAL)			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	uPVC pipes and fittings:			
	Sewer and drainage pipes and fittings shall be jointed and sealed with butyl rubber rings			
	uPVC pressure pipes and fittings:			
	Pipes for water supply shall be of the class stated			
	Excavations:			
	No claim for excavation in material other than "earth" will be entertained unless the contractor has timeously notified the quantity surveyor thereof prior to backfilling, and has obtained, in writing, authorised classification thereof.			
	"Intermediate material" and " hard rock" shall be as defined in "Earthworks".			
	Quantities of all excavations, carting away excavated material and backfilling are calculated on the nett extent to be formed, or filled, in accordance with drawings and specifications, and the Contractor is to allow in his prices for any bulking.			
	Classes of excavation shall be as S.A.B.S 1200D clause 3.1.2.			
	Laying, backfilling, bedding, etc., of pipes:			
	Pipes shall be laid and bedded, and trenches shall be carefully backfilled, in accordance with the specific instructions			
	Carried Forward		R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 12 Plumbing and Drainage			

	Bro	ught Forward		R	
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall to this Bill.	equally apply			
	RAINWATER GOODS				
	Similar Approved				
	<u>Gutters</u>				
5/12/1	100 x 100 x 0.6mm thick Ogee profile eave aluminium box gutter, fixed with and includi clips to fascia boards		94		
5/12/2	Extra over eaves gutter for stopped end	No	22		
5/12/3	Extra over eaves gutter for corner	No	48		
5/12/4	Extra over eaves gutter for outlet	No	11		
	Rainwater downpipes				
5/12/5	100mm diameter x 0.6mm thick rainwater of Chromadek finish (Colour: TBC), fixed with including brackets to wall face, with bracket per manufacturer's recommendations, and downpipes spaced as per engineer's specif	and s spaced as with	38		
5/12/6	Extra over downpipe for offset	No	22		
5/12/7	Extra over downpipe for shoe	No	11		
	SANITARY FITTINGS				
	Refer to sanitary schedule drawing for full cabbreviations	lescription of			
	WASH HAND BASINS				
	Similar Approved				
	Vaal Sanitaryware "Hibiscus" vitreous cl with three semi-punched holes tap holes integrated overflow, including chain stay through the centre semi-punched tap ho with plug and chain, hung to walls (PC a R450.00/no excludes V.A.T. but includes site), includes waste, supply and fixing	s, including / hole le, supplied llowance of			
5/12/8	WHB, installed complete	No	3		
	WATER CLOSET				
	Co	rried Forward		R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 12 Plumbing and Drainage	meu i oiwaiu			

	Brought Forward			R	
	Similar Approved				
	Vaal Sanitaryware "Daisy" semi-close coupled water closet comprising double flap heavy duty thermoplastic seat rim pan and matching 9 litre cistern complete with lid, fitments and flush pipe elbow (PC allowance of R2 800.00/no excludes V.A.T. but includes delivery to site), includes waste, supply and fixing				
5/12/9	WC, installed complete	No	2		
	SINKS, etc.				
	Stainless steel single bowl sink, size 1350 x 457mm complete on and including integrated supports and legs (PC allowance of R1500.00/no excludes V.A.T. but includes delivery to site), includes waste, supply and fixing				
5/12/10	Stainless steel sink, complete.	No	1		
	Concrete double wash trough with outlets and three pedestals (PC allowance of R780.00/no excludes V.A.T. but includes delivery to site), includes waste, supply and fixing				
	TOILET ROLL HOLDER				
	To be approved by Architect				
5/12/11	130 x 560 x 130mm mild steel vandal proof Toilet paper roll holder (Colour: White), plugged and screwed to walls	No	2		
	TAPS, VALVES, ETC				
	Similar Approved				
5/12/12	15mm Cobra brass watertight hose Bib tap (Code: 108- 15)	No	3		
5/12/13	15mm Cobra Watertech chrome plated single tap hole Sink mixer with overarm swivel sprout (Code: 3396ST)	No	1		
	FIRE FIGHTING EQUIPMENT				
	Extinguishers including initial charge and setting up in position:				
5/12/14	9kg dry chemical powder fire extinguisher	No	4		
	Carried Forward			R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 12 Plumbing and Drainage				

	Brought Forward			R		-
5/12/15	Fire hose reel with 30m plastic hose, chromium plated stopcock, shut-off nozzle and wall bracket	No	2			
	<u>TESTING</u>					
5/12/16	Testing water pipe system		Item			
	BUDGETARY ALLOWANCE					
5/12/17	Allow an amount of R72 500.00 (Seventy Two Thousand Five Hundred) for the supply and installation of Sanitary Fitting Sundries		ltem		72 500.00	0
						_
	Carried Forward to Summary of Section No.			R		
	Section No. 5 MEDIUM ADMINISTRATION BLOCK					=
	Bill No. 12 Plumbing and Drainage					

Item No			Quantity	Rate	Amount
	BILL NO. 13				
	GLAZING				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No. 1, shall equally apply to this Bill.				
	Note:				
	All glazing to comply with SABS 1263 Part 3:1998. Light and ventilation to comply with Part O if NBR 0400				
	GLASS TO STEEL WITH PUTTY				
	5mm clear floated glass fixed glazing putty				
5/13/1	Panes not exceeding 0.1m2	m2	33		
	6mm obscure floated glass fixed glazing putty				
5/13/2	Panes exceeding 0.5m2 and not exceeding 2.0m2	m2	3		
	TOPS, SHELVES, DOORS, MIRROR ETC				
	6mm Polished plate float glass mirrors with square polished edges plugged with chrome plated detachable screws or similarly approved				
5/13/3	Mirror 400 x 600 mm high	No	3		
	Comical Forward to Comment (CO. 11)			_	
	Carried Forward to Summary of Section No. Section No. 5			R	
	MEDIUM ADMINISTRATION BLOCK Bill No. 13 Glazing				

Item No			Quantity	Rate	Amount
	BILL NO. 14				
	<u>PAINTWORK</u>				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No. 1, shall equally apply to this Bill.				
	PAINTWORK ETC TO NEW WORK				
	FIBRE CEMENT				
	Prepare and apply one coat universal undercoat and two coats Super Acrylic PVA paint or similar approved, colour to be confirmed by architect				
5/14/1	On internal ceilings and cornices	m2	305		
5/14/2	Fibre cement fascias boards not exceeding 300mm high or wide painted on both side	m	94		
	Prepare and apply one coat alkali resistant sealer and two coats mat enamel paint, colour to be confirmed by architect				
5/14/3	Fiber cement window sill not exceeding 300mm high or wide	m	32		
	FLOATED PLASTER INTERNAL WALLS				
	Carried Forward			R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 14 Paintwork				

	Brought Forward			R	
5/14/4	Prepare and apply one coat merit universal undercoat and two coats Super Acrylic PVA paint or similar approved, colour to be confirmed by architect Plastered walls	m2	692		
J/ 1 1 /1		1112	032		
	Prepare and apply one coat Duraphos, one coat universal under coat and two coats gloss enamel paint, colour to be confirmed by architect				
5/14/5	On gates, grilles, burglar screens, balustrades, etc (both sides measured on full flat area)	m2	29		
5/14/6	On window frames	m2	35		
5/14/7	On door frames	m2	34		
5/14/8	On gutters	m	94		
5/14/9	On downpipes	m	39		
	WOOD				
	Prepare and apply one coat universal undercoat and two coats acrylic PVA, colour to be confirmed by architect				
5/14/10	On door	m2	76		
	Prepare and paint three coats clear varnish:				
5/14/11	On door	m2	27		
	Carried Forward to Summary of Section No.			R	_
	Section No. 5 MEDIUM ADMINISTRATION BLOCK Bill No. 14 Paintwork			.``	

	SECTION SUMMARY			
Bill No		Page No		Amount
5/1	Earthworks	5/3		
5/2	Concrete,Formwork and Reinforcement	5/7		
5/3	Masonry	5/10		
5/4	Waterproofing	5/11		
5/5	Roof Coverings	5/13		
5/6	Carpentry and Joinery	5/17		
5/7	Ceilings,Partitions and Access Flooring	5/20		
5/8	Ironmongery	5/24		
5/9	Metalwork	5/29		
5/10	Plastering	5/30		
5/11	Tiling	5/32		
5/12	Plumbing and Drainage	5/36		
5/13	Glazing	5/37		
5/14	Paintwork	5/39		
	Carried to Final Summary		R	
	Section No. 5 MEDIUM ADMINISTRATION BLOCK			
	MEDICAL ADMINISTRATION DECON			
		1		

Item No		C	Quantity	Rate	Amount
	SECTION NO. 6				
	BILL NO. 1				
	EARTHWORKS (PROVISIONAL)				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	NOTES				
	Carting away of excavated material				
	Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site				
	Filling				
	Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any multiple handling of material				
	Excavations measured in successive depths of 2m.				
	EXCAVATIONS				
	Excavation in earth not exceeding 2m deep				
6/1/1	Trenches	m3	18		
	Extra over excavations in earth to trenches and holes for				
6/1/2	Excavation in soft rock	m3	2		
	Carried Forward			R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 1 Earthworks				

	Brought Forward			R	
6/1/3	Excavation in hard rock	m3	1		
	CARTING AWAY OF EXCAVATED MATERIAL				
	Note:				
	Description of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or , alternatively, from stock piles situated on the building site.				
6/1/4	Extra over all excavation for carting away surplus material from excavation and / or stockpile on site to a dumping site to be located by the Contractor	m3	11		
	RISK OF COLLAPSE OF EXCAVATIONS				
	Risk of collapse to side of excavation in earth not exceeding 1,5m deep				
6/1/5	Trenches and holes	m2	63		
	KEEPING EXCAVATIONS FREE FROM WATER				
6/1/6	Keeping excavations free of all water other than subterranean water		Item		
	FILLING, ETC.				
	Earth filling obtained from the excavations and/or prescribed stock piles on site compacted to 93% Mod AASHTO density in layers not exceeding 150mm thick				
6/1/7	Backfilling to trenches, holes, etc	m3	8		
6/1/8	Under floors, steps, pavings, etc	m3	20		
	Imported gravel filling (G7) stabilise with 2-3% cement compacted to 93% Mod AASHTO density in layers not exceeding 150mm thick				
6/1/9	Backfilling to trenches, holes, etc	m3	3		
6/1/10	Under floors, steps, pavings, etc	m3	3		
	Filling supplied by the Contractor under floors, trenches, etc.				
6/1/11	Sub-base filling (G5) from excavations under solid floors, steps, etc. compacted to 95% modified AASHTO density in layers not exceeding 150mm thick	m3	3		
	Carried Forward			R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 1 Earthworks			·	

	Brought Forward			R	
	COMPACTION OF SURFACES				
6/1/12	Prepare ground surface by scarifying sub-grade, rip and re-compact 150mm to 90% modified AASHTO density	m2	44		
	WEED KILLERS, INSECTICIDES, TERMITES, etc.				
	Protection against termites, ants, etc				
6/1/13	Under floors etc including forming and poisoning shallow furrows against foundation walls etc, filling in furrows and ramming	m2	44		
6/1/14	To bottom and sides of excavated trenches, Holes, etc.	m2	81		
	Carried Forward to Summary of Section No. Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 1 Earthworks			R	

Item No		Quantity	Rate	Amount
	BILL NO. 2			
	CONCRETE, FORMWORK AND REINFORCEMENT			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	Cost of tests			
	The costs of making, storing and testing of concrete test cubes as required under clause 7, "Tests" of SANS 1200 G, shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)			
	<u>Formwork</u>			
	Descriptions of formwork shall be deemed to include use and waste only (except where described as "left in" or "permanent"), for fitting together in the required forms, wedging, plumbing and fixing to true angles and surfaces as necessary to ensure easy release during stripping and for reconditioning as necessary before reuse. The vertical strutting shall be carried down to such construction as is sufficiently strong to afford the required support without damage and shall remain in position until the newly constructed work is able to support itself.			
	Formwork to soffits of solid slabs, etc. shall be deemed to be to slabs not exceeding 250mm thick unless otherwise described. Formwork to soffits of slabs, beams, etc. shall be deemed to be propped up exceeding 1,5m and not exceeding 3,5m high unless otherwise described.			
	Carried Forward		R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 2 Concrete,Formwork and Reinforcement			

	Brought Forward			R	
	Formwork to sides of bases, pile caps, ground beams, etc. will only be measured where it is prescribed by the engineer for design reasons. Formwork necessitated by irregularity or collapse of excavated faces will not be measured and the cost thereof shall be deemed to be included in the allowance for taking the risk of collapse of the sides of the excavations, provision for which is made in "Earthworks".			, i	
	The Tenderer is to note that for the "off-shutter" concrete finish shall be in accordance with the architectural specification 616 CON-140: Smooth + fair finish:- Degree of accuracy: I Finish: Smooth and even Form facing material to produce a smooth, hard, uniform texture on the concrete Steel faced formwork. Joints grout-tight. Panels shall be as large as practicable and arranged in a regular pattern as a feature of the surface Formwork tie holes: to the approval of the architect Repair imperfections: not allowed. Tie bolt holes shall be patched Not permitted: blowholes, small fins, bulges, irregularities, voids, honeycombing, segregation and other large defects. Concrete surfaces: No further treatment to form a smooth finish of uniform texture, appearance and colour				
	Structural Concrete Tenderers are referred to the Structural Engineer's - Standard Specifications which should be read before pricing this trade in particular, but also the other trades. The use of extenders, fly-ash, etc. are clearly described on this drawing. GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill. UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES				
6/2/1	15Mpa/19mm concrete Blinding	m3	1		
	Carried Forward Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 2 Concrete,Formwork and Reinforcement			R	

	Brought Forward			R	T
	REINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACE				
	25MPa/19mm Concrete				
6/2/2	Strip footings	m3	5		
	REINFORCED CONCRETE CAST IN FORMWORK				
	20Mpa/19mm concrete				
6/2/3	Concrete Apron cast to fall etc,	m3	2		
	25MPa/19mm Concrete				
6/2/4	Surface beds cast in panels	m3	3		
	TEST BLOCKS				
	Notes:				
	Concrete strength test cubes, label and send to an approved laboratory for testing, pay all charges and submit report to the Regional Representative. Only successful tests will be paid for (Provisional)				
6/2/5	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	5		
	SUNDRIES TO CONCRETE				
	Surface treatment				
6/2/6	Power float top surface of concrete surface bed to a true and even level finish	m2	44		
	ROUGH FORMWORK (DEGREE OF ACCURACY II)				
	Rough formwork to sides				
6/2/7	Edges, risers, ends and reveals not exceeding 300mm high or wide	m	45		
	Rough formwork to soffits				
	MOVEMENTS JOINTS ETC,				
	Expansion joints				
6/2/8	10mm soft board or similar approved between concrete and brick wall	m	22		
	Carried Forward			R	+
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 2 Concrete,Formwork and Reinforcement				
	Table 1. San and Training Company				

	Brought Forward			R	
	REINFORCEMENT (PROVISIONAL)				
	High and mild tensile steel reinforcement to structural concrete work				
6/2/9	All diameter bars	t	0.4		
	Fabric reinforcement:				
6/2/10	Type 245 fabric reinforcement in concrete surface beds, slabs, etc.	m2	22		
	Carried Forward to Summary of Section No.			R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 2				
	Concrete,Formwork and Reinforcement				

Item No		Quantity	Rate	Amount
	BILL NO. 3			
	MASONRY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	Sizes in descriptions			
	Where sizes in descriptions are given in brick units, "one brick" shall represent the length and "half brick" the width of a brick			
	Hollow walls etc			
	Descriptions of hollow walls shall be deemed to include leaving every fifth perpend of the bottom course of the external skin open as a weep hole. Walls in two skins described as "bagged and sealed" shall be deemed to include having the outer face of the inner skin bagged with 1:6 cement and sand mixture and sealed with two coats "Brickseal" bitumen emulsion waterproofing coating.			
	Face bricks			
	Bricks shall be ordered timeously to obtain uniformity in size and colour			
	Pointing			
	Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc			
	BRICKWORK IN FOUNDATION			
	Carried Forward		R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 3 Masonry			

	Brought Forward			R	
	Brickwork in 73mm burnt clay masonry units class NFP in Class II mortar, laid in stretcher bond with 10mm flush joints				
6/3/1	One brick wall	m2	24		
	SUPERSTRUCTURE BRICKWORK				
	Brickwork of NFP brick in class II mortar laid in stretcher bond with 10mm flush joints				
6/3/2	One brick wall	m2	74		
6/3/3	Half brick wall	m2	22		
6/3/4	Half brick wall, in beamfilling	m2	3		
	FACE BRICKWORK				
	Bricks shall be ordered timeously to obtain uniformity in size and colour				
	"Corobrick" face bricks (Colour: TBC) with PC sum amount of R 4 500.00 per thousand bricks delivered to site (excluding VAT) manufactured in accordance with SANS 227-2007, bedded and jointed in Class II mortar and pointed with recessed 6mm joints in both directions				
6/3/5	Extra over brickwork for face brickwork in foundations (Provisional)	m2	47		
6/3/6	Extra over brickwork for face brickwork in superstructure	m2	64		
6/3/7	Extra over brickwork for face brickwork in brick-on-edge header course lintel	m	4		
6/3/8	Extra over brickwork for face brickwork in brick-on-edge header course sills, bedded in mortar and set slightly sloped	m	4		
6/3/9	Extra over brickwork for face brickwork in beamfilling	m2	3		
	BRICKWORK SUNDRIES				
	Brickwork reinforcement				
6/3/10	75mm Wide reinforcement built in horizontally	m	66		
6/3/11	150mm Wide reinforcement built in horizontally.	m	357		
	Carried Forward			R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 3 Masonry				

	Brought Forward			R		-
	"Allied concrete" or similar approved prestressed fabricated lintels					
6/3/12	100 x 70mm Lintels in lengths not exceeding 3m	m	5			
6/3/13	175 x 70mm Lintels in lengths not exceeding 3m	m	5			
	<u>Turning pieces</u>					
6/3/14	110mm Wide turning piece to flat brick lintels	m	8			
	Air bricks etc					
6/3/15	Set of 2 240 x 155mm Terracota air bricks as per architects specification	No	2			
	Fair cutting to face brickwork					
6/3/16	Fair raking cutting at gables	m	23			
	Roof ties					
6/3/17	30 x 1.2mm galvanised steel strapping, built into wall for 5 courses and minimum 800mm to be fixed to trusses	No	19			
	MOVEMENTS JOINTS ETC,					
	Expansion joints					
6/3/18	30mm softboard between vertical brick surfaces not exceeding 300mm wide	m2	4			
	Comind Comment to Comment of Conflorable			5		_
	Carried Forward to Summary of Section No. Section No. 6			R		_
	4 SEATS WATERBORNE TOILET BLOCK Bill No. 3					
	Masonry					
	ı	1	'	'	ı	

Item No			Quantity	Rate	Amount
	BILL NO. 4				
	WATERPROOFING				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	DAMP PROOFING OF WALLS AND FLOORS				
	One layer of 375 micron "Consol Plastic Brikgrip DPC" embossed damp proof course				
6/4/1	Under walls	m2	1		
6/4/2	Under cills, etc.	m2	1		
	One layer of 250 micron "USB Green" or similar approved dampproof membrane sealed at laps with PVC self -adhesive tape				
6/4/3	Under surface beds.	m2	44		
	JOINTS SEALANTS, ETC.				
	Mastic grey polysulphide sealing compound including raking out of joints filler as necessary				
6/4/4	10mm Isolation Joints between surface bed concrete and brick wall	m	22		
	Carried Forward to Summary of Section No.			R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 4 Waterproofing				

Item No			Quantity	Rate	Amount
	BILL NO. 5				
	ROOF COVERINGS				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	ROOF SHEETING				
	Similar Approved				
	0.6mm thick "Brownbuilt Klip-lok light Industrial" galvanised troughed roof sheeting with "Chromadek - Traffic Green" finish on one side, and 0.6mm galvanised steel accessories fixed to timber purlins or rails fixed in strict accordance to the manufacturer's instructions and fixed by an approved erector. A written and approved five (5) year guarantee of water-tightness shall be issued after approval of roofs by the manufacturer				
6/5/1	Roof sheeting pitch not exceeding 25 degrees	m2	37		
6/5/2	550mm girth Ridge capping, 3 times bent and notched on site to suit roof profile	m	6		
6/5/3	550mm girth Hip capping, 3 times bent and notched on site to suit roof profile.	m	10		
	LOUVRES				
	Similar Approved				
	Carried Forward			R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 5 Roof Coverings			K	

	Brought Forward			R		
	NTY Steelworks purpose-made louvre panels fixed to timber purlins including watertight heading joints, necessary sealing strips, fixing accessories etc., pre-painted to match roof sheeting					
6/5/4	Steel triangular louvre, 1600 x 600mm high overall	No	2			
	ROOF AND WALL INSULATION					
	Similar Approved					
	Sisalation "Bubble Foil" aluminium foil binded insulation					
6/5/5	135mm thick Insulation laid over purlins (at approximately 750mm centres), fixed concurrent with sheeting with and including galvanised steel accessories	m2	37			
	Carried Forward to Summary of Section No.			R		
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 5 Roof Coverings					
				1	I	

Item No		Quantity	Rate	Amount
	BILL NO. 6			
	CARPENTRY AND JOINERY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	<u>Joinery</u>			
	Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc.			
	Descriptions of hardwood joinery shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete.			
	Fixing			
	Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete			
	Decorative laminate finish			
	Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish			
	<u>Timber</u>			
	All softwood to be South African Pine			
	<u>Descriptions</u>			
	Items described as "bolted" shall be deemed to exclude the bolts and include the holes unless otherwise described.			
	Carried Forward		R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 6 Carpentry and Joinery			

Brought Forward	R	
Where the fixing of members is not stated it shall mean the nailing of one timber member to another.		
The term "planted on" shall mean the nailing of one timber member to another		
The term "screwed on" shall mean the countersunk screwing of one timber member to another.		
The term "screwed on and pelleted" shall mean the screwing of one timber member to another with the heads of screw sunk and pelleted.		
The term "plugged" shall mean the countersunk screwing of a timber member to and including plastic plugs in brickwork or concrete.		
The term "plugged and pelleted" shall mean the screwing of a timber member to and including plastic plugs in brickwork or concrete with heads of screw sunk and pelleted.		
Shelving, etc. described as screwed to steel must be fixed from underside and prices are to include for countersunk drilling through the steel for screw fixing.		
Descriptions of floors, ceilings, joinery, etc. shall be deemed to include for all square cutting		
Descriptions of items given in linear metre shall be deemed to include for mitres, stopped ends, fitted intersections, etc.		
Descriptions of rounded angles, rebates, grooves, chamfers, moulded edges, etc. shall be deemed to include for angles, ends, etc.		
ROOFS, ETC		
Carried Forward	R	
Section No. 6 4 SEATS WATERBORNE TOILET BLOCK		
Bill No. 6 Carpentry and Joinery		

	Brought Forward			R	_
	Plate nailed timber roof truss construction				
	The following is applicable in respect of roof trusses:				
	All timber to be sawn softwood in accordance with V4 or M4 as defined in SABS 563 or SABS 1245.				
	Metal connector plates shall have a minimum yield strength of 228 MPa and a minimum ultimate tensile strength of 330 Mpa with hot-dip galvanised finish.				
	All joints to be close fitted butt joints.				
	Trusses shall be designed by a registered supplier of prefabricated trusses who shall issue an Engineers Certificate upon completion of the installation.				
	The dimensions in the descriptions of the trusses are nominal and actual measurements are to be obtained on site before design or fabrication commences.				
	Tenderers must study the roof plan and sections as attached to the back of these bills of quantities and must obtain prices from a qualified and registered roof truss supplier as no claims in this regard will be entertained.				
	Roof trusses				
6/6/1	Design, supply, take delivery, temporary store, hoist in position and erect plate nailed timber roof trusses, purlins, gang boarding, temporary and permanent bracing, etc (measured on plan)	m2	31		
	Sawn softwood				
6/6/2	38 x 114mm Wall plates	m	22		
	<u>Sundries</u>				
6/6/3	Two coats creosote on sawn timbers	m2	8		
	Similar Approved				
	Carried Forward			Б	_
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 6			R	
	Carpentry and Joinery				

	Brought Forward			R	
	"Everite FC77" Fascia and badge boards				
6/6/4	15 x 225mm Pressed fibre cement fascia boards, fixed to supports and roof timbers with one brass screw at maximum 750mm centres, including standard aluminium half round cover strips at all joints, as per architect's specification	m	23		
6/6/5	15 x 80 x 300mm fibre cement barge board	m	23		
	DOORS ETC				
	44mm thick solid R&F panel meranti timber doors with masonite backing with 15 horizontal slates on both sides hung to steel frames				
6/6/6	813 x 2032mm single door	No	4		
6/6/7	914 x 2032mm single door	No	2		
	WINDOWS				
	Similar Approved				
	"Nutec" fibre cement window cills				
6/6/8	150mm x 15mm thick fibre cement Window sill set flat and slightly projecting, with window sill lug screwed to underside of sill at 400mm centres, minimum of 75mm from end of window sill and bedded in 1:4 cement sand mortar with plastic slip joints at end of sills at plaster reveals and projecting from finished face of wall, all as per manufacturer's recommendations	m	4		
	Consider Forward to Summary of Section No.			D	
	Carried Forward to Summary of Section No. Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 6 Carpentry and Joinery			R	

Item No		Quantity	Rate	Amount
	BILL NO. 7			
	CEILINGS, PARTITIONS AND ACCESS FLOORING			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	<u>Fixing</u>			
	Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 500mm centres, and where described as "bolted", the bolts have been given elsewhere.			
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins, or to be shot-pinned, to brickwork or concrete			
	Ceilings & Bulkheads			
	Unless otherwise described ceilings shall be deemed to be horizontal			
	Steel components			
	All steel components for ceilings, partitions, etc are to be galvanised in accordance with SANS 121			
	Proprietary suspended ceilings			
	Hangers, suspension grids, "lay-in" panels, etc are to be in accordance with the manufacturers' recommendations			
	Carried Forward		R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 7			
	Ceilings, Partitions and Access Flooring			

	Brought Forward			R	
	Where electrical light fittings, diffusers, panels etc are units of the same dimensions as the suspension grid described and allowance must be made in the rates accordingly for their support inclusive of any flexibility in setting out that may be required (ceiling panels have not been deducted and pricing is to take cognisance thereof)				
	Suspension systems				
	Where suspensions of ceilings require a sub-grid, the tenderer should include in his rates for the sub-grid. The design of the sub-grid support is not specified, the tenderer is to obtain the necessary requirements and recommendations for a safe installation from the board and suspension system manufacturer to the satisfaction of the structural engineer.				
	NAILED UP CEILINGS				
	FIBRE - CEMENT BOARDS				
	Similar Approved				
	6mm "Everite Nutec" Fibre-cement boards, jointed with and including galvanised H-type primed pressed steel jointing strips, including brandering as per architect's specifications				
6/7/1	2400 x 1200mm x 6mm Horizontal ceilings, fixed to and including 38 x 38mm sawn softwood brandering at maximum 400mm centres using 38mm long galvanised nails	m2	14		
	CORNICES				
	"Rhino" plasterboard cornice				
6/7/2	75mm Coved cornice, plugged to brickwork	m	16		
	SUNDRIES				
	Extra over for Trap Doors				
6/7/3	Extra over ceiling for 600 x 600mm trap door of 38 x 50mm wrought softwood rebated framing, with one 38 x 38mm sawn softwood cross brander covered with ceiling board and fitted flush in opening	No	1		
	CEILING INSULATION				
					_
	Carried Forward			R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 7				
	Ceilings, Partitions and Access Flooring				

	Brought Forward		R	
6/7/4	<u>Insulation</u>			
<i>3,1,</i> 7,1	125mm thick Glass wool insulation blanket closely fitted and laid on top of ceiling panels, all in strict accordance with the manufacturer's specifications. m2	14		
	Carried Forward to Summary of Section No. Section No. 6 4 SEATS WATERBORNE TOILET BLOCK		R	
	Bill No. 7 Ceilings,Partitions and Access Flooring			

Item No		Quantity	Rate	Amount
	BILL NO. 8			
	IRONMONGERY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	Where ironmongery is described as plugged, prices are to include for screwing to and including approved patent plugs in concrete or brickwork with plaster or tiled finish, etc.			
	Proprietary items			
	Where applicable the manufacturers' names or product catalogue titles are given in sub-headings preceding the items			
	Prices are to be based on the specific products/articles specified. If tenderers wish to offer alternative products/articles for certain items, these items are to be clearly marked and the alternative specification given with supporting brochures etc clarifying the features of the products/articles offered			
	On request returnable samples are to be provided to the principal agent for consideration			
	Carried Forward		R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 8 Ironmongery			

	Brought Forward			R	
	Finishes to ironmongery				
	Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list: BS Satin bronze lacquered CH Chromium plated SC Satin chromium plated SE Silver enamelled GE Grey enamelled AN Anodised natural AS Anodised silver AB Anodised bronze AG Anodised gold ABL Anodised black PB Polished brass PL Polished and lacquered PT Epoxy coated SD Sanded Rates The tenderer is to price for supply, taking delivery of, storing and fixing of the ironmongery listed below.				
	DOOR FURNITURE				
	Similar Approved				
	<u>Handles</u>				
6/8/1	SS Pull handle BT fixed on a 75 x 170 x 1.2mm thick Grade 430 steel plate with no cylinder cutout, with steel plate to have 4 countersunk holes for screw fixing (Code: DHP-430-BL 75X170)	No	4		
	Locks				
6/8/2	SS Bathroom deadlock, with case size 102 x 78mm, with forend size 155 x 22mm, with 57mm backset (Code: D032D SS)	No	4		
6/8/3	SN 43mm five pin Euro-profile single cylinder master keyed (Code: DSC104301 MK)	No	2		
6/8/4	SC 150mm Cabin hook (Code: CH 150)	No	2		
6/8/5	SS bathroom WC indicator (red and white) and turnknob (Code: DWC-005)	Sets	4.0		
	Carried Forward			R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 8 Ironmongery				

	Brought Forward			R	
	Kick and push plates	į.			
6/8/6	SS 200 x 813 x 1.2mm thick Grade 430 kick plate, with 10 countersunk holes for screw fixing (Code: DKP-430-200)	No	12		
6/8/7	SS 75 x 170 x 1.2mm thick Grade 430 steel plate, with steel plate to have 4 countersunk holes for screw fixing (Code: DPP-430-BL 75X170)	No	4		
	Panic hardware				
6/8/8	Three point locking panic bar for single door (Code: PHA3/S DD)	Sets	2.0		
6/8/9	Exterior access lock with lever handle (cylinder not included) (Code: PHT3901)	No	2		
	<u>Sundries</u>				
6/8/10	Male / Female fixing screws (Qty 4 per pack)	Sets	4.0		
6/8/11	SS Hat and coat hook with rubber buffer (Code: DHC-SS-031B)	No	4		
	SUNDRIES				
	Approved				
6/8/12	"CZ8730SC" Door stop or similarly approved to wall or floors	No	4		
	Carried Forward to Summary of Section No.			R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 8 Ironmongery				
		I	l	l	ı l

Item No		Quantity	Rate	Amount
	BILL NO. 9			
	METALWORK			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	ALUMINIUM			
	The contractor is to make due allowance in his prices for complying with the following requirements.			
	SPECIFICATIONS			
	User Note:			
	Glazing			
	All Safety glazing material (individual panes) are to conform to all standards as stipulated in SANS 10400 Part N and SANS 10137 and any additional Engineer Specifications or relevant SANS glazing regulations not stipulated in this document. All tenderers are referred to the drawings for the glazing specification.			
	Ironmongery			
	All rates for windows, shopfronts and doors etc. must include for the supply, taking delivery or/and installation of the ironmongery to be specified.			
	<u>Actuators</u>			
	All rates for shopfronts with actuators to include for the supply and installation of actuators as specified			
	Carried Forward		R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 9 Metalwork			

Scaffolding		
All scaffolding should be provided by the contractor and no claims/ qualifications will be accepted.		
Protection		
With this tender, the glazing sub-contractor must supply a statement concerning protection that will be provided to finishes and components until Practical Completion. This to include specific references to the method of removal of such protection. All tenderers to include cost of protection in tender price.		
<u>Installation</u>		
All measurements to be checked on site prior to ordering and manufacturing.		
Aluminium sections and shop drawings to be accepted by Architect prior to manufacturing.		
Allow for water and weather proof polysulphide sealant to approved specifications all around frame junctions to plaster and other materials.		
<u>Profiles</u>		
Tenderers to provide typical details of proposed aluminium section to be used in the design.		
Structural Silicone		
Tenderers to allow a 10 year guarantee on all powdercoating.		
Preliminary and Shop Drawings:		
The contractor shall submit preliminary design drawings showing basic system sections for the Architect's approval.		
After approval and prior to fabrication detailed shop drawings shall be prepared and submitted to the Architect for approval.		
	_	
Carried Forward Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 9	R	

	Brought Forward			R	_
	Fixing:				
	The contractor is to take special note of all fixing details of all aluminium elements and must allow in his price for properly securing the aluminium sections to the structure with and including all necessary steel brackets, rails, timber grounds and sub-frames, including all necessary holing and bolting, etc. This fixing is to be adequately spaced and securely fixed to ensure total stiffness of the door frames, windows, etc. as no sagging causing improper functioning of the windows and doors will be accepted.				
	<u>Deflection of structure:</u>				
	The contractor is advised to make adequate provision for the design deflection of the structure.				
	Tolerances:				
	Sizes are approximate only and measurements on site must be taken before fabrication. Due allowance must be made for tolerances in accordance with the Architect's details.				
	Protection:				
	The contractor will be required to protect his work during the course of construction, which protection shall be adequate for the purpose and to the full approval of the Architect.				
	Such protection shall only be removed after a written instruction from the Architect.				
	Cleaning:				
	All work must be cleaned down upon completion. Glazing as installed will not be accepted as clean glass and the contractor must allow for polishing glass as and when instructed by the Architect.				
	Note: All windows and doors should be read in conjunction with window and door schedules				
	PRESSED STEEL DOOR FRAMES				
	1.2mm thick Single rebated frame suitable for half brick walls, complete with lugs and base ties, with red oxide primer factory finish by manufacturer				
6/9/1	813 x 2032mm single door	No	4		
	Carried Forward Section No. 6 4 SEATS WATERBORNE TOILET BLOCK			R	
	Bill No. 9 Metalwork				

	Brought Forward		R	
	1.2mm thick Single rebated frame suitable for one brick walls, complete with lugs and base ties, with red oxide primer factory finish by manufacturer			
6/9/2	914 x 2032mm single door	2		
	WINDOWS FRAMES, etc.			
	Standard mild steel school type Top-hung open out window frame (with brass fittings), with burglar bars to opening and fixed sections, consisting of 10mm diameter mild steel round bars to standard NBP2 pattern, welded at intersections and window frames, all as per architect's specification			
6/9/3	Window size 1022 x 949mm high	o 4		
	Opmind Forward to Opming of Operation N			
	Carried Forward to Summary of Section No. Section No. 6		R	
	4 SEATS WATERBORNE TOILET BLOCK Bill No. 9 Metalwork			

Item No			Quantity	Rate	Amount
	BILL NO. 10				
	PLASTERING				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	<u>SCREEDS</u>				
	1:4 Cement sand screed on concrete, worked down to a true and even surface with a steel trowel				
6/10/1	30mm Thick on floors and landings	m2	33		
6/10/2	30mm Thick to falls and currents	m2	3		
	INTERNAL PLASTER				
	One coat smooth 1:5 cement sand plaster on brickwork to receive finish				
6/10/3	On brick walls	m2	115		
6/10/4	On narrow widths	m2	12		
	Carried Forward to Summary of Section No.			R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 10 Plastering				

Item No		Quantity	Rate	Amount
	BILL NO. 11			
	TILING			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	Pricing			
	Prices are to included for the following: Cutting, handling, labour, adhesive etc.			
	<u>Fixing</u>			
	Tiling described as "fixed with adhesive on power floated concrete" shall be deemed to include for approved tiling key-coat.			
	Ceramic, porcelain, marble and granite tiles are to be fixed, grouted and pointed with suitable adhesives and grouts, as recommended by the Architect. Costs are hereby deemed to include the cost of this requirement.			
	Payment for work that is deemed measurable, in respect of the conditions of contract, and which comprises cutting, leaving, or forming, rectangular holes and notches through tiling is hereby deemed to apply only to holes and notches that do not exceed 600mm girth. Those exceeding 600mm in girth are hereby deemed to be "square cutting", which is hereby deemed to be part of the work description for that type of tiling and is not measurable as a separate item of work.			
	<u>Wastage</u>			
	Tile wastage in excess of 10% will be for the tenderer's account.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No. 1, shall equally apply to this Bill.			
	Carried Forward		R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 11 Tiling			

	Brought Forward			R	
	<u>Note</u>				
	All scaffolding should be provided by the contractor and no claims/qualifications will be accepted.				
	WALL TILING				
	150 x 150 x 6mm ceramic tiles (PC allowance of R 120.00/m2 excludes V.A.T. but includes delivery to site), includes waste, laying, supply and fixing with an approved adhesive and jointing white grout all as per manufacturers specifications				
6/11/1	Plastered walls	m2	62		
6/11/2	On narrow widths	m2	6		
6/11/3	Splash backs	m2	1		
	FLOOR TILING				
	420 x 420 x 11.5mm Thick non-slip ceramic tiles (P.C allowance of R 200.00/m2 excludes V.A.T. but includes delivery to site), includes waste, laying, supply and fixing with an approved adhesive and jointing in waterproof cementetious grout				
6/11/4	On floors	m2	37		
6/11/5	75mm high skirting	m	81		
	ATTIC STOCK				
6/11/6	150 x 150 x 6mm ceramic tiles (PC allowance of R 120.00/m2 excludes V.A.T. but includes delivery to site)	m2	6		
6/11/7	420 x 420 x 11.5mm Thick non-slip ceramic tiles (P.C allowance of R 200.00/m2 excludes V.A.T. but includes delivery to site)	m2	4		
	Carried Forward to Summary of Section No.			R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK				
	Bill No. 11				
	Tiling				

Item No		Quantity	Rate	Amount
	BILL NO. 12			
	PLUMBING AND DRAINAGE (PROVISIONAL)			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	uPVC pipes and fittings:			
	Sewer and drainage pipes and fittings shall be jointed and sealed with butyl rubber rings			
	uPVC pressure pipes and fittings:			
	Pipes for water supply shall be of the class stated			
	Excavations:			
	No claim for excavation in material other than "earth" will be entertained unless the contractor has timeously notified the quantity surveyor thereof prior to backfilling, and has obtained, in writing, authorised classification thereof.			
	"Intermediate material" and " hard rock" shall be as defined in "Earthworks".			
	Quantities of all excavations, carting away excavated material and backfilling are calculated on the nett extent to be formed, or filled, in accordance with drawings and specifications, and the Contractor is to allow in his prices for any bulking.			
	Classes of excavation shall be as S.A.B.S 1200D clause 3.1.2.			
	Laying, backfilling, bedding, etc., of pipes:			
	Pipes shall be laid and bedded, and trenches shall be carefully backfilled, in accordance with the specific instructions			
	Carried Forward		R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 12 Plumbing and Drainage			

	Brought Forward			R	_
	GENERAL NOTES TO TENDERERS	I			
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	RAINWATER GOODS				
	Similar Approved				
	<u>Gutters</u>				
6/12/1	100 x 100 x 0.6mm thick Ogee profile eaves gutter aluminium box gutter, fixed with and including fixing clips to fascia boards	m	23		
6/12/2	Extra over eaves gutter for stopped end	No	8		
6/12/3	Extra over eaves gutter for corner	No	17		
6/12/4	Extra over eaves gutter for outlet	No	4		
	Rainwater downpipes				
6/12/5	100mm diameter x 0.6mm thick rainwater downpipe with Chromadek finish (Colour: TBC), fixed with and including brackets to wall face, with brackets spaced as per manufacturer's recommendations, and with downpipes spaced as per engineer's specification	m	14		
6/12/6	Extra over downpipe for offset	No	8		
6/12/7	Extra over downpipe for shoe	No	4		
	SANITARY FITTINGS				
	Refer to sanitary schedule drawing for full description of abbreviations				
	WASH HAND BASINS				
	Similar Approved				
	Vaal Sanitaryware "Hibiscus" vitreous china basin with three semi-punched holes tap holes, including integrated overflow, including chain stay hole through the centre semi-punched tap hole, supplied with plug and chain, hung to walls (PC allowance of R450.00/no excludes V.A.T. but includes delivery to site), includes waste, supply and fixing				
6/12/8	WHB, installed complete	No	4		
	WATER CLOSET				
					_
	Carried Forward Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 12 Plumbing and Drainage			R	

	Brought Forward			R	
	Similar Approved				
	Vaal Sanitaryware "Daisy" semi-close coupled water closet comprising double flap heavy duty thermoplastic seat rim pan and matching 9 litre cistern complete with lid, fitments and flush pipe elbow (PC allowance of R2 800.00/no excludes V.A.T. but includes delivery to site), includes waste, supply and fixing				
6/12/9	WC, installed complete	No	4		
	TOILET ROLL HOLDER				
	To be approved by Architect				
6/12/10	130 x 560 x 130mm mild steel vandal proof Toilet paper roll holder (Colour: White), plugged and screwed to walls				
		No	4		
	SOAP DISPENSER				
	To be approved by Architect				
6/12/11	110 x 170 x 35mm high plastic Soap dispenser (Colour: White and transparent), with lever button and pump, plugged and screwed to wall	No	1		
	PAPER TOWEL DISPENSER				
	To be approved by Architect				
6/12/12	360 x 380 x 240mm high lockable auto-cut (reflex) plastic Paper towel dispenser (Colour: White), plugged and screwed to wall	No	1		
	TAPS, VALVES, ETC				
	Similar Approved				
6/12/13	15mm Cobra brass watertight hose Bib tap (Code: 108- 15)	No	4		
	TESTING	110			
6/12/14	Testing water pipe system		Item		
0/12/11	resulting water pipe system		itom		
	Carried Forward Section No. 6			R	
	4 SEATS WATERBORNE TOILET BLOCK Bill No. 12 Plumbing and Drainage				

	Brought Forward		R		
	BUDGETARY ALLOWANCE				
6/12/15	Allow an amount of R107 380.80 (One Hundred and Seven Thousand Three Hundred and Eighty and Eighty) for the supply and installation of Sanitary Fitting Sundries	Item		107 380.	80
	Carried Forward to Summary of Section No.		R		
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK				
	Bill No. 12 Plumbing and Drainage				

Item No		Quantity	Rate	Amount
	BILL NO. 13			
	GLAZING			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No. 1, shall equally apply to this Bill.			
	Note:			
	All glazing to comply with SABS 1263 Part 3:1998. Light and ventilation to comply with Part O if NBR 0400			
	GLASS TO STEEL WITH PUTTY			
	5mm clear floated glass fixed glazing putty			
6/13/1	Panes not exceeding 0.1m2	2 4		
	TOPS, SHELVES, DOORS, MIRROR ETC			
	6mm Polished plate float glass mirrors with square polished edges plugged with chrome plated detachable screws or similarly approved			
6/13/2	Mirror 400 x 600 mm high	o 4		
	Carried Forward to Summary of Section No.		R	
	Section No. 6			
	4 SEATS WATERBORNE TOILET BLOCK Bill No. 13 Glazing			
			I	

Item No			Quantity	Rate	Amount
	BILL NO. 14				
	<u>PAINTWORK</u>				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No. 1, shall equally apply to this Bill.				
	PAINTWORK ETC TO NEW WORK				
	FIBRE CEMENT				
	Prepare and apply one coat universal undercoat and two coats Super Acrylic PVA paint or similar approved, colour to be confirmed by architect				
6/14/1	On internal ceilings and cornices	m2	16		
6/14/2	Fibre cement fascias boards not exceeding 300mm high or wide painted on both side	m	46		
	Prepare and apply one coat alkali resistant sealer and two coats mat enamel paint, colour to be confirmed by architect				
6/14/3	Fiber cement window sill not exceeding 300mm high or wide	m	4		
	FLOATED PLASTER INTERNAL WALLS				
	Prepare and apply one coat merit universal undercoat and two coats Super Acrylic PVA paint or similar approved, colour to be confirmed by architect				
6/14/4	Plastered walls	m2	115		
	METAL SURFACES				
	Carried Forward			R	
	Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 14 Paintwork				

Prepare and apply one coat Duraphos, one coat universal under coat and two coats gloss enamel paint, colour to be confirmed by architect 6/14/5 On window frames m2 4 6/14/6 On door frames m2 5 6/14/7 On gutters m 23 6/14/8 On downpipes m 14 WOOD Prepare and apply one coat universal undercoat and two coats acrylic PVA, colour to be confirmed by architect 6/14/9 On door m2 15	
6/14/6 On door frames m2 5 6/14/7 On gutters m 23 6/14/8 On downpipes m 14 WOOD Prepare and apply one coat universal undercoat and two coats acrylic PVA, colour to be confirmed by architect	
6/14/7 On gutters m 23 6/14/8 On downpipes m 14 WOOD Prepare and apply one coat universal undercoat and two coats acrylic PVA, colour to be confirmed by architect	
6/14/8 On downpipes m 14 WOOD Prepare and apply one coat universal undercoat and two coats acrylic PVA, colour to be confirmed by architect	
WOOD Prepare and apply one coat universal undercoat and two coats acrylic PVA, colour to be confirmed by architect	
Prepare and apply one coat universal undercoat and two coats acrylic PVA, colour to be confirmed by architect	
two coats acrylic PVA, colour to be confirmed by architect	
6/14/9 On door m2 15	
	_
Carried Forward to Summary of Section No.	
Section No. 6 4 SEATS WATERBORNE TOILET BLOCK Bill No. 14 Paintwork	
r antwork	

	SECTION SUMMARY			
Bill No		Page No		Amount
6/1	Earthworks	6/3		
6/2	Concrete,Formwork and Reinforcement	6/7		
6/3	Masonry	6/10		
6/4	Waterproofing	6/11		
6/5	Roof Coverings	6/13		
6/6	Carpentry and Joinery	6/17		
6/7	Ceilings,Partitions and Access Flooring	6/20		
6/8	Ironmongery	6/23		
6/9	Metalwork	6/27		
6/10	Plastering	6/28		
6/11	Tiling	6/30		
6/12	Plumbing and Drainage	6/34		
6/13	Glazing	6/35		
6/14	Paintwork	6/37		
	Carried to Final Summary		R	
	Section No. 6			
	4 SEATS WATERBORNE TOILET BLOCK			

Item No		Quantity	Rate	Amount
	SECTION NO. 7			
	BILL NO. 1			
	DEMOLITIONS AND ALTERATIONS			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Subterranean water			
	No subterranean water is expected			
	Excavation for working space in rock			
	Notwithstanding clause 11 page 8 of the Standard System of Measuring Building Work, excavation for working space in rock will be measured in cubic metres to the extent executed and given as "extra over" bulk excavation or trench and hole excavation as the case may be			
	Carting away of excavated material			
	Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site			
	<u>Filling</u>			
	Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any necessary multiple handling of material			
	Testing			
	Prices for filling are to include for all necessary density tests in accordance with SABS 1200D			
	Carried Forward		R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 1 Demolitions and Alterations			

Brought Forward	R	
Existing structures		
In taking down and removing existing work, the utmost care shall be taken to prevent any structural or other damage to the remaining portions on the building and the Contractor shall provide all shoring, needling, strutting, etc. to ensure the stability of all structures during the alteration work, Any damage to the structure and/or building as well as the rectification of same will be for the contractor's account		
<u>Services</u>		
Special care shall be exercised during the progress of the work to ensure that electrical installation, water supply pipes, telephone and other services which may be encountered are not interfered with and notice shall be given to the Representative/Agent if any disconnection or alterations become necessary.		
Dust and noise		
The Contractor is to take all necessary precautions to the satisfaction of the Representative/Agent to prevent any nuisance from the dust and /or noise whilst carrying out the work.		
Disposal of debris		
The Contractor shall be responsible for the removal from site of all materials, debris and rubbish resulting from the work which removal is deemed to be included in the rates unless otherwise stated.		
Rates for taking out and removing doors and frames shall include for removing door stops, cabin hooks, etc and making good floor and wall finishes to match existing		
Making good of finishes shall include making good of the brick and concrete surfaces onto which the new finishes are applied, where necessary		
Temporary support to openings through existing walls		
Making openings, altering openings in existing walls and removing lintels above existing openings shall be done with the utmost care to prevent any structural damage. All necessary supports, propping, shoring, needling, strutting, turning pieces, etc. to walls openings is deemed to be included in the contractor's rates.		
Carried Forward	R	
Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 1		

Brought Forward	R	
Electrical and Mechanical		
Where items include for taking down electrical and mechanical fittings the disconnection and making safe electrically is deemed to be included.		
GENERAL NOTES TO TENDERERS		
Tenderers are to inspect the drawings issued with these Bills of Quantities and to satisfy themselves with the nature and the requirements of the Contract works. Failure to do so will be the complete responsibility of the Tenderer and no claims whatsoever will be entertained in this regard.		
Tenderers are to read the descriptions, which are intended as a means of identifying various facets of the work, in conjunction with the drawings. Tenderers shall allow for all costs in connection with the various items taking full cognisance of both the drawings and the Bills of Quantities.		
Tenderers shall notify the Quantity Surveyor in writing of any discrepancies encountered upon which clarification will be given by the Quantity Surveyor in writing to the Tenderer. Failure to do so will be the complete responsibility of the Tenderer and no claims whatsoever will be entertained in this regard		
Tenderers are to note that setting out of the works will be the complete responsibility of the Tenderer and they should therefore acquaint themselves with the site boundaries, site co-ordinates, datum levels etc. Failure to do so will be the complete responsibility of the Tenderer and no claims whatsoever will be entertained in this regard.		
Tenderers are to note that all items with ZERO quantities are Rate Only items and should be priced as such.		
Tenderers are to note that there might be specified suppliers to be used for certain trades as per the annexure to this tender document. Tenderers should familiarise themselves with the suppliers on the list and ensure to allow for accordingly. Failure to do so will be the complete responsibility of the Tenderer and no claims whatsoever will be entertained in this regard.		
Section No. 7	R	
DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 1 Demolitions and Alterations		

	Brought Forward			R	
	Tenderers are to fully acquaint themselves with the construction period and shall allow for any night shift if required. Failure to do so will be the complete responsibility of the Tenderer and no claims whatsoever will be entertained in this regard.				
	REMOVAL OF EXISTING WORK				
	Demolitions of existing structures all complete				
7/1/1	Single storey brick and mortar classroom block with pitched roof, comprising of surface bed, external and internal brick walls, corrugated roof covering on timber trusses, including wash hand basins & WC porcelain close couple and with plumbing complete.	m2	864		
7/1/2	Single storey brick and mortar ablution block with pitched roof, comprising of surface bed, external and internal brick walls, corrugated roof covering on timber trusses, including wash hand basins & WC porcelain close couple and with plumbing complete.	m2	19		
	Breaking up/demolishing and removal of walls, slabs, surface beds etc				
7/1/3	100mm thick concrete aprons	m2	464		
7/1/4	25mm thick concrete screed	m2	108		
	Taking down and removing panelling, ceilings, partitions, etc				
7/1/5	Nailed-up ceilings including brandering	m2	745		
7/1/6	Ceiling trap door	No	8		
	Taking out and removing glass and mirrors				
7/1/7	Glass from steel windows including cleaning out rebates and preparing to receive new glass	m2	89		
	Taking up and removing floor coverings carpeting, tiles etc				
7/1/8	Vinyl tile floor covering including preparing screed for new tile flooring	m2	424		
	Taking out and removing doors, windows, etc including making good frame (paintwork measured elsewhere)				
7/1/9	813mm x 2032mm high timber door including metal frame, ironmongery etc.	No	8		
	Carried Forward			R	+
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 1 Demolitions and Alterations				

	Brought Forward			R	
	Taking out and removing ironmongery				
7/1/10	Remove all ironmongery to a single door	No	8		
7/1/11	Remove pinning board and make good wall finishes	No	16		
7/1/12	Remove green chalk board and make good wall finishes	No	8		
7/1/13	Remove brass sliding stays, peg stay, handles window ironmongery	No	160		
	Taking out and removing sundry joinery work				
7/1/14	Timber skirting from brickwork	m	233		
	Taking out and removing metalwork				
7/1/15	Security gate including framing bolted to brickwork and making good mortar joints between face brickwork	No	8		
	Taking out and removing roof coverings, roof accessories and rainwater disposal fittings, keeping roof structure intact				
7/1/16	Remove roof sheeting, roof accessories, timber roof structure, ceilings etc.	m2	745		
7/1/17	Remove steel gutters, keeping barge boards intact	m	127		
7/1/18	Remove barge board	m	46		
7/1/19	Remove fascia board	m	127		
7/1/20	Remove ridge capping, keeping roof covering intact	m	64		
	Repairing cracks				
7/1/21	On plastered brick walls	m2	56		
	MAKING GOOD OF FINISHES ETC				
	Making good screed				
7/1/22	Floors in patches	m2	424		
	Face bricks				
7/1/23	Clean and treat face bricks with approved oxidation preventative solution	m2	929		
	Carried Forward to Summary of Section No.			R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 1 Demolitions and Alterations			1	

Item No			Quantity	Rate	Amount
	BILL NO. 2				
	EARTHWORKS (PROVISIONAL)				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	NOTES				
	Carting away of excavated material				
	Descriptions of carting away of excavated material shall be deemed to include loading excavated material onto trucks directly from the excavations or, alternatively, from stock piles situated on the building site				
	Filling				
	Notwithstanding the reference to prescribed multiple handling in clause 1 page 6 of the Standard System of Measuring Building Work, prices for filling and backfilling shall include for all selection and any multiple handling of material				
	EXCAVATION OTHER THAN BULK, ETC				
	Excavation in earth not exceeding 2m deep				
7/2/1	Trenches	m3	11		
7/2/2	Holes	m3	28		
	Extra over trench and hole excavations in earth for excavation in				
7/2/3	Soft rock	m3	4		
7/2/4	Hard rock	m3	2		
	Carried Forward Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 2 Earthworks			R	

	Brought Forward			R	_
	Extra over all excavations for carting away				
7/2/5	Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor	m3	39		
	Risk of collapse of excavations				
7/2/6	Sides of trench excavations not exceeding 1.5m deep	m2	42		
	Keeping excavations free of water				
7/2/7	Keeping excavations free of water		Item		
	FILLING, ETC.				
	Earth filling obtained from the excavations and/or prescribed stock piles on site compacted to 93% Mod AASHTO density in layers not exceeding 150mm thick				
7/2/8	Under floors, steps, pavings, etc	m3	4		
	Selected (G5) layer earth filling supplied by the contractor, compacted in 150mm thick layers, compacted to 93% Mod AASHTO density				
7/2/9	Under floors, steps, pavings, etc	m3	13		
	COMPACTION OF SURFACES				
	Prepare ground surface by scarifying for a depth of 150mm, breaking down oversized material, adding suitable material where necessary and recompacting to 90% modified AASHTO density				
7/2/10	Under floors, steps, paving, etc	m2	519		
	WEED KILLERS, INSECTICIDES, TERMITES, etc.				
	Protection against termites, ants, etc				
7/2/11	Under floors etc including forming and poisoning shallow furrows against foundation walls etc, filling in furrows and ramming	m2	519		
7/2/12	Weedkiller: To bottoms and sides of trenches etc.	m2	55		
	Wedarmer. To porterno una siaco el menerico etc.	2			
	Carried Forward to Summary of Section No.			R	_
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 2 Earthworks				

Item No		Quantity	Rate	Amount
	BILL NO. 3			
	CONCRETE, FORMWORK AND REINFORCEMENT			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	Cost of tests			
	The costs of making, storing and testing of concrete test cubes as required under clause 7, "Tests" of SANS 1200 G, shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the principal agent. The testing shall be undertaken by an independent firm or institution nominated by the contractor to the approval of the principal agent. (Test cubes are measured separately)			
	<u>Formwork</u>			
	Descriptions of formwork shall be deemed to include use and waste only (except where described as "left in" or "permanent"), for fitting together in the required forms, wedging, plumbing and fixing to true angles and surfaces as necessary to ensure easy release during stripping and for reconditioning as necessary before reuse. The vertical strutting shall be carried down to such construction as is sufficiently strong to afford the required support without damage and shall remain in position until the newly constructed work is able to support itself.			
	Formwork to soffits of solid slabs, etc. shall be deemed to be to slabs not exceeding 250mm thick unless otherwise described. Formwork to soffits of slabs, beams, etc. shall be deemed to be propped up exceeding 1,5m and not exceeding 3,5m high unless otherwise described.			
	Carried Forward		R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 3 Concrete,Formwork and Reinforcement			

	Drought Conrord			R		
	Formwork to sides of bases, pile caps, ground beams, etc. will only be measured where it is prescribed by the engineer for design reasons. Formwork necessitated by irregularity or collapse of excavated faces will not be measured and the cost thereof shall be deemed to be included in the allowance for taking the risk of collapse of the sides of the excavations, provision for which is made in "Earthworks".			K		
	The Tenderer is to note that for the "off-shutter" concrete finish shall be in accordance with the architectural specification 616 CON-140: Smooth + fair finish:- Degree of accuracy: I Finish: Smooth and even Form facing material to produce a smooth, hard, uniform texture on the concrete Steel faced formwork. Joints grout-tight. Panels shall be as large as practicable and arranged in a regular pattern as a feature of the surface Formwork tie holes: to the approval of the architect Repair imperfections: not allowed. Tie bolt holes shall be patched Not permitted: blowholes, small fins, bulges, irregularities, voids, honeycombing, segregation and other large defects. Concrete surfaces: No further treatment to form a smooth finish of uniform texture, appearance and colour					
	Tenderers are referred to the Structural Engineer's - Standard Specifications which should be read before pricing this trade in particular, but also the other trades. The use of extenders, fly-ash, etc. are clearly described on this drawing. GENERAL NOTES TO TENDERERS General notes, described in Bill No.1, shall equally apply to this Bill. UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES					
7/3/1	10MPa/19mm concrete Surface blinding under bases	m3	3			
	Carried Forward Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 3 Concrete,Formwork and Reinforcement			R		

	Brought Forward			R	
	20MPa/19mm concrete				
7/3/2	Footings	m3	22		
7/3/3	Concrete apron, cast to falls	m3	46		
	REINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACES				
	25MPa/19mm Concrete				
7/3/4	Ramps	m3	7		
	30MPa/19mm concrete				
7/3/5	Surface beds	m3	3		
7/3/6	Staircases and landings	m3	3		
	TEST BLOCKS				
	Notes:				
	Concrete strength test cubes, label and send to an approved laboratory for testing, pay all charges and submit report to the Regional Representative. Only successful tests will be paid for (Provisional)				
7/3/7	Making and testing 150 x 150 x 150mm concrete strength test cube (Provisional)	No	41		
	SUNDRIES TO CONCRETE				
	Surface treatment				
7/3/8	Power float top surface of concrete surface bed to a true and even level finish	m2	493		
	ROUGH FORMWORK (DEGREE OF ACCURACY II)				
	Rough formwork to sides				
7/3/9	Sloping sides of ramps not exceeding 600mm high extreme	m2	19		
7/3/10	Sloping and stepped sides of staircase	m2	3		
7/3/11	Edges, risers, ends and reveals not exceeding 300mm high or wide	m	483		
	REINFORCEMENT				
	Carried Forward			R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 3 Concrete,Formwork and Reinforcement				
	Bill No. 3				

	Brought Forward			R	
	High tensile steel reinforcement				
7/3/12	All diameter bars	t	0.20		
	Fabric reinforcement				
7/3/13	Type 193 mesh reinforcement in concrete surface beds, slabs, etc	m2	25		
	Carried Forward to Summary of Section No.			R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 3			.``	
	Concrete,Formwork and Reinforcement				

Item No		Quantity	Rate	Amount
	BILL NO. 4			
	MASONRY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	Sizes in descriptions			
	Where sizes in descriptions are given in brick units, "one brick" shall represent the length and "half brick" the width of a brick			
	Hollow walls etc			
	Descriptions of hollow walls shall be deemed to include leaving every fifth perpend of the bottom course of the external skin open as a weep hole. Walls in two skins described as "bagged and sealed" shall be deemed to include having the outer face of the inner skin bagged with 1:6 cement and sand mixture and sealed with two coats "Brickseal" bitumen emulsion waterproofing coating.			
	Face bricks			
	Bricks shall be ordered timeously to obtain uniformity in size and colour			
	Pointing			
	Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc			
	BRICKWORK IN FOUNDATION			
	Carried Forward		R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 4 Masonry			

	Brought Forward			R	
	Brickwork of NFX bricks (14MPa nominal compressive strength) in class I mortar				
7/4/1	One brick wall	m2	34		
	SUPERSTRUCTURE BRICKWORK				
	Brickwork of NFP brick in class II mortar laid in stretcher bond with 10mm flush joints				
7/4/2	One brick wall	m2	566		
	FACE BRICKWORK				
	Bricks shall be ordered timeously to obtain uniformity in size and colour				
	"Corobrick" face bricks (Colour: TBC) with PC sum amount of R 4 500.00 per thousand bricks delivered to site (excluding VAT) manufactured in accordance with SANS 227-2007, bedded and jointed in Class II mortar and pointed with recessed 6mm joints in both directions				
7/4/3	Extra over brickwork for face brickwork in superstructure	m2	591		
7/4/4	Extra over brickwork for face brickwork in brick-on-edge header coping	m	32		
	BRICKWORK SUNDRIES				
	Brickwork reinforcement				
7/4/5	150mm wide reinforcement built in horizontally.	m	1 780		
	Carried Forward to Summary of Section No.			R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 4 Masonry				

Item No			Quantity	Rate	Amount
	BILL NO. 5				
	ROOF COVERINGS				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	ROOF SHEETING				
	Similar Approved				
	0.6mm thick "Brownbuilt Klip-lok light Industrial" galvanised troughed roof sheeting with "Chromadek - Traffic Green" finish on one side, and 0.6mm galvanised steel accessories fixed to timber purlins or rails fixed in strict accordance to the manufacturer's instructions and fixed by an approved erector. A written and approved five (5) year guarantee of water-tightness shall be issued after approval of roofs by the manufacturer				
7/5/1	Roof sheeting pitch not exceeding 25 degrees	m2	968		
7/5/2	550mm girth ridge capping, 3 times bent and notched on site to suit roof profile	m	64		
	ROOF AND WALL INSULATION				
	Similar Approved				
	Carried Forward			R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 5 Roof Coverings				

	Brought Forward		R	
	Sisalation "Bubble Foil" aluminium foil binded insulation			
7/5/3	135mm thick Insulation laid over purlins (at approximately 750mm centres), fixed concurrent with sheeting with and including galvanised steel accessories m2	968		
	Carried Forward to Summary of Section No.		R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 5 Roof Coverings			

Item No		Quantity	Rate	Amount
	BILL NO. 6			
	CARPENTRY AND JOINERY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	<u>Joinery</u>			
	Descriptions of frames shall be deemed to include frames, transoms, mullions, rails, etc.			
	Descriptions of hardwood joinery shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete.			
	<u>Fixing</u>			
	Items described as nailed shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete			
	Decorative laminate finish			
	Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish			
	<u>Timber</u>			
	All softwood to be South African Pine			
	<u>Descriptions</u>			
	Items described as "bolted" shall be deemed to exclude the bolts and include the holes unless otherwise described.			
	Carried Forward		R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 6 Carpentry and Joinery			

	Brought Forward			R	
	Where the fixing of members is not stated it shall mean the nailing of one timber member to another.				
	The term "planted on" shall mean the nailing of one timber member to another				
	The term "screwed on" shall mean the countersunk screwing of one timber member to another.				
	The term "screwed on and pelleted" shall mean the screwing of one timber member to another with the heads of screw sunk and pelleted.				
	The term "plugged" shall mean the countersunk screwing of a timber member to and including plastic plugs in brickwork or concrete.				
	The term "plugged and pelleted" shall mean the screwing of a timber member to and including plastic plugs in brickwork or concrete with heads of screw sunk and pelleted.				
	Shelving, etc. described as screwed to steel must be fixed from underside and prices are to include for countersunk drilling through the steel for screw fixing.				
	Descriptions of floors, ceilings, joinery, etc. shall be deemed to include for all square cutting				
	Descriptions of items given in linear metre shall be deemed to include for mitres, stopped ends, fitted intersections, etc.				
	Descriptions of rounded angles, rebates, grooves, chamfers, moulded edges, etc. shall be deemed to include for angles, ends, etc.				
	ROOFS, ETC				
	Similar Approved				
	Roof trusses				
7/6/1	Design, supply, take delivery, temporary store, hoist in position and erect plate nailed timber roof trusses, purlins, gang boarding, temporary and permanent bracing, etc (measured on plan)	m2	745		
	Carried Forward			R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 6				
	Carpentry and Joinery				

	Brought Forward			R	
	"Everite FC77" fascia and barge boards				
7/6/2	15 x 225mm pressed fibre cement fascia boards, fixed to supports and roof timbers with one brass screw at maximum 750mm centres, including standard aluminium half round cover strips at all joints, as per Architect's specification	m	127		
7/6/3	15 x 225mm pressed fibre cement barge boards, fixed to supports and roof timbers with one brass screw at maximum 750mm centres, including standard aluminium half round cover strips at all joints, as per Architect's specification	m	46		
	DOORS ETC				
	44mm thick solid R&F panel meranti timber doors with masonite backing with 15 horizontal slates on both sides hung to steel frames				
7/6/4	914 x 2032mm single door	No	8		
	Carried Forward to Summary of Section No. Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 6 Carpentry and Joinery			R	

Item No		Quantity	Rate	Amount
	BILL NO. 7			
	CEILINGS, PARTITIONS AND ACCESS FLOORING			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	<u>Fixing</u>			
	Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 500mm centres, and where described as "bolted", the bolts have been given elsewhere.			
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins, or to be shot-pinned, to brickwork or concrete			
	Ceilings & Bulkheads			
	Unless otherwise described ceilings shall be deemed to be horizontal			
	Steel components			
	All steel components for ceilings, partitions, etc are to be galvanised in accordance with SANS 121			
	Proprietary suspended ceilings			
	Hangers, suspension grids, "lay-in" panels, etc are to be in accordance with the manufacturers' recommendations			
	Carried Forward		R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 7			
	Ceilings,Partitions and Access Flooring			

	Brought Forward			R	Π
	Where electrical light fittings, diffusers, panels etc are units of the same dimensions as the suspension grid described and allowance must be made in the rates accordingly for their support inclusive of any flexibility in setting out that may be required (ceiling panels have not been deducted and pricing is to take cognisance thereof)				
	Suspension systems				
	Where suspensions of ceilings require a sub-grid, the tenderer should include in his rates for the sub-grid. The design of the sub-grid support is not specified, the tenderer is to obtain the necessary requirements and recommendations for a safe installation from the board and suspension system manufacturer to the satisfaction of the structural engineer.				
	NAILED UP CEILINGS				
	FIBRE - CEMENT BOARDS				
	Similar Approved				
	6mm "Everite Nutec" Fibre-cement boards, jointed with and including galvanised H-type primed pressed steel jointing strips, including brandering as per architect's specifications				
7/7/1	2400 x 1200mm x 6mm Horizontal ceilings, fixed to and including 38 x 38mm sawn softwood brandering at maximum 400mm centres using 38mm long galvanised nails	m2	745		
7/7/2	Extra over ceiling for 600 x 600mm trap door of 38 x 50mm wrought softwood rebated framing, with one 38 x 38mm sawn softwood cross brander covered with ceiling board and fitted flush in opening	No	8		
	CORNICES				
	Similar Approved				
	"Rhino" plasterboard cornice				
7/7/3	75mm Coved cornice, plugged to brickwork	m	364		
	CEILING INSULATION				
				_	\vdash
	Carried Forward Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 7 Ceilings, Partitions and Access Flooring			R	

	Brought Forward		R	1
	<u>Insulation</u>			
7/7/4	125mm thick Glass wool insulation blanket closely fitted and laid on top of ceiling panels, all in strict accordance with the manufacturer's specifications. m2	745		
	Carried Forward to Summary of Section No.		R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 7			
	Ceilings,Partitions and Access Flooring			

Item No		Quantity	Rate	Amount
	BILL NO. 8			
	IRONMONGERY			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	Where ironmongery is described as plugged, prices are to include for screwing to and including approved patent plugs in concrete or brickwork with plaster or tiled finish, etc.			
	Proprietary items			
	Where applicable the manufacturers' names or product catalogue titles are given in sub-headings preceding the items			
	Prices are to be based on the specific products/articles specified. If tenderers wish to offer alternative products/articles for certain items, these items are to be clearly marked and the alternative specification given with supporting brochures etc clarifying the features of the products/articles offered			
	On request returnable samples are to be provided to the principal agent for consideration			
	Carried Forward		R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 8 Ironmongery			

	Brought Forward			R	
	Finishes to ironmongery]
	Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list:				
	AB Anodised bronze ABL Anodised black AG Anodised gold AN Anodised natural AS Anodised silver BS Satin bronze lacquered CH Chromium plated GE Grey enamelled NP Nickel plated PB Polished brass PL Polished and lacquered PT Epoxy coated SC Satin chromium plated SD Sanded SE Silver enamelled SN Satin nickel SS Stainless steel				
	Rates				
	The tenderer is to price for supply, taking delivery of, storing and fixing of the ironmongery listed below.				
	PINNING BOARDS, WRITING BOARDS, PROJECTION SCREENS, etc.				
	Pinning board consisting of pinning material/carpet surface laminated to a soft board core, complete with beading all around with a natural anodised aluminium channel surround, and surround mitred at the corners				
7/8/1	2400 x 1200mm high board (Colour: Light Grey), fixed to wall in strict accordance with manufacturer's recommendations	No	16		
	Porcelain magnetic marker board, complete with anodised aluminium frame and slide-in aluminium pen tray				
7/8/2	2000 x 1300mm high board (Colour: White), fixed to wall in strict accordance with manufacturer's recommendations	No	16		
	DOOR FURNITURE				
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 8 Ironmongery			R	

	Brought Forward			R	
	Similar Approved				
	<u>Locks</u>				
7/8/3	SN 43mm five pin Euro-profile single cylinder master keyed (Code: DSC104301 MK)	No	8		
7/8/4	SC 150mm Cabin hook (Code: CH 150)	No	8		
	Kick and push plates				
7/8/5	SS 200 x 813 x 1.2mm thick Grade 430 kick plate, with 10 countersunk holes for screw fixing (Code: DKP-430-200)	No	16		
	Panic hardware				
7/8/6	Three point locking panic bar for single door (Code: PHA3/S DD)	Sets	8		
7/8/7	Exterior access lock with lever handle (cylinder not included) (Code: PHT3901)	No	8		
	WINDOW FURNITURE				
	Similar Approved				
7/8/8	Brass peg stay	No	80		
7/8/9	Brass handle	No	80		
	Carried Forward to Summary of Section No. Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 8 Ironmongery			R	

Item No		Quantity	Rate	Amount
	BILL NO. 9			
	<u>METALWORK</u>			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	ALUMINIUM			
	The contractor is to make due allowance in his prices for complying with the following requirements.			
	SPECIFICATIONS			
	User Note:			
	Glazing			
	All Safety glazing material (individual panes) are to conform to all standards as stipulated in SANS 10400 Part N and SANS 10137 and any additional Engineer Specifications or relevant SANS glazing regulations not stipulated in this document. All tenderers are referred to the drawings for the glazing specification.			
	Ironmongery			
	All rates for windows, shopfronts and doors etc. must include for the supply, taking delivery or/and installation of the ironmongery to be specified.			
	<u>Actuators</u>			
	All rates for shopfronts with actuators to include for the supply and installation of actuators as specified			
	Carried Forward		R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 9 Metalwork			

	Brought Forward	R	
	<u>Scaffolding</u>		
	All scaffolding should be provided by the contractor and no claims/ qualifications will be accepted.		
	<u>Protection</u>		
	With this tender, the glazing sub-contractor must supply a statement concerning protection that will be provided to finishes and components until Practical Completion. This to include specific references to the method of removal of such protection. All tenderers to include cost of protection in tender price.		
	<u>Installation</u>		
	All measurements to be checked on site prior to ordering and manufacturing.		
	Aluminium sections and shop drawings to be accepted by Architect prior to manufacturing.		
	Allow for water and weather proof polysulphide sealant to approved specifications all around frame junctions to plaster and other materials.		
	<u>Profiles</u>		
	Tenderers to provide typical details of proposed aluminium section to be used in the design.		
	Structural Silicone		
	Tenderers to allow a 10 year guarantee on all powdercoating.		
	Preliminary and Shop Drawings:		
:	The contractor shall submit preliminary design drawings showing basic system sections for the Architect's approval.		
	After approval and prior to fabrication detailed shop drawings shall be prepared and submitted to the Architect for approval.		
	Carried Forward	R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 9 Metalwork		

Brought Forward	R	
Fixing:		
The contractor is to take special note of all fixing details of all aluminium elements and must allow in his price for properly securing the aluminium sections to the structure with and including all necessary steel brackets, rails, timber grounds and sub-frames, including all necessary holing and bolting, etc. This fixing is to be adequately spaced and securely fixed to ensure total stiffness of the door frames, windows, etc. as no sagging causing improper functioning of the windows and doors will be accepted.		
Deflection of structure:		
The contractor is advised to make adequate provision for the design deflection of the structure.		
<u>Tolerances:</u>		
Sizes are approximate only and measurements on site must be taken before fabrication. Due allowance must be made for tolerances in accordance with the Architect's details.		
Protection:		
The contractor will be required to protect his work during the course of construction, which protection shall be adequate for the purpose and to the full approval of the Architect.		
Such protection shall only be removed after a written instruction from the Architect.		
Cleaning:		
All work must be cleaned down upon completion. Glazing as installed will not be accepted as clean glass and the contractor must allow for polishing glass as and when instructed by the Architect.		
Note: All windows and doors should be read in conjunction with window and door schedules		
WELDED SCREENS, GATES, ETC.		
Carried Forward	R	
Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 9 Metalwork		

	Brought Forward			R	
	Welded MS gate consisting of 50 x 50 x 2.5mm rectangular tubing section frame with 45 degrees mitre at corners, bolted to reveals with 10mm (10M) rawlbolts and welded with 50 x 50 x 5mm mild steel to walls, with 50 x 50 x 2.5mm mild steel rectangular tube gate leaf with 45 degree mitre at corners and two 50 x 50 x 2.5mm horizontal sections, with 12 x 12mm mild steel vertical style solid square bars at 100mm c/c, including 3x pair of 20mm diameter bullet-hinges per gate, with "Solid blesbok" 460/313 four lever lockset with rebate set, including welding, bolting, holes, bolts etc., all complete as per the architect's specifications				
7/9/1	Steel gate to door, size 914mm x 2032mm high Welded MS screen consisting of 10mm diameter bars, all complete as per the architect's specifications	No	8		
7/9/2	Steel screen to window, size 1460 x 1533mm high	No	40		
.,.,_	PRESSED STEEL DOOR FRAMES				
	1.2mm thick Single rebated frame suitable for one brick walls, complete with lugs and base ties, with red oxide primer factory finish by manufacturer				
7/9/3	813 x 2032mm single door	No	8		
	Carried Forward to Summary of Section No. Section No. 7			R	
	DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 9 Metalwork				

Item No		Quantity	Rate	Amount
	BILL NO. 10			
	PLASTERING			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	SCREEDS			
	1:4 Cement sand screed on concrete, worked down to a true and even surface with a steel trowel			
7/10/1	30mm thick on floors and landings	n2 531		
	INTERNAL PLASTER One coat smooth 1:5 cement sand plaster on brickwork to receive finish			
7/10/2	On brick walls	n2 534		
	Carried Forward to Summary of Section No. Section No. 7		R	
	DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 10 Plastering			

Item No		Quantity	Rate	Amount
	BILL NO. 11			
	TILING			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	Pricing			
	Prices are to included for the following: Cutting, handling, labour, adhesive etc.			
	Fixing			
	Tiling described as "fixed with adhesive on power floated concrete" shall be deemed to include for approved tiling key-coat.			
	Ceramic, porcelain, marble and granite tiles are to be fixed, grouted and pointed with suitable adhesives and grouts, as recommended by the Architect. Costs are hereby deemed to include the cost of this requirement.			
	Payment for work that is deemed measurable, in respect of the conditions of contract, and which comprises cutting, leaving, or forming, rectangular holes and notches through tiling is hereby deemed to apply only to holes and notches that do not exceed 600mm girth. Those exceeding 600mm in girth are hereby deemed to be "square cutting", which is hereby deemed to be part of the work description for that type of tiling and is not measurable as a separate item of work.			
	<u>Wastage</u>			
	Tile wastage in excess of 10% will be for the tenderer's account.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No. 1, shall equally apply to this Bill.			
	Carried Forward		R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 11 Tiling			

	Brought Forward			R	
	<u>Note</u>				
	All scaffolding should be provided by the contractor and no claims/qualifications will be accepted.				
	FLOOR TILING				
	420 x 420 x 11.5mm Thick non-slip ceramic tiles (P.C allowance of R 200.00/m2 excludes V.A.T. but includes delivery to site), includes waste, laying, supply and fixing with an approved adhesive and jointing in waterproof cementetious grout				
7/11/1	On floors	m2	424		
7/11/2	75mm high skirting	m	233		
	ATTIC STOCK				
7/11/3	420 x 420 x 11.5mm Thick non-slip ceramic tiles (P.C allowance of R 200.00/m2 excludes V.A.T. but includes delivery to site)	m2	42		
	SUNDRIES				
	10mm aluminium straight edge trim				
7/11/4	Dividing strip between tiles and door frames	m	6		
	25 x 25mm aluminium angle				
7/11/5	Trim to edge of concrete, to be secured with screws	m	7		
	Carried Forward to Summary of Section No. Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 11 Tiling			R	

Item No		Quantity	Rate	Amount
	BILL NO. 12			
	PLUMBING AND DRAINAGE (PROVISIONAL)			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	uPVC pipes and fittings:			
	Sewer and drainage pipes and fittings shall be jointed and sealed with butyl rubber rings			
	uPVC pressure pipes and fittings:			
	Pipes for water supply shall be of the class stated			
	Excavations:			
	No claim for excavation in material other than "earth" will be entertained unless the contractor has timeously notified the quantity surveyor thereof prior to backfilling, and has obtained, in writing, authorised classification thereof.			
	"Intermediate material" and " hard rock" shall be as defined in "Earthworks".			
	Quantities of all excavations, carting away excavated material and backfilling are calculated on the nett extent to be formed, or filled, in accordance with drawings and specifications, and the Contractor is to allow in his prices for any bulking.			
	Classes of excavation shall be as S.A.B.S 1200D clause 3.1.2.			
	Laying, backfilling, bedding, etc., of pipes:			
	Pipes shall be laid and bedded, and trenches shall be carefully backfilled, in accordance with the specific instructions			
	Carried Forward		R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 12 Plumbing and Drainage			

	Brought Forward			R	Π
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No.1, shall equally apply to this Bill.				
	RAINWATER GOODS				
	Similar Approved				
	<u>Gutters</u>				
7/12/1	100 x 100 x 0.6mm thick Ogee profile eaves gutter aluminium box gutter, fixed with and including fixing clips to fascia boards	m	127		
7/12/2	Extra over eaves gutter for outlet	No	4		
	Rainwater downpipes				
7/12/3	100mm diameter x 0.6mm thick rainwater downpipe with Chromadek finish (Colour: TBC), fixed with and including brackets to wall face, with brackets spaced as per manufacturer's recommendations, and with downpipes spaced as per engineer's specification	m	24		
7/12/4	Extra over rainwater pipe for offset	No	12		
7/12/5	Extra over rainwater pipe for shoe	No	4		
7/12/6	Extra over rainwater pipe for bend	No	8		
	SANITARY FITTINGS				
	Refer to sanitary schedule drawing for full description of abbreviations				
	TANKS				
	Similar Approved				
7/12/7	1900mm dia. x 2040mm high 2500L JoJo water storage tank (Colour: JoJo Green), installed on a brick base with compacted fill (measured elsewhere)	No	4		
	FIRE FIGHTING EQUIPMENT				
	Extinguishers including initial charge and setting up in position:				
7/12/8	9kg dry chemical powder fire extinguisher	No	8		
7/12/9	Fire hose reel with 30m plastic hose, chromium plated stopcock, shut-off nozzle and wall bracket	No	1		
	Carried Forward to Summary of Section No.			R	\vdash
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 12 Plumbing and Drainage			.	

Item No		Quantity	Rate	Amount
	BILL NO. 13			
	GLAZING			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No. 1, shall equally apply to this Bill.			
	Note:			
	All glazing to comply with SABS 1263 Part 3:1998. Light and ventilation to comply with Part O if NBR 0400			
	GLASS TO STEEL WITH PUTTY			
	5mm clear floated glass fixed glazing putty			
7/13/1	Panes not exceeding 0.1m2	2 89		
	Carried Forward to Summary of Section No.		R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 13 Glazing			

Item No			Quantity	Rate	Amount
	BILL NO. 14				
	PAINTWORK				
	PREAMBLES				
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.				
	SUPPLEMENTARY PREAMBLES				
	Supplementary preamble items described in Bill No. 1, shall equally apply to this Bill.				
	GENERAL NOTES TO TENDERERS				
	General notes, described in Bill No. 1, shall equally apply to this Bill.				
	PAINTWORK TO PREVIOUS PAINTED				
	FLOATED PLASTER INTERNAL WALLS				
	Prepare and apply one coat merit universal undercoat and two coats super Acrylic PVA paint or similar approved, colour to be confirmed by Architect				
7/14/1	On walls	m2	1 116		
	METAL SURFACES				
	Similar Approved				
	Prepare and apply one coat Duraphos, one coat universal under coat and two coats gloss enamel paint, colour to be confirmed by Architect				
7/14/2	On window frames	m2	179		
7/14/3	On roof sheeting	m2	35		
	PAINTWORK ETC TO NEW WORK				
	FLOATED PLASTER INTERNAL WALLS				
	Carried Forward			R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 14 Paintwork			·	

	Brought Forward			R	_
	Prepare and apply one coat merit universal undercoat and two coats super Acrylic PVA paint or similar approved, colour to be confirmed by Architect				
7/14/4	On walls	m2	534		
	FIBRE CEMENT				
	Prepare and apply one coat universal undercoat and two coats Super Acrylic PVA paint or similar approved, colour to be confirmed by Architect				
7/14/5	On internal ceilings and cornices	m2	32		
7/14/6	Fibre cement fascia/barge boards	m2	98		
	METAL SURFACES				
	Similar Approved				
	Prepare and apply one coat Duraphos, one coat universal under coat and two coats gloss enamel paint, colour to be confirmed by Architect				
7/14/7	On gates, grilles, burglar screens, balustrades, etc (both sides measured on full flat area)	m2	205		
7/14/8	On door frames	m2	24		
7/14/9	On gutters	m	127		
7/14/10	On downpipes	m	4		
	WOOD				
	Prepare and apply one coat universal undercoat and two coats acrylic PVA, colour to be confirmed by Architect				
7/14/11	On door	m2	28		
	BRICKWORK				
	Similar Approved				
	Three coats brick dressing				
7/14/12	On face brickwork	m2	929		
	Carried Forward to Summary of Section No.			R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A Bill No. 14 Paintwork				=

	SECTION SUMMARY			
Bill No		Page No		Amount
7/1	Demolitions and Alterations	7/5		
7/2	Earthworks	7/7		
7/3	Concrete,Formwork and Reinforcement	7/11		
7/4	Masonry	7/13		
7/5	Roof Coverings	7/15		
7/6	Carpentry and Joinery	7/18		
7/7	Ceilings,Partitions and Access Flooring	7/21		
7/8	Ironmongery	7/24		
7/9	Metalwork	7/28		
7/10	Plastering	7/29		
7/11	Tiling	7/31		
7/12	Plumbing and Drainage	7/33		
7/13	Glazing	7/34		
7/14	Paintwork	7/36		
	Carried to Final Summary		R	
	Section No. 7 DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS A			
		I		

Item No		Quantity	Rate	Amount
	BILL NO. 1			
	BUDGETARY ALLOWANCES			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill.			
	Provisional Sums are to be expended/utilized only upon:			
	·i) the submission of a minimum of three market related quotations. Quotations for service providers may be solicited by any of the following entities: the main contractor, a member of the consultant team, the implementing agent or the end user.			
	Cash discount			
	The following provisional sums and prime cost amounts are NET and represent the NET COST of the work described. The contractor shall not be entitled to any discount, percentage or allowance whatsoever on the value of any provisional sum or prime cost amount other than the priced value for profit and attendance as provided for. The provisional sums and prime cost amounts may be deducted in whole or in part from the contract and are subject to adjustment upon completion			
	<u>Profit</u>			
	Where stated, the contractor may allow for profit if required			
	Section No. 8 PROVISIONAL SUMS Bill No. 1 Budgetary Allowance		R	

	Brought Forward		R
	General attendance on nominated/selected subcontractors		
	The item "Attendance" which follows each provisional sum for nominated/selected subcontractors' work, shall be deemed to cover all the contractor's costs incurred in providing free of charge to the nominated/selected subcontractors, the following:		
	Builder's work		
	Builder's work in connection with specialist services is given elsewhere in these bills of quantities		
	LOCAL AUTHORITY FEES		
	Local authority fees for connections		
8/1/1	Provide the sum of R35 000.00 (Thirty Five Thousand) for sewer, water and electrical connections, etc to the local authority	Item	35 000.00
	Carried Forward to Summary of Section No.		R
	Section No. 8 PROVISIONAL SUMS		
	Bill No. 1 Budgetary Allowance		

Item No		Quantity	Rate	Amount
	BILL NO. 2			
	PROVISIONAL SUMS			
	PREAMBLES			
	NOTE: The tenderer is referred to the relevant clauses in the Model Preambles for Trades (2008 Edition) as issued by the Association of South African Quantity Surveyors before pricing this bill.			
	SUPPLEMENTARY PREAMBLES			
	Supplementary preamble items described in Bill No. 1, shall equally apply to this bill.			
	GENERAL NOTES TO TENDERERS			
	General notes, described in Bill No.1, shall equally apply to this Bill			
	Provisional Sums are to be expended/utilized only upon:			
	·i) the submission of a minimum of three market related quotations. Quotations for service providers may be solicited by any of the following entities: the main contractor, a member of the consultant team, the implementing agent or the end user.			
	Cash discount			
	The following provisional sums and prime cost amounts are NET and represent the NET COST of the work described. The contractor shall not be entitled to any discount, percentage or allowance whatsoever on the value of any provisional sum or prime cost amount other than the priced value for profit and attendance as provided for. The provisional sums and prime cost amounts may be deducted in whole or in part from the contract and are subject to adjustment upon completion			
	<u>Profit</u>			
	Where stated, the contractor may allow for profit if required			
	Carried Forward		R	
	Section No. 8 PROVISIONAL SUMS Bill No. 2 Provisional Sums			

	Brought Forward		R	
	General attendance on nominated/selected subcontractors			
	The item "Attendance" which follows each provisional sum for nominated/selected subcontractors' work, shall be deemed to cover all the contractor's costs incurred in providing free of charge to the nominated/selected subcontractors, the following:			
	Builder's work			
	Builder's work in connection with specialist services is given elsewhere in these bills of quantities			
	Signage Installation			
8/2/1	Allow an amount of R152 150.00 (One Hundred and Fifty Two Thousand One Hundred and Fifty) for the supply and installation of Signage	Item		152 150 00
8/2/2	Attendance		%	
8/2/3	Profit		%	
	Joinery Fittings			
8/2/4	Allow an amount of R137 610.00 (One Hundred and Thirty Seven Thousand Six Hundred and Ten) for the supply and installation of Joinery Fittings	Item		137 610.00
8/2/5	Attendance		%	
8/2/6	Profit		%	
	School Furniture and Fittings			
8/2/7	Allow an amount of R670 000.00 (Six Hundred and Seventy Thousand) for the supply and installation of School Furniture and Fittings	Item		670 000 00
8/2/8	Attendance		%	
8/2/9	Profit		%	
	Carried Forward Section No. 8		R	
	PROVISIONAL SUMS Bill No. 2 Provisional Sums			

	Brought Forward		R	
	Community Liaison Officer			
8/2/10	Allow an amount of R200 000.00 (Two Hundred Thousand) for provision of Community Liaison Officer	Item		200 000 00
8/2/11	Attendance		%	
8/2/12	Profit		%	
	Project Steering Committee			
8/2/13	Allow an amount of R40 000.00 (Forty Thousand) for provision of Project Steering Committee	Item		40 000 00
8/2/14	Attendance		%	
8/2/15	Profit		%	
	WORK EXECUTED BY SEPARATE DIRECT SERVICE PROVIDERS			
	The following work will be executed by Service Providers under direct agreement with the Employer. The Contractor is to accommodate these Service Providers and allow them to execute their work unhindered and allow them the use of water and toilet facilities. Damage caused by these Service Providers to work completed by the principal Contractor is to be recorded in detail to enable the Employer to counter- charge the direct Service Providers the cost of making good such damages.			
	Occupational Health and Safety Consultant			
8/2/16	Allow an amount of R500 000.00 (Five Hundred Thousand) for provision of an Occupational Health and Safety Consultant	Item		500 000.00
8/2/17	Attendance		%	
8/2/18	Profit		%	
	Social Facilitator			
8/2/19	Allow an amount of R340 000.00 (Three Hundred and Forty Thousand) for provision of a Social Facilitator	Item		340 000.00
	Carried Forward		R	
	Section No. 8 PROVISIONAL SUMS Bill No. 2 Provisional Sums			

	Brought Forward	R	
8/2/20	Attendance	%	
8/2/21	Profit	%	
	Carried Forward to Summary of Section No.	R	
	Section No. 8 PROVISIONAL SUMS		F
	Bill No. 2 Provisional Sums		
	1 TONSIONAL GUINS		

	SECTION SUMMARY					
Bill No			Page No		Amount	
8/1	Budgetary Allowance		8/2			L
8/2	Provisional Sums		8/6			
		Coming to the Final Community		1		_
	Section No. 8	Carried to Final Summary		R		<u> </u>
	PROVISIONAL SUMS					

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
1	MV RETICULATION				
1.1	Provide the sum of R 185 687 .50 for the supply and Install 25kVA 22kV or 11kV/400V pole mounted transformer complete with structures and poles. Supply and install fox conductor ACSR incl. meter Box c/w 3-phase meter	Sum	1		
1.2	Provide the sum of R30 000.00 for removal of an existing Eskom pole on site	Sum	1		
1.3	Profit	%	10		
1.4	Attendense	%	5		
	TOTAL FOR BILL - CARRIED FORWARD TO SUMMARY				

ITEM	DESCRIPTION	UNIT	QTY	RATE	TOTAL
2	LV RETICULATION				
2.1	Distribution Kiosks,				
	equipment as specified				
2.1.1	Main Kiosk	No	1		
2.1.2	Plinth	No	1		
2.2	Trenching				
	Excavating, bedding, backfilling, consolidating and making good as specified,				
2.2.1	Pickable soil	m³	91		
2.2.2	Hard rock	m³	39		
2.2.3	Very hard rock	m³	-		
2.2.4	Backfilling and compaction	m³	130		
2.3	110mm dia PVC sleeves for road crossings/cable entries into the building-rate must include for galv steel draw wires in spare sleeves and sealing of ends	m	60		
2.4	Concrete slabs for crossing of other services - rate must include installation 200mm below existing services	m	50		
2.5	Cable warning tape, 300mm above cables	m	50		
2.6	Cable markers, above cables	No	10		
2.7	600/1000V PVC SWA cables, in trenches and sleeves, including labels				
1	TOTAL FOR BILL - CARRIED FORWARD				

	TOTAL FOR BILL - BROUGHT FORWARD			
2.7.1	25mm² 4core	m	52	
2.7.2	16mm² 2core	m	50	
2.7.3	10mm² 2core	m	176	
2.7.4	4mm² 2core	m	180	
2.8	600/1000V Cable terminations, for PVC PVC SWA PVC Cu cables, for indoor or outdoor use, as required			
2.8.1	Gland no 5 complete with shroud	No	4	
2.8.2	Gland no 3 complete with shroud	No	6	
2.8.3	Gland no 2 complete with shroud		4	
2.9	Earth conductors (HDHC), including ends			
2.9.1	25mm²	m	52	
2.9.2	16mm²	m	50	
2.9.3	10mm²	m	176	
2.9.4	4mm²	m	180	
2.10	Testing of this section in the presence of the Employer and/or the Engineer, including all equipment, power generator, etc.	No	1	
	TOTAL FOR BILL - CARRIED FORWARD TO SUMMARY			

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
3 3.1	MEDIUM ADMINISTRATION BLOCK				
	General trenching workfor sleeves along the routes as pegged out on site after co-ordination with other services				
	Allowance must be made for the sitting of soil when required, removal and carting away of all stones and rocks including dumping off site. Backfilling and compaction shall be carried out as specified for overall siteworks.				
3.1.1	Trenching through floor for sleeves	m³			rate only
3.1.2	Excavation and backfilling in soft soil	m³			rate only
3.1.3	Excavation and backfilling in hard rock	m³			rate only
3.2	Cable and Data Sleeves				
	Supply and installation of PVC Sleeves through floor construction to power distribution board and communication board complete with standard radius sleeve bends				
3.2.1	75mm Diameter for Data	m			rate only
3.2.2	110mm Diameter for power cable	m			rate only
3.3	Draw Wires				
3.3.1	Supply and install a 0,6mm diameter galvanised draw wire in sleeves and conduit for data installation	m	710		
3.4	Distribution Boards				
	supply, aelivery, storage and submission of workshop drawings for the Flush mounted architrave steel type power distribution boards complete with flush trays, doors, switch gear mounting trays, copper busbars, neutral and earth bars, correctly sized interna				
3.4.1	Distribution Board (DB-ADM)	No.	1		
	TOTAL FOR BILL - CARRIED FORWARD		I		

TOTAL F	OR BILL - BROUGHT FORWARD			1	
3.5	Low Voltage PVC Cables Supply and installation of PVC SWA PVC cable which is quantified under LV Reticulation and Bare Copper Earth Wire in sleeves and in trenches				
	Terminations:				
3.5.1	16mm 4 core cable	No	2		
3.5.2	16mm BCEW	No	2		
3,6	Conduit Work				
	Supply, delivery and installation of SABS approved PVC / Galvanised Conduits completed with all required conduit accessories.				
	Built or Chase into brick or concrete work:				
3.6.1	20mm PVC Conduit	m	130		
3.6.2	25mm PVC Conduit	m	230		
	In Ceiling space and Timber work or along Purlins				
3.6.3	20mm PVC Conduit	m	250		
3.6.4	25mm PVC Conduit	m	80		
3.6.5	Girder clamp for chain and wire, STRUTFAST Type AH-1420	No.			rate only
3.6.6	Conduit Boxes				
	supply and installation of SABS approved conduit poxes, installed in the run of the conduit installation, cast into concrete and built into brickwork or flush inside false ceiling spaces, complete with all required conduit termination accessories.				
3.6.7	20mm diameter 4 way type(round box)	No	51		
3.6.8	450 x 450mm Bonding tray in roof space	No			rate only
3,7	Wall Boxes Supply and installation of SABS approved galvanised pressed steel wall boxes for building flush into brickwork or cast into concrete work.				
	Flush mounted type:				
3.7.1	100 x 50 x 50mm	No	12		
3.7.2	100 x 100 x 50mm	No	20		
3.7.3	88 x 275 x 62mm One tier cluster`	No	6		
	TOTAL FOR BILL - CARRIED FORWARD				

3.8. PVC Wiring in conduits: 3.8.1 2.5 mm² for lights circuits 3.8.2 4 mm² for plug sockets circuits Stranded Bare Copper Earth Wire Supply and installation of stranded bare copper earth wire along with PVC wiring in conduits. Tendered rates shall make provision for wastage. 3.8.3 2.5 mm² 3.8.4 4 mm² 460 3.9 Light Switches Supply and installation of SABS approved type 16A tiush and surface type light switches. Final paint finishes shall be confirmed at a later stage, allowance shall however be made as specified in the general specification. All boxes for flush mounting meas 3.9.1 16A Single Lever Light Switch 3.9.2 2Way 16A Single Lever Light switch 3.9.3 Outdoor Photocell Switch 3.9.4 90 degree motion sensor light switch 3.9.5 No 3.9.6 Socket Outlets Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface. The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification. All flush type boxes and special pedestals measured elsewhere.
3.8.2 4 mm² for plug sockets circuits Stranded Bare Copper Earth Wire Supply and installation of stranded bare copper earth wire along with PVC wiring in conduits. Tendered rates shall make provision for wastage. 3.8.3 2.5 mm² m 650 3.8.4 4 mm² m 460 3.9 Light Switches Supply and installation of SABS approved type 16A flush and surface type light switches. Final paint finishes shall be confirmed at a later stage, allowance shall however be made as specified in the general specification. All boxes for flush mounting meas 3.9.1 16A Single Lever Light Switch 3.9.2 2Way 16A Single Lever Light switch 3.9.3 Outdoor Photocell Switch 3.9.4 90 degree motion sensor light switch 3.9.5 Socket Outlets Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface. The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specificad in the specification. All flush type boxes and special pedestals measured elsewhere.
Stranded Bare Copper Earth Wire Supply and installation of stranded bare copper earth wire along with PVC wiring in conduits. Tendered rates shall make provision for wastage. 3.8.3 2.5 mm² m 650 3.8.4 4 mm² m 460 3.9 Light Switches Supply and installation of SABS approved type 16A tiush and surface type light switches. Final paint finishes shall be confirmed at a later stage, allowance shall however be made as specification the general specification. All boxes for flush mounting meas 3.9.1 16A Single Lever Light Switch No 11 3.9.2 2Way 16A Single Lever Light switch No 2 3.9.3 Outdoor Photocell Switch No 1 3.9.4 90 degree motion sensor light switch No 3 Socket Outlets Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface. The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specification in the specification. All flush type boxes and special pedestals measured elsewhere.
Supply and installation of stranded bare copper earth wire along with PVC wiring in conduits. Tendered rates shall make provision for wastage. 3.8.3 2.5 mm² m 650 3.8.4 4 mm² m 460 3.9 Light Switches Supply and installation of SABS approved type 16A tiush and surface type light switches. Final paint finishes shall be confirmed at a later stage, allowance shall however be made as specified in the general specification. All boxes for flush mounting meas 3.9.1 16A Single Lever Light Switch 3.9.2 2Way 16A Single Lever Light switch 3.9.3 Outdoor Photocell Switch 3.9.4 90 degree motion sensor light switch 3.9.5 Socket Outlets Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface. The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification. All flush type boxes and special pedestals measured elsewhere.
along with PVC wiring in conduits. Tendered rates shall make provision for wastage. 3.8.3 2.5 mm² m 650 3.8.4 4 mm² m 460 3.9 Light Switches Supply and installation of SABS approved type 16A tiush and surface type light switches. Final paint finishes shall be confirmed at a later stage, allowance shall however be made as specified in the general specification. All boxes for flush mounting meas 3.9.1 16A Single Lever Light Switch No 2 3.9.2 2Way 16A Single Lever Light switch No 1 3.9.4 90 degree motion sensor light switch No 3 3.10 Socket Outlets Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface. The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification. All flush type boxes and special pedestals measured elsewhere.
3.8.4 4 mm² m 460 3.9 Light Switches Supply and installation of SABS approved type 16A flush and surface type light switches. Final paint finishes shall be confirmed at a later stage, allowance shall however be made as specified in the general specification. All boxes for flush mounting meas 3.9.1 16A Single Lever Light Switch 3.9.2 2Way 16A Single Lever Light switch No 2 3.9.3 Outdoor Photocell Switch No 3.9.4 90 degree motion sensor light switch 3.9.5 Socket Outlets Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface. The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification. All flush type boxes and special pedestals measured elsewhere.
3.9 Light Switches Supply and installation of SABS approved type 16A flush and surface type light switches. Final paint finishes shall be confirmed at a later stage, allowance shall however be made as specified in the general specification. All boxes for flush mounting meas 3.9.1 16A Single Lever Light Switch 3.9.2 2Way 16A Single Lever Light switch 3.9.3 Outdoor Photocell Switch No 1 3.9.4 90 degree motion sensor light switch 3.9.5 Socket Outlets Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface. The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification. All flush type boxes and special pedestals measured elsewhere.
Supply and installation of SABS approved type 16A flush and surface type light switches. Final paint finishes shall be confirmed at a later stage, allowance shall however be made as specified in the general specification. All boxes for flush mounting meas 3.9.1 16A Single Lever Light Switch 3.9.2 2Way 16A Single Lever Light switch No 2 3.9.3 Outdoor Photocell Switch No 3 3.10 Socket Outlets Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface. The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification. All flush type boxes and special pedestals measured elsewhere.
surface type light switches. Final paint finishes shall be confirmed at a later stage, allowance shall however be made as specified in the general specification. All boxes for flush mounting meas 3.9.1 16A Single Lever Light Switch 3.9.2 2Way 16A Single Lever Light switch No 2 3.9.3 Outdoor Photocell Switch No 1 3.9.4 90 degree motion sensor light switch Socket Outlets Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface. The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification. All flush type boxes and special pedestals measured elsewhere.
3.9.2 2Way 16A Single Lever Light switch 3.9.3 Outdoor Photocell Switch 3.9.4 90 degree motion sensor light switch 3.10 Socket Outlets Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface. The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification. All flush type boxes and special pedestals measured elsewhere.
3.9.3 Outdoor Photocell Switch 3.9.4 90 degree motion sensor light switch 3.10 Socket Outlets Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface. The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification. All flush type boxes and special pedestals measured elsewhere.
3.9.4 90 degree motion sensor light switch Socket Outlets Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface. The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification. All flush type boxes and special pedestals measured elsewhere.
Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface. The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification. All flush type boxes and special pedestals measured elsewhere.
Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface. The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification. All flush type boxes and special pedestals measured elsewhere.
unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface. The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification. All flush type boxes and special pedestals measured elsewhere.
Flush switched sockets type:
3.10.1 SA/Euro 16A Socket Outlet @1200 A.F.F.L No 3
3.10.2 SA/Euro 16A Socket Outlet @300 A.F.F.L No 17
One Her Cluster wall Box Consisting of the Following: - 16A Normal Socket Un-switched - 16A Dedicated Socket Un-switched - 5A 2 Pin Socket Un-switched 3.10.3 - 2x RJ45 Data & Telephone Points 6

OTAL FO	OR BILL - BROUGHT FORWARD			
3.11	Light Fittings			
	Suppy, delievery to site, storage and installation of the below specified light fittings complete with lamps, fixing material, mounting and tubes. Allowance must be made in the rates for all the required fixing materials and accessories.			
	Fittings to be equal and similar approved to the below quoted manufacture.			
3.11.1	1200mm 34W LED IP66 Corrosion Proof Light Fitting	No	25	
3.11.2	8 Inch 15W LED Downlight	No	16	
3.11.3	10W LED Rondo Downlight with Dali Modification	No	2	
3.11.4	15W LED Round Bulkhead with Dali Modification	No	8	
3.12	Electrical Tests			
	Making provision for the required inspection, tests and the commissioning of the complete installation and the issuing of the required certificate.			
3.12.1	Building installation	Sum	1	
3.13	Others			
3.13.1	2 compartment power skirting installed in offices	m	10	
3.13.2	Telephone points on Powerskirting; must include draw box, blank cover plate, etc,	No	3	
3.13.3	Telephone points on Powerskirting; must include draw box, blank cover plate, etc,	No		
3.13.4	Provide the sum of R18000-00 for earthing and lightning protection installations by specialist	Sum	1	
3.13.5	20A 2pole Isolator, in suitable York Box, for HVAC	No	2	
3.13.6	Supply and install a 150L Solar Water Geyser	No		
3.13.7	Provide the sum of R5500-00 for the supply and installation of school motorised siren c/w timer	Sum	1	
	TOTAL FOR BILL - CARRIED FORWARD TO SUMMARY			ı

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
4	GRADE R BLOCK (2 CLASSROOM)				
4,1					
	General trenching workfor sleeves along the routes as pegged out on site after co-ordination with other services				
	required, removal and carting away of all stones and rocks including dumping off site. Backfilling and compaction shall				
4.1.1	Trenching through floor for sleeves	m³			rate only
4.1.2	Excavation and backfilling in soft soil	m³			rate only
4.1.3	Excavation and backfilling in hard rock	m³			rate only
4,2	Cable and Data Sleeves				
	Supply and installation of PVC Sleeves through floor construction to power distribution board and communication board complete with standard radius sleeve bends				
4.2.1	75mm Diameter for Data	m			rate only
4.2.2	110mm Diameter for power cable	m			rate only
	Radius bends:				
4.2.3	75mm Diameter	No			rate only
4.2.4	110mm Diameter	No			rate only
4,3	Draw Wires				
4.3.1	Supply and install a 0,6mm diameter galvanised draw wire in sleeves and conduit for data installation	m	790		
4,4	Distribution Boards				
	supply, aelivery, storage and submission of workshop drawings for the Flush mounted architrave steel type power distribution boards complete with flush trays, doors, switch gear mounting trays, copper busbars, neutral and earth bars, correctly sized interna				
4.4.1	Distribution Board	No.	1		
	TOTAL FOR BILL - CARRIED FORWARD	ļ	<u> </u>	<u> </u>	

TOTAL FO	OR BILL - BROUGHT FORWARD				
4,5	Low Voltage PVC Cables Supply and installation of PVC SWA PVC cable which is quantified under LV Reticulation and Bare Copper Earth Wire in sleeves and in trenches				
	Terminations:				
4.5.1	10mm 2 core cable	No	2		
4.5.2	10mm BCEW	No	2		
4,6	Conduit Work Supply, delivery and installation of SABS approved PVC / Galvanised Conduits completed with all required conduit accessories.				
	Built or Chase into brick or concrete work:				
4.6.1	20mm PVC Conduit	m	80		
4.6.2	25mm PVC Conduit	m	180		
	In Ceiling space and Timber work or along Purlins				
4.6.3	20mm PVC Conduit	m	450		
4.6.4	25mm PVC Conduit	m	80		
4.6.5	Girder clamp for chain and wire, STRUTFAST Type AH-1420	No.			rate only
4.6.6	Conduit Boxes				
	supply and installation of SABS approved conduit boxes, installed in the run of the conduit installation, cast into concrete and built into brickwork or flush inside false ceiling spaces, complete with all required conduit termination accessories.				
4.6.7	20mm diameter 4 way type(round box)	No	30		
4.6.8	450 x 450mm Bonding tray in roof space	No			rate only
4,4	Wall Boxes Supply and installation of SABS approved galvanised pressed steel wall boxes for building flush into brickwork or cast into concrete work.				
	Flush mounted type:				
4.7.1	100 x 50 x 50mm	No	8		
4.7.2	100 x 100 x 50mm	No	10		
4.7.3	88 x 275 x 62mm one tier cluster	No	2		
	TOTAL FOR BILL - CARRIED FORWARD			l	

TOTAL F	OR BILL - BROUGHT FORWARD			
4,8	PVC Wiring in conduits:			
4.8.1	2.5 mm ² for lights circuits	m	350	
4.8.2	4 mm² for plug sockets circuits	m	250	
	Stranded Bare Copper Earth Wire			
	Supply and installation of stranded bare copper earth wire along with PVC wiring in conduits. Tendered rates shall make provision for wastage.			
4.8.3	2.5 mm ²	m	350	
4.8.4	4 mm²	m	250	
4,9	Light Switches Supply and Installation of SABS approved type 16A flush and surface type light switches. Final paint finishes shall be confirmed at a later stage, allowance shall however be made as specified in the general specification. All boxes for flush mounting meas			
4.9.1	16A Single Lever Light Switch	No	7	
4.9.2	2Way 16A Single Lever Light switch	No	2	
4.9.3	2 Lever 2 way	No		rate only
4.9.4	Outdoor Photocell Switch	No	1	
4.10'	Socket Outlets Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface.			
	The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification.			
	All flush type boxes and special pedestals measured elsewhere.			
	Flush switched sockets type:			
4.10.1	SA/Euro 16A Socket Outlet @300 A.F.F.L	No	6	
4.10.0	One Her Cluster wall Box Consisting of The Following: - 16A Normal Socket Un-switched - 16A Dedicated Socket Un-switched - 5A 2 Pin Socket Un-switched			
4.10.2	- 2x RJ45 Data & Telephone Points	No	2	
	TOTAL FOR BILL - CARRIED FORWARD			

TOTAL FO	OTAL FOR BILL - BROUGHT FORWARD				
4,11	Light Fittings				
	Suppy, delievery to site, storage and installation of the below specified light fittings complete with lamps, fixing material, mounting and tubes. Allowance must be made in the rates for all the required fixing materials and accessories.				
	Fittings to be equal and similar approved to the below quoted manufacture.				
4.11.1	1200mm 34W LED IP66 Corrosion Proof Light Fitting	No	12		
4.11.2	15W LED Round Bulkhead with Dali Modification	No	8		
4.11.3	10W LED Rondo Downlight with Dali Modification	No	12		
4,12	Electrical Tests Making provision for the required inspection, tests and the commissioning of the complete installation and the issuing of the required certificate.				
4.12.1	Building installation	Sum	1		
4,13	Others				
4.13.1	Provide the sum of R7000-00 for earthing and lightning protection installations by specialist	Sum	1		
4.13.2	20A 2pole Isolator, in suitable York Box, for HVAC	No	2		
	TOTAL FOR BILL - CARRIED FORWARD TO SUMMARY				

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
5	4 CLASSROOM BLOCK				
5.1					
	General trenching workfor sleeves along the routes as pegged out on site after co-ordination with other services				
	required, removal and carting away of all stones and rocks including dumping off site. Backfilling and compaction shall				
5.1.1	Trenching through floor for sleeves	m³			rate only
5.1.2	Excavation and backfilling in soft soil	m³			rate only
5.1.3	Excavation and backfilling in hard rock	m³			rate only
5.2	Cable and Data Sleeves				
	Supply and installation of PVC Sleeves through floor construction to power distribution board and communication board complete with standard radius sleeve bends				
5.2.1	75mm Diameter for Data	m			rate only
5.2.2	110mm Diameter for power cable	m			rate only
	Radius bends:				
5.2.3	75mm Diameter	No			rate only
5.2.4	110mm Diameter	No			rate only
5.3	Draw Wires				
5.3.1	Supply and install a 0,6mm diameter galvanised draw wire in sleeves and conduit for data installation	m	1000		
5.4	Distribution Boards supply, aelivery, storage and submission of workshop drawings for the Flush mounted architrave steel type power distribution boards complete with flush trays, doors, switch gear mounting trays, copper busbars, neutral and earth bars, correctly sized interna				
5.4.1	Distribution Board	No.	1		
	TOTAL FOR BILL - CARRIED FORWARD		l	l	

TOTAL FO	OR BILL - BROUGHT FORWARD			
5.5	Low Voltage PVC Cables Supply and installation of PVC SWA PVC cable which is quantified under LV Reticulation and Bare Copper Earth Wire in sleeves and in trenches			
	Terminations:			
5.5.1	16mm 2 core cable	No	2	
5.5.2	16mm BCEW	No	2	
5,6	Conduit Work Supply, delivery and installation of SABS approved PVC / Galvanised Conduits completed with all required conduit accessories.			
	Built or Chase into brick or concrete work:			
5.6.1	20mm PVC Conduit	m	120	
5.6.2	25mm PVC Conduit	m	440	
	In Ceiling space and Timber work or along Purlins			
5.6.3	20mm PVC Conduit	m	400	
5.6.4	25mm PVC Conduit	m	40	
	Girder clamp for chain and wire, STRUTFAST Type AH-1420	No.		rate only
5.6.5	Conduit Boxes			
	supply and installation of SABS approved conduit boxes, installed in the run of the conduit installation, cast into concrete and built into brickwork or flush inside false ceiling spaces, complete with all required conduit termination accessories.			
5.6.6	20mm diameter 4 way type(round box)	No	50	
5.6.7	450 x 450mm Bonding tray in roof space	No		rate only
5,7	Wall Boxes Supply and installation of SABS approved galvanised pressed steel wall boxes for building flush into brickwork or cast into concrete work.			
	Flush mounted type:			
5.7.1	100 x 50 x 50mm	No	8	
5.7.2	100 x 100 x 50mm	No	12	
5.7.3	88 x 275 x 62mm one tier cluster	No	4	
	TOTAL FOR BILL - CARRIED FORWARD			

TOTAL F	OR BILL - BROUGHT FORWARD			
5.8	PVC Wiring in conduits:			
5.8.1	2.5 mm ² for lights circuits	m	800	
5.8.2	4 mm² for plug sockets circuits	m	470	
	Stranded Bare Copper Earth Wire			
	Supply and installation of stranded bare copper earth wire along with PVC wiring in conduits. Tendered rates shall make provision for wastage.			
5.8.3	2.5 mm ²	m	800	
5.8.4	4 mm²	m	470	
5.9	Light Switches Supply and installation of SABS approved type 16A flush and surface type light switches. Final paint finishes shall be confirmed at a later stage, allowance shall however be made as specified in the general specification. All boxes for flush mounting meas			
5.9.1	16A Single Lever Light Switch	No	4	
5.9.2	2Way 16A Single Lever Light switch	No		rate only
5.9.3	2 Lever 2 way	No		rate only
5.9.4	Outdoor Photocell Switch	No	1	
5.10	Socket Outlets Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface.			
	The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification.			
	All flush type boxes and special pedestals measured elsewhere.			
	Flush switched sockets type:			
5.10.1	SA/Euro 16A Socket Outlet @300 A.F.F.L	No	12	
	One Her Cluster wall Box Consisting of The Following: - 16A Normal Socket Un-switched - 16A Dedicated Socket Un-switched - 5A 2 Pin Socket Un-switched	\		
5.10.2	- 2x RJ45 Data & Telephone Points	No	4	
	TOTAL FOR BILL - CARRIED FORWARD		· · · · · · · · · · · · · · · · · · ·	

Suppy, delievery to site, storage and installation of the below specified light fittings complete with lamps, fixing material, mounting and tubes. Allowance must be made in the rates for all the required fixing materials and accessories. Fittings to be equal and similar approved to the below quoted manufacture. 1200mm 34W LED IP66 Corrosion Proof Light Fitting No 16 5.11.2 15W LED Round Bulkhead with Dali Modification No 5.12 Electrical Tests Making provision for the required inspection, tests and the commissioning of the complete installation and the issuing of the required certificate. 5.12.1 Building installation Sum 1 5.13 Others Provide the sum of R10000-00 for earthing and lightning	TOTAL FO	OR BILL - BROUGHT FORWARD			
specified light fittings complete with lamps, fixing material, mounting and tubes. Allowance must be made in the rates for all the required fixing materials and accessories. Fittings to be equal and similar approved to the below quoted manufacture. 5.11.1 1200mm 34W LED IP66 Corrosion Proof Light Fitting No 16 5.11.2 15W LED Round Bulkhead with Dali Modification No 10 5.12 Electrical Tests Making provision for the required inspection, tests and the commissioning of the complete installation and the issuing of the required certificate. 5.12.1 Building installation Sum 1 5.13 Others Provide the sum of R10000-00 for earthing and lightning	5.11	Light Fittings			
quoted manufacture. 1200mm 34W LED IP66 Corrosion Proof Light Fitting No 15.11.2 15W LED Round Bulkhead with Dali Modification No 5.12 Electrical Tests Making provision for the required inspection, tests and the commissioning of the complete installation and the issuing of the required certificate. 5.12.1 Building installation Sum 1 5.13 Others Provide the sum of R10000-00 for earthing and lightning		specified light fittings complete with lamps, fixing material, mounting and tubes. Allowance must be made in the rates			
5.11.2 15W LED Round Bulkhead with Dali Modification No 10 5.12 Electrical Tests Making provision for the required inspection, tests and the commissioning of the complete installation and the issuing of the required certificate. 5.12.1 Building installation Sum 1 5.13 Others Provide the sum of R10000-00 for earthing and lightning					
 5.12 Electrical Tests Making provision for the required inspection, tests and the commissioning of the complete installation and the issuing of the required certificate. 5.12.1 Building installation Sum 1 5.13 Others Provide the sum of R10000-00 for earthing and lightning 	5.11.1	1200mm 34W LED IP66 Corrosion Proof Light Fitting	No	16	
Making provision for the required inspection, tests and the commissioning of the complete installation and the issuing of the required certificate. 5.12.1 Building installation 5.13 Others Provide the sum of R10000-00 for earthing and lightning	5.11.2	15W LED Round Bulkhead with Dali Modification	No	10	
commissioning of the complete installation and the issuing of the required certificate. 5.12.1 Building installation 5.13 Others Provide the sum of R10000-00 for earthing and lightning	5.12	Electrical Tests			
5.13 Others Provide the sum of R10000-00 for earthing and lightning		commissioning of the complete installation and the issuing of			
Provide the sum of R10000-00 for earthing and lightning	5.12.1	Building installation	Sum	1	
	5.13	Others			
TOTAL FOR BILL - CARRIED FORWARD TO SUMMARY	5.13.1	protection installations by specialist	Sum	1	

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
6	ABLUTION BLOCK (4 SEATER)				
6,1					
	General trenching workfor sleeves along the routes as pegged out on site after co-ordination with other services				
	required, removal and carting away of all stones and rocks including dumping off site. Backfilling and compaction shall				
6.1.1	Trenching through floor for sleeves	m³			rate only
6.1.2	Excavation and backfilling in soft soil	m³			rate only
6.1.3	Excavation and backfilling in hard rock	m³			rate only
6,2	Cable and Data Sleeves				
	Supply and installation of PVC Sleeves through floor construction to power distribution board and communication board complete with standard radius sleeve bends				
6.2.1	75mm Diameter for Data	m			rate only
6.2.2	113mm Diameter for power cable	m			rate only
	Radius bends:				
6.2.3	75mm Diameter	No			rate only
6.2.4	113mm Diameter	No			rate only
6,3	Draw Wires				
6.3.1	Supply and install a 0,6mm diameter galvanised draw wire in sleeves and conduit for data installation	m	50		
6,4	Distribution Boards				
	supply, aelivery, storage and submission of workshop drawings for the Flush mounted architrave steel type power distribution boards complete with flush trays, doors, switch gear mounting trays, copper busbars, neutral and earth bars, correctly sized interna				
6.4.1	Distribution Board	No.	1		
	TOTAL FOR BILL - CARRIED FORWARD		l	l	

TOTAL FO	OR BILL - BROUGHT FORWARD			1	
6,6	Low Voltage PVC Cables Supply and installation of PVC SWA PVC cable which is quantified under LV Reticulation and Bare Copper Earth Wire in sleeves and in trenches				
6.5.1	4mm 2 core PVC SWA Cable	m			rate only
6.5.2	4mm BCEW	m			rate only
	Terminations:				
6.5.3	4mm 2core cable	No	2		
6.5.4	4mm BCEW	No	2		
6,6	Conduit Work				
	Supply, delivery and installation of SABS approved PVC / Galvanised Conduits completed with all required conduit accessories.				
	Built or Chase into brick or concrete work:				
6.6.1	20mm PVC Conduit	m			rate only
6.6.2	25mm PVC Conduit	m	15		
	In Ceiling space and Timber work or along Purlins				
6.6.3	20mm PVC Conduit	m	10		
6.6.4	25mm PVC Conduit	m			rate only
6.6.5	Girder clamp for chain and wire, STRUTFAST Type AH-11320	No.			
	Conduit Boxes supply and installation of SABS approved conduit poxes, installed in the run of the conduit installation, cast into concrete and built into brickwork or flush inside false ceiling spaces, complete with all required conduit termination accessories.				
6.6.6	20mm diameter 13 way type(round box)	No	7		
6.6.7	1350 x 1350mm Bonding tray in roof space	No			rate only
6,7	Wall Boxes Supply and installation of SABS approved galvanised pressed steel wall boxes for building flush into brickwork or cast into concrete work.				
	Flush mounted type:				
6.7.1	100 x 50 x 50mm	No	2		
6.7.2	100 x 100 x 50mm	No	2		
	TOTAL FOR BILL - CARRIED FORWARD				

TOTAL FO	OR BILL - BROUGHT FORWARD			
6,8	PVC Wiring in conduits:			
6.8.1	2.5 mm² for lights circuits	m	20	
6.8.2	4 mm² for plug sockets circuits	m		rate only
	Stranded Bare Copper Earth Wire			
	Supply and installation of stranded bare copper earth wire along with PVC wiring in conduits. Tendered rates shall make provision for wastage.			
6.8.3	2.5 mm ²	m	20	
6.8.4	4 mm²	m		rate only
6,9	Light Switches			
	supply and installation of SABS approved type 16A flush and surface type light switches. Final paint finishes shall be confirmed at a later stage, allowance shall however be made as specified in the general specification. All boxes for flush mounting meas			
6.9.1	1 Lever 1 way	No	2	
6.9.2	1 Lever 2 way	No		rate only
6.6.3	2 Lever 2 way	No		rate only
6.6.4	Outdoor Photocell Switch	No	1	
6.10'	Socket Outlets			
	Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface.			
	The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification.			
	All flush type boxes and special pedestals measured elsewhere.			
	Flush switched sockets type:			
6.10.1	SA/Euro 16A Socket Outlet @300 A.F.F.L	No		rate only
	TOTAL FOR BILL - CARRIED FORWARD		l	

TOTAL FO	OR BILL - BROUGHT FORWARD				
6,11	Light Fittings				
	Suppy, delievery to site, storage and installation of the below specified light fittings complete with lamps, fixing material, mounting and tubes. Allowance must be made in the rates for all the required fixing materials and accessories.				
	Fittings to be equal and similar approved to the below quoted manufacture.				
6.11.1	1200mm 313W LED IP66 Corrosion Proof Light Fitting	No			rate only
6.11.2	13W LED Rondo Downlight with Dali Modification	No	4		
6.11.3	10W LED Rondo Downlight with Dali Modification	No	4		
6.11.4	Type D1: 17 W Ceiling mounted downlighter	No			rate only
6.11.6	Type B1: Wall mounted bulkhead 2x 17W CFL	No			rate only
6,12	Electrical Tests				
	Making provision for the required inspection, tests and the commissioning of the complete installation and the issuing of the required certificate.				
6.12.1	Building installation	Sum	1		
6,13	Others				
6.13.1	2 compartment power skirting installed in offices	m			rate only
	Provide the sum of R2500-00 for earthing and lightning protection installations by specialist	Sum	1		
	TOTAL FOR BILL - CARRIED FORWARD TO SUMMARY			<u> </u>	

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
7 7,1	ABLUTION BLOCK (8 SEATER)				
	General trenching workfor sleeves along the routes as pegged out on site after co-ordination with other services				
	required, removal and carting away of all stones and rocks including dumping off site. Backfilling and compaction shall				
7.1.1	Trenching through floor for sleeves	m³			rate only
7.1.2	Excavation and backfilling in soft soil	m³			rate only
7.1.3	Excavation and backfilling in hard rock	m³			rate only
7,2	Cable and Data Sleeves				
	construction to power distribution board and communication board complete with standard radius				
7.2.1	75mm Diameter for Data	m			rate only
7.2.2	113mm Diameter for power cable	m			rate only
7.2.3	75mm Diameter	No			rate only
7.2.4	113mm Diameter	No			rate only
7,3	Draw Wires				
7.3.1	Supply and install a 0,6mm diameter galvanised draw wire in sleeves and conduit for data installation	m	55		
7,4	Distribution Boards				
	supply, aelivery, storage and submission of workshop drawings for the Flush mounted architrave steel type power distribution boards complete with flush trays, doors, switch gear mounting trays, copper busbars, neutral and earth bars, correctly sized interna				
7.4.1	Distribution Board	No.	1		
	TOTAL FOR BILL - CARRIED FORWARD		l	l	

TOTAL FO	OR BILL - BROUGHT FORWARD		T	I	
7,5	Low Voltage PVC Cables Supply and installation of PVC SWA PVC cable which is quantified under LV Reticulation and Bare Copper Earth Wire in sleeves and in trenches				
7.5.1	4mm 2 core PVC SWA Cable	m			rate only
7.5.2	4 mm BCEW	m			rate only
	Terminations:				
7.5.3	4mm 2 core cable	No	2		
7.5.4	4mm BCEW	No	2		
7,6	Conduit Work Supply, delivery and installation of SABS approved PVC / Galvanised Conduits completed with all required conduit accessories.				
	Built or Chase into brick or concrete work:				
7.6.1	20mm PVC Conduit	m	5		
7.6.2	25mm PVC Conduit	m	5		
	In Ceiling space and Timber work or along Purlins				
7.6.3	20mm PVC Conduit	m	50		
7.6.4	25mm PVC Conduit	m	10		
7.6.5	Girder clamp for chain and wire, STRUTFAST Type AH-11320	No.			rate only
7.6.6	Conduit Boxes installed in the run of the conduit installation, cast into				
7.6.7	20mm diameter 13 way type(round box)	No	18		
7.6.8	1350 x 1350mm Bonding tray in roof space	No			rate only
7,7	Wall Boxes Supply and installation of SABS approved galvanised pressed steel wall boxes for building flush into brickwork or cast into concrete work.				
	Flush mounted type:				
7.7.1	100 x 50 x 50mm	No	2		
7.7.2	100 x 100 x 50mm	No			
	TOTAL FOR BILL - CARRIED FORWARD		l	1	

TOTAL FO	OR BILL - BROUGHT FORWARD			_	
7,7	PVC Wiring in conduits:				
7.7.1	2.5 mm² for lights circuits	m	55		
	Stranded Bare Copper Earth Wire				
	Supply and installation of stranded bare copper earth wire along with PVC wiring in conduits. Tendered rates shall make provision for wastage.				
7.7.2	2.5 mm ²	m	55		
7,9	Light Switches				
	supply and installation of SABS approved type 16A flush and surface type light switches. Final paint finishes shall be confirmed at a later stage, allowance shall however be made as specified in the general specification. All boxes for flush mounting meas				
7.9.1	l Lever I way	No	2		
7.9.2	Outdoor Photocell Switch	No	1		
7,1	Socket Outlets				
	Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface.				
	The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification.				
	All flush type boxes and special pedestals measured elsewhere.				
	Flush switched sockets type:				
7.10.1	SA/Euro 16A Socket Outlet @300 A.F.F.L	No			rate only
	TOTAL FOR BILL - CARRIED FORWARD				

TOTAL FO	OR BILL - BROUGHT FORWARD			
7,11	Light Fittings			
	Suppy, delievery to site, storage and installation of the below specified light fittings complete with lamps, fixing material, mounting and tubes. Allowance must be made in the rates for all the required fixing materials and accessories.			
	Fittings to be equal and similar approved to the below quoted manufacture.			
7.11.1	1200mm 313W LED IP66 Corrosion Proof Light Fitting	No		rate only
7.11.2	15W LED Round Bulkhead with Dali Modification	No	5	
7.11.3	10W LED Rondo Downlight with Dali Modification	No	12	
7,12	Electrical Tests			
	Making provision for the required inspection, tests and the commissioning of the complete installation and the issuing of the required certificate.			
7.12.1	Building installation	Sum	1	
,,,,,	Others Provide the sum of R5000-00 for earthing and lightning	6		
7.13.1	protection installations by specialist	Sum		
	TOTAL FOR BILL - CARRIED FORWARD TO SUMMARY			

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
8	ABLUTION BLOCK (10 SEATER)				
8.1					
	General trenching workfor sleeves along the routes as pegged out on site after co-ordination with other services				
	required, removal and carting away of all stones and rocks including dumping off site. Backfilling and compaction shall				
8.1.1	Trenching through floor for sleeves	m³			rate only
8.1.2	Excavation and backfilling in soft soil	m³			rate only
8.1.3	Excavation and backfilling in hard rock	m³			rate only
8.2	Cable and Data Sleeves				
	Supply and installation of PVC Sleeves through floor construction to power distribution board and communication board complete with standard radius sleeve bends				
8.2.1	75mm Diameter for Data	m			rate only
8.2.2	113mm Diameter for power cable	m			rate only
	Radius bends:				
8.2.3	75mm Diameter	No			rate only
8.2.4	113mm Diameter	No			rate only
8.3	Draw Wires				
8.3.1	Supply and install a 0,6mm diameter galvanised draw wire in sleeves and conduit for data installation	m	55		
8.4	Distribution Boards				
	supply, aelivery, storage and submission of workshop drawings for the Flush mounted architrave steel type power distribution boards complete with flush trays, doors, switch gear mounting trays, copper busbars, neutral and earth bars, correctly sized interna				
8.4.1	Distribution Board	No.	1		
	TOTAL FOR BILL - CARRIED FORWARD			<u> </u>	

8.5 L	Low Voltage PVC Cables			
c	Supply and installation of PVC SWA PVC cable which is quantified under LV Reticulation and Bare Copper Earth Wire in sleeves and in trenches			
8.5.1	4mm 2 core PVC SWA Cable	m		rate only
8.5.2	4 mm BCEW	m		rate only
T	Terminations:			
8.5.3	4mm 2 core cable	No	2	
8.5.4	4mm BCEW	No	2	
S	Conduit Work Supply, delivery and installation of SABS approved PVC / Galvanised Conduits completed with all required conduit accessories.			
	Built or Chase into brick or concrete work:			
	20mm PVC Conduit	m	5	
8.6.2	25mm PVC Conduit	m	5	
lı	n Ceiling space and Timber work or along Purlins			
8.6.3	20mm PVC Conduit	m	50	
8.6.4	25mm PVC Conduit	m	10	
8.6.5	Girder clamp for chain and wire, STRUTFAST Type AH-11320	No.		rate only
ii C s	Conduit Boxes supply and installation of SABS approved conduit boxes, installed in the run of the conduit installation, cast into concrete and built into brickwork or flush inside false ceiling spaces, complete with all required conduit termination accessories.			
8.6.7	20mm diameter 13 way type(round box)	No	20	
8.6.6	1350 x 1350mm Bonding tray in roof space	No		rate only
S K	Wall Boxes Supply and installation of SABS approved galvanised pressed steel wall boxes for building flush into brickwork or cast into concrete work. Flush mounted type:			
8.7.1 1	100 x 50 x 50mm	No	1	
8.7.2	100 x 100 x 50mm	No	2	
T	TOTAL FOR BILL - CARRIED FORWARD			

TOTAL FO	OR BILL - BROUGHT FORWARD			
8.8	PVC Wiring in conduits:			
8.8.1	2.5 mm² for lights circuits	m	55	
	Stranded Bare Copper Earth Wire			
	Supply and installation of stranded bare copper earth wire along with PVC wiring in conduits. Tendered rates shall make provision for wastage.			
8.8.2	2.5 mm ²	m	55	
8.9	Light Switches			
	supply and installation of SABS approved type 16A flush and surface type light switches. Final paint finishes shall be confirmed at a later stage, allowance shall however be made as specified in the general specification. All boxes for flush mounting meas			
8.9.1	1 Lever 1 way	No	2	
8.9.2	Outdoor Photocell Switch	No	1	
8.10	Socket Outlets			
	Supply and installation of SABS approved switched and unswitched type flush and surface mounted type 16A switched socket outlets suitable for mounting in flush steel wall boxes or in steel pedestal units or on surface.			
	The final colour of the paint finish shall be confirmed at a later stage, allowance shall be made as specified in the specification.			
	All flush type boxes and special pedestals measured elsewhere.			
	Flush switched sockets type:			
8.10.1	SA/Euro 16A Socket Outlet @300 A.F.F.L	No		rate only
	TOTAL FOR BILL - CARRIED FORWARD		<u>I</u>	

TOTAL FO	OR BILL - BROUGHT FORWARD			
8.11	Light Fittings			
	Suppy, delievery to site, storage and installation of the below specified light fittings complete with lamps, fixing material, mounting and tubes. Allowance must be made in the rates for all the required fixing materials and accessories.			
	Fittings to be equal and similar approved to the below quoted manufacture.			
8.11.1	1200mm 313W LED IP66 Corrosion Proof Light Fitting	No		rate only
8.11.2	15W LED Round Bulkhead with Dali Modification	No	5	
8.11.3	10W LED Rondo Downlight with Dali Modification	No	14	
8.12	Electrical Tests			
	Making provision for the required inspection, tests and the commissioning of the complete installation and the issuing of the required certificate.			
8.12.1	Building installation	Sum	1	
8.13	Others Drawing the sums of RECOO OO for a gething and lightning.			
8.13.1	Provide the sum of R5000-00 for earthing and lightning protection installations by specialist	Sum	1	
	TOTAL FOR BILL - CARRIED FORWARD TO SUMMARY			<u> </u>

ITEM	DESCRIPTION	UNIT	QUANTITY	RATE	AMOUNT
9	<u>Area Lighting</u>				
9,1	3.0m Galvanised Black Streetlight poles complete with circuit breakers and accessories	each	10		
9 /	Supply and install 55W LED ZELA Light Fittings complete with assessories in each pole above	each	10		
9.3	OPEN CHANNEL FLUORESCENT LED TUBES 2x18W 1200mm T8 4000K CRI>80 50000Hrs L80 t°-25°C TO +50°C IP44 WITH FROSTED LENS AND ECG (VAPOUR PROOF)	no.	4		
9,4	PVC Wiring :				
9.4.1	4mm² x 2core copper cable	m	437		
9.4.2	2.5mm² bare copper earth wire (BCEW)	m	437		
9.5	TESTING AND COMISSIONING				
9.5.1	Testing and comissioning of the entire medium and low voltage network and area lighting including the provision of all test equipment required and issuing of a certificate of compliance for the installation.	Sum	1		
			CA	RRIED TO SUMMARY	

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
10	PROVISIONAL AMOUNTS : ICT				
10.1	Provide the sum of R 104 380.00 for the instalation of Information and Communication Technologies by specialist service provider in consultation with the Engineer/Consultant	Sum	1		
10.2	Profit	%	10		
10.3	Attendense	%	5		
	TOTAL FOR BILL - CARRIED FORWARD TO SUMMARY		-		

	MAYEKE PRIMARY SCHOOL SUMMARY: ELECTRICAL WORKS											
SECTION	DESCRIPTION	QTY	AMOUNT	TOTAL								
1 2 3 4 5 6 7 8 9	MV Reticulation LV Reticulation Medium Administration Grade R 2 Classroom Block Four Classroom Block Ablution 4 Seater Ablution 8 Seater Ablution 10 Seater Area Lighting Provitional Sum: ICT	SUM Lot 1 3 3 2 1 SUM SUM										
	SUB TOTAL 1											

SEC	BILL	PG	ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
3	1	70		SECTION NO. 3				
3 3	1	70 70		BILL NO.1 BULK EARTHWORKS				
3		70		Preambles	H4			
					Π 4			
3	1	70		Model Preambles for Trades 2008 as published by the Association of South African Quantity Surveyors shall apply.				
3	1	70		SUPPLEMENTARY PREAMBLES	H4			
3	1	70		Items, materials or methods	H4			
3	1	70		Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. The use of trade names for items, materials or methods shall also mean - or other approved - on the condition that prior approval is obtained from the architect.				
3	1	70		<u>Excavations</u>	H4			
3	1	70		No claim for rock excavation will be entertained unless the contractor has timeously notified the Quantity Surveyor thereof prior to backfilling				
				"Soft rock" and "Hard rock" shall be as defined in the Model Preambles for Trades 2008				
3	1	70		WORK GROUP 102	H4			
3	1	70		SITE CLEARANCE	H2			
3	1	70	2	Digging up and removing rubbish, debris, vegetation, hedges, shrubs and trees not exceeding 200mm girth, bush, etc	m2	20 350		
3	1	70		Extra over all excavations for carting away	Н3			
3	1	70	3	Surplus material from excavations or stock piles on site to a dumping site to be located by the Contractor	m.km	4 070		
3	1	70		<u>EARTHWORKS</u>	H2			
3	1	70		Bulk excavation	Н3			
3	1	70		Excavate in all materials and use for embankment or fill or dispose, as ordered	m3	3 053		
3	1	70		Extra-over for	Н3			
3	1	70	5	Intermediate for excavation	m3	763		
3	1	70		Hard rock excavation	m3	153		
		. •			0			
3	1	70		Restricted Excavation	Н3			
3	1	70		Excavate for restricted pipe trenches in all A.2.4 materials and use for backfill or dispose	m3	0		
3	1	71		Import G5 or better material from the Commercial source or borrowpit for Selected layers compacted	Н3			
				to 95% of modified AASHTO maximum density				
3	1	71	8	150mm thick	m3	3 053		
3	1	71	9	Overhaul	m.km	15 263		
3	1	71		LOFFELSTEIN RETAINING WALLS	H2			
3	1	71	10	InfraBlok 425 (425x340x225) Waterloffel or other approved retaining wall stepped and curved to suit required slopes	m2	383		
				BULK EARTHWORKS	ST			

		•					
3	2	73		SECTION NO. 3			
3	2	73		BILL NO.2			
3	2	73		WATER SUPPLY			
3	2	73		<u>Preambles</u>	H4		
3	2	73		Model Preambles for Trades 2008 as published by the			
		"		Association of South African Quantity Surveyors shall apply.			
3	2	73		SUPPLEMENTARY PREAMBLES	H4		
3	2	73		Items, materials or methods	H4		
3	2	73		Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the			
				quality required. The use of trade names for items, materials or			
				methods shall also mean - or other approved - on the condition that prior approval is obtained from the architect.			
				that phor approval is obtained from the architect.			
3	2	73		uPVC Pressure pipes and fittings	H4		
					117		
3	2	73		Pipes for water supply shall be of the class stated			
				Pipes of 40mm diameter and smaller shall be plain ended with			
				solvent welded uPVC loose sockets and fittings			
				Pipes of 50mm diameter and greater shall have sockets and			
				spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar			
				push-in type joints			
3	2	73		Copper pipes	H4		
2	2	73		Dines shall be hard drawn and half hard nines of the class			
3	_	13		Pipes shall be hard drawn and half-hard pipes of the class stated			
				Class 0 (thin walled hard drawn) pipes shall not be bent			
				Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders			
				with inner and outer formers			
				Fittings to copper waste, vent and anti-syphon pipes, capillary			
				solder fittings and compression fittings shall be "Cobra			
				Watertech" type			
				Capillary solder fittings shall comply with ISO 2016			
				Only compression fittings shall be used in walls or in ground			
3	2	73		Lead pipes and traps	H4		
3	2	73		All soldered joints shall be wiped and brass unions shall be used for jointing lead to steel			
3	2	74		Reducing fittings	H4		
	2	74					
3	2	74		Where fittings have reducing ends or branches they are described as "reducing". In the case of pipes with diameters			
				not exceeding 60mm only the largest end or branch size is			
				given. Should the Contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no			
				claim in this regard will be entertained. In the case of pipes			
				with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained			
				, , , , , , , , , , , , , , , , , , , ,			
3	2	74		Steel sectional water tanks	H4		
	2			Tanks shall comply with SARS CKS 444			
3	2	74		Tanks shall comply with SABS CKS 114			
3	2	74		WORK GROUP 104	H4		
3	2	74		EARTHWORKS (PIPE TRENCHES)	H2		
3	2	74		Site clearance and removal of topsoil	Н3		
3	2	74	1	Clear vegetation and small trees/shrubs up 2m	m	748	
				wide			
			<u> </u>		j		I

3	2	74		Excavate in all materials for trenches, backfill, compact and dispose of surplus material for water pipes up to 90mm in diameter for depths:	H2		
3	2	74	2	From 0m Up to 1.5m	m	748	
3	2	74		Extra-over item (a) above for:	Н3		
3	2	74	3	Intermidiate excavation	m3	135	
3	2	74	4	Hard rock excavation	m3	20	
3	2	74		Extra over all excavations for carting away	Н3		
3	2	74		Surplus material from trench excavations to a dumping site to be located by the Contractor	m3	50	
3	2	74		Excavation ancillaries	Н3		
3	2	74		Make up deficiency in backfill material	Н3		
3	2	74	6	From other necessary excavations on site	m3	50	
3	2	74	7	By importation from designated borrow pits	m3		
3	2	74	8	Compaction in road reserves	m		
3	2	74		WORK GROUP 148	H4		
3	2	74		MEDIUM PRESSURE PIPELINES	H2		
3	2	74		Supply, lay and bed pipes complete with couplings	Н3		
3	2	74	9	50mm diameter uPVC Class 9 pipes	m	0	
3	2	74	10	50mm diameter uPVC Class 12 pipes	m	0	
3	2	74	11	63mm diameter uPVC Class 9 pipes	m	0	
3	2	74	12	63mm diameter uPVC Class 12 pipes	m		
3	2	74	13	75mm diameter uPVC Class 9 pipes	m	0	
3	2	74	14	75mm diameter uPVC Class 12 pipes	m	358	
3	2	74	15	90mm diameter uPVC Class 12 pipes	m	390	
3	2	74	16	65mm Pressure Reducing Valve	No		
3	2	74	17	75mm Pressure Reducing Valve	No		
3	2	74		BEDDING (PIPES)	H2		
3	2	74		Provision of Bedding from Trench Excavation	Н3		
3	2	74	18	Selected granular material	m3	269	
3	2	74	19	Selected fill material	m3	449	
				ELEVATED OTEEL TANK BUILD OTANG			
3	2	74		ELEVATED STEEL TANK PLUS STAND	H2		
3	2	75		The following in sectional steel water tanks and bases	Н3		
3	2	75	20	Blinding layer, class 15 Mpa/19mm concrete, 75mm thick for all level where reinforced	m2	27	
3	2	75	21	Concrete for footings class 25 Mpa / 19mm concrete plus anchor blocks, filling where ordered by the engineer	m3	5	
3	2	75	22	Supply, deliver to site and erect 60KL Prestressed steel tank complete with 6m stand,	No	1	
3	2	75	23	Supply and install 50 mm dia Water Meter	No	0	
3	2	75		Supply and install 63 mm dia Water Meter	No	0	
3	2	75		90 x 90 mm T piece section	No	25	
3	2	75		90mm diam. Gate valve	No	2	
3	2	75 75		75 mm diam. Gate valve	No	2	
		, 5	<u> </u>	70 mm diam. Gate valve	INO		

3	2	75	28	Supply and install 75mm X 32mm dia Saddles	No	28	
3	2	75	29	32 mm diam. Gate valve	No	0	
3	2	75	30	Ref. 617 welded mesh in floor/walls/footing/	m2	60	
				slab			
3	2	75	31	Supply and install a 5mm (1000 x 1000) Vastrap plate cover and frame for the openning in the reservoir roof	m2	0	
3	2	75	32	Half brick wall including wire ties	m2	0	
3	2	75	33	Supply and install 75mm dia Resilient Seal Flanged Gate Valve (with rising spindle and handwheel, clockwise closing)	No	0	
3	2	75	34	1000mm long X 150mm diameter steel pipe, flanged both ends, 250mm flanged pipe with a 150 x 100 bellmouth, plain ended overflow pipe	No	0	
3	2	75	35	100mm flanged steel pipe with a 90 degree welded long radius bend	No	0	
3	2	75	36	1500 x 100mm flanged steel pipe with welded flanges both ends	No	0	
3	2	75	37	Sitting, Drilling and Equiping of new borehole	No	1	
3	2	75		<u>TESTING</u>	H2		
3	2	75	38	Testing of yield and water quality of existing borehole and supply and install water package plant as per specialist recommendation	No	1	
3	2	75	39	Testing water pipe system	Item	1	
3	2	75		FIRE BOOSTER PUMP	Н3		
3	2	75	40	Supply and install Grundforce PM Pressure Pump (Q min 12 litres per second and 40m head) or similar with 90 mm inlet and outlet Complete with control panel, electrical connections, Brass Gate 50 mm valves (90 mm and 90mm), Brass Non Return valve (90 mm), Brass In-line Strainer (90 mm), fittings and pipings	No	1	
-							
				WATER SUPPLY	ST		
3 3 3	3 3 3	77 77 77		WATER SUPPLY SECTION NO. 3 BILL NO.3 SEWER RETICULATION	ST		
3	3	77		SECTION NO. 3 BILL NO.3	ST H4		
3	3	77 77		SECTION NO. 3 BILL NO.3 SEWER RETICULATION			
3 3	3 3	77 77 77		SECTION NO. 3 BILL NO.3 SEWER RETICULATION Preambles Model Preambles for Trades 2008 as published by the			
3 3 3	3 3 3	77 77 77 77		SECTION NO. 3 BILL NO.3 SEWER RETICULATION Preambles Model Preambles for Trades 2008 as published by the Association of South African Quantity Surveyors shall apply.	H4		
3 3 3 3	3 3 3 3	77 77 77 77		SECTION NO. 3 BILL NO.3 SEWER RETICULATION Preambles Model Preambles for Trades 2008 as published by the Association of South African Quantity Surveyors shall apply. SUPPLEMENTARY PREAMBLES	H4 H4		
3 3 3 3 3	3 3 3 3	77 77 77 77 77		SECTION NO. 3 BILL NO.3 SEWER RETICULATION Preambles Model Preambles for Trades 2008 as published by the Association of South African Quantity Surveyors shall apply. SUPPLEMENTARY PREAMBLES Items, materials or methods Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. The use of trade names for items, materials or methods shall also mean - or other approved - on the condition	H4 H4		
3 3 3 3 3 3	3 3 3 3 3	77 77 77 77 77 77		SECTION NO. 3 BILL NO.3 SEWER RETICULATION Preambles Model Preambles for Trades 2008 as published by the Association of South African Quantity Surveyors shall apply. SUPPLEMENTARY PREAMBLES Items, materials or methods Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. The use of trade names for items, materials or methods shall also mean - or other approved - on the condition that prior approval is obtained from the architect.	H4 H4 H4		
3 3 3 3 3 3	3 3 3 3 3 3	77 77 77 77 77 77 77		SECTION NO. 3 BILL NO.3 SEWER RETICULATION Preambles Model Preambles for Trades 2008 as published by the Association of South African Quantity Surveyors shall apply. SUPPLEMENTARY PREAMBLES Items, materials or methods Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. The use of trade names for items, materials or methods shall also mean - or other approved - on the condition that prior approval is obtained from the architect. Vitrified clay pipes, etc Pipes shall rest on solid ground and where necessary, pockets of sufficient size shall be cut around joints to enable the jointing to be properly performed or, alternatively, pipes shall be bedded full length on and including unreinforced concrete laid in a	H4 H4 H4		
3 3 3 3 3 3 3	3 3 3 3 3 3	77 77 77 77 77 77 77		SECTION NO. 3 BILL NO.3 SEWER RETICULATION Preambles Model Preambles for Trades 2008 as published by the Association of South African Quantity Surveyors shall apply. SUPPLEMENTARY PREAMBLES Items, materials or methods Items, materials or methods to be used specified by trade names or catalogue numbers are only an indication of the quality required. The use of trade names for items, materials or methods shall also mean - or other approved - on the condition that prior approval is obtained from the architect. Vitrified clay pipes, etc Pipes shall rest on solid ground and where necessary, pockets of sufficient size shall be cut around joints to enable the jointing to be properly performed or, alternatively, pipes shall be bedded full length on and including unreinforced concrete laid in a semi-dry state immediately before pipes are laid	H4 H4 H4		

				T	1	1	T
3	3	77		Reducing fittings	H4		
3	3	77		Where fittings have reducing ends or branches they are			
				described as "reducing". In the case of pipes with diameters			
				not exceeding 60mm only the largest end or branch size is given. Should the Contractor wish to use other fittings and			
				bushes or reducers he may do so on the understanding that no			
				claim in this regard will be entertained. In the case of pipes			
				with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained			
3	3	77		Septic Tanks	H4		
3	3	77		Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs, jointing			
				to drains and backfilling, compaction, etc all in accordance with			
				the manufacturer's instructions			
3	3	78		Laying, backfilling, bedding, etc. of pipes	H4		
3	3	78		Pipes shall be laid and bedded and trenches shall be carefully			
				backfilled in accordance with manufacturer's instructions			
				Where no manufacturer's instructions exist pipes shall be laid in			
				accordance with clauses 5.1 and 5.2 of each of the following:			
				SABS 1200			
				1200 1200			
				L : Medium-pressure pipelines			
				LD : Sewers			
				LE : Stormwater drainage			
				Pipe trenches, etc shall be backfilled in accordance with			
				clauses 3, 5.5, 5.6, 5.7 and 7 of SABS 1200 DB: Earthworks (Pipe trenches)			
				Pipes shall be bedded in accordance with clauses 3.1 to 3.4.1, 5.1 to 5.3 and 7 of SABS 1200 LB: Bedding (Pipes)			
				Unless otherwise described bedding of rigid pipes shall be class B bedding			
				Class B Bodding			
3	3	78		WORK GROUP 104	H4		
		70		WORK GROOF 104	114		
3	3	78		EARTHWORKS (PIPE TRENCHES)	H2		
3	3	78		Site clearance and removal of topsoil	Н3		
3	3	78	1	Clear vegetation and small trees/shrubs within 2m wide strip	m	298	
		70	'	Glear vegetation and small trees/smabs within 2m wide strip	""	230	
	3	78		EVCAVATION	H2		
3	3	70		<u>EXCAVATION</u>	П2		
3	3	78		Excavate in all materials for trenches, backfill, compact	H3		
				and dispose of surplus material for sewers up to 160mm in diameter for depths:			
						0.10	
3	3	78	2	Up to 1.5m	m3	313	
3	3	78	3	Over 1.5m up to 2.5m	m3	0	
3	3	78	4	Over 2.5m up to 3.5m	m3		
				· ·			
3	3	78		Extra-over item (a) above for:	Н3		
3	3	78	5	Intermidiate excavation	m3	209	
3	3	78	6	Hard rock excavation	m3	16	
	2	70	_	Executate and dispose of unquitable material from transh	m?		
3	3	78	7	Excavate and dispose of unsuitable material from trench bottom (provisional)	m3		
3	3	78		Excavation ancillaries	Н3		
3	3	78		Make up deficiency in backfill material	H3		
3	3	78	8	From other necessary excavations on site	m3	224	
3	3	78	9	By importation from designated borrow pits	m3		
	J	10	3	mportation from designated borrow pits	IIIO	<u> </u>	<u> </u>

3	3	78		WORK GROUP 146	H4		
3	3	78		SEWERS_	H2		
3	3	78		Supply, lay, joint, bed and test 400KPa Maincore uPVC	H3		
	3	70		sewer pipes manufactured to SABS 1601	110		
3	3	78	10	110mm dia.	m	298	
3	3	78	11	160mm dia.	m	0	
		70		Future assert URVC mine for execiple	112		
3	3	79		Extra -over uPVC pipe for specials	H3	0	
3	3	79		110mm 90 degree plain bend	m	3	
3	3	79	13	110mm 45 degree plain bend	m	2	
3	3	79		110mm 45 degree plain junction	m	1	
3	3	79	15	160mm 90 degree plain bend	m	0	
3	3	79	16	160mm 45 degree plain bend	m	0	
3	3	79	17	160mm 45 degree plain junction	m	0	
3	3	79		MANHOLES_	H2		
3	3	79		Supply and construct pre-cast concrete manholes,	Н3		
				complete with cover and frame and step irons as per drawings within the following depth ranges (depth			
				measured from invert level to top of the manhole)			
3	3	79		1000mm dia. Manholes	Н3		
3	3	79		up to 1.5m	No	6	
3	3	79		over 1.5m up to 2.0m	No	0	
3	3	79	20	over 2.0m up to 2.5m	No	0	
3	3	79	21	over 2.5m up to 3.0m	No	0	
3	3	79		BEDDING AND BACKFILLING (PIPES)	H2		
3	3	79		Provision of Bedding from Trench Excavation	Н3		
3	3	79	22	Selected granular material	m3	107	
3	3	79	23	Selected fill material	m3	179	
3	3	79		SEWER TREATMENT PLANT	H2		
3	3	79		<u>Concrete</u>	H3		
3	3	79	24	Blinding layer, class 15 Mpa/19mm concrete, 75mm thick for all level where reinforced	m2		
3	3	79	25	Concrete for footings/floors/slabs/walls class 25 Mpa / 19mm	m3		
				concrete plus anchor blocks, filling where ordered by the engineer			
				Mild steel winfancements	110		
3	3	79		Mild steel reinforcement:	H3		
3	3	79	26	Mild steel bars	kg		
3	3	79		High-Tensile Welded mesh	Н3		
3	3	79	27	Ref. 617 welded mesh in floor/walls/footing/slab	m2		
	2	70		Brickwork of NEV bricks in 2:4 coment morters	Н3		
3	3 3	79 79		Brickwork of NFX bricks in 3:1 cement mortar: One brick wall including wire ties	нз m2		
3	3	79 79		Half brick wall including wire ties	m2		
	J	13	23	Tan Shok wan molading who hos	1112		
3	3	79		Septic Tank	Н3		
3	3	79	30	Construct septic tank with french drain as per specification	Item	1	
3	3	79		Grease Trap	Н3		
3	3	79	30	Construct grease trap as per specification	Item	0	

3	3	79		1-4 Cement plaster finished with a wooden trowel on brickwork:	H3			
3	3	79	31	Internal wall plaster	m2			
3	3	79		Supply and install 1600mm x 1200mm Galvanized frame and	No	5		
	3		52	cover for septic tank and grease trap	140			
3	3	79		TESTING	H2			
3	3	79	33	Testing drainage pipe system	Item	1		
				SEWER RETICULATION	ST			
3	4	81		SECTION NO. 3				
3 3	4 4	81 81		BILL NO.4 ROADS AND PARKING				
					114			
3	4	81		<u>Preambles</u>	H4			
3	4	81		Model Preambles for Trades 2008 as published by the Association of South African Quantity Surveyors shall apply.				
				The second and the second and second approximation and second and second approximation and second and second approximation and second and second approximation and second and second approximation and second and second and second approximation and second				
3	4	81		SUPPLEMENTARY PREAMBLES	H4			
3	4	81		Items, materials or methods	H4			
3	4	81		Items, materials or methods to be used specified by trade				
	'			names or catalogue numbers are only an indication of the				
				quality required. The use of trade names for items, materials or methods shall also mean - or other approved - on the condition				
				that prior approval is obtained from the architect.				
3	4	81		Excavations	H4			
3	4	81		No claim for rock excavation will be entertained unless the contractor has timeously notified the Quantity Surveyor thereof				
				prior to backfilling				
				"Soft rock" and "Hard rock" shall be as defined in the Model				
				Preambles for Trades 2008				
3	4	81		WORK GROUP 154	H4			
3	4	81		EARTHWORKS (ROADS, SUBGRADE)	H2			
3	4	81		Road-bed preparation and compaction of material to	H3			
3	4	81	1	Minimum of 90% of modified AASHTO maximum density	m3	0		
3	4	81	2	Minimum of 93% of modified AASHTO maximum density	m3	0		
	_			Selected lever compacted to 020/ of modified AACUTO	110			
3	4	81		Selected layer compacted to 93% of modified AASHTO maximum density	H3			
3	4	81	3	150mm thick	m3	0		
3	4	81		Extra -over items 8.3.4 and 8.3.5 for excavation and	Н3			
				breaking down material in				
3	4	81	4	Intermidiate excavation	m3	0		
3	4	81	5	Hard excavation	m3	0		
3	4	81		Cut to spoil or stockpile from	Н3			
3	4	81	6	Soft excavation	m3	807		
3	4	81	7	Intermidiate excavation	m3	38		
3	4	81	8	Hard excavation	m3	6		
3	4	81	9	Overhaul	m .km	851		
		<u> </u>		10 TOTAL MARIE TOT	1 111 18111	551	!	Į.

3	4	81		SUBBASE	H2		
3	4	81		Construct the subbase course with material excavated in all materials or from borrow pit	Н3		
3	4	81	10	Subbase 150mm thick and compacted to 95% Mod AASHTO density	m3	1 536	
3	4	81	11	Base 150mm thick constructed with Graded crushed stone from commercial source and compacted to 88% of apparent relative density	m3	0	
3	4	82		Process subbase material by the following processes, as relevant, and use in the subbase	Н3		
3	4	82	12	Stabilization	m3	1 536	
3	4	82		Stabilizing agent	Н3		
3	4	82	13	Ordinary Portland cement	t	44	
3	4	82	14	Lime	t	1	
3	4	82	15	Overbudden	m3	0	
3	4	82		BASE	H2		
3	4	82		Construct the base with gravel material from borrow pits	H3		
3	4	82	16	Base 150mm thick and compacted to 97% Mod AASHTO density	m3	953	
3	4	82		Process base material by the following processes, as relevant and use in base	Н3		
3	4	82	18	Stabilization	m3	953	
3	4	82		Stabilizing agent	Н3		
3	4	82	19	Ordinary Portland cement	t	69	
3	4	82	20	Lime	m		
3	4	82		SEGMENTED PAVING	H2		
3	4	82		Provision of edge Restraints	Н3		
3	4	82		Cast in-situ edging, 200 x 150mm thick Class 25/19 concrete	m	450	
				on curves and on straights			
3	4	82		Construction of paving complete	Н3		
3	4	82	22	Supply and lay 60mm thick segmented paving blocks with 20mm sand (Assembly and walkways)	m2	2 600	
3	4	82	23	Supply and lay 80mm thick segmented paving blocks with 20mm sand	m2	576	
3	4	82	24	Cutting units to fit edge restraints (straight, raking, or circular cutting)	m	0	
3	4	82	25	Allow for soil poisoning	m2	3 176	
3	4	82		KERBING AND CHANNELING	H2		
3	4	82	26	Precast concrete kerbs 280 x 180 x 140 semi-mountable Figure	m	450	
3	4	82	27	Precast concrete kerbs Figure 5	m	375	
3	4	82		TESTING OF FILLING MATERIAL AND COMPACTION	H2		
3	4	82		GENERAL_	H4		
3	4	82		The following tests are to be carried out when and only if			
				required by the Architect/Engineer			
3	4	82		The letters S M T M, as used in the following descriptions refer to the publication, Standard Methods of Testing Materials and Specification, of the Department of Transport			
				1	I .	ı	

						1	
3	4	82	28	Allow for testing of approved filling material in an approved laboratory according to S M T M method No A7, to establish the 100% modified AASHTO density thereof	ltem	1	
3	4	82	29	Allow for testing of density of compacted filling under roads, etc. by means of the Sand Replacement Method according to S M T M method No A10(a)	Item	1	
				BREAKING UP EXISTING PAVEMENT LAYERS			
3	4	83		Excavating and removing existing bituminous material			
3	4	83					
				(a) Material intended for recycling with the average depth of excavation			
3	4	83	30				
3	4	83	31	(ii)Exceeding 30mm but not exceeding 60mm	m2	0	
				Excavating and spoiling material from an existing pavement and /or the underlying fill:			
3	4	83		(b) Cemented material	m³	0	
3	4	83	32	Excavating material from an existing pavement and /or underlying fill in restricted areas			
				(a) Extra over item 29.01 for hituminous material executated congretely	m2	Rate Only	
3	4	83		(a) Extra over item 38.01 for bituminous material excavated separately	1112	Rate Only	
3	4	83	33	(b)Extra over item 38.04 for other existing pavement (ii) Cemented material	m3	Roto Only	
,	,	83			m ³	Rate Only	
3	4	83	24	Sawing or cutting asphalt or cemented pavement layers (a) Sawing asphalt	m2	0	
3	4	83	34 35	(a) Sawing asphalt	m2	0	
3	4	03	33	Backfiling of excavations for patching with			
3	4	83		(a) Chemically stabilized base for a patch with a surface area			
3	4	83	36	(i) Not exceeding 5m2	m³	0	
				(ii)Exceeding 5m2 but not 100m2	m³	0	
3	5 5	85 85		Compacting the floor of excavations for patching	m2	0	
3	5	85		STABILIZATION			
3	5	85		Chemical stabilization extra over unstabilized			
3	5	85		compacted layers: (a) Base layer, 150mm thick	m³	0	
				Chemical stabilizing agent:			
3	5	85		(a) Ordinary portland cement	t	0	
				(b) Slaked road lime	t	Rate Only	
3	5	85		Provision and application of water for curing	kl	0	
3	5	85		PRIME COAT			
				Prime coat:			
				(a) MC-30 cut back bitumen	litre	0	
3	5	85		(b) MSP1	litre	Rate	
3	5	85				Only	
				Aggregate for blinding	m²	Rate Only	
3	5	85		Extra over item 41.01 for applying the prime			
3	5	85		coat in areas accessible only to hand held equipment	litre	0	
	_	0.5		ASPHALT PAVEMENTS AND SEALS			
3	5	85		Asphalt surfacing			
3	5	85		(60/70 penetration grade bitumen)			
				(a) Medium continously graded asphalt	m ²		
				(i)Thickness -30mm	m²	0	

3	5	85		Rolled in chippings (9.5mm)			
3	5	85		(a) in surfacing		Rate	
		00				Only	
3	5	85		Tack coat of 30% stable grade emulsion	litre	0	
3	5	85	1	ROADS AND PARKING	ST		
3	4	81		SECTION NO. 3			
3 3	4	81 81		BILL NO.5 STORMWATER DRAINAGE			
				<u>Preambles</u>	H4		
3	5	85		Model Preambles for Trades 2008 as published by the			
3	5	85	2	Association of South African Quantity Surveyors shall apply.			
3	5	85	3	SUPPLEMENTARY PREAMBLES	H4		
				Items, materials or methods	H4		
3	5	85		Items, materials or methods to be used specified by trade			
3	5	85		names or catalogue numbers are only an indication of the quality required. The use of trade names for items, materials or			
3	5	85	4	methods shall also mean - or other approved - on the condition that prior approval is obtained from the architect.			
3	5	85	5	Concrete pipes	H4		
3	5	85		Pipes shall be jointed with ogee joints with rubber collars or	'''		
				socket and spigot joints with rubber rings			
3	5	85		Wire gratings	H4		
3	5	85	6	Descriptions of gutter outlets, etc shall be deemed to include			
3	5	85	7	wire balloon gratings			
				Exposed concrete surfaces	H4		
				Exposed surfaces of concrete stormwater channels, cover slabs, inspection eve marker slabs, gulley tops, cleaning eye			
3	5	85		tops, catchpits, inspection chambers, etc shall be finished smooth with plaster			
3	5	85	8				
3	5	85	9	WORK GROUP 104	H4		
3	5	86	10	EARTHWORKS (OPEN CHANNEL)	H2		
3	5	86		<u>EXCAVATION</u>	Н3		
3	5	86		Excavate in all materials for trenches, backfill, compact and dispose of surplus material for stormwater channel	m3	483	
3	5	86	11				
3	5	86	12	Extra-over item (a) above for:	Н3		
		55		Intermidiate excavation	m3	217	
3	5	86		Hard rock excavation	m3	72	
				DEDDING AND BACKER LING	110		
3	5	86	13	BEDDING AND BACKFILLING Bravision of Bodding from Travels Everyotion	H2		
3	5	86	14	Provision of Bedding from Trench Excavation	H3		
3	5	86	15	Selected granular material for bedding	m3		
				Selected fill material and backfilling	m3		
3	5	86		WORK GROUP 146	H4		
3	5	86		CONCRETE AND REINFORCEMENT	H4		
				Blinding layer, class 15 Mpa/19mm concrete, 75mm thick for all	m2	362	
				level where reinforced			
				Concrete for footings/floors/slabs/walls class 25 Mpa / 19mm concrete plus anchor blocks, filling where ordered by the	m3	36	
3	5	86	16	engineer			

	1			I.u =		1	
				High-Tensile Welded mesh	H3		
3	5	86	17	Ref. 245 welded mesh in floor slab	m2	362	
	3	80	17	Ref. 617 welded mesh in floor slab	m2		
				Mild steel bars	kg		
3	5	86					
3	5	86	18	CONCRETE PIPES	H4		
				Supply, lay and bed pipes complete with couplings	H3		
						00	
				450mm Diameter C50	m	60	
				600mm Diameter C50	m	20	
3	5	86					
3	5	86		Supply and lay RS40 Grating Unbanded and Banded Rectagrid or similar approved Grid for Storm water drainage	H3		
				2 400 x 1 200 x 50 x 4.5mm RS40 Grating Unbanded Bitumen	No	2	
3	5	86	19				
				1 000 x 500 x 50 x 4.5mm RS40 Grating Banded Bitumen	No	1	
				Supply and install 60 x 60 x 6mm Angle Iron cast into concrete	m	6	
3	6 6	88 88		SURFACE V-CHANNELS	H2		
3	6	88		In-situ 20 MPa/19mm Concrete open stormwater channels	H3		
3	6	88		finished on all exposed surfaces with woodfloat finish and	113		
3	6	88		with angles rounded, cast in approximately 2m lengths with construction joints and expansion joints formed with			
				Flexcell joint filler and sealed with bitumastic joint sealant at 6m intervals, including all formwork, moulds, shallow			
				excavations and filling and laying to falls			
3	6	88		V-shaped channel 1200mm wide, 105mm (average) thick and 50	m	275	
3	6	88		mm deep (concrete = 0,10 m /m) next to existing wall and including the forming of an expansion joint with the existing wall			
3	6	88		formed with Flexcell joint filler and sealed with bitumastic joint			
				sealant			
				Extra over 900 x 50mm deep stormwater channel for bends, junctions, ends, etc	No		
				Junctions, ends, etc			
3	6	88		Stormwater outlet spreader, culvert headwall, etc.	Н3		
3	6	88		Concrete 20MPa/19mm in spreader outlet 2,0m long and x	No	1	
				2,0m wide at open end with 100 x 50mm projecting kerbs along	140	'	
3	6	88		both sides and bricks cast in at 300mm centres and 150mm apart to project 50mm above 75mmm concrete surface bed,			
3	6	88	1	including all necessary shallow excavations, formwork and finishing with a wood float			
				Illustuing with a wood float			
3	6	88		STONE PITCHING	H2		
3	6	88		Stone pitched of approximately 150mm diameter river	H3		
3	6	88		stones tightly packed including preparation of ground	 		
3	6	88		surface under, top soil filling and planted with grass			
				150mm Thick lining to open ends of outfall spreaders, ditches,	m2	75	
				etc.			
3	6	88		STORMWATER DRAINAGE	ST		
3	6	88	2	SECTION NO. 3			
				BILL NO.6 FENCING AND LANDSCAPING			
3	6	89		Preambles	H4		
3	6	89					
				Model Preambles for Trades 2008 as published by the Association of South African Quantity Surveyors shall apply.			
3	6	89	3				
				SUPPLEMENTARY PREAMBLES	H4		
3	6	89	4	Items, materials or methods	H4		
3	6	89	5	Items, materials or methods to be used specified by trade			
		0.9	3	names or catalogue numbers are only an indication of the			
				quality required. The use of trade names for items, materials or methods shall also mean - or other approved - on the condition			
3	6	89		that prior approval is obtained from the architect.			

	_ ^	00		T				1
3	6	89	6	WORK GROUP 124	H4			
3	7	92	1	CALVANIZED OTESI, DALIGADE SENONIO				
3	7	92	2	GALVANIZED STEEL PALISADE FENCING	H2			
3	7	92	3	Palisade fencing, consisting of 75 x 75 x 4mm posts with 230 x 230mm foot plate welded on, 50 x 50 x 5mm angle	Н3			
3	7	92	4	section top and bottom rail, filled in with 40 x 40 x 4mm spear pales at 125mm centres. Posts to be spaced at 3.0m				
			_	and cast in 600 x 600 x 800mm class C concrete bases on				
3	7	92	5	600 x 600 x 150mm selected fill and with 200 x 200mm Class C concrete ground beam along full length of fence				
3	7	92	6	Supply and install 2400mm high fencing	m			
				Supply and install 2100mm high fencing	m			
				Supply and install 1800mm high fencing	m	1 275		
				Gates formed of 50 x 75mm rectangular hollow section frame with two horizontal braces and filled in with 10mm diameter solid vertical bars at 92mm centres complete with two 254 x 40 x 5mm hook and band hinges with flange built	НЗ			
				into wall, barrel bolt to receive padlock, and vertical extension 600mm long with 6 tying holes for and including barbed wire, all as detailed on drawing 107 attached as annexure.				
				Double pedestrian gate 1780mm wide x 2400mm high with 254 x 40 x 5mm hook and band hinges with flange built into walls, barrel bolt, and 600mm vertical extensions for razor wire coil (Gate type G6)	No	1		
				Double gate 2890mm wide x 1915mm high with 254 x 40 x 5mm hook and band hinges with flange built into walls and barrel bolt (Gate type G7)	No			
				Sliding gate 6000m wide x 2454mm high complete with rollers and v-track including 600mm extension on top for razor wire coil (Gate type G8)	No	1		
				FENCING AND LANDSCAPING	ST			
			_ 	SUMMARY				
				Bulk Earthworks	Page	-72-		
				Water Supply	Page	-76-		
				Sewer Reticulation	Page	-80-		
				Roads and Parking	Page	-84-		
				Stormwater Drainage	Page	-87-		
				Fencing	Page	-91-		
TOTAL ST								


LIMPOPO DEPARTMENT OF EDUCATION DEMOLITIONS, REFURBISHMENT AND ADDITIONS AT MAYEKE PRIMARY SCHOOL

	FINAL SUMMARY			
Section No		Page No		Amount
1	PRELIMINARIES AND GENERAL	1/29		
2	4 CLASSROOM BLOCK	2/37		
3	2 GRADE R CLASSROOM BLOCK	3/42		
4	4 SEATER ENVIROLOO TOILET BLOCK X 8	4/41		
5	MEDIUM ADMINISTRATION BLOCK	5/40		
6	4 SEATS WATERBORNE TOILET BLOCK	6/38		
7	DEMOLITION OF 10 CLASSROOMS, 08 PIT TOLETS AND RENOVATION OF 08 CLASSROOMS	7/37		
8	PROVISIONAL SUMS	8/7		
	Sub- Total (PART A - MAIN BUILDING WORKS)		R	
	PART B - ELECTRICAL AND MECHANICAL WORK			
	TENDER AMOUNT CARRIED OVER FROM PART B (ELECTRICAL AND MECHANICAL WORK)	Item		
	PART C - CIVIL WORK			
	TENDER AMOUNT CARRIED OVER FROM PART C (CIVIL WORK)	Item		
	Sub- Total - BUILDING COSTS		R	
	CONTINGENCY ALLOWANCE TO THE CONTRACT			
	Contingencies:			
	Allow an amount of R1 600 000.00 (One Million Six Hundred Thousand) for contingency allowance to the contract ,to be used at the discretion of the Employer and deducted in whole or in part if not required.	Item		
	Carried Forward		R	

LIMPOPO DEPARTMENT OF EDUCATION DEMOLITIONS, REFURBISHMENT AND ADDITIONS AT MAYEKE PRIMARY SCHOOL

	FINAL SUMMARY			
Section		Page		Amount
No	Brought Forward	No	R	
	PRICE ADJUSTMENT FOR INFLATION TO			
	THE CONTRACT			
	Inflation:			
	Allow an amount of R1 700 000.00 (One Million Seven Hundred Thousand) for price adjustment for inflation.	Item		
	Sub- Total Excluding VAT		R	
	Tax		R	
	Carried to Form of Tender		R	


PART C3 SCOPE OF WORKS



PART C3.1: SPECIAL NOTES TO BIDDERS

The following special conditions are for compliance and attention to bidders:

- 1.1.LDPWR&I reserve the right to call interviews with short-listed bidders before final selection.
- 1.2.LDPWR&I reserve the right to conduct supplier due diligence prior to final award or at any time during the contract period. This may include surprise site visits.
- 1.3. LDPWR&I reserve the right to appoint the bidder that proves to be fully capable and qualified to handle and execute the job.
- 1.4. The proposals submitted must be in line with the detailed specification.
- 1.5. LDPWR&I reserve the right to cancel or withdraw this bid if:
 - i. Due to changed circumstances, there is no longer a need for this services; or
 - ii. Funds are no longer available to cover the total envisaged expenditure; or
 - iii. No acceptable bids are received; or
 - iv. There is a material irregularity in the Bid process.
- 1.6. In the case of sub-contracting or joint venture agreement, LDPWR&I will enter into a single contract with the principal bidder.
- 1.7. Bidders who are not registered on Central Supplier Database (CSD) must register before submission of bids.
- 1.8. Any completion of the bid document in pencil or erasable ink will not be acceptable and will automatically disqualify the submitted bid.
- 1.9. Successful bidder will be required to sign and enter into a formal contract upon the award.
- 1.10. Notwithstanding shortcomings and/or inconsistencies, if any, in this specification, which is only a minimum specification, a bidder shall make provision for a complete solution that will deliver the required service efficiently and cost-effectively.
- 1.11. Bid documents must be submitted physically to the closing address as reflected on the Request for Quotations/Tender.
- 1.12. Quotations received after the closing date and time will not be accepted for consideration.
- 1.13. This request for bid document contains confidential information about LDPWR&I, which has been provided to supply potential bidders with the data necessary to provide a holistic response.
- 1.14. No part of the contents may be used, copied, disclosed or conveyed in whole or in part to any party, in any manner whatsoever without the prior written permission of LDPWR&I.
- 1.15. Any reproduction or transmission of information contained in this document except for the sole purpose of responding to this bid is strictly prohibited.
- 1.16. References to LDPWR&I must not be made in any literature, promotional material, and brochures or sales presentations without the express written consent of LDPWR&I.



PART C3.2: OHS SPECIFICATIONS



PART C4 SITE INFORMATION



C4.1 DRAWINGS