

#### **DEPARTMENT OF**

### **PUBLIC WORKS, ROADS & INFRASTRUCTURE**

**BID NUMBER: LDPWRI-B/20368** 

# APPOINTMENT OF CONTRACTOR FOR THE UPGRADING OF THE MODIMOLLE OFFICE COMPLEX IN THE WATERBERG DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY A

#### for the

## THE LIMPOPO DEPARTMENT OF PUBLIC WORKS, ROADS AND INFRASTRUCTURE

#### Issued by:

Limpopo Department of Public Works, Roads and Infrastructure Works Towers Building 43 Church Street Polokwane 0700

Contact Person: General Queries
Name : Mr NJ Motsopye,

Tel No. : 015 284 7126

Email: motsopyen@dpw.limpopo.gov.za

**Technical: Technical Queries** 

Name : Mr. Richard Nthabalala

Tel No. : 015 284 7375

Email : nthabalalar@dpw.limpopo.gov.za

Name of the Bidder:.....



#### **CONTENTS**

#### THE TENDER

Part T1: Tendering procedures

T1.1 Tender notice and invitation to tender

T1.2 Tender data

Part T2: Returnable documents

T2.1 List of returnable documents

T2.2 Returnable schedules

#### THE CONTRACT

Part C1: Agreements and Contract data

C1.1 Form of offer and acceptance

C1.2 Contract data

Joint Venture Agreement (If Applicable)


Part C2: Pricing data

C2.1 Part 1 - Pricing Instructions
C2.2 Part 2 - Bills of Quantities

Part C3: Scope of Works

C3.1 Special Notes to Bidders C3.2 OHS Specifications

Part C4 Drawings



## **PART T1: TENDERING PROCEDURE**

Bidder's initials

#### T1.1 Tender Notice and Invitation to Tender

The Limpopo Department of Public Works, Roads and Infrastructure invites tenderers from contractors appointed on the framework agreement on category A for THE UPGRADING OF THE MODIMOLLE OFFICE COMPLEX IN THE WATERBERG DISTRICT for a period of 24 months. It is estimated that tenderers must have a CIDB contractor grading designation of 7 GB or higher.

The conditions of the CIDB Standard for for Indirect Targeting for Enterprise Development through Construction Works Contracts Gazette Notice No. 36190 of 25 February 2013 will be applicable on this project

Project Name	THE UPGRADING OF THE MODIMOLLE OFFICE COMPLEX IN THE WATERBERG DISTRICT for a period of 24 months.			
Tender Number	LDPWRI- B/20368			
Tender documents availability	Limpopo Department of Public Works, Roads and Infrastructure website			
Address for submission of tenders	DEPARTMENT OF PL	JBLIC WORKS, ROADS & INFRASTRUCTURE.		
	Physical address: Corr	ner River and Blaauwberg Streets, Ladanna, 0699.		
Closing date of the tender	As per Tender invite			
Closing time of the tender	As per Tender invite			
Compulsory briefing	Yes ⊠ N	No 🗆		
meeting (Tenderers must sign the attendance register in the name of the tendering entity. Addenda (if any) will	Meeting venue	As per Tender invite		
be issued only to those	Date	As per Tender invite		
tendering entities appearing on the attendance register)	Time:	As per Tender invite		
Evaluation criteria		ith mandatory or compulsory requirements ent on current projects		
Mandatory or Compulsory Requirements (failure to submit or comply with these requirements will lead to automatic disqualification)	Only tenderers who are appointed on category A registered with the Construction Industry Development Board (CIDB) with designation of 7 GB or higher than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations are eligible to have their tenders evaluated  Completed and signed Form of Offer			



### T1.2 Tender Data

Clause number	Tender Data
The conditions of tender are the Standard Conditions of Tender as contained in Annex C Notice 423 of 2019 in Government Gazette No. 42622 of 08 August 2019, Construction Development Board (CIDB) Standard for Uniformity in Construction Procurement www.cidb.org.za) which are reproduced without amendment or alteration for the convertenderers as an Annex to this Tender Data.	
	The Standard Conditions of Tender make several references to the Tender Data for details that apply specifically to this tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the standard conditions of tender. Each item of data given below is cross-referenced to the clause in the Standard Conditions of Tender to which it mainly applies.
	The contractor shall achieve in the performance of the contract the Contract Participation Goals (CPG) relating to the engagement of targeted enterprises as established in the CIDB Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts Gazette Notice No. 36190 of 25 February 2013. In this case, contractor shall provide a minimum Contract Participation Goal (CPG) of 5% of the total project value and develop targeted enterprises stated under C3 of this document.
	The following variations, amendments and additions to the Standard Conditions of Tender as set out in the Tender Data below shall apply to this tender. Add the following to clauses in Standard Conditions of Tender:
C.1.1	The Employer is the Department of Public Works, Roads and Infrastructure

C.1.2	The Tender Part T1: Tendering procedures T1.1 Tender notice and invitation to tender T1.2 Tender data
	Part T2: Returnable documents T2.1 List of returnable documents
	T2.2 Returnable schedules
	The Contract Part C1: Agreements and contract data
	C1.1 Form of offer and acceptance C1.2 Contract data
	C1.3 Joint Venture Agreement (If Applicable)
	The Contract Part C2: Pricing data C2.1 Pricing instructions
	C2.2 Bills of Quantities
	Part 3: Scope of work
	C3.1 Special Notes to Bidders C3.2 OHS Specifications
	Part 4: Site information C4 Drawings
C.1.4	All communications related to this bid should be directed to the persons indicated under Enquires on this tender document.
	Attention is also drawn to the fact that verbal information, given by the Employer's agent during site visits/clarification meetings or at any other time prior to the award of the Contract, will not be regarded as binding on the Employer. Only information issued formally by the Employer in writing to Tenderers will be regarded as amending the Tender Documents.
C.1.5	The employer reserve to cancel the tender prior to the award of the tender.
C1.6.2	A competitive negotiation procedure will not be followed.
C1.6.3	A two-stage system will not be followed.
C.2.1	Eligibility in respect of CIDB grading
	Only tenderers who are appointed on framework agreement category A and registered with the Construction Industry Development Board (CIDB) with designation of 7 GB or higher than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations, are eligible to have their tenders evaluated.
C2.2	Cost of tendering
	The tenderer accept that, unless otherwise stated in the tender data, the employer will not compensate the tenderer for any costs incurred in the preparation and submission of a tender offer, including the costs of any testing necessary to demonstrate that aspects of the offer complies with requirements
C.2.7	Compulsory site briefing
	A compulsory briefing meeting will be held as per Tender invite
	Tenderers must sign the attendance list in the name of the tendering entity. Addenda (if any) will be issued only to those tendering entities appearing on the attendance list.

C.2.11	
0.2.11	Alterations to the documents
	Bidders are required to not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations
C.2.12	Alternative tender offer
	No alternative tender offer is permitted in this tender.
C.2.13.2	Replace sub-clause C.2.13.2 with the following; Return all returnable documents to the employer after completing them in their entirety by writing in non-erasable black ink
C.2.13.3	Parts of each tender offer communicated on paper shall be submitted as an original
C.2.13.4	The tender shall be signed by a person duly authorized to do so.
C.2.13.5	The employer's details and address for delivery of tender offers and identification details that are to be shown on each tender offer package are:
	Location of tender box: DEPARTMENT OF PUBLIC WORKS, ROADS & INFRASTRUCTURE. Physical address: Corner River and Blaauwberg Streets, Ladanna, 0699 Identification details: Sealed Tender with Tender reference number, Title of Tender and the closing date and time of the tender.
C.2.15.1	The closing time for submission of tender offers is as stated in the Tender Notice and Invitation to Tender. Telephonic, telegraphic, telex, facsimile or e-mailed tender offers will not be accepted.
C.2.16.1	The tender offer validity period is 12 weeks or 90 days.
C.2.16.2	The tender accepts that a tender submission that has been submitted to the employer may only be withdrawn or substituted by giving the employer's agent written notice before the closing time for tenders that a tender is to be withdrawn or substituted. If the validity period stated in C.2.16 lapses before the employer evaluating tender, the contractor reserves the right to review the price based on Consumer Price Index (CPI).
C.3.1	The tenderer is required to indicate how they claim points for each preference point system and attached relevant supporting documents. The specific goals for claiming of preference points include the following:
	<ul> <li>Persons who had no franchise in national elections prior to 1983 and 1993</li> <li>Women</li> <li>Disabled persons</li> <li>Promotion of SMMEs</li> <li>Enterprise located in Limpopo Province</li> </ul>
	- Promotion of youth
	CIDB Grading Certificate
	Tenders are required to provide proof of registration with the CIDB register of contractors indicating the category of registration, grading as well as the CRS number of the tenderer.
	Letter of Good Standing
	Tender are required to submit, bound with the tender submission, a letter of good from the compensation commissioner indicating that the bidder is in good standing.

C3.2 Notwithstanding any requests for confirmation of receipt of Addenda issued, the tenderer shall be deemed to have received such addenda if the employer can show proof of transmission thereof (or a notice in respect thereof) via electronic mail, facsimile or registered post, C.3.4.1 Tenders will **not** be opened immediately after the closing time for tenders. C.3.11 The tenderers will be evaluated in four stages Stage 1: Compliance with mandatory requirements as stated in Part T1.1 (ii) Stage 2: Risk assessment on current projects (iii) Stage 3: Price (iv) Stage 4: Preference The technical capacity (functionality) of the contractors will not be evaluated any further during evaluation of the RFQ. However, the contractors will be required to declare the status of their key staff and any administrative compliance. In cases where there are changes in the key staff, the contractor should provide CVs and qualifications of the new staff to LDPWR&I. The new staff should have similar skills, qualifications and experience as the staff submitted during tender. Similarly, the contractors will be expected to provide an update on any changes in their administrative compliances - and should submit the required SBD document in such cases. The award will only be issued to contractors with valid Tax Clearance certificates, active CIDB grading and the contractor who meets all the legislative requirement - this shall be verified by SCM in line with the departmental SCM Policy. The total value of current projects for a contractor under consideration cannot exceed the twice the maximum value of their relevant CIDB grade.1 Stage 1: Administrative Compliance: The Compliance or compulsory documents and a) returnables are detailed in Section T.2.1 of this tender document, Failure to submit. complete or comply with these requirements will lead to automatic disqualification. Stage 2: Risk assessment on current projects b) The total value of current projects for a contractor under consideration cannot exceed the twice the maximum value of their relevant CIDB grade.

#### Stage 3 and 4:

The procedure for final evaluation of responsive tenders is Method 2 (Financial offer and preference). The total number of tender evaluation points ( $T_{EV}$ ) shall be determined in accordance with the following formula.

$$T_{EV} = N_{FO} + N_P$$

a) N<sub>FO</sub> is the number of tender evaluation points awarded for the financial offer made. The score for financial offer is calculated using the following formula:

$$P = A * \left(1 - \frac{(P_0 - P_m)}{P_m}\right)$$

Where:

A is 80 since the estimated financial value of works inclusive of VAT is equals or is less than R 50,000,000.00.

P is the points awarded to the bid under consideration


 $P_m$  is the lowest Comparative bid price

 $P_o$  is the comparative price under consideration

b)  $N_P$  is the number of tender evaluation points awarded for preferences claimed in accordance with the Preferencing Schedule in 3.18



## **PART T2: RETURNABLE DOCUMENTS**



#### T2.1: LIST OF RETURNABLE DOCUMENTS

The following documents will form part of the documents submitted to the Contractors as part of the Request for Proposals:

- 2.1 Fully completed Form of Offer
- 2.2 Bills of Quantities
- 2.3 Proof of specific goal for award of the preference points as determined on the Request for Proposal
- 2.4 SBD 6.1.
- 2.5 Declaration on the status of Administration compliance.
- 2.6 CIDB grading certificate
- 2.7 CSD Report
- 2.8 Tax clearance certificate
- 2.9 Declaration of current projects


Failure by the service provider to submit or complete item 2.1 or 2.2 will render their proposal not responsive and will not be considered.

The bidder should also not appear on the National Treasury's list of black listed entities




### T 2.2: RETURNABLE SCHEDULE

	Document Name		rnable iment
1.	Preferencing schedule:	□Yes	□ No
2.	Proposed amendments and qualifications (if applicable)	□Yes	□ No
3.	SBD 1: Invitation to tender	□Yes	□ No
4.	SBD 6.1: Reference Points claim form in terms of the Preferential Procurement Regulations 2017 or amended	□Yes	□ No
5.	Form of offer	□Yes	□ No
6.	CSD summary report	□Yes	□ No
7.	Original tax clearance certificate or tax pin	□Yes	□ No
8.	Priced bills of quantities	□Yes	□ No
9.	Proof of CIDB class grading: 7GB or higher.	□Yes	□ No
10.	Declaration with regard to current projects	□Yes	□ No



### Declaration on the status of administrative compliance

framework tender supporting docum	ot. If yes, kindly provide the	e particulars below with any
Cinnad	Dete	
Signed	_ Date	
Name	Position	
Enterprise		



### **Record of Addenda to tender documents**

We co	onfirm that the following con offer, amending the tender	nmunications received from the Employer before the submission of this documents, have been taken into account in this tender offer:
	Date	Title or Details
1.		
2.		
3.		
4.		
5.		
6.		
7.		
8.		
9.		
10.		
Attach	additional pages if more sp	pace is required.
Signed	***************************************	Date
Name		Position
Tende	rer	



### Proposed amendments and qualifications

The Tenderer should record any deviations or qualifications he may wish to make to the tender documents in this Returnable Schedule. Alternatively, a tenderer may state such deviations and qualifications in a covering letter to his tender and reference such letter in this schedule.

Page	Clause or item	Proposal
9		
Signe	ed -	Date

Signed	Date	
Name	Position	
Tenderer		

PROVINCIAL GOVERNMENT
REPUBLIC OF SOUTH AFRICA


DEPARTMENT OF
PUBLIC WORKS, ROADS

AND INFRASTRUCTURE

## SBD 1 PART A: INVITATION TO BID

		CLOSING	DATE	As per Tender			
BID NUMBER: LDPWRI-B/20368	NO OF THE MO	DUMOLLE		Advert	CLOS	ING TIME:	11:00am
FOR THE LIME	NG OF THE MO	DIMOLLE	OFFICE C	OMPLEX IN TH	IE WAT	ERBERG D	ISTRICT
DESCRIPTION						NERASIRU	CIURE
BID RESPONSE DOCUMENTS MAY	BE DEPOSITED IN	THE BID BO	X SITUATED	AT (STREET ADD	DRESS)		
DEPARTMENT OF PUBLIC W	ORKS, ROADS	& INFRAST	RUCTURE	Ξ.			
Physical address: Corner River	and Blaauwberg	Streets, L	adanna, 06	99.			
BIDDING PROCEDURE ENQUIRIES	MAY BE DIRECTED	ОТО					
CONTACT PERSON	Mr. NJ Motsopye						
TELEPHONE NUMBER	0152847126	E-MAIL A	NDDRESS		motso	oyen@dpw.lim	oppo.gov.za
CONTACT PERSON (TECHNICAL)	Mr. Richard Nthal	balala					
TELEPHONE NUMBER SUPPLIER INFORMATION	0152847375	E-MAIL A	DDRESS		nthaba	lalar@dpw.lim	opo.gov.za
		•					
NAME OF BIDDER							
POSTAL ADDRESS							
STREET ADDRESS		T		-			
TELEPHONE NUMBER	CODE			NUMBER			
CELLPHONE NUMBER							
E-MAIL ADDRESS							
VAT REGISTRATION NUMBER							
SUPPLIER COMPLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE No	: MA	AA	
ARE YOU THE ACCREDITED REPRESENTATIVE IN	□Yes	□No	BASED S	J A FOREIGN SUPPLIER FOR		□Yes	□No
SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS	[IF YES ENCLOSI		GOODS /	/SERVICES /W D?	ORKS	[IF YES, ANS	WER THE AIRE BELOW 1
OFFERED?	(IF TES ENCLOSE					QUESTIONN	VILL DEFOM ]

IS TH	E ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AF	RICA (RSA)?	☐ YES	□ NO
DOES	THE ENTITY HAVE A BRANCH IN THE RSA?		☐ YES	☐ NO
OOES	THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN	THE RSA?	☐ YES	☐ NO
OES	THE ENTITY HAVE ANY SOURCE OF INCOME IN THE R	SA?	☐ YES	□ NO
S TH	E ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXAT	TION?	☐ YES	□ NO
F THI SYST	E ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS N EM PIN CODE FROM THE SOUTH AFRICAN REVENUE SI	IOT A REQUIREMENT TO REGISTER FOR A TAX C ERVICE (SARS) AND IF NOT REGISTER AS PER 2.	OMPLIANCE 3 BELOW.	STATUS
	PART B: TERMS	AND CONDITIONS FOR BIDE	ING	
1.	BID SUBMISSION:			
1.1.	BIDS MUST BE DELIVERED BY THE STIPULATED TIME FOR CONSIDERATION.	TO THE CORRECT ADDRESS. LATE BIDS WILL I	NOT BE ACC	EPTED
1.2.	ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL PRESCRIBED IN THE BID DOCUMENT.	FORMS PROVIDED-(NOT TO BE RE-TYPED) OF	R IN THE MA	NNER
1.3.	THIS BID IS SUBJECT TO THE PREFERENTIAL PROCU PROCUREMENT REGULATIONS, 2017, THE GENERAL OF SPECIAL CONDITIONS OF CONTRACT.	REMENT POLICY FRAMEWORK ACT, 2000 AND T CONDITIONS OF CONTRACT (GCC) AND, IF APPLIC	HE PREFERE CABLE, ANY C	ENTIAL OTHER
1.4.	THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FII	LL IN AND SIGN A WRITTEN CONTRACT FORM (S	BD7).	
2.	TAX COMPLIANCE REQUIREMENTS			
2.1	BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TA	AX OBLIGATIONS.		
2.2	BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE ENABLE THE ORGAN OF STATE TO VERIFY THE TAX	E PERSONAL IDENTIFICATION NUMBER (PIN) ISS PAYER'S PROFILE AND TAX STATUS.	SUED BY SAI	RS TO
2.3	APPLICATION FOR TAX COMPLIANCE STATUS (TCS) WWW.SARS.GOV.ZA.	PIN MAY BE MADE VIA E-FILING THROUGH TH	HE SARS WE	BSITE
2.4	BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFIC	CATE TOGETHER WITH THE BID.		
2.5	IN BIDS WHERE CONSORTIA / JOINT VENTURES / SU SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.	JB-CONTRACTORS ARE INVOLVED, EACH PART	Y MUST SUE	MIT A
2.6	WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS NUMBER MUST BE PROVIDED.	REGISTERED ON THE CENTRAL SUPPLIER DATA	BASE (CSD),	A CSD
2.7	NO BIDS WILL BE CONSIDERED FROM PERSONS IN TARE PERSONS IN THE SERVICE OF THE STATE, OR COF THE STATE."			
NB: F	AILURE TO PROVIDE / OR COMPLY WITH ANY OF THE A	ABOVE PARTICULARS MAY RENDER THE BID INV	ALID.	
SIGNA	ATURE OF BIDDER:			
	CITY UNDER WHICH THIS BID IS SIGNED: of authority must be submitted e.g. company resolution)			
DATE				



**SBD 6.1** 

## PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

#### 1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
  - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).
- 1.2 To be completed by the organ of state
  - a) The applicable preference point system for this tender is the 80/20 preference point system.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
  - (a) Price; and
  - (b) Specific Goals.

#### 1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

#### 2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an
  invitation to provide goods or services through price quotations, competitive tendering process or
  any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

#### 3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

#### 3.1. POINTS AWARDED FOR PRICE

#### 3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10

$$Ps = 80\left(1 - \frac{Pt - Pmin}{Pmin}\right)$$
 or  $Ps = 90\left(1 - \frac{Pt - Pmin}{Pmin}\right)$ 

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

## 3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

#### 3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80\left(1 + rac{Pt - P \, max}{P \, max}\right)$$
 or  $Ps = 90\left(1 + rac{Pt - P \, max}{P \, max}\right)$ 

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

#### 4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
  - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
  - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (90/10 system) (To be completed by the organ of state)	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (90/10 system) (To be completed by the tenderer)	Number of points claimed (80/20 system)  (To be completed by the tenderer)
Persons who had no franchise in national elections prior to 1983 and 1993 ( All races in SA)	-	6		
Women( Attach Director's certified copy South African ID as proof)	-	3		

Disabled persons ( Attach letter from Health Professional as proof)	-	2	
Promotion of SMMEs( Attach Financial statement as proof)	-	2	
Enterprises located in Limpopo Province( Attach proof of address/Lease agreement)	-	4	
Promotion of youth( Attach Director's certified copy South African ID as proof)	-	1	
Promotion of enterprises located in rural areas(Attach proof of address)	-	1	
Promotion of enterprises located in the relevant District(Attach proof of address)	-	1	

#### **DECLARATION WITH REGARD TO COMPANY/FIRM**

4.3.	Name of company/firm					
4.4.	Company registration number:					
4.5.	TYPE OF COMPANY/ FIRM					
	<ul> <li>Partnership/Joint Venture / Consortium</li> <li>One-person business/sole propriety</li> <li>Close corporation</li> <li>Public Company</li> <li>Personal Liability Company</li> <li>(Pty) Limited</li> <li>Non-Profit Company</li> <li>State Owned Company</li> </ul>					
	[TICK APPLICABLE BOX]					

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
  - i) The information furnished is true and correct;
  - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
  - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
  - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
    - (a) disqualify the person from the tendering process;
    - recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
    - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
    - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
    - (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE:	
ADDRESS:	
·	







					note that it is compulsory to answer the question and if the answer is yes, complete sted the points will not be allocated.	ocean distriction	
	gineering (CE).	elow.			inswer the question and if that ated.	Olient Name	
	Iding (GB) and Civil En	ecuting in the table be	ble		that it is compulsory to a	Disnand and date	
	s for both General Bui	company is busy ex	ndicate/write on this ta	bidder Ves/No2	able below. Please note the table not completed to	ato to the state of the state o	
T PROJECTS	value of project	ts which your	e tender must ii	executed by the	details on the tanot answered or the	Project Value	
DECLARATION OF CURRENT PROJECTS	Current value refers to current value of projects for both General Building (GB) and Civil Engineering (CE).	Please list the current projects which your company is busy executing in the table below.	If no projects at the moment the tender must indicate/write on this table	Table 1 List of current projects executed by the bidder	<ol> <li>If Yes, please indicate the details on the table below. Please note that it is compulsory to answer the table. If the question not answered or the table not completed the points will not be allocated.</li> </ol>	Project Description	




PUBLIC WORKS, ROADS AND INFRASTRUCTURE

## THE CONTRACT



### PART C1: AGREEMENT AND CONTRACT DATA



#### C1.1. FORM OF OFFER AND ACCEPTANCE

#### Offer

The employer, identified in the acceptance signature block, has solicited offers to enter into a contract in respect of the following works:

#### THE UPGRADING OF THE MODIMOLLE OFFICE COMPLEX IN THE WATERBERG DISTRICT

The tenderer, identified in the offer signature block, has examined the documents listed in the tender data and addenda thereto as listed in the tender schedules, and by submitting this offer has accepted the conditions of tender.

By the representative of the tenderer, deemed to be duly authorized, signing this part of the Form of Offer and Acceptance, the tenderer offers to perform all of the obligations and liabilities of the contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the contract data.

#### THE OFFERED TOTAL OF THE PRICE INCLUSIVE OF VALUE ADDED TAX IS (CONTRACT PRICE)

Rand (in words); R	
(in figures) R	
This offer may be accepted by the employer by signing the acce and returning one copy of this document to the tenderer before tender data, whereupon the tenderer becomes the party named identified in the contract data.	e the end of the period of validity stated in the
Signature(s)	
Name(s)	
Capacity	
For the tenderer:	
Name & signature of witness	Date

Contract
Part C1: Agreement and Contract Data

67

C1.1 Form of Offer and Acceptance

### **Acceptance** (To be completed by the employer – not the bidder)

By signing this part of this Form of Offer and Acceptance, the *Employer* identified below accepts the tenderer's Offer. In consideration thereof, the *Employer* shall pay the Consultant the amount due in accordance with the *conditions of contract* identified in the Contract Data. Acceptance of the tenderer's Offer shall form an agreement between the *Employer* and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

The terms of the contract, are contained in:

Part C1 Agreements and Contract Data, (which includes this Form of Offer and Acceptance)

Part C2

Pricing Data

Part C3

Scope of Work

and drawings and documents (or parts thereof), which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Returnable Schedules as well as any changes to the terms of the Offer agreed by the tenderer and the *Employer* during this process of offer and acceptance, are contained in the Schedule of Deviations attached to and forming part of this Form of Offer and Acceptance. No amendments to or deviations from said documents are valid unless contained in this Schedule.

The tenderer shall within two weeks of receiving a completed copy of this agreement, including the Schedule of Deviations (if any), contact the *Employer's* agent (whose details are given in the Contract Data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the *conditions of contract* identified in the Contract Data. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed original copy of this document, including the Schedule of Deviations (if any). Unless the tenderer (now Consultant) within five working days of the date of such receipt notifies the Employer in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the Parties.

For the Emp	ployer		
Signature			,
Name		•••••	
Capacity			,
Name and a	address of organization		
Signature a	and Name of Witness		
Signature			
Name			,
Capacity			

### **Schedule of Deviations**

1 Subject .	
Details .	
2 Subject .	
Details .	
3 Subject .	
Details .	
4 Subject .	
Details .	
*	
*	
foregoing so addenda the	authorised representatives signing this agreement, the <i>Employer</i> and the Tenderer agree to and accept the chedule of deviations as the only deviations from and amendments to the documents listed in the Tender Data an ereto as listed in the returnable schedules, as well as any confirmation, clarification or changes to the terms of the document and the <i>Employer</i> during this process of offer and acceptance.
issue of the	sly agreed that no other matter whether in writing, oral communication or implied during the period between the tender documents and the receipt by the tenderer of a completed signed copy of this Agreement shall have an effect in the contract between the parties arising from this agreement.



PUBLIC WORKS, ROADS AND INFRASTRUCTURE


#### **C2.1 CONTRACT DATA**

The Conditions of Contract are clauses 1 to 41 of the JBCC Series 2000 Principal Building Agreement (Edition 4.1 of March 2005) published by the Joint Building Contracts Committee.

Copies of these conditions of contract may be obtained from the Association of South African Quantity Surveyors (011-3154140), Master Builders Association (011-205-9000; 057- 3526269) South African Association of Consulting Engineers (011-4632022) or South African Institute of Architects (051-4474909; 011-4860684; 053-8312003;)

The JBCC Principal Building Agreement makes several references to the Contract Data for specific data, which together with these conditions collectively describe the risks, liabilities, and obligations of the contracting parties and the procedures for the administration of the Contract. The Contract Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the JBCC Principal Building Agreement.

The contractor shall achieve in the performance of the contract the Contract Participation Goals (CPG) relating to the engagement of targeted enterprises as established in the CIDB Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts Gazette Notice No. 36190 of 25 February 2013."



### **PART C2: PRICING DATA**

### **C2.1 Pricing instruction**

- The Bills of Quantities have been drawn up in accordance with the Standard System of Measuring Building Work in accordance with the provisions of the Model Bills of Quantities or Electrical Work, published by the South African Association of Quantity Surveyors, (July, 2005).
- The agreement is under the JBCC N/S Subcontractor Agreement for use with the JBCC PBA (Edition 4.1 code 2101 March 2005) form of contract with Preliminaries (Code 2103 May 2005) incorporating the State Provisions of cl 41.0.
- It will be assumed that prices included in the Bills of Quantities are based on Acts, Ordinances, Regulations, By-laws, International Standards and National Standards that were published 28 days before the closing date for tenders.
- The prices and rates in these Bills of Quantities are fully inclusive prices for the work described under the items. Such prices and rates cover all costs and expenses that may be required in and for the execution of the work described in accordance with the provisions of the Scope of Work, and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the Contract Data, as well as overhead charges and profit. These prices will be used as a basis for assessment of payment for additional work that may have to be carried out.
- An item against which no price is entered will be considered to be covered by the other prices or rates in the Bills of Quantities. A single lump sum will apply should a number of items be grouped together for pricing purposes.
- The Contract Data and the standard form of contract referenced therein must be studied for the full extent and meaning of each and every clause set out in Section 1 (Preliminaries) of the Bills of Quantities.
- The Bills of Quantities is not intended for the ordering of materials. Any ordering of materials, based on the Bills of Quantities, is at the Contractor's risk.
- The shall set a minimum of 5 % of the project value for sub-contractor determine the amount to be paid for the Contract Participation Goal (CPG).



## **PART C2.2: BILLS OF QUANTITIES**



DEPARTMENT OF PUBLIC WORKS, ROADS AND INFRASTRUCTURE

## **PART C3 SCOPE OF WORKS**


W, J



#### PART C3.1: SPECIAL NOTES TO BIDDERS

The following special conditions are for compliance and attention to bidders:

- 1.1. LDPWR&I reserve the right to call interviews with short-listed bidders before final selection.
- 1.2. LDPWR&I reserve the right to conduct supplier due diligence prior to final award or at any time during the contract period. This may include surprise site visits.
- 1.3. LDPWR&I reserve the right to appoint the bidder that proves to be fully capable and qualified to handle and execute the job.
- 1.4. The proposals submitted must be in line with the detailed specification.
- 1.5. LDPWR&I reserve the right to cancel or withdraw this bid if:
  - i. Due to changed circumstances, there is no longer a need for this services; or
  - ii. Funds are no longer available to cover the total envisaged expenditure; or
  - iii. No acceptable bids are received; or
  - iv. There is a material irregularity in the Bid process.
- 1.6. In the case of sub-contracting or joint venture agreement, LDPWR&I will enter into a single contract with the principal bidder.
- 1.7. Bidders who are not registered on Central Supplier Database (CSD) must register before submission of bids.
- 1.8. Any completion of the bid document in pencil or erasable ink will not be acceptable and will automatically disqualify the submitted bid.
- 1.9. Successful bidder will be required to sign and enter into a formal contract upon the award.
- 1.10. Notwithstanding shortcomings and/or inconsistencies, if any, in this specification, which is only a minimum specification, a bidder shall make provision for a complete solution that will deliver the required service efficiently and cost-effectively.
- 1.11. Bid documents must be submitted physically to the closing address as reflected on the Request for Quotations.
- 1.12. Quotations received after the closing date and time will not be accepted for consideration.
- 1.13. This request for bid document contains confidential information about LDPWR&I, which has been provided to supply potential bidders with the data necessary to provide a holistic response.
- 1.14. No part of the contents may be used, copied, disclosed or conveyed in whole or in part to any party, in any manner whatsoever without the prior written permission of LDPWR&I.
- 1.15. Any reproduction or transmission of information contained in this document except for the sole purpose of responding to this bid is strictly prohibited.
- 1.16. References to LDPWR&I must not be made in any literature, promotional material, and brochures or sales presentations without the express written consent of LDPWR&I.




#### **PART C3.2: OHS SPECIFICATIONS**



PUBLIC WORKS, ROADS AND INFRASTRUCTURE

#### **PART C4 SITE INFORMATION**



#### C4.1 DRAWINGS

Item No			Quantity	Rate	Amount	
	BILL NO. 1					
	PRELIMINARIESNOTES					
	SECTION NO.1					
	i) The agreement is to be the Principal Building Agreeme 2101 March 2005) prepare Building Contracts Commit	nt (Edition 4.1 Code d by the Joint				
	ii) The preliminaries are to be 2000 Preliminaries prepare Building Contracts Commit 2005 Edition and shall be concorporated herein	d by the Joint tee, Code 2103 May				
	iii) Tenderers are referred to the documents for the full intendence cach clause thereof (herein heading and clause number allowance must be made a necessary	at and meaning of nafter referred to by er only) for which such				
	iv) Where standard clauses or entirely applicable to this co modifications, corrections of apply are given under each heading	ontract such or supplements as will				
	v) Where any item is not releved contract such item is marked "not applicable")					
	vi)  If Alternative A as set out in hereinafter is to be used fo the preliminaries each item allocated to one or more of where "F" denotes a fixed a to be varied), "V" denotes a proportion to value and "T" in proportion to time	r the adjustment of priced is to be the three categories, amount (amount not an amount variable in				
	Section No. 1	Carried to Collection		R		
	PRELIMINARIES Bill No. 1 PRELIMINARIES AND GENERAL					

	SECTION A: PRINCIPAL BUILDING AGREEMENT READ IN CONJUCTION WITH THE CONTRACT DATA			
	Definitions (A1)			
1	Definitions and interpretation (clause 1)			
	F: V: T:	Item		
	Objective (A2)			
2	Offer acceptance and performance (clause 2)			
	F: V: T:	Item		
	Preparation (A3-A14)			
3	Documents (clause 3)			
	F: V: T:	Item		
4	Design responsibility (clause 4)			
	F: V: T:	Item		
5	Employer's agents (clause 5)			
	F: V: T:	Item		
6	Site representative (clause 6)			
	F: V: T:	Item		
7	Compliance with regulations (clause 7)			
	F: V:	Item		
8	Works risk (clause 8)			
	F: V: T:	Item		
9	Indemnities (clause 9)			
	F: V: T:	Item		
10	Works insurance (clause 10)			
	F: V:	Item		
	1			
	Carried to Collection		R	
	Section No. 1 PRELIMINARIES Bill No. 1 PRELIMINARIES AND GENERAL			

11	Liability insurances (clause 11)				
	F:V:	T:	Item	ו	
12	Effecting insurance (clause 12)				
	F:V:	. T:	Item	וו	
13	No clause (clause 13)				
	F:V:	T:	Item		
14	Security (clause 14)				
	F: V:	. T:	Item		
			iteri		
	Execution (A15-A22)				
15	Preparation for and execution of the	e works (clause 15)			
	F: V:	. T:	Item		
16	Access to the works (clause 16)				
	F: V:	. T:	Item		
17	Contract instructions (clause 17)				
	F: V:	. Т:	Item		
18	Assignment (clause 19)				
	F:V:	Т:	Item		
19	Setting out of the works (clause 18)				
	F: V:	T:	Item		
		Carried to Collection		R	
	Section No. 1 PRELIMINARIES				
	Bill No. 1 PRELIMINARIES AND GENERAL				
1	The state of the				

	The contractor shall notify the principal agent if any encroachments of adjoining foundations, buildings, structures, pavements, boundaries, etc. exist in order that the necessary arrangements may be made for the rectification of any such encroachments.			
20	Nominated subcontractors (clause 20)			
	F: V: T:	Item		
21	Selected subcontractors (clause 21)			
	F: V: T:	Item		
22	Employer's Direct Contractors (clause 22)			
	F: V: T:	Item		
23	Contractor's Domestic Sub-Contractors (Clause 23)			
	F: V: T:	Item		
	Completion (A24-A30)			
24	Practical completion (clause 24)			
	F: V: T:	Item		
25	Works completion (clause 25)			
	F: V: T:	Item		
26	Final completion (clause 26)			
	F: V: T:	Item		
27	Latent defects liability period (clause 27)			
	F: V: T:	Item		
	Carried to Collection		R	
	Section No. 1 PRELIMINARIES Bill No. 1 PRELIMINARIES AND GENERAL		K	

28	Sectional completion (clause 28)			
	F: V: T:	Item		
29	Revision of date of practical completion (clause 29)			
	F: V: T:	Item		
30	Penalty for non-completion (clause 30)			
	F: V: T:	Item		
	Payment (A31 - A35)			
31	Interim payment to the contractor (clause 31)			
	F: V: T:	Item		
32	Adjustment to the contract value (clause 32)			
	F: V: T:	Item		
	Notwithstanding the provisions of clause 32.13 fluctuations in costs shall not be adjusted as per heyllet formular (CPA)			
33	Recovery of expense and loss (clause 33)			
	F: V: T:	Item		
34	Final account and final payment (clause 34)			
	F: V: T:	Item		
35	Payment to other parties (clause 35)			
	F: V: T:	Item		
				-
	Carried to Collection		R	
	Section No. 1 PRELIMINARIES Bill No. 1 PRELIMINARIES AND GENERAL			

	Cancellation (A36-A39)		
36	Cancellation by employer - contractor's default (clause 36)		
	F: T:	Item	
37	Cancellation by employer - loss and damage (clause 37)		
	F: V: T:	Item	
38	Cancellation by contractor - employer's default (clause 38)		
	F: V: T:	Item	
39	Cancellation - cessation of the works (clause 39)		
	F: V: T:	Item	
	Dispute (A40)		
40	Settlement of disagreements and disputes (clause 40)		
	F: V: T:	Item	
	Contract variables (A41)		
41	The schedule:Pre-tender information (clause 41)		
	F: V: T:	Item	
	Information necessary for completion of those clauses contained in the schedule which are necessary for tender purposes is given hereunder		
	Carried to Collection		R
	Section No. 1 PRELIMINARIES Bill No. 1		
	PRELIMINARIES AND GENERAL		

41.1.1 Employer:		
DEPARTMENT OF PUBLIC WORKS LIMPOPO		
Postal Address: Private Bag x 9490 POLOKWANE 0700		
Physical Address: 43 Church Street Polokwane 0699		
Tel . (015) 284-7000 Fax (015) 284 7044 E-mail :		
41.1.2 Principal Agent:		
DEPARTMENT OF PUBLIC WORKS LIMPOPO		
Postal Address: Private Bag x 9490 POLOKWANE 0700		
Physical Address: 43 Church Street Polokwane 0699		
Tel . (015) 284-7000 Fax (015) 284 7044 E-mail :		
		ngunigamenta
Carried to Collection	R	
Section No. 1 PRELIMINARIES Bill No. 1		
PRELIMINARIES AND GENERAL		

	41.1.3 Other Agents: Architect		
	DEPARTMENT OF PUBLIC WORKS LIMPOPO		
	Postal Address: Private Bag x 9490 POLOKWANE 0700		
	Physical Address: 43 Church Street Polokwane 0699		
	Tel . (015) 284-7000 Fax (015) 284 7044 E-mail :		
	41.1.4 Other Agents : Quantity Surveyors		
	DEPARTMENT OF PUBLIC WORKS LIMPOPO		
	Postal Address: Private Bag x 9490 POLOKWANE 0700		
	Physical Address: 43 Church Street Polokwane 0699		
	Tel . (015) 284-7000 Fax (015) 284 7044 E-mail :		
	41.2 CONTRACT DETAILS		
	41.2.1 Works Description:		
	The work consist of the Upgrading of The Modimolle Office Complex (Waterberg District) and site works		
-	Carried to Collection	R	
-	Section No. 1 PRELIMINARIES		
	Bill No. 1 PRELIMINARIES AND GENERAL		

		1	1	1
41.2.2	Site Description:			
	The site is at			
41.2.3	Work for installation by direct contractors:			
	N/A			
41.2.4	This agreement is for a government contract:			
are	contract where there are specific option that			
	applicable to a state organ only Yes			
41.2.5	Date on which possession of the site is intended			
	to be given: Approximately within 14 (fourteen) calender			
	days from the date of the letter of acceptance			
	Period for the commencement of the works is			
the site	ately after the contractor takes possession of			
44.0.7	Completion in continue on a manifest			
41.2.7	Completion in sections are required  No			
41.2.8	Intended date of practical completion and the			
	penalty per calender day for the works as a whole:			
	24 calendar months from the date of the possession of the site and penalties will be			
	0.05% of the contract sum			
	Carried to Collection		R	
Section	No. 1 IINARIES			
Bill No.				
LUELIN	IIIAVIVIED VIAD GEIJELOVE			

	which	Penalty per calender day: 0.05% of the Contract Sum per calendar day on the completion of the work may be in arrears  SPECIAL COMPLETION REQUIREMENTS			
		Not applicable			
42		Arbitration rules as recommended by the ation of Arbitrators (SA)			
	F:	V: T:	Item		
43	41.2.10 that of	The law applicable to this agreement shall be			
		South Africa			
	F:	V: T:	Item		
	41.3	INSURANCES			
44	41.3.1	Contract work's insurance			
		All risk and Public Liability Insurance for this contract shall be taken out by the Contractor in the joint names of the contractor and the employer. The cost of this insurance will be paid by the Contractor. Any excess in respect of a claim is to be paid for by the contractor			
			Item		
		Carried to Collection		R	
	Section PRELIM Bill No.	MINARIES			
	PRELIM	MINARIES AND GENERAL			

45	41.3.2	Supplementary insurance:				
		Contractor shall be responsible for the taking out his own insurances for all plant and machinery used in the execution of this contract. The cost of this insurance shall be borne by the contractor.				
	F	T				
			Item			
46	41.3.3 contrac	Public liability insurance to be effected by				
		See clause 42.3.1				
	F:	V: T:	Item			
	41.4	DOCUMENTS				
	41.4.1	Waivers of contractors lien is required Yes				
		169				
	41.4.2	Number of construction document copies to be supplied free of charge: Three				
	41.4.3	State other system if document is not drawn up in accordance with the Standard System of Measuring Building Work (6th Edition) (Revised) 1999				
	41.4.4 docume	Number of days for submission of priced ents: 7 working days				
	no docume	Notwithstanding the provisions of Clause 41.4.4, payments will be certified unless the priced ent are agreed with the Quantity surveyors.				
	41.4.5	JBCC N/S Subcontract Agreement are to be included in the documents:				
		Carried to Collection		R		
	Section	No. 1				
		MINARIES				
	Bill No. PRELIM	MINARIES AND GENERAL				
- 1			1		1	1

	41.4.6 Alternative if contract value is not adjusted using CPAP:				
	Prices and rates shall remain firm and fixed, there shall be no adjustment of the tender amounts				
	41.4.7 Details of changes made to the provision of JBCC standard documentation:				
	Payment will be made 21 days after issue of a payment certificate.				
	The Contractor shall issue a Tax Invoice immediately to enable the Employer to process payment. For accounting purposes, the Employer's VAT number as required by current legislation on the Tax invoice is to be advised				
	SECTION B: PRELIMINARIES				
	Definition and interpretation (B1)				
47	Definition and interpretation (B1.1 - B1.6.5)				
	F: V: T:	Item			
	Documents (B2)				
48	Checking of documents (B2.1)				
	F: V: T:	Item			
49	These bills of quantities contain pages and annexures as indexed on the flyleaf				
	The items in these bills of quantities are to be read and priced in conjunction with and the descriptions regarded as amplified by the Model Preambles for Trades as recommended and published by the Association of South African Quantity Surveyors, 1997 edition, and no claim arising from brevity of description of items fully described in the said Model Preambles for Trades will be entertained				
		Item			
	Carried to Collection Section No. 1		R		+
	PRELIMINARIES				
	Bill No. 1 PRELIMINARIES AND GENERAL				
1		1		4	1

			1	I	п	1
50	Provisional bills of quantities (B2.2)					
	F: V:	T:	N/A			
51	Availability of construction documer based on provisional bills of quantit					
	F: V:	T:	Item			
52	Interests of agents (B2.4)					
	F:V:	T:	Item			
53	Priced documents (B2.5)					
	F:V:V		Item			
EA			Item			
54	Tender submission (B2.6)					
	F:V:	T:	Item			
55	Notwithstanding anything contained tenders shall be valid for a period or closing date of tenders					
	F:V:	T:	Item			
	The site (B3)					
56	Defined works area (B3.1)					
	F:V:	T:	Item			
57	The area of the works to be occupied any restriction on the area and the I will be pointed out to the contractor agent at the official site briefing meeting.	imit of access or exit by the principal				
			Item			
58	Geotechnical investigation (B3.2)					
	Geotechnical information will be ma successful bidder at the site handow					
	F: V:	Т:	Item			
						_
		Carried to Collection		R		
	Section No. 1 PRELIMINARIES Bill No. 1					
	PRELIMINARIES AND GENERAL					

59	Inspection of the site (B3.3)			
	It remains the responsibility of the bidder to visit the project site on his / her own to check and acquaint themselves with the site and its conditions before submitting a tender as no claims will be entertained later.			
		Item		
00		item		
60	No claims for extras arising from the contractor having failed to comply with this clause will be entertained			
	F: V: T:	Item		
61	Existing premises occupied (B3.4)			
	F: V: T:	Item		
00	(D0.5)	item		
62	Previous work - dimensional accuracy (B3.5)	ltanı		
	F: V: T:	Item		
63	Previous work - defects (B3.6)			
	F: V: T:	Item		
64	Services - known (B3.7)			
	F: V: T:	Item		
65	Services - unknown (B3.8)			
	F: V: T:	Item		
66	Protection of trees etc (B3.9)			
	F: V: T:	Item		
67	Articles of value (B3.10)			
	F:V:	Item		
	Carried to Collection Section No. 1		R	
	PRELIMINARIES Bill No. 1			
	PRELIMINARIES AND GENERAL			

68	Inspection of adjoining properties etc (B3.11)			
	F: V: T:	Item		
	Management of contract (B4)			
69	Management of the works (B4.1)			
	F: V: T:	Item		
70	Progress meetings (B4.3)			
	F: V: T:	Item		
71	Technical meetings (B4.4)			
	F: V: T:	Item		
	Samples and shop drawings and manufacturer's instructions (B5)			
72	Samples of materials (B5.1)			
	F: T:	Item		
73	Workmanship samples (B5.2)			
	F:V:	Item		
74	Shop drawings (B5.3)			
	F: V: T:	Item		
	Temporary works and plant (B6)			
75	Deposits and fees (B6.1)			
	F: V: T:	Item		
76	Enclosure of the works (B6.2)			
	F: V: T:	Item		
	Carried to Collection		R	
	Section No. 1 PRELIMINARIES Bill No. 1 PRELIMINARIES AND GENERAL			

77	Advertising (B6.3)			
	F: V: T:			
		Item		
78	Plant, equipment, sheds and offices (B6.4)			
	F: V: T:	Item		
79	Main notice board (B6.5)			
	F: V: T:	Item		
80	Subcontractors notice board (B6.6)			
	F: V: T:	Item		
	Temporary services (B7)			
81	Location (B7.1)			
	F: V: T:	Item		
82	Water (B7.2)			
	F: V: T:	Item		
83	Electricity (B7.3)			
	F: V: T:	Item		
84	Telecommunication equipment (B7.4)			
	F: V: T:	Item		
85	Ablution facilities (B7.5)			
	F: V: T:	Item		
	Prime cost amounts (B8)			
86	Responsibility for prime cost amounts (B8.1)			
	F: V: T:	Item		
	Carried to Collection		R	
	Section No. 1		K	
	PRELIMINARIES Bill No. 1			
	PRELIMINARIES AND GENERAL			

	Attendance on N/S Subcontractors (B9)			
87	General attendance (B9.1)			
	F: V: T:	Item		
88	Special attendance (B9.2)			
	F: V: T:	Item		
89	Commissioning - Fuel, water and power (B9.3)			
	F: V: T:	Item		
	Financial aspects (B10)			
	Statutory taxes, duties and levies (B10.1)			
	F: V: T:	Item		
90	Provision for Value Added Tax (VAT) is made in the Final Summary.			
	F: V: T:	Item		
91	Payment of preliminaries (B10.2)			
	F: V: T:	Item		
92	Adjustment of preliminaries (B10.3)			
	F: V: T:	Item		
93	Payment certificate cash flow (B10.4)			
	F: V: T:	Item		
94	Contractor information supply (B10.5)			
	F: V: T:	Item		
	General (B11)			
95	Protection of works (B11.1)			
	F: V: T:	Item		
	Carried to Collection		R	
	Section No. 1 PRELIMINARIES			
	Bill No. 1 PRELIMINARIES AND GENERAL			

96	Protection/isolation of existing/sectionally occupied works (B11.2)			
	F: V: T:	Item		
97	Site security (B11.3)			
	F: V: T:	Item		
98	Notice before covering work (B11.4)			
	F: V: T:	Item		
99	Disturbance (B11.5)			
	F: V: T:	Item		
100	Works cleaning and clearing (B11.6)			
	F: V: T:	Item		
101	Vermin (B11.7)			
	F: V: T:	Item		
102	Overhand work (B11.8)			
	F: V: T:			
		Item		
	Schedule of variables (B12)			
103	Pre-tender information (B12.1)			
	F: V: T:	Itam		
		Item		
	Information necessary for elections and completion of those clauses contained in the schedule which are necessary for tender purposes is given hereunder.  Where no information is given it shall mean that either no details or specific requirements are available or that the clause is not relevant to this specific contract			
	Carried to Collection		R	
	Section No. 1 PRELIMINARIES			
	Bill No. 1 PRELIMINARIES AND GENERAL			

12.1.1	Provisional bills of quantities (B2.2) The quantities are provisional: Yes			
12.1.2	Availability of construction documentation (B2.3) Construction documentation is complete Yes			
12.1.3	Interest of agents (B2.4) N/A			
12.1.4	Defined works area (B3.1)			
	See site information			
12.1.5	Geotechnical investigation (B3.2)			
	To obtain from the Project Architect			
	hnical information will be made available to the sful bidder at the site handover meeting			
12.1.6	Existing premises occupied (B3.4)			
12.1.7	Services - known (B3.7)			
	Existing services and points of connection will be pointed out to the successful contractor by the principal agent			
12.1.8	Protection of trees (B3.9)			
12.1.9	Inspection of adjoining properties (B3.11)			
12.1.10	Enclosure of the works (B6.2)			
				_
	Carried to Collection	R	<u> </u>	
Bill No.	IINARIES			

#### LDPWRI-B/20368

#### THE UPGRADING OF THE MODIMOLLE OFFICE COMPLEX IN WATER

RBERG DISTRICT			
12.1.11 Offices (B6.4.3) The contractor shall provide, maintain and remove on completion of the work an office for the exclusive use of the SEO minimum size 4 x 6 x 3m high internally, suitably insulated and ventilated, provided with electric lighting and fitted with boarded floor, desk, chair,drawing chair, drawing board and lockup drawer for drawings. The office shall be kept clean and fit for use at all times			
12.1.12 Main notice board (B6.5) The contractor shall provide, erect where directed, maintain and remove on completion of the works a notice board size 3 x 3m, all constructed of suitable boarding with flat smooth surface and with edging bead 19mm thick all round outer edges and projecting 12mm from face of boarding and rounded on front edge. The board shall be securely fixed to hoarding, where hoarding is provided, or fixed to and including a suitable supporting structure of timber or tubular posts and braces. The board is to be painted ivory white and the bead and and 12mm wide dividing lines, deep blue. All wording shall be inscribed in deep blue painted "sans serif" lettering			
No			
12.1.14 Water (B7.2)			
Contractor to provide			
12.1.15 Electricity (B7.3)			
Contractor to provide			
12.1.16 Telecommunications (B7.4)			
Contractor to provide			
12.1.17 Ablution facilities (B7.5)			
Contractor to provide			
Carried to Collection		P	
	1		

**PRELIMINARIES** Bill No. 1

Section No. 1

PRELIMINARIES AND GENERAL

#### LDPWRI-B/20368

	12.1.18 Special attendance (B9.2)			
	12.1.19 Protection of the works (B11.1)			
	12.1.20 Protection of existing/sectionally occupied works (B11.2) Protection is required Yes			
	12.1.21 Disturbance (B11.5)			
	The contractor's attention is drawn to the fact that certain portions of the Works will be constructed in the vicinity of built up areas, The contractor shall exercise all necessary precautions to ensure the safety and convenience of the public.			
04	Post tender information (B12.2)			
	F: V: T:			
		Item		
	12.2.1 Payment of preliminaries			
	Alternative selected: (B)			
	12.2.2 Adjustment of preliminaries			
	Alternative selected: (A)			
	12.2.3 Additional agreed preliminaries item N/A			
	SECTION C: SPECIFIC PRELIMINARIES			
05	PROPRIETARY BRANDED PRODUCTS			
	The contractor shall take delivery of, handle, store, use apply and/or fix all proprietary branded products in strict accordance with the manufacturers' instruction after consultation with the manufacturer's authorized representative			
	F: V: T:	Item		
	Carried to Collection		R	
	Section No. 1 PRELIMINARIES Bill No. 1 PRELIMINARIES AND GENERAL			

106	OVERTIME		
	Should overtime be required to be worked for any reason whatsoever, the costs of such overtime are to be borne by the contractor unless the principal agent has specifically authorized in writing, prior to the execution thereof, that costs for such overtime are to be borne by the employer.		
	F: V: T:	Item	
107	AS BUILT DRAWINGS		
	The position of construction breaks and the extent of individual concrete pours are to be recorded by the contractor on the structural engineer's drawings and are to be submitted to the principal agent and the structural engineer for their records.		
	F: V: T:	Item	
108	SITE INSTRUCTIONS		
	Site instructions issued on site are to be recorded in triplicate in a site instruction book which is to be maintained on site by the contractor		
	F: V: T:	Item	
109	LABOUR RECORD		
	At the end of each week the contractor shall provide the principal agent with a written record, in schedule form, reflecting the number and description of tradesmen and labourers employed by him and all subcontractors on the works each day.		
	F: V: T:	Item	
110	PLANT RECORD		
	At the end of each week the contractor shall provide the principal agent with a written record, in schedule form, reflecting the number, type and capacity of all plant, excluding hand tools, currently used on the works.		
	F: V: T:	Item	
	Carried to Collection		R
	Section No. 1 PRELIMINARIES Bill No. 1 PRELIMINARIES AND GENERAL		

#### LDPWRI-B/20368

111	NON CESSION OF MONIES			
	The contractor shall not cede nor assign his rights or claims to any monies due or to become due under this contract			
	F: V: T: T:	Item		
112	LOCAL LABOUR			
	The contractor shall make use of local labour. It is desirable by the Employer that all unskilled labour be recruited from the local areas of the vicinity of the Works. The contractor will demonstrate his effort to fulfill compliance with this requirement			
	F: V: T:	Item		
113	LABOUR DESK			
	The contractor shall establish a labour desk on site with a dedicated office of maximum 9m2 with and including a desk, 2 chairs and electricity. From the labour desk, the contractor will appoint a dedicated community liaison officer. The community liaison officer will be employed by and will report to the contractor, who will in turn forward such reports to the Principal Agent.			
	F: V: T:	Item		
114	SITE ACCOMMODATION.			
	Provide 2 office facilities for Principal Agent Representative and one for Resident Clerk of Works ( to include desk, 2 chairs and Electricity per office) Provide meeting Facility to accommodate 12 chairs Provide Ablution facilities for the above			
	F: V: T:	Item		
115	HEALTH AND SAFETY ACT (Act 85 of 1993)			
	Compliance with the Occupational Health and Safety Act (Act 85 of 1993) and all relevant and applicable regulations, especially the Construction Health & Safety Act (Act 85 of 1993) (as amended) for the duration of the contract	Item		
		icin		
	Carried to Collection		R	
	Section No. 1 PRELIMINARIES			
	Bill No. 1 PRELIMINARIES AND GENERAL			

116	Provisions of OH&S Plan prior to commencement of works as well as a full consolidated copy of such plan at the completion of construction work inclusive of a record of all drawings, designs, copies of statutory appointments, material used and other similar information concerning completed contract		Item		
117	Implementation of approved OHS Plan for duration of contract, including daily/weekly inspections, monthly meetings, required audits, consolidated health and safety file, etc		Item		
118	Registration with Compensation Fund or approved /licensed compensation insurer		Item		
119	Full time competent employee of the Contractor as safety construction supervisor and assistant safety construction supervisors for duration of contract		Item		
120	Health and safety training and induction requirements of all persons entering the site		Item		
121	HIV AND AIDS POLICY				
	Observation of all legislation, policies and by-laws regulating the "AIDS" endemic and "HIV" prevention, treatment and observation		Item		
	Provision of Training Allowance in terms of EPWP prescipts				
122	Training allowance paid to targeted labour in terms of formal training days	PDT			
123	Extra over for the administration payment of training allowances to targeted labour (25% of training allowance)		Item		28,800.00
124	Transport and accommodation of workers for training where it is not possible to undertake the training in close proximity to the site (Provisional Sum)		Item		50,000.00
	Section No. 1			R	
	PRELIMINARIES Bill No. 1 PRELIMINARIES AND GENERAL				

Section No. 1		1		1
PRELIMINARIES				
Bill No. 1				
PRELIMINARIES AND GENERAL				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	1			
	2			
	3			
	4			
	5			
	6			
	7			
	8			
	9			
	10			
	11			
	12			
	13			
	14			
	15			
	16			
	17			
	18			
	19			
Section No. 1 PRELIMINARIES Bill No. 1 PRELIMINARIES AND GENERAL		R		

Section No. 1				
PRELIMINARIES				
Bill No. 1				
PRELIMINARIES AND GENERAL				
COLLECTION				
		Page		Amount
	Brought Forward	No	R	
Total Brought Forward from Page No.		20		
		21		
		22		
		23		
		24		
	to Final Summary		R	
Section No. 1 PRELIMINARIES Bill No. 1 PRELIMINARIES AND GENERAL				

Item No		Quantity	Rate	Amount
	SECTION NO.2			
	BILL NO. 1			
	DEMOLITIONS,ETC			
	View site			
	Before submitting his tender the tenderer shall visit the site and satisfy himself as to the nature and extent of the work to be done and the value of the materials contained in the buildings or portions of the buildings to be demolished. No claim for any variations of the contract sum in respect of the nature and extent of the work or of inferior or damaged materials will be entertained			
	Explosi ves			
	No explosives whatsoever may be used for demolition purposes unless otherwise stated			
	Gene ral			
	Water supply pipes and other piping in ground that may be encountered and found necessary to disconnect or cut, shall be effectually stopped off or grubbed up and removed, and any new connections that may be necessary shall be made with proper fittings to the satisfaction of the principal agent			
	Unless otherwise described all materials are to become the property of the contractor and are to be removed from the site			
	REMOVAL OF EXISTING WORK:			
	Carried to Collection  Section No. 2 DEMOLITIONS ETC Bill No. 1 DEMOLITIONS,ETC		R	
	DEMOCITIONO, ETO			

	Breaking up and removing				
1	25mm Thick concrete block paving on sand bedding	m2	276		
2	75 mm Thick unreinforced concrete surface beds, paving etc	m2	315		
3	85 mm Thick concrete block paving on sand bedding		00		
	Taking down and removing	m2	60		
ones					
4	Steel diamond mesh security fence with steel posts and droppers and 45 degree barbed wire overhang, 2,40m high overall	m	823		
	Note: The following items are to remain the property of the employer and are to be carefully taken out, temporarily stored, transported over a distance of approximately ?km and handed over:				
	1. Paving blocks				
	Demolition and removing				
5	Excavation in earth not exceeding 2m deep to remove steel piping exceeding 50mm and not exceeding 100mm internal diameter (Provisional)				
	internal diameter (Frovisional)	m3	10		
6	Excavation in earth not exceeding 2m deep to remove				
	sewer piping (Provisional)	m3	12		
		1113	12		
7	Concrete				
	Kerbs	m			
					+
	Carried to Collection			R	
	Section No. 2				
	DEMOLITIONS ETC Bill No. 1				
	DEMOLITIONS,ETC				
100 - 0.		and the second			

	Deduct: Allowance of credit for materials salvage the demolitions	ed from			
8	Steel security fence	m	823		
9	2. Paving blocks	m2	270		
					_
	Section No. 2	Collection		R	
	DEMOLITIONS ETC Bill No. 1				
	DEMOLITIONS,ETC				

			77
Section No. 2			
DEMOLITIONS ETC			
Bill No. 1			
DEMOLITIONS,ETC			
COLLECTION			
Total Brought Forward from Page No.	Page No 27 28 29		Amount
Carried to Final Summary  Section No. 2  DEMOLITIONS ETC  Bill No. 1  DEMOLITIONS,ETC		R	0070

Item No		Quantity	Rate	Amount	
	SECTION NO 3				
	BILL NO. 1				
	ALTERATIONS				
	For preambles see "Model Preambles for Trades (2008 Edition)"				
	SUPPLEMENTARY PREAMBLES				
	NATURE OF WORK: Tenderers are advised to visit the site and to satisfy themselves as to the nature and extent of the work to be done and provide in their tenders any items not specifically mentioned which they may deem necessary for the proper completion of the work.				
	DIMENSIONS The Contractor is advised to take all dimensions affecting the existing buildings on the site, as he will be held solely responsible for all new work being of the correct size.				
	PIPES, ETC Special care is to be taken not to interfere unnecessary with any supply pipes or other piping that may be met with and found necessary to disconnect or cut, are to be effectively stopped off and any new connections that may be necessary are to be made with proper fittings and to the satisfaction of the Principal Agent to whom due notice must be given of any alterations to the existing services.				
	PROTECTION In taking down and removing existing work the utmost care is to be observed to avoid any structural or other damage to the remaining portions of the buildings. The Contractor must also protect all work not removed such as walls, floors, doors, windows or other joinery,loose and fixed fittings and electrical appliances, etc. from damage during the progress of the work and provide all necessary materilas for doing so. The Contractor will be held solely responsible for any damage to persons or property and for the safety of the structure throughout the whole of this Contract and must make good at his own expense any damage that may occur.				
	Carried to Collection		R		_
	Section No. 3 BUILDINGS BIII No. 1 ALTERATIONS		K		Table 1
ı			•	0071	

LOUBLIGHTERIALO				н	1
OLD USABLE MATERIALS from the alterations/demolitions are to become the property of the				The state of the s	
Client. Old materials for re-use are to be carefully					
removed, stored and protected from injury including making good any damaged or defective parts as					
required before fixing. Old reusable materials described					
to be handed over to the Clinet are to be carefully removed and neatly stacked on site where directed. The					
remainder of the old materials and all rubbish to be					
immediately carted away and the site left clean and unencumbered. The Contractor should allow for					
removing of rubble from site on daily basis, failing which					
the client might stop the construction until the site has been cleaned. None of the old stock bricks from the					
pulling down are to be re-used for any new work.					
Material to be handed over to the Client should be kept safely and handed over to the Client's Representative					
who shall sign for all material received.					
MATERIALS, ETC The materials to be used and work to					
be done to be similar in all respects to that described for new work insofar as they concur. All work in making					
good is to be properly jointed to the existing.					
TEMPORARY BARRIERS, SCREENS, ETC					
Temporary barriers, screens, etc including removal					
Temporary barriers, screens, etc including removal					
Dust screen 2m high between concrete floor and ceiling, of suitable timber framing with 375 micron polyethylene					
sheeting stapled on on one side, including corners, ends,					
etc	m	150			
		.00			
REMOVAL OF EXISTING WORK					
Breaking up and removing unreinforced					
concrete					
75 mm Thick aprons					
aprons	m2	10			
					_
Carried to Collection			R		
Section No. 3					
BUILDINGS Bill No. 1					
ALTERATIONS					

3	30mm Thick surface beds				1
		m2	20		
	Breaking down and removing brickwork, etc				
4	Half brick wall	m2	1,650		
5	One brick walls	m2	192		
3	Taking out and removing doors, windows, etc, including thresholds, sills, etc and building up openings in brick walls, including making good cement plaster on ? side(s) (making good paintwork elsewhere)	1112	102		
6	Timber single door and timber frame 813 x 2,032 m high overall from one brick wall	No	2		
7	Timber single door and timber frame 813 x 2,032 m high overall from half brick wall	No	6		
8	Timber single door and steel frame 1,4 x 2,5m high overall from one brick wall	No	2		
9	Timber double door and steel frame 1,60 $\times$ 2,032m high overall from one brick wall	No	2		
	Taking out and removing doors, windows, etc including thresholds, sills, etc				
10	Timber double door and frame not exceeding 2,5m <sup>2</sup>	No	34		
11	Timber double door and frame exceeding 2,5m² and not exceeding 5m²	No	35		
	Carried to Collection Section No. 3 BUILDINGS Bill No. 1 ALTERATIONS			R	

	Taking out doors, windows, etc including thresholds, sills, etc. setting aside for re-use and later refixing in similar new position				
12	Timber single door 813 x 2032mm high overall, including rehanging door on old hinges and replacing lock with "Cylinder lockset" (Cylinder locks elsewhere measured)	No	122		
	Taking down and removing roofs, floors, panelling, ceilings, partitions, etc				
13	Gypsum plasterboard ceilings, including timber brandering, cornices,etc	m2	1,700		
14	Corrugated sheet steel roof covering and timber purlins	m2	270		
15	Pitched roof 13,4 x 11,5 x 2,5m high overall, of timber truss and purlins, corrugated sheet steel covering, ceilings and cornices, eaves soffit covering, fascias, bardge boards, gutters and rainwater pipes	No	2		
16	Pitched roof 8 x 27,5 x 2,5m high overall, of timber trusses and purlins, corrugated sheet steel covering, ceilings and cornices, eaves soffit covering, fascias, barge boards, gutters and rainwater pipes	No	2		
17	Pitched roof 8,5 x 4,5 x 1,5m high overall, of timber trusses and purlins, corrugated sheet steel covering, ceilings and cornices, eaves soffit covering, fascias, barge boards, gutters and rainwater pipes	No	2		
18	Pitched roof 11 x 4,50 x 1,50m high overall, of timber trusses and purlins, corrugated sheet steel covering, ceilings and cornices, eaves soffits covering, fascias, barge boards, gutters and rainwater pipes	No	1		
19	Pitched roof 5 x 6 x 1,30m high overall, of timber trusses and purlins, corrugated sheet steel covering, ceilings and cornices, eaves soffits covering, fascias, barge	No	1		
	boards, gutters and rainwater pipes	No	1		
		INO	1		
	Carried to Collection			R	
	Section No. 3 BUILDINGS Bill No. 1				
	ALTERATIONS				

#### LDPWRI-B/20368

20	Lean to roof 15 x 6m overall, of timber trusses and purlins, corrugated sheet steel covering, ceilings and cornices, eaves soffits covering, fascias, barge boards, gutters and rainwater pipes	No	1		
21	Gypsum plasterboard ceilings, including timber brandering, cornices, etc	m2	389		
22	Drywall partitions 2,3m high, including doors, glazed borrowed lights,etc	m	45		
23	Drywall partitions 3,2m high, including doors, glazed borrowed lights,etc	m	172		
	Taking out and removing sundry joinery work, fittings, etc				
24	Timber skirtings	m	3,407		
25	Build in bedroom Wardrobe $1840 \times 700 \times 2600$ mm high with top, sides, bottom, division, shelves, doors, etc	No	8		
	Taking up and removing wood block floor coverings, vinyl floor coverings, carpets, etc and preparing screeds for new floor coverings				
26	Vinyl tiles floor covering	m2	3,799		
	Hacking up/off and removing ceramic tile floor and wall finishes including removing mortar bed or backing and preparing concrete or brick surfaces for new screed, plaster or tile finishes				
27	Tiles to walls	m2	380		
28	Tiles to floors	m2	52		
	Carried to Collection			R	
	Section No. 3 BUILDINGS Bill No. 1 ALTERATIONS				

	Taking out and removing piping, including cutting off as necessary, holderbats and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
29	Steel piping not exceeding 50mm external diameter	m	380		
30	Steel piping exceeding 100 mm and not exceeding 150 mm external diameter	m	297		
	Taking out and removing sanitary fittings, tanks, geysers, etc, including disconnecting from pipes, traps, etc and making good floor and wall finishes (making good tiling and paintwork elsewhere)				
31	Stainless steel sink and drainer including timber cupboard 1200 x 600 x 1200mm high	No	1		
32	Stainless steel sink and drainer including timber cupboard ? x ? x ?mm high	No	6		
33	Vitreous china wash hand basin	No	48		
34	Vitreous china WC pan with cistern and flush pipe	No	33		
35	Vitreous china wall hung urinal with flush valve and flush pipe	No	9		
36	Steel enameled bath				
		No	12		
	Section No. 3 BUILDINGS Bill No. 1 ALTERATIONS			R	

37	Stainless steel slab urinal 4000 x 1600mm high,				
	including breaking up and removing 900mm wide concrete urinal step				
		No	2		
38	150 Litre geyser from wall				
		No	9		
39	1500mm Diameter x 1800mm High sheet metal tank from tankstand on roof				
40		No	5		
40	2500 Litres steel filtration vessel from filter house	No	2		
	Taking out/off- and removing glass and mirrors				
41	Glass from steel windows, including cleaning out				
	rebates and preparing for new glass	m2	5		
	MAKING GOOD OF FINISHES ETC				
	Making good gypsum plasterboard ceilings and timber brandering				
	<u>orancoming</u>				
42	Ceilings in patches	m2	40		
	Making good cement	1112	40		
	screeds				
43	75mm Thick on floors in patches	m2	60		
44	Floors where half brick walls	m2	60		
77	removed	m	180		
	Section No. 3			R	
	BUILDINGS BIII No. 1 ALTERATIONS				
	ALILIVATIONS				

		1	1		I	1
	Making good internal cement plaster					
45	Walls where half brick walls removed					
	Tonioved	m2	20			
46	Walls where one brick walls					
	removed	m2	4			
	OPENINGS THROUGH EXISTING WALLS ETC					
	Altering openings					
47	Altering opening in one brick wall where 1,115 x 1,785m high steel window removed to form opening for new single door and frame 1115 x 2,032m high overall by breaking out brickwork on both sides and bottom, including prestressed concrete lintels, making good cement plaster on one side and into reveals and face brickwork on other side and into reveals and with 20 MPa concrete threshold with steel trowelled finish (new door and frame and making good paintwork elsewhere)	No	1			
48	Altering opening in one brick wall where 0,813 x 1,785m high steel window removed to form opening for new double door and frame 1,632 x 2,032m high overall by breaking out brickwork on both sides and bottom, including prestressed concrete lintels, making good cement plaster on one side and into reveals and face brickwork on other side and into reveals and with 20 MPa concrete threshold with steel trowelled finish (new door and frame and making good paintwork elsewhere)	No	4			
	Carried to Collection			R		
	Section No. 3 BUILDINGS Bill No. 1 ALTERATIONS					

	Breaking out for and forming openings through brick walls for new doors and frames, including prestressed concrete lintels, making good cement plaster on both sides and into reveals and with 20 MPa concrete thresholds with steel trowelled finish (new doors and frames and making good paintwork elsewhere)				
49	Opening for door with steel frame 813 x 2032 mm high overall through half brick wall	No	12		
50	Opening for window 1050 x 600 mm high through one brick wall	No	2		
	Breaking out for and forming plain openings through brick walls, including prestressed concrete lintels, making good cement plaster on both sides and into reveals and with 20 MPa concrete thresholds with steel trowelled finish (making good paintwork elsewhere)				
51	Opening 813 x 2032mm high through half brick wall				
	Breaking out for and forming openings through brick walls for new windows, including prestressed concrete lintels, making good cement plaster on both sides and into reveals and with sloping fibre-cement sills on outside and flat fibre-cement sills on inside (new windows and making good paintwork elsewhere)	No	4		
52	Opening for window 1500 x 1500mm high through one brick wall	No	2		
	Carried to Collection Section No. 3 BUILDINGS Bill No. 1 ALTERATIONS			R	

	Sundri es				
53	Cutting toothings and bonding new brickwork to existing	m2	23		
	Note: The following items are to remain the property of the employer and are to be carefully taken out, temporarily stored, transported over a distance of approximately ?km and handed over:				
54	Timber doors including timber frames	No	62		
55	Steel door frames from toilets	No	64		
56	Ironmongery from doors	No	62		
57	Sanitary ware-( Wash hand basin and Water closet with Cistern and urinals	No	12		
58	5. Geyser				
59	6. Sink with floor unit	No	1		
60	7. Corrugated sheets	No	1		
61	Old timber trusses covering     193m2	No	933		
	TOOME		Item		
	Carried to Collection Section No. 3 BUILDINGS Bill No. 1 ALTERATIONS			R	
	H		1	- 1	1

9. Old electrical wiring, plugs lights combined, bricks,					1
steel conduits		Item			
10.Steel water pipes		Item			
Deduct: Allowance of credit for materials salvaged from the demolitions					
Corrugated sheets	m2	270			
2. Old timber trusses covering 320m2		Item			
Old electrical wiring, plugs lights combined, bricks, steel conduits		Item			
<b>Deduct:</b> Allowance of credit for materials salvaged from the demolitions		Item			
Carried to Callection			п		
Section No. 3 BUILDINGS Bill No. 1 ALTERATIONS			ĸ		
	10.Steel water pipes  Deduct: Allowance of credit for materials salvaged from the demolitions  1. Corrugated sheets 2. Old timber trusses covering 320m2 3. Old electrical wiring, plugs lights combined, bricks, steel conduits  Deduct: Allowance of credit for materials salvaged from the demolitions  Carried to Collection  Section No. 3  BUILDINGS  Bill No. 1	10.Steel water pipes  Deduct: Allowance of credit for materials salvaged from the demolitions  1. Corrugated sheets m2 2. Old timber trusses covering 320m2 3. Old electrical wiring, plugs lights combined, bricks, steel conduits  Deduct: Allowance of credit for materials salvaged from the demolitions  Carried to Collection  Section No. 3  BUILDINGS  BIII No. 1	10.Steel water pipes Item  Deduct: Allowance of credit for materials salvaged from the demolitions  1. Corrugated sheets m2 270 2. Old timber trusses covering 320m2 3. Old electrical wiring, plugs lights combined, bricks, steel conduits Item  Deduct: Allowance of credit for materials salvaged from the demolitions Item  Item  Carried to Collection  Section No. 3 BUILDINGS BIII No. 1	10.Steel water pipes Item  Deduct: Allowance of credit for materials salvaged from the demolitions  1. Corrugated sheets m2 270  2. Old timber trusses covering 320m2 Item  3. Old electrical wiring, plugs lights combined, bricks, steel conduits  Deduct: Allowance of credit for materials salvaged from the demolitions Item  Carried to Collection R  Section No. 3  BUILDINGS  BIII No. 1	10. Steel water pipes

Section No. 3			
BUILDINGS			
Bill No. 1			
ALTERATIONS			
COLLECTION			
	Page No		Amount
Total Brought Forward from Page No.	31		
	32		
	33		
	34		
	35		
	36		
	37		
	38		
	39		
	40		
	41		
Carried Forward to Summary of Section No. 3		R	
Section No. 3 BUILDINGS BIII No. 1 ALTERATIONS		î	

item No		Quantity	Rate	Amount
	SECTION NO 3			
	BILL NO. 2			
	FOUNDATIONS			
	For preambles see "Model Preambles for Trades (2008 Edition)"			
	SUPPLEMENTARY PREAMBLES			
	Soil poisoning			
	Ant and weed poisoning will be applied in accordance to SABS/SANS specifications by Registered and Approved Specialists who will issue a five (5) year guarantee. The contractor will only be paid for this items once they have produced the said certificate to the Principal Agent and all is in order in this regard.			
	EARTHWORKS			
	EXCAVATIONS			
	Excavation in earth not exceeding 2m deep			
1	Holes	13 12		
	Extra over trench and hole excavations in earth for excavation in			
2	Soft rock	13 1		
	Extra over all excavations for carting away			
3	Surplus material from excavations and/or stock piles on site to a dumping site to be located by the contractor	3 7		
	FILLING ETC			
	Carried to Collection		R	
	Section No. 3 BUILDINGS Bill No. 2 FOUNDATIONS			
	FOUNDATIONS			

	Earth filling obtained from the excavations and/or prescribed stock piles on site, compacted to 93% Mod AASHTO density				
4	Under floors, steps, pavings, etc	m3	18		
5	Backfilling to trenches, holes, etc	m3	5		
	Prescribed density tests on filling				
6	"Mod. AASHTO Density" test	No	1		
7	Field Density test, including "Optimum Moisture Content" test (four readings per test)	No	1		
	SOIL POISONING				
	Soil insecticide to be executed with SABS compliance by a firm of specialists under a 5 year guarantee				
8	Drilling and injecting Ant and Termites poisoning in 16 mm diameter drilled holes 1 meter apart below floors and aprons	m	639		
					-
	Carried to Collection	on		R	
	Section No. 3 BUILDINGS Bill No. 2				
	FOUNDATIONS				

Section No. 3			1	
BUILDINGS				
Bill No. 2				
FOUNDATIONS				
COLLECTION				
Total Brought Forward from Page No.	Page No 43 44		Amount	
				-
Carried Forward to Summary of Section No. 3		R		
Section No. 3 BUILDINGS Bill No. 2				
FOUNDATIONS				

Item No		Quantity	Rate	Amount
	SECTION NO 3			
	BILL NO. 3			
	CONCRETE, FORMWORK AND REINFORCEMENT			
	For preambles see "Model Preambles for Trades (2008 Edition)"			
	SUPPLEMENTARY PREAMBLES			
	Cost of tests			
	The costs of making, storing and testing of concrete test cubes as required under clause 7 "Tests" of SABS 1200 G shall include the cost of providing cube moulds necessary for the purpose, for testing costs and for submitting reports on the tests to the architect. The testing shall be undertaken by an independent firm or institution nominated by the contractor and to the approval of the architect. (Test cubes are measured separately)			
	Breeze concrete			
	Breeze concrete shall consist of twelve parts clean dry furnace ash, free from coal or other foreign matter, to one part cement (12:1), the ash graded up to particles which will pass a 16,5mm ring from a minimum which fails to pass a 4,75mm mesh. The finer materials from the screening are to be first mixed with the cement into a mortar and the ash added afterwards and thoroughly incorporated			
	<u>Formwork</u>			
	Description of formwork shall be deemed to include use and waste only (except where described as "left in" or "permanent"), for fitting together in the required forms, wedging, plumbing and fixing to true angles and surfaces as necessary to ensure easy release during stripping and for reconditioning as necessary before reuse			
	Carried to Collection			
	Section No. 3 BUILDINGS Bill No. 3 CONCRETE, FORMWORK & REINFORCEMENT		R	
1				

_					
	The vertical strutting shall be carried down to such construction as is sufficiently strong to afford the required support without damage and shall remain in position until the newly constructed work is able to support itself				
	Formworks to soffits of solid slabs etc shall be deemed to be slabs not exceeding 250mm thick unless otherwise described				
	Formwork to soffits of slabs, beams, etc shall be deemed to be propped up exceeding 1,5m and not exceeding 3,5m high unless otherwise described				
	Formwork to sides of bases, pile caps, ground beams, etc will only be measured where it is prescribed by the engineer for design reasons. Formwork necessitated by irregularity or collapse of excavated faces will not be measured and the cost thereof shall be deemed to be included in the allowance for taking the risk of collapse of the sides of the excavations, provision for which is made in "Earthworks"				
	UNREINFORCED CONCRETE CAST AGAINST EXCAVATED SURFACE				
Name of Contrast o	15 Mpa/ 15 mm concrete				
Statement of the Contract of t	Aprons cast in panels on waterproofing	m3	7		
	Thickening down edge of apron 110mm deep x 200mm wide (net), including preparing ground or earth filling, necessary formwork, etc		70		
	REINFORCED CONCRETE	m	70		
Name of Advances of the Parties	25MPa/19mm concrete				
	Surface beds cast in panels on waterproofing.	m3	12		
	Columns in foundations	m3	4		
-	Carried to Collection			R	
	Section No. 3 BUILDINGS Bill No. 3 CONCRETE, FORMWORK & REINFORCEMENT				

	TEST CUBES				
5	Allow for preparing a set of three (3) concrete strength test cubes, each size 150 x 150 x 150mm, sending them to an approved Testing Laboratory for testing and paying all charges in connection therewith. (Provisional)	Sets	8.0		
	CONCRETE SUNDRIES				
	Curing surfaces of concrete with ? curing compound applied at a rate of ? I/m²				
6	Various components	m2	228		
	Finishing top surfaces of concrete smooth with a wood float/steel trowel				
7	Aprons, etc to falls				
		m2	84		
8	Surface beds, slabs, etc to falls	m2	120		
	REINFORCEMENT				
	High tensile steel reinforcement to structural concrete work				
9	12mm Diameter bars in lengths exceeding 13m and not exceeding 18m	t	0.50		
	Fabric reinforcement				
10	Steeledale Mesh standard square fabric mesh, nominal mass 2,45 kg/m² with nominal 6,3mm thick wires and 200 x 200mm pitch (code 245), complying with SANS 1024/2006 requirements, in sheets 2,4 x 6m long.	m2	120		
					-
	Carried to Collection			R	
	Section No. 3 BUILDINGS				
	Bill No. 3 CONCRETE, FORMWORK & REINFORCEMENT				

Section No. 3			1	
BUILDINGS				
Bill No. 3				
CONCRETE, FORMWORK & REINFORCEMENT				
COLLECTION				
Total Brought Forward from Page No.	Page No 46 47 48		Amount	
Carried Forward to Summary of Section No. 3 Section No. 3 BUILDINGS Bill No. 3 CONCRETE, FORMWORK & REINFORCEMENT		R		Minimizer

Item No		Quantity	Rate	Amount
	SECTION NO 3			
	BILL NO. 4			
	MASONRY			
	For preambles see "Model Preambles for Trades (2008 Edition)"			
	SUPPLEMENTARY PREAMBLES			
	BRICKWORK			
	Sizes in descriptions			
	Where sizes in descriptions are given in brick units, "one brick" shall represent the length and "half brick" the width of a brick			
	Linings to concrete			
	Descriptions of linings to concrete, unless otherwise described, shall be deemed to include wire ties			
	Hollow walls etc			
	Descriptions of hollow walls shall be deemed to include wall ties and leaving every fifth perpend of the bottom course of the external skin open as a weep hole			
	Wall ties shall be vertical twist type wall ties galvanised 750g/m2 zinc in accordance to SABS - 1986, and shall be at every 5th brick course at 500mm centres staggered in diamond formation			
	Reinforced brick lintels			
	Lintels shall bear at least 160mm onto adjacent walling. Where such bearing cannot be obtained due to the proximity of adjacent openings the lintel shall be continuous			
	Carried to Collection		R	
	Section No. 3 BUILDINGS BIII No. 4 MASONRY			

	Face bricks				
	Bricks shall be ordered timeously to obtain uniformity in size and colour				
	Pointing				
	Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc				
	SAMPLES				
	Samples of all masonry building units, shall consist of a minimum of 6 units				
	SUPERSTRUCTURE				
	Brickwork of NFP bricks in class II mortar				
1	Half brick walls	m2	84		
2	One brick walls	m2	30		
3	Half brick walls in beamfilling				
		m2	173		
	BRICKWORK SUNDRIES				
	Brickwork reinforcement				
4	75mm Wide reinforcement built in horizontally	m	168		
	"Allied Concrete" prestressed fabricated lintels				
5	110 x 75mm Lintels in lengths not exceeding 3m	m	12		
	Carried to Collection			R	
	Section No. 3 BUILDINGS Bill No. 4 MASONRY				

Section No. 3		1	
BUILDINGS			
Bill No. 4			
MASONRY			
COLLECTION			
Total Brought Forward from Page No.	<b>Page No</b> 50		Amount
Carried Forward to Summary of Section No. 3 Section No. 3 BUILDINGS Bill No. 4 MASONRY		R	

Item No			Quantity	Rate	Amount
	SECTION NO 3				
	BILL NO. 5				
	ROOF COVERINGS, ETC.				
	For preambles see "Model Preambles for Trades (2008 Edition)"				
	SUPPLEMENTARY PREAMBLES				
	All items are measured net unless otherwise described				
	Flashings, trimming plates, etc.				
	Prices to include for all cutting and waste and relevant fixing material, unless otherwise described				
	All rates for flashings, trimmings, etc., to include for forming drips and closed ends to troughs of sheet steel roof covering where applicable				
	All items are unless otherwise described measured net				
	PROFILED METAL SHEETING AND ACCESSORIES				
	RCP101/2 0,5 mm Z150 spelter galvanised corrugated steel sheets with "Chromadeck" finish of approved standard colour on one side and standard grey backing finish on reverse side, fixed to steel purlins				
1	Roof covering to flat roof (walkway)	m2	270		
2	Roof covering to flat roof	m2	67		
3	Roof covering to flat roof (swimming pool entrance)	m2	90		
	Comind to Collection				
	Section No. 3 BUILDINGS Bill No. 5 ROOF COVERING, ETC.			R	

	RCP101/2 0.5 mm Z150 spelter galvanised corrugated steel sheets with "Chromadeck" finish of approved standard colour on one side and standard grey backing finish on reverse side, fixed to timber purlins				
	parins				
4	Roof covering with pitches not exceeding 25 degrees	m2	933		
5	Roof covering with pitches not exceeding 25 degrees ( old photocopy house)	m2	55		
6	Roof covering with pitches not exceeding 25 degrees ( swimming pool pump house)	m2	35		
7	Roof covering with pitches not exceeding 25 degrees ( covered main entrance security house)	m2	168		
	0,6mm steel sheet accessories to preceding roof coverings with "Chromadek" finish of approved standard colour on one side and standard grey backing finish on reverse side				
8	Ridge cappings 450 mm girth				
		m	137		
9	Hips cappings 450mm girth	m	20		
10	Side wall flashings 450 mm girth				
		m	31		
11	Valley				
	gutters	m	32		
	INSULATION, ETC				
	Carried to Collection			R	
	Section No. 3 BUILDINGS Bill No. 5 ROOF COVERING, ETC.				
			1		1

	50mm Thick "?" aluminium foil faced fibreglass blanket				
12	50mm Thick insulation boards fixed concurrent with roof covering etc.	m2	827		
	Carried to Collection			R	
	Section No. 3 BUILDINGS Bill No. 5 ROOF COVERING, ETC.				
		- I			1

Section No. 3				
BUILDINGS				
Bill No. 5				
ROOF COVERING, ETC.				
COLLECTION				
Total Brought Forward from Page No.	<b>Page No</b> 53		Amount	
	55			
Carried Forward to Summary of Section No. 3 Section No. 3 BUILDINGS Bill No. 5 ROOF COVERING, ETC.		R		

Item No		Quantity	Rate	Amount	
	SECTION NO 3				
	BILL NO. 6				
	CARPENTRY AND JOINERY				
	For preambles see "Model Preambles for Trades (2008 Edition)"				
	SUPPLEMENTARY PREAMBLES				
	Pre-fabricated metal connected timber roof trusses				
	All trusses shall be fabricated by an approved truss manufacturer who holds a current Certificate of Competence awarded by the Institute for Timber Construction				
	<u>Timber</u>				
	Timber for trusses to be South African softwood and shall be in accordance with the grades as defined in SABS Specification No 563 or as defined in SABS Specification No 1460				
	B olt s				
	Bolts shall be in accordance with BS 4190 or SABS 135				
					-
	Carried to Collection		R		=
	Section No. 3 BUILDINGS Bill No. 6 CARPENTRY & JOINERY				
	요. 물리 없는 이 모든 그는 그들은 물리를 시작하게 하는 점점을 제상하다니다				

Shear plates, tooth connectors and split rings		
Shear plates, tooth connectors and split rings shall be inaccordance with BSS 1759: 1960 and installed in accordance with the CSIR Publication HOUT 468, "The Design, Manufacturing and Erection of Timber Trusses"		
Wash ers		
Square or round washers of the following dimensions shall be used with all bolts		
1 Bolts up to 8mm diameter:		
Washers shall be minimum 25mm wide of minimum 2,50mm thickness		
2 Bolts up to 12mm diameter:		
Washers shall be minimum 36mm wide of minimum 4,00mm thickness		
3 Bolts up to 20mm diameter:		
Washers shall be minimum 60mm wide of minimum 5,00mm thickness		
Carried to Collection	R	
Section No. 3		===
BUILDINGS		
Bill No. 6		

Metal connector plates		
Metal connector plates shall be fabricated out of not less than 1mm thick drawn quality galvanised steel		
The steel shall have a minimum yield strength of 228MPa and a minimum ultimate tensile strength of 330MPa. The corrosion resisting coating shall be not less than 275g/m2 commercial class hot dipped galvanising as per SABS 934 before stamping		
All connector plates shall have been tested by the CSIR and be of a size capable of transmitting the forces between members of a truss without exceeding the design values published in the CSIR report		
Truss construction		
Trusses shall be constructed in jigs specially designed to unsure the correct profile, overhangs and cambers		
Where metal connector plates are used all joints are to be close fitted butt joints made by precision pressing of the metal connector plates into each side of the joint		
<u>Truss</u> design		
All trusses shall be designed by a registered Professional Engineer in accordance with SABS 0163 ("Design of Timber Structures") and Code 0160 (" Loading")		
Carried to Collection	R	
Section No. 3		
BUILDINGS Bill No. 6		
CARPENTRY & JOINERY		

Truss spacing		
The truss centres shall be less than or equal to that as described in this bill for each respective truss		
<u>Truss</u> pitch		
The truss pitch shall be as described in this bill for each respective trus type		
Truss loading		
Trusses shall be designed for a live load of 0,50kN/m2 and dead load as specified under the sub-heading "Specific load specifications for roof trusses"		
Shop drawings, design and erection guarantee certificates		
It will be expected from the Contractor to timeously prepare, submit and obtain the necessary approvals from the Representative/Agent in respect of the required shop drawings, design and erection guarantee certificates as specified		
<u>Dimensio</u> ns		
All dimensions given in the descriptions of the trusses are nominal and actual measurements are to be obtained by actual measurements taken on the site before design or fabrication commences		
Carried to Collection	R	
Section No. 3 BUILDINGS		
Bill No. 6		

LDI TTINI-DIAGGOG

Erecti on		
All trusses are to be hoisted and erected strictly in accordance with the procedures and recommendations of the manual "The Erection and Bracing of Timber roof Trusses" as published by the Institute for Timber Construction and the CSIR, or the SABS Code of Practice "The Design, Manufacture and Erection of Timber Roof Trusses", or as designed and detailed by the designer		
<u>Design</u> <u>system</u>		
The design system as documented in this bill is based on the MiTek system and all references given in the descriptions are related to specific type of trusses based on this design system However, Contractors are to note that any design system of similar quality may be used subject to the prior written approval of the Representative/Agent		
Specific specifications for roof trusses		
Unless otherwise described, the following specifications will apply 1 All trusses to be with a 25° pitch at approximately 750 mm centres 2 The dead load consists of corrugated steel sheet with 50 x 76 purlins		
Carried to Collection	R	
Section No. 3	l l	
BUILDINGS Bill No. 6		
CARPENTRY & JOINERY		

R	
	R

	Sawn softwood				
4	Roof construction to double pitched roof including wall plates, 114 x 38 mm trusses, intermediate beams, jack rafters, permanent bracing, 50 x 76 mm purlins at 750 mm centres for roof covering, etc (approximately 55 m2 roof covering area measured on slope) as shown on site		Item		
			nem		
5	Roof construction to double pitched roof including wall plates, 114 x 38 mm trusses, intermediate beams, jack rafters, permanent bracing, 50 x 76 mm purlins at 750 mm centres for roof covering, etc (approximately 933 m2 roof covering area measured on slope) as shown on site		Item		
6	Roof construction to double pitched roof including wall plates, 114 x 38 mm trusses, intermediate beams, jack rafters, permanent bracing, 50 x 76 mm purlins at 750 mm centres for roof covering, etc (approximately 36 m2 roof covering area measured on slope) as shown on site				
	on site		Item		
7	Roof construction to lean roof including wall plates, 114 x 38 mm trusses, intermediate beams, permanent bracing, 50 x 76 mm purlins at 750 mm centres for roof covering, etc (approximately 90 m2 roof covering area measured on slope) as shown on site				
			Item		
8	38 x 76mm Common rafters in lengths exceeding 2,4m and not exceeding 3,6 m	m	67		
	EAVES, VERGES, ETC				
	Estres, vertoco, esto				
	High density plain fibre-cement flat sheets				
9	10 x 225mm Fascias and barge boards, including galvanised steel H-profile jointing strips	m	750		
	DOORS, ETC				
	Section No. 3			R	
	BUILDINGS				
	Bill No. 6 CARPENTRY & JOINERY				
		1		N	

	Semi-solid core flush doors with a hardwood edges and finished bo 3,2mm tempered hardboard suits and hung to steel door frames	th sides with				
10	44mm Door 813 x 2013		No	26		
	KITCHEN CUPBOARDS					
		Carried to Collection			R	
	Section No. 3 BUILDINGS Bill No. 6 CARPENTRY & JOINERY					

#### General notes on kitchen cupboards Interior carcasses, shelves, bottoms, etc to be 16mm thick interior grade particle board with white "Melamine" decorative laminate to all exposed surfaces. All exposed edges to be fitted with 3.2mm thick white "Melamine" edge strips. Carcasses to be fitted at back with 6mm thick white "Masonite" backing All exposed carcasses, sides, etc to be 16mm thick interior grade particle board with "Royal Cherry Melamine"laminate to all exposed surfaces. All exposed edges to be fitted with 3.2mm thick "Royal Cherry Melamine" edge strips Kickplates to be 16mm thick interior grade particle board Royal Cherry Renolit decorative laminate to all exposed with surfaces Doors to be 16mm thick interior grade particle board with two long postformed vertical edges with "Royal Cherry Renolit" decorative laminate on all surfaces Floor units to be supplied and installed complete with tops and kick plates Tops of floor units to be 32mm thick "Rustenburg Black" polished granite with rounded leading edges. Tops for floor units have been measured seperately All butt edges and edges against walls to be sealed with silicone sealant. Hinges to be "Hettich" type and drawer runners to be of 500mm long metal type "FR602" with nylon runners. All units to supplied and installed complete with approved handles hinges and other ironmongery The following cupboard fittings have been measured as complete units i.e. the components of the units have not been separately measured. The descriptions, therefore, of such units shall be deemed to include all components assembling housing, notching, glueing, blocking, planting on and screwing with countersunk screws, edge strips, decorative plastic finish glass, ironmongery, metalwork, paint or varnish finishes, etc KITCHEN CUPBOARDS IN **KITCHENETTE Carried to Collection** R Section No. 3 BUILDINGS Bill No. 6 **CARPENTRY & JOINERY**

	Cupboard Connections				
11	Floor cupboard type F900, 900 x 550 x 880mm high with sides bottom, division, shelf, back and two hinged doors	No	20		
12	Floor drawer cupboard type F450/1, 450 x 550 x 880mm high with sides, bottom, division, shelf, back, dividing framework, one hinged door and one drawer	No	18		
	Polished "Rustenburg Black" granite tops				
13	32mm Top, 600mm wide with rounded leading edges fixed to steel brackets (steel brackets elsewhere)	m	28		
14	Leave or form hole in 32mm thick top for double bowl sink (sink elsewhere)	m	6		
	Carried to Collection			R	
	Section No. 3 BUILDINGS Bill No. 6 CARPENTRY & JOINERY				
	OARFEITINI & JOHNERT				

Section No. 3				1
BUILDINGS				
Bill No. 6				
CARPENTRY & JOINERY				
COLLECTION				
Total Brought Forward from Page No.	Page No 57 58 59 60 61 62 63 64 65 66		Amount	
Carried Forward to Summary of Section No. 3 Section No. 3 BUILDINGS Bill No. 6 CARPENTRY & JOINERY		R		

Item No			Quantity	Rate	Amount
	SECTION NO.3				
	BILL NO.7				
	CEILINGS, ETC.				
	For preambles see "Model Preambles for Trades (2008 Edition)"				
	SUPPLEMENTARY PREAMBLES				
	Descriptions:				
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or pins or shot pinned to brickwork or concrete				
	Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 600mm centres, and where described as "bolted" the bolts have been given elsewhere				
	CEILINGS ETC				
	Insulation				
1	100mm Aerolite insulation blanket closely fitted and laid on top of ceiling panels, all in strict accordance with the to manufacturer's specification.	m2	613		
	NAILED UP CEILINGS				
	9.5mm Taper-edge gypsum plasterboard with taped joints and the whole finished with gypsum plaster trowelled to a smooth polished surface to the thickness recommended by the manufacturer				
2	Ceiling including 38 x 38 mm sawn softwood brandering at 450mm centres and cross brandering at 450mm centres	m2	2,603		
	Carried to Collection  Section No. 3  BUILDINGS  Bill No. 7  CEILINGS, ETC.			R	

3	Extra over ceiling for opening for 20mm diameter downlighter				
		No	5		
4	Extra over ceiling for opening for 610 x 610mm trap door of 50 x 76mm wrought softwood rebated framing with one 38 x 38mm sawn softwood cross brander covered with ceiling board and fitted flush in opening	No	10		
	6mm "Everite Nutec" fibre-cement boards with standard H-type pressed steel jointing strips				
5	Ceiling including 38 x 38 mm sawn softwood brandering at 450mm centres and cross brandering at 450mm centres	m2	294		
		m2	294		
6	Extra over ceiling for opening for 610 x 610mm trap door of 50 x 76mm wrought softwood rebated framing with one 38 x 38mm sawn softwood cross brander covered with ceiling board and fitted flush in opening	No	4		
	Decorative cornices, perimeter trims, etc to suspended ceilings				
7	Type DR 027 pre-painted cornices for flush plastered ceilings, plugged	m	1,922		
	Gypsum plasterboard cornices				
8	75 mm Coved cornices		104		
		m	104		
	Carried to Collection			R	
	Section No. 3 BUILDINGS Bill No. 7 CEILINGS, ETC.				

Section No. 3				
BUILDINGS				
Bill No. 7				
CEILINGS, ETC.				
COLLECTION				
Total Brought Forward from Page No.	<b>Page No</b> 68 69		Amount	
Carried Forward to Summary of Section No. 3		R		
Section No. 3 BUILDINGS Bill No. 7 CEILINGS, ETC.				

Item No		Quantity	Rate	Amount
	SECTION NO 3			
	BILL NO. 8			
	IRONMONGERY			
	For preambles see "Model Preambles for Trades (2008 Edition)"			
	SUPPLEMENTARY PREAMBLES			
	<u>Descriptions</u>			
	Fixing of door locks, handles, flush bolts, etc. Fixing of all door locks, handles, flush bolts, etc. shall be regarded as fixed to timber door leaves, unless specifically otherwise indicated			
	Preparation of door frames			
	Descriptions for flush bolts, door closers, floor springs, etc. shall be deemed to include all necessary preparations to door frames to accommodate same Tendered rates must make provision for this as no additional claims in this regard will afterwards be entertained			
	En-suite locks All "en-suite" locks shall be ordered to operate in a dedicated master keyed and/or grand master keyed lock system as described Master keyed and/or "grand master keyed" locks are indicated by the following suffixes: MKD Master keyed GMK Grand Master keyed			
	Carried to Collection  Section No. 3  BUILDINGS  Bill No. 8  IRONMONGERY		R	

	HINGES, BOLTS, ETC				
	Manufactured by?				
1	"Ref ? " WC indicator bolt	No	34		
	LO CK S				
	Manufactured by?				
2	"Ref ? " Cylinder lockset	No	148		
	SUND RIES				
3	38 mm Diameter rubber door stop ( plugged )	No	174		
	Rubber door mats				
4	600 x 450 x 20 mm Door mat laid loose	No	10		
	BATHROOM FITTINGS				
	Carried to Collection Section No. 3 BUILDINGS			R	
	Bill No. 8 IRONMONGERY				

	Manufactured by "Kimberly clark" or similar				
	approved				
5	Ref MR2 Code: 426130 stainless steel lockable toilet				
	roll holder, plugged	No	32		
6	Ref Aqaurius code: 6948 soap dispenser, plugged				
		No	14		
	Manufactured by "?"				
7	32mm "Ref RS2A" stainless steel back grab rail 670 mm				
	long, plugged	No	3		
8	32mm "Ref DL2" stainless steel side grab rail 900mm				
	girth, plugged	No	3		
	DOOR CLOSERS				
	<u> </u>				
	Manufactured by "Dorma"				
9	Ref ? concealed door				
9	closer	No	24		
	BLINDS				
	(PROVISIONAL)				
	Carried to Collection			R	
	Section No. 3 BUILDINGS				
	Bill No. 8 IRONMONGERY				
	마느, 이 기업이다. 이번에 많이 해당하게 먹어 되었다는데 되었다.				1

	"Windovert" vertical blinds with anodised aluminium head 45mm wide x 25mm high, runners to be wheeled and fitte with individual clutch mechanism and connected by stainl steel spacerlinks with nylon ball chain operated mechanis and 90mm wide ultrasonically sealed fabric slats of approcolour				
10	To fit opening size 1460 x 1820mm high	No	8		
11	To fit opening size 1000 x 1240mm high	No	9		
12	To fit opening size 1000 x 1530mm high	No	4		
13	To fit opening size 1970 x 153mm high	No	11		
14	To fit opening size 1500 x 1240mm high				
15	To fit opening size 2000 x 2430mm high	No	6		
	Your opening one age and a result in age.	No	2		
16	To fit opening size 1500 x 1240mm high	No	6		
17	To fit opening size 500 x 1240mm high	No	4		
18	To fit opening size 1970 x 1240mm high				
		No	4		
19	To fit opening size 1380 x 2400mm high	No	2		
20	To fit opening size 1500 x 1530mm high	No	2		
21	To fit opening size 1553 x 1598mm high	No	51		
	Carried to Collection Section No. 3 BUILDINGS Bill No. 8 IRONMONGERY			R	

22	To fit opening size 1020 x 1200mm high	N-	0.7		
23	To fit opening size 2553 x 1598mm high	No	27		
		No	24		
24	To fit opening size 1498 x 1198mm high				
25	To fit opening size 1022 x 1998mm high	No	18		
20	To itt opening size 1022 x 1330mm nigh	No	7		
	Carried to Collection Section No. 3 BUILDINGS			R	
	Bill No. 8 IRONMONGERY				
				H	

Section No. 3				
BUILDINGS				
Bill No. 8				
IRONMONGERY				
COLLECTION				
Total Brought Forward from Page No.	Page No 71 72 73 74 75		Amount	
Carried Forward to Summary of Section No. 3 Section No. 3		R		
BUILDINGS BIII No. 8 IRONMONGERY				

Item No		Quantity	Rate	Amount
	SECTION NO 3			
	BILL NO. 10			
	STRUCTURAL STEELWORK			
	For preambles see "Model Preambles for Trades (2008 Edition)"			
	SUPPLEMENTARY PREAMBLES			
	<u>Descriptions</u>			
	Descriptions of bolts shall be deemed to include nuts and washers			
	Descriptions of L-shaped and U-shaped anchor bolts shall be deemed to include bending, threading, nuts and washers and embedding in concrete			
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete			
	Descriptions of L-shaped and U-shaped anchor bolts shall be deemed to include bending, threading, nuts and washers and embedding in concrete. Where anchor bolts are described as embedded in sides or soffits of concrete it shall be deemed to include holes through formwork.			
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete.			
	STEEL PORTAL FRAMES			
	GALVANISED STEEL PORTAL FRAMES			
	Carried to Collection		R	
	Section No. 3 BUILDINGS Bill No. 9 STRUCTURAL STEELWORK			

	Welded portal frames with flat bearer, gusset and connection plates and angle cleats, bolted to concrete				
1	Double pitched portal frames 9m wide x 4.50m high extreme of 178 x 54mm x 14.5kg/m U-section rafters and columns (In No 6)	t	1		
	PURLINS, GIRTS, BRACING, ETC				
	GALVANISED STEEL PURLINS, GIRTS, BRACING, ETC				
	Purlins and girts bolted to steel				
2	115 x 75 x 25 x 3mm Thick cold-formed lipped channel purlins	t	1		
3	115 x 75 x 25 x 3mm Thick cold-formed lipped channel girts	t	1		
	FASCIA BRACKETS, ETC.				
	BOLTS, FASTENERS, ETC				
4	16mm Diameter L-shaped threaded anchor bolt 400mm girth embedded in top of concrete	No	24		
	Carried to Collectio Section No. 3	n		R	-
	BUILDINGS Bill No. 9				
	STRUCTURAL STEELWORK				

Section No. 3			
BUILDINGS			
Bill No. 9			
STRUCTURAL STEELWORK			
COLLECTION			
Total Brought Forward from Page No.	<b>Page No</b> 77 78		Amount
Carried Forward to Summary of Section No. 3 Section No. 3 BUILDINGS Bill No. 9 STRUCTURAL STEELWORK		R	

Item No			Quantity	Rate	Amount
	SECTION NO 3				
	BILL NO. 11				
	METALWORK				
	For preambles see "Model Preambles for Trades (2008 Edition)"				
	SUPPLEMENTARY PREAMBLES				
	Descriptions of bolts, anchors, etc				
	Descriptions of bolts shall be deemed to include nuts and washers Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete Items described as "holed for bolt(s)" shall be deemed to exclude the bolts unless otherwise described Items described as "plugged" shall be deemed to include screwing to fibre, plastic or metal plugs at not exceeding 600mm centres				
	PRESSED STEEL DOOR FRAMES				
	1,2mm Double rebated frames suitable for half brick walls				
1	Frame for door 813 x 2032mm high	No	13		
	1,2mm Rebated frames suitable for one brick walls				
2	Frame for door 813 x 2032mm high	No	9		
	Carried to Collection Section No. 3 BUILDINGS Bill No. 10 METALWORK			R	

	Preparation of frames for fixing of ironmongery				
3	Arm of door	No	22		
	STEEL SECURITY PAYROLL WINDOWS				
	? security payroll windows suitable for 110mm walls, fixed to brickwork or concrete				
4	Window 1500 x 1000mm high	No	4		
	NATURAL ANODISED ALUMINIUM DOORS, WINDOWS, ETC.				
	<u>Note</u>				
	Refer to attached window schedules for details of windows				
	ALUMINIUM SLIDING DOORS				
	Power coated sliding doors as per "?" system, complete with subframes, ironmongery, glass, sealing, etc and fixing to brickwork or concrete				
5	Purpose made door, 2030 x 2979mm high	No	2		
6	Pivot double door, 1770 x 2580mm high	No	1		
	ALUMINIUM LOUVRE UNITS				
	POWDER COATED HORIZONTAL ALUMINIUM LOUVRE UNITS				
	Carried to Collection			R	
	Section No. 3 BUILDINGS Bill No. 10 METALWORK				

	External Screening fixed louvre units fixed to brickwork				
7	Purpose made louvre unit for 1115 x 5500mm high opening	No	14		
	ALUMINIUM SLIDING DOORS				
	Powder coated sliding doors as per "?" system, complete with subframes, ironmongery, glass, sealing, etc and fixing to brickwork or concrete				
8	Pivot double door 1770 x 2032mm high	No	1		
	Section No. 3 BUILDINGS			R	
	Bill No. 10 METALWORK				

Section No. 3			
BUILDINGS			
Bill No. 10			
METALWORK			
COLLECTION			
Total Brought Forward from Page No.	Page No 80 81 82		Amount
Carried Forward to Summary of Section No. 3 Section No. 3 BUILDINGS Bill No. 10		R	
METALWORK			0122

Item No		Quantity	Rate	Amount
	SECTION NO 3			
	BILL NO. 12			
	PLASTERING			
	For preambles see "Model Preambles for Trades (2008 Edition)"			
	SUPPLEMENTARY PREAMBLES			
	Plastering of concrete soffits			
	The plasterer should make sure that the surface to be plastered does not deviate from the required plane by more than 10mm. All high areas should be removed by hacking or cutting. Fill low areas by applying undercoats of plaster not exceeding 15m in thickness, apply one coat plaster to surface, leave to stiffen, strike off with a striker board, and wood float to an even surface and to a thickness of 10 - 15mm thick.			
	INTERNAL PLASTER			
	Cement plaster on brickwork			
1	On walls m	359		
	SPECIALISED PLASTER TYPE WALL COATINGS			
	All specialised plaster type wall coatings are to be executed in strict accordance with the manufacturer's instructions			
	Carried to Collection Section No. 3		R	
	BUILDINGS Bill No. 11 PLASTERING			

	<u>User note</u>				
	The range of products and types of finishes offered by most of the manufacturers are numerous and users are advised to consult the relevant brochures and obtain the specific specifications for their applications from the principal agent. The headings hereunder are therefore given as a guideline only				
	6mm "POOLCRETE" durable marble plaster finish applied with steel trowel for smooth finish on concrete renovated pool				
2	On walls	m2	185		
3	On floors	m2	465		
	Carried to Collection			R	•
	Section No. 3 BUILDINGS Bill No. 11 PLASTERING				

Section No. 3		1	
BUILDINGS			
Bill No. 11			
PLASTERING			
COLLECTION			
Total Brought Forward from Page No.	<b>Page No</b> 84 85		Amount
Carried Forward to Summary of Section No. 3 Section No. 3		R	
BUILDINGS BIII No. 11 PLASTERING			

Item No			Quantity	Rate	Amount
	SECTION NO 3				
	BILL NO. 12				
	TILING				
	For preambles see "Model Preambles for Trades (2008 Edition)"				
	SUPPLEMENTARY PREAMBLES				
	Tiles, mosaics, etc shall be even in shape and size, free from cracks, twists or blemishes and uniform in colour Surfaces shall be clean and free from oil and thoroughly wetted directly before any tiling is commenced. All surfaces shall be prepared as per manufacturer's instructions to form a proper key Where tiles are fixed to plaster or screeds with an adhesive, the adhesive shall be as recommended by the manufacturer of the tiles. Joints shall be straight, continuous and flush pointed with an approved grouting compound Prices are to include for all square cutting and waste, cleaning off on completion and protection from injury. Areas are measured net to face of bare brickwork and concrete. Any additional area caused by the thickness of tiling and screed are to be allowed for in prices				
	WALL TILING				
	600 x 200 x 10mm black and beige polished porcelain tiles (PC R300/m2) fixed with adhesive to plaster (plaster elsewhere) and flush pointed with tinted grout				
1	On walls	m2	286		
2	On narrow widths, etc.	m2	41		
	FLOOR TILING				
	Carried to Collection Section No. 3 BUILDINGS Bill No. 12 TILING			R	

	600 x 200 x 10mm black and beige unpolished porcelain tiles (PC R300m2) fixed with adhesive to screed and flush pointed with tinted grout				
3	On floors and landings	m2	763		
	600 x 600 x 10mm Beige porcelain floor tiles (PC R350/m2) fixed with adhesive to screed and flush pointed with waterproof grout				
4	On floors and landings	m2	3,906		
5	Skirting 100mm ( of cut tiles )				
		m2	358		
	Section No. 3 BUILDINGS			R	
	Bill No. 12 TILING				

Section No. 3		1		
BUILDINGS				
Bill No. 12				
TILING				
COLLECTION				
Total Brought Forward from Page No.	<b>Page No</b> 87 88		Amount	
Carried Forward to Summary of Section No. 3 Section No. 3 BUILDINGS Bill No. 12 TILING		R		

Item No		Quantity	Rate	Amount
	SECTION NO 3			
	BILL NO 13			
	PLUMBING AND DRAINAGE (PROVISIONAL)			
	The contractor is referred to the Specification of Materials and Methods to be used (OW371) as issued by the Department of Public Works			
	SUPPLEMENTARY PREAMBLES			
	Wire gratings			
	Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings			
	Exposed concrete surfaces			
	Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster and descriptions shall be deemed to include therefor			
	uPVC pipes and fittings			
	Sewer and drainage pipes and fittings shall be jointed and sealed with butyl rubber rings			
	Soil, waste and vent pipes and fittings shall be solvent weld jointed or sealed with butyl rubber rings			
	Gratings, covers, etc			
	Gratings, covers, etc shall be as manufactured by "Besaans du Plessis Foundries", unless otherwise described			
	Carried to Collection		R	
	Section No. 3 BUILDINGS			
	Bill No. 13 PLUMBING AND DRAINAGE (PROVISIONAL?)			

#### Sealing of edges Outer edges of sinks, basins, urinals, etc are to be sealed against adjacent surfaces with "Bayer 400F" silicone uPVC pressure pipes and fittings Pipes for water supply shall be of the class stated Pipes of 50mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings Pipes of 63mm diameter and greater shall have sockets and spigots with push-in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints Copper pipes Pipes shall be hard drawn and half-hard pipes of the class described. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be "Cobra Watertech" type. Capillary solder fittings shall comply with ISO 2016 Copper pipes are to be installed in accordance with the latest revision of the code of Practice for Copper Plumbing soldering techniques. Flux, solder, etc to be strictly in accordance with the manufacturer's requirements with special attention to copperflux composition Carried to Collection R Section No. 3 **BUILDINGS** Bill No. 13 PLUMBING AND DRAINAGE (PROVISIONAL?)

-1	ABERG DISTRICT		
	Reducing fittings		
	Where fittings have reducing ends or branches they are described as "reducing". In the case of pipes with diameters not exceeding 63mm, only the largest end or branch size is given. Should the contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm, all sizes are given and no claim for extra bushes, reducers, etc will be entertained		
	Fixing of pipes		
	Unless specifically otherwise stated, descriptions of pipes shall be deemed to include fixing to walls, etc, casting in, building or suspending not exceeding 1m below suspension level		
	Disinfection of water pipework		
	All water pipework is to be disinfected in accordance with SABS 1200L		
	Excavations		
	No claim for rock excavation will be entertained unless the contractor has timeously notified the quantity surveyor thereof prior to backfilling		
	"Hard rock" shall be as defined in "Earthworks"		
	Laying, backfilling, bedding, etc. of pipes		
	Pipes shall be laid and bedded and trenches shall be carefully backfilled in accordance with manufacturers' instructions		
	Where no manufacturers' instructions exist pipes shall be laid in accordance with clauses 5.1 and 5.2 of each of the following:		
-			
-			
	Carried to Collection	R	
-	Section No. 3 BUILDINGS	, and the second	
	Bill No. 13 PLUMBING AND DRAINAGE (PROVISIONAL?)		

	SABS 1200L : Medium-pressure pipelines SABS 1200LD : Sewers SABS 1200LE : Stormwater drainage				
	Pipe trenches etc shall be backfilled in accordance with clauses 3, 5.5, 5.6, 5.7 and 7 of SABS 1200DB : Earthworks (Pipe trenches)				
	Pipes shall be bedded in accordance with clauses 3.1 to 3.4.1, 5.1 to 5.3 and 7 of SABS 1200LB : Bedding (Pipes)				
	Unless otherwise described bedding of rigid pipes shall be class B bedding				
	<u>General</u>				
	Descriptions of pipes laid in and including trenches and of inspection chambers, catchpits, etc shall be deemed to include excavation, bedding, backfilling, compaction to a minimum of 93% Modified AASHTO density and disposal of surplus material on site				
	Descriptions of copper service pipes and flexible connecting pipes shall be deemed to include connections to taps, cisterns, etc and to steel pipes				
	Descriptions of wc pans, slop hoppers, etc shall be deemed to include for joints to soil pipes (pan connectors separately measured)				
	As-built drawings				
	Where required, the contractor shall at all times keep an updated set of "as-built" drawings. At completion of the contract the contractor shall hand these drawings to the architect for reproducing onto the originals for handing over to the employer (Provision for allowance of as-built drawings elsewhere)				
	SANITARY FITTINGS ETC				
	Stainless steel				
1	600 x 1200mm type dropin Sink with two 400 x 400mm centre bowl on cupboards (Cupboards elsewhere)	No	9		
	Carried to Collection			R	
	Section No. 3 BUILDINGS				
	Bill No. 13 PLUMBING AND DRAINAGE (PROVISIONAL?)				

	<u>"Vaal"</u>				
2	? x ?mm "?" lavatory basin on "?" floor mounted pedestal	No	36		
3	? close-coupled WC suite comprising pan with double flap heavy duty plastic seat and matching 9 litre cistern	No	28		
4	Pearl Paraplegic" semi close couple 90° outlet open rim wash-down pan and matching 9 litre cistern complete with lid, fitments, and purpose made c.p. side-flush lever (left or right) Supplied with purpose made urea seat and cover plate. Code: VAA-7300SCWH				
		No	6		
5	Flat back TI wall urinal with 4,5 litre high level automatic flushing cistern with exposed flush pipe, spreader and waste union				
		No	9		
	WASTE UNIONS ETC				
	"Cobra Watertech"				
6	32mm "?" chromium plated basin waste union and "?" chromium plated anti-theft plug	No	35		
		INO	35		
7	40mm "?" chromium plated bath or sink waste union				
		No	12		
	TRAPS ETC				
8	32 mm Rubber reseal "P" or "S"				
	trap	No	33		
9	? x ?mm Rubber double bowl wash trough or sink reseal				
	"P" or "S" trap combination	No	11		
		110			
10	?mm "?" anti-vac bottle trap	No	9		
					+
	Carried to Collection			R	
	Section No. 3 BUILDINGS				
	Bill No. 13				
	PLUMBING AND DRAINAGE (PROVISIONAL?)		Summaria de la companya de la compan		

	TAPS, VALVES, ETC				
11	22 mm Brass stopcock	No	14		
	Manufactured by "?"				
12	15mm "?" chromium plated stopcock	No	121		
13	15mm "?" chromium plated basin mixer with pop-up waste and angle flow regulating valves	No	37		
14	15mm "?" chromium plated sink mixer	No	9		
15	22mm pressure control valve with vacuum breaker				
16	? concealed type urinal flush valve with chromium plated palm press push button and push rod, including "?" flush pipe	No No	11		
	SANITARY PLUMBING				
	Cast iron pipes with spigot and socket joints				
17	110mm Pipes	m	135		
	Extra over uPVC pipes for fittings				
18	110mm Bend	No	69		
19	110mm Junction	No	42		
	Carried to Collection Section No. 3			R	
	BUILDINGS BIII No. 13 PLUMBING AND DRAINAGE (PROVISIONAL?)				

	[18] [18] [18] [18] [18] [18] [18] [18]				
20	110mm Pan connector	No	43		
21	110mm Access bend	No	6		
22	110mm Access junction	No	4		
	Galvanised steel pipes with screwed and socketed joints				
23	50 mm Pipes	m	104		
	Extra over galvanised steel pipes with screwed and socketed joints for steel fittings				
24	50 mm Bush	No	19		
	Extra over galvanised steel pipes with screwed and socketed joints for brass fittings				
25	50 mm Bend	No	28		
26	50 mm Junction	No	16		
27	50 mm Access bend	No	8		
28	50 mm Access junction	No	8		
	<u>Sundries</u>				
29	Testing waste pipe system		Item		
	WATER SUPPLIES				
	Carried to Collect	ion		R	
	Section No. 3 BUILDINGS Bill No. 13 PLUMBING AND DRAINAGE (PROVISIONAL?)			X	
			1		

	Class 1 copper pipes with capillary couplings				Account of the control of the contro
30	22 mm Pipes	m	270		
31	22 mm Pipes chased into brickwork including brown paper lagging	m	170		
	Extra over class 16 uPVC pressure pipes for fittings with solvent welded joints				
32	22 mm Elbow	No	80		
33	22 mm Tee	No	148		
	Extra over Class 1 copper pipes for galvanised steel fittings				
34	15 mm Flanged adaptor	No	20		
	Extra over Class 1 copper pipes for brass compression fittings				
35	22mm Fittings	No	51		
	Flexible service pipes				
36	15 mm Service pipe 350mm girth	No	111		
	Carried to Collection	1		R	
	Section No. 3 BUILDINGS Bill No. 13 PLUMBING AND DRAINAGE (PROVISIONAL?)				

	Sundries				
37	Testing water pipe system				
			Item		
	ELECTRIC WATER HEATERS				
	Manufactured by "Kwikot or similar approved"				
38	150 Litre "?" wall electric water heater				
		No	8		
	AS-BUILT DRAWINGS				
39	Provision of as-built drawings		14		
			Item		
	Carried to Collection			R	
	Section No. 3 BUILDINGS				
	Bill No. 13 PLUMBING AND DRAINAGE (PROVISIONAL?)				
	_ (	- 1			

Section No. 3				
BUILDINGS				
Bill No. 13				
PLUMBING AND DRAINAGE (PROVISIONAL?)				
COLLECTION				
COLLECTION  Total Brought Forward from Page No.	Page No 90 91 92 93 94 95 96 97 98		Amount	
Carried Forward to Summary of Section No. 3 Section No. 3 BUILDINGS Bill No. 13 PLUMBING AND DRAINAGE (PROVISIONAL?)		R		

Item No		Quantity	Rate	Amount
	SECTION NO 3			
	BILL NO. 14			
	GLAZING			
	For preambles see "Model Preambles for Trades (2008 Edition)"			
	GLAZING TO STEEL WITH PUTTY			
	4mm Clear float glass			
1	Panes exceeding 0,1 m2 and not exceeding 0,5 m2 m2	7		
	MIRRORS, ETC			
	2mm Silvered float glass copper backed mirrors with 5mm bevelled and polished edges, holed for and fixed with chromium plated dome capped mirror screws with rubber buffers to plugs in brickwork or concrete			
2	Mirror 750 x 1500mm high with ? screws No	14		
	6mm Silvered float glass copper backed mirrors with polished edges, holed for and fixed with chromium plated dome capped mirror screws with rubber buffers to plugs in brickwork or concrete			
3	Mirror 1000 x 2000mm high with six screws No	6		
	Carried Forward to Summary of Section No. 3 Section No. 3 BUILDINGS Bill No. 14 GLAZING		R	
00 1				

Item No			Quantity	Rate	Amount
	SECTION NO 3				
	BILL NO. 15				
	PAINTWORK				
	For preambles see "Model Preambles for Trades (2008 Edition)"				
	PREPARATORY WORK TO EXISTING WORK				
	Previously painted plastered surfaces				
	Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth				
	Previously painted metal surfaces				
	Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal				
	Previously painted wood surfaces				
	Surfaces shall be thoroughly cleaned down. Blistered of peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth	or			
	PAINTWORK ETC TO PREVIOUSLY PAINTED WORK				
	One coat low odour premium quality highly washable and stain resistant acrylic emulsion paint, on work in sound condition				
1	On walls (swimming pool entrance gate)	m2	162		
2	On walls	m2	1,316		
	Carried to Collection	on		R	
	Section No. 3 BUILDINGS Bill No. 15 PAINTING				

3	On ceilings and cornices	m2	749		
	ON EXTERNAL OLD FACE BRICKWORK SURFACE				
	Two coats of "Dulux" brick dressing				
4	Walls	m2	1,126		
	ON METAL SURFACES				
	One coat alkyd based zinc phophate primer and two coats premium quality polyurethane enamel paint, on steel				
5	Door frames	m2	16		
6	Steel window	m2	436		
7	Steel windows (swimming pool entrance house)	m2	60		
8	Steel window frames (swimming pool entrance house)	m2	40		
9	Steel piping	m2	23		
10	Spelter galvanised corrugated steel sheets	m2	1,003		
	ON WOOD				
	Two coats superior quality clear matt varnish				
11	On doors	m2	1		
	PAINTWORK ETC TO NEW WORK				
	One coat alkali resistant primer and two coats extremely durable UV-resistant washable pure acrylic emulsion sheen paint and with teflon				
12	On external walls	m2	86		
	ON INTERNAL FLOATED PLASTER SURFACES				
					+
	Carried to Collection			R	
	Section No. 3 BUILDINGS Bill No. 15 PAINTING				

	One coat alkali resistant primer and two coats extremely durable UV-resistant washable pure acrylic emulsion sheen paint with teflon				
13	On internal walls	m2	1		
	One coat low odour premium quality highly washable and resistant acrylic emulsion paint, on work in sound condition				
14	On internal walls	m2	771		
	ON EXTERNAL FIBRE-CEMENT SURFACES				
	One coat primer and two coats low odour premium quality highly washable and stain resistant acrylic emulsion paint for interior use				
15	On ceilings and cornices	m2	82		
16	On fascias and barge boards	m2	176		
	ON INTERNAL GYPSUM PLASTER SURFACES				
	One coat primer and two coats low odour premium quality highly washable and stain resistant acrylic emulsion paint for interior use				
17	On ceilings and cornices	m2	2,703		
18	Partitions	m2	1,656		
	One coat low odour premium quality washable and stain resistant acrylic emulsion paint, on work in sound condition				
19	On walls	m2	2,974		
20	On ceilings	m2	1,241		
	ON WOOD				
	Carried to Collection			R	
	Section No. 3 BUILDINGS Bill No. 15 PAINTING				

					1
	Three coats superior quality clear gloss vanish				
21	On doors	m2	441		
	Spot priming bare wood surfaces, one coat alkyd based universal undercoat and two coats superior quality universal enamel paint				
22	On doors	m2	202		
23	On rafters and purlins	m2	231		
	ON METAL				
	Degrease with an approved detergent or solvent, apply one coat galvanised primer or other approved primer and two coats approved steel paint				
24	On door frames	m2	133		
25	On window frames	m2	609		
26	On steel pipes	m2	23		
	Degrease with an approved detergent or solvent, apply one coat galvanised primer or other approved primer and two coats approved roofing paint				
27	On roof covering	m2	2,121		
	Spot priming bare metal surfaces, one coat alkyd based universal undercoat and two coats superior quality universal enamel paint				
28	On door fames	m2	16		
	Degrease with an approved detergent or solvent apply one coat galvanised primer or other approved primer and two coats approved roofing paint				
29	Spelter galvanised corrugated steel sheets (walkway)	m2	120		
	Carried to Collection Section No. 3			R	
	BUILDINGS Bill No. 15 PAINTING				

One coat bor superior qual	ED BRICKWORK OR CONCRETE  S  Inding liquid, one coat primer and two coats ity acrylic emulsion paint for interior and including stopping blow holes				
0 Precast walls	and columns (swimming pool walls)	m2	814		
Section No. 3 BUILDINGS Bill No. 15 PAINTING	Carried to Collection	on		R	

Section No. 3				
BUILDINGS				
Bill No. 15				
PAINTING				
COLLECTION				
Total Brought Forward from Page No.	Page No 101 102 103 104 105		Amount	
Carried Forward to Summary of Section No. 3 Section No. 3 BUILDINGS Bill No. 15 PAINTING		R		

	Section No. 3			
	BUILDINGS			
Bill No	SECTION SUMMARY - BUILDINGS	Page No		Amount
1	ALTERATIONS	42		
2	FOUNDATIONS	45		
3	CONCRETE, FORMWORK & REINFORCEMENT	49		
4	MASONRY	52		
5	ROOF COVERING, ETC.	56		
6	CARPENTRY & JOINERY	67		
7	CEILINGS, ETC.	70		
8	IRONMONGERY	76		
9	STRUCTURAL STEELWORK	79		
10	METALWORK	83		
11	PLASTERING	86		
12	TILING	89		
13	PLUMBING AND DRAINAGE (PROVISIONAL?)	99		
14	GLAZING	100		
15	PAINTING	106		
	Carried to Final Summary Section No. 3		R	
	BUILDINGS			

Item No		Quantity	Rate	Amount
	SECTION NO.4			
	BILL NO. 1			
	LANDSCAPING			
	<u>User note</u>			
	Selected examples of typical items with trade names are provided to show possible ways of describing such items. Users must adapt these examples to suit their particular circumstances			
	SUPPLEMENTARY PREAMBLES			
	For preambles see "Model Preambles for Trades (2008 Edition)" and Supplementary preambles as specified in the Trades as well as Engineering Specifications			
	Landscaping specification			
	Refer to the landscape architect's specification annexed to these bills of quantities which is supplementary to and shall take precedence over the "Model Preambles for Trades"			
	Ground preparation			
1	Cultivation and preparation of areas to be planted m2	600		
	Shrubs, bulbs and plants			
2	Durantus (20L container)	60		
3	Abelia grandiflora (20L container)	60		
4	Nandina pygmea (20L container)	40		
	Carried to Collection		R	
	Section No. 4 SITE WORKS (PROVISIONAL) Bill No. 1 LANDSCAPING			

		1	1		1	1
5	Sterlizia (20L container)	No	40			
6	Rose (20L container) - white x 25, red x 20, pink x 15 &					
	peach x 10	No	70			
	Trees					
7	Ficus burkei 2000mm high	No	2			
8	Ficus Benjamin 2000mm high	No	2			
9	Kiggelaria africana 2000mm high	No	2			
10	Buddleja saligna 2000mm high	No	2			
11	Dias contifolia 2000mm high	No	3			
12	Dombeya rotubdifolia 2000mm high	No	3			
	Pruning of existing trees and shrubs					
13	Pruning of existing 6m high acacia karroo tree	No	5			
14	Pruning of existing 6m high acacia galpinii karroo tree	No	5			
	Maintenance					
15	Allow for maintaining landscaping for a period of 12 months after practical completion, including watering, weeding, cutting, replacing dead plants, etc		Item			
	BENCHES, TABLES, ETC					
	"??" garden furniture with grey exposed aggregate finish to precast concrete components, including excavation, backfilling and unreinforced concrete footings where applicable			*		
16	Bench and table combination type "?"	No	6			
	Carried to Collection			R		
	Section No. 4			K		
	SITE WORKS (PROVISIONAL) Bill No. 1					
	LANDSCAPING					

	GARDEN SHELTERS, ETC				
	Pitched Steel roof structure not exceeding 18 degree covered with Malthoid strips on T & G ceiling boards fixed to steel purlins and 100 mm diameter mild steel horizonts and vertical supports cast into 400 x 400 x 600 mm deep concrete bases, covered on sides by 350 mm high top an 700 mm high bottom 20 x 10 mm lattice strips, finished with smooth plaster on 15 Mpa concrete surface beds including paintwork to all exposed surfaces				
17	Regular 4600 x 4000mm gazebo	No	2		
	Pitched Steel roof structure not exceeding 45 degree covered with thatch roof laid on steel wire purlins fixed to 100 mm diameter x 4 mm thick x 9,628 kg/m steel vertica support not less than 2100 eaves height cast into 600 x 600 x 600 mm deep concrete bases with arms supporting cantilivered rafters, including paintwork to all exposed surfaces				
18	Circular shape umbrella covering 4500mm diameter sand floor area	No	7		
	Carried to Collection Section No. 4 SITE WORKS (PROVISIONAL)			R	
	Bill No. 1 LANDSCAPING				

Section No. 4			
SITE WORKS (PROVISIONAL)			
Bill No. 1			
LANDSCAPING			
COLLECTION			
Total Brought Forward from Page No.	Page No 108 109 110		Amount
Carried Forward to Summary of Section No. 4 Section No. 4 SITE WORKS (PROVISIONAL)		R	
Bill No. 1 LANDSCAPING			

Item No			Quantity	Rate	Amount
	SECTION NO 4				
	BILL NO 2				
	PAVING				
	Materials and workmanship must be in accordance to the following SABS 1200 specifications:				
	C - Site clearance D - Earthworks DM - Earthworks (Roads, subgrade) M - Roads (General) ME - Sub-base MF - Base MK - Kerb and Channeling MM - Ancillary Roadworks				
	EARTHWORKS				
	Site clearance				
1	Digging up and removing rubbish, debris, vegetation, hedges, shrubs and trees not exceeding 200mm girth, bush, etc	m2	540		
	<u>Earthworks</u>				
2	Excavate in pickable earth to reduce ground level below paving and set aside for later use	m3	243		
	Compaction of surfaces				
3	Compaction of ground surfaces under pavings etc, including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compacting to 98% Mod AASHTO density	m2	540		
	Paving layers				
	Selected earth filling obtained from the excavations and/or prescribed stock piles on site				
	Carried to Collection Section No. 4			R	
	SITE WORKS (PROVISIONAL) Bill No. 2 ROADWORK, PAVING AREAS AND PAVING				
12	I				0151

#### LDPWRI-B/20368

4	Lower selected subbase course 150mm depth under parking areas etc, compacted to 93% Mod AASHTO density				
		m2	540		
5	Upper selected subbase course 150mm depth under parking areas etc, compacted to 95% Mod AASHTO density				
		m2	540		
6	Base course under parking areas etc, compacted to 98% Mod AASHTO density	m2	816		
	PAVING				
	80 mm Thick 20 Mpa precast concrete interlocking block paving blocks 110 x 220 mm grey paving blocks in accordance with SANS 1058, laid to falls on and including 25 mm thick sand layer with butt joints filled in with sand compacted with a vibration compactor				
7	Paving to parking areas etc to fall	m2	816		
	Kerbs, etc				
8	150 x 300 mm High kerbs ( SANS 927 fig 3) with 150 x 150 x300mm unreinforced concrete haunching at back of each joint, including excavation, backfilling,etc	m	100		
9	150 x 300 mm High kerbs ( SANS 927 fig 3) with 150 x 150 x300mm unreinforced concrete haunching at back of each joint, circular on plan not exceeding 4m radius, formed with short lengths of straight kerbs, including excavation, backfilling,etc				
		m	20		
	Road signs				
10	Standard "STOP" sign with 50mm diameter galvanised mild steel post bedded in and including unreinforced concrete base, including any necessary excavation, paint finish,etc	No	2		
	Section No. 4			R	+
	SITE WORKS (PROVISIONAL) Bill No. 2				
	ROADWORK, PAVING AREAS AND PAVING				

	<u>Paintwork</u>			
11	100mm Wide Line	m	200	
12	200mm Wide Line	m	20	
13	Arrow 1200 x 2000mm overall	No	4	
14	Numeral or Letter 1200mm high	No	12	
	Concrete Stormwater Channels			
15	550 x 275mm Segmental channel formed therein and finished smooth on exposed surfaces, incl. all excavations, cart away etc.	m	100	
	CARPORTS			
16	RCP101/2 0,5mm Z150 spelter galvanised corrugated steel sheets with "Chromadeck" finish of approved standard colour on one side and standard grey backing finish on reverse side, fixed to steel purlins on flat roof 5000 x 6000mm double parking area including 100 x 100mm square hollow section posts, bearers, etc, the posts 2700mm long with 150 x 150 x 6mm baseplate welded on fixed to and including 15MPa mass concrete bases, including excavation, backfilling, gloss enamel paint to posts, bearers, steel wire strainer, etc	No	40	
	FENCING			
	Powder coated " Jumalu Clamberprufe Anti-Terror" or similar approved Clear Vu Fence			
17	Clear Vu fence wire arrangement 5.6 mm vertical x 3mm horizontal x 2400 mm high above ground level over flat sloping terrain with bolted framed sheets to 76 mm x 44 mm x 4 mm thick x 3,00 m long intermediate and end IPE posts at 3000 mm in centres cast into 400 x 400 x 600 mm deep 15 MPA concrete bases for interemediate post and 25MPA corner post installed according to manufacture and Engineer's instructions	m	823	
	GATES, ETC.			
	Carried to Collection			R
	Section No. 4 SITE WORKS (PROVISIONAL) Bill No. 2			
	ROADWORK, PAVING AREAS AND PAVING	Temperature 1		

	Security gates, etc including one coat primer, one undercoat and two finishing coats gloss enamel paint				
18	Suitable electrical motor with Clear Vu sliding gate 4800 x 2400mm high of 76 x 76 x 2,5mm thick hollow section frame with two 76 x 50 x 2.5mm mullions, filled in with 20 x 20mm solid section vertical rails at 100mm centres including 20mm solid section guard rail set into and including concrete base, three approved steel roller wheels fixed to bottom rail and with and including heavy sliding gate electric lock catch, electrical motor, 20m cable and electrical connection, for remote access control disc, etc	No	3		
	Section No. 4 SITE WORKS (PROVISIONAL) Bill No. 2			R	
	ROADWORK, PAVING AREAS AND PAVING				

Section No. 4		1	1	
SITE WORKS (PROVISIONAL)				
Bill No. 2				
ROADWORK, PAVING AREAS AND PAVING				
COLLECTION				
Total Brought Forward from Page No.	Page No 112 113 114 115		Amount	
Carried Forward to Summary of Section No. 4 Section No. 4 SITE WORKS (PROVISIONAL) Bill No. 2 ROADWORK, PAVING AREAS AND PAVING		R		

	Section No. 4				
	SITE WORKS (PROVISIONAL)				
	SECTION SUMMARY - SITE WORKS (PROVISIONAL)	_			
Bill No		Page No		Amount	
1	LANDSCAPING	111			-
2	ROADWORK, PAVING AREAS AND PAVING	116			-
	Carried to Final Summary Section No. 4		R		=
	SITE WORKS (PROVISIONAL)				

Item No		Quantity	Rate	Amount
	SECTION NO 5			
	BILL NO 1			
	PROVISIONAL AMOUNTS ETC			
	PROVISIONAL SUMS FOR SELECTED SUB- CONTRACT WORKS			
	SUPPLEMENTARY PREAMBLES			
	General			
	All prime cost amounts and provisional sums are net and include for delivery to site of all articles concerned			
	Sub contractors will be treated as domestic sub contractors for the purpose of this contract. They shall be selected sub contractors and the main contractor will be afforded the opportunity to reject such sub contractors prior to appointment provided reasonable justification is given			
	<u>Profit</u>			
	Where stated, the contractor may allow for profit if required			
	General attendance upon selected sub-contractors			
	The item "Attendance" which follows each provisional sum for selected sub-contractors work, shall be deemed to cover all the contractor's costs incurred in providing free of charge to the selected sub-contractors, the following:			
	1. The services as in clause B7 of the Preliminaries			
	Making good in all trades and cleaning down and removal of rubbish on completion			
	Carried to Collection		R	
	Section No. 5 PROVISIONAL SUMS Bill No. 1 PROVISIONAL SUMS			

	Contingency sums	1 1	And the second	
	Work for which contingency sums are allowed will be measured and valued in accordance with clause A18 of the Conditions of Contract (NPW1) and deducted in whole or in part if not required			
	<u>Preliminaries</u>			
	The contractor is referred to the Preliminaries for further amplification of "Prime Cost Amounts and Provisional Amounts"			
	Electrical Installation			
1	Provide the sum of R6 000 000-00 (six million rands) for Electrical Installation by a Specialist	Item		6,000,000.00
2	Allow for giving every facility to Specialists as described			
		Item		
3	Allow for profit on above if required	Item		
	Mechanical Installation			
4	Provide the sum of R2 700 000-00 ( two million seven hundred thousand rands) for Mechanical Installation by a Specialist	Item		2,700,000.00
5	Allow for giving every facility to Specialists as described			
		Item		
6	Allow for profit on above if required	Item		
	Fire escape doors and frames			
7	Provide the sum of R30 000-00 (thirty thousand rands) for Fire Escape doors and frames by Specialists			
	Tot Fire Escape doors and frames by Specialists	Item		30,000.00
8	Allow for giving every facility to Specialists as described	Item		
9	Allow for profit on above if required	Item		
	Carried to Collection		R	
	Section No. 5 PROVISIONAL SUMS			
	Bill No. 1 PROVISIONAL SUMS			

		1 1	1	1
	Information Technology and Communication (ICT) Installation			
10	Provide the sum of R100 000-00 (one hundred thousand rands) for ICT Installation by Specialists	Item		100,000.00
11	Allow for giving every facility to Specialists as described			
		Item		
12	Allow for profit on above if required	Item		
	Joinery Fittings Installation			
13	Provide the sum of R260 000-00 (two hundred sixty thousand rands) for Joinery Fittings by Specialists	Item		260,000.00
14	Allow for giving every facility to Specialists as described			
		Item		
15	Allow for profit on above if required	Item		
	Drilling and Equipping of Borehole			
16	Provide the sum of R450 000-00 (four hundred fifty thousand rands) for Drilling and Equipping of a Borehole by Specialists			
		Item		450,000.00
17	Allow for giving every facility to Specialists as described			
		Item		
18	Allow for profit on above if required	Item		
	Alternative Energy Sources			
19	Provide the sum of R1 000 000-00 (one million rands) for Alternative Energy Sources Installation by Specialists	Item		1,000,000.00
20	Allow for giving every facility to Specialists as described		The state of the s	
		Item		
	Section No. 5		R	
	PROVISIONAL SUMS Bill No. 1			
	PROVISIONAL SUMS			
٠. '				

21	Allow for profit on above if required	Item	
	Community Liaison Officer		
22	Provide the sum of R150 000,00 (One hundred fifty thousand rands) for community liaison officer	Item	150,000.00
23	Allow for profit on above if required	Item	
24	Allow for giving every facility to Specialists as described	Item	
	Steel purlins		
25	Provide the amount of R60 000,00 (sixty thousand rands) for the supply and installation of Steel purlins by Specialists		
	opeoidinoto .	Item	60,000.00
26	Allow for profit on above if required	Item	
27	Allow for giving every facility to Specialists as described	Item	
	Borehole, etc.		
28	Provide the amount of R350 000.00 (Three hundred fifty thousand rands) for the drilling and equipping of a Borehole Complete by Specialists		
		Item	350,000.00
29	Allow for profit on above if required	Item	
30	Allow for giving every facility to Specialists as described	Item	
	Topographical surveys		
31	Provide the sum of R350 000,00 (Three hundred fifty thousand rands) for Topographical surveys by Specialists	Item	350,000.00
20		Item	330,000.00
32	Allow for profit on above if required		
33	Allow for giving every facility to Specialists as described	Item	
	Carried to Collection		R
	Section No. 5 PROVISIONAL SUMS		
	Bill No. 1 PROVISIONAL SUMS		
		I	0100

	Stormwater Drainage			
34	Provide the sum of R50 000,00 (fifty thousand rands) for Stormwater Drainage by Specialists	Item		50,000.00
35	Allow for profit on above if required	Item		
36	Allow for giving every facility to Specialists as described	Item		
	Sewer Reticulation and Connection			
37	Provide the sum of R50 000,00 (fifty thousand rands) for Sewer Reticulation and Connection by Specialists	Item		50,000.00
38	Allow for profit on above if required	Item		
39	Allow for giving every facility to Specialists as described	Item		
	Geotechnical investigations			
40	Provide the sum of R60 000,00 (sixty thousand rands) for Geotechnical investigations	Item		60,000.00
41	Allow for profit on above if required	Item		
42	Allow for giving every facility to Specialists as described	Item		
	Interior design for Registry office and two boardrooms			
43	Provide the sum of R750 000,00 (seven hundred fifty thousand rands) for Interior Design for Registry Office and Two boardrooms	Item		750,000.00
44	Allow for profit on above if required	Item		
45	Allow for giving every facility to Specialists as described	Item		
	Purpose made timber doors and frame ( Main door Entrance)			
46	Provide the sum of R30 000,00 (thirty thousand rands) for Purpose made timber doors and frame	Item		30,000.00
47	Allow for profit on above if required	Item		
48	Allow for giving every facility to Specialists as described	Item		
	Carried to Collection  Section No. 5 PROVISIONAL SUMS Bill No. 1 PROVISIONAL SUMS		R	

	Demountable Partitions	1 1		1
49	Provide a sum of R900 000,00 (nine hundred thousand rands) for the supply and installation of Demountable Frameless Glass partitioning complete by Specialists			
		Item		900,000.00
50	Allow for profit on above if required	Item		
51	Allow for giving every to specialist as described	Item		
	Existing built in Cupboards			
52	Provide the sum of R60 000,00 (sixty thousand rands) for Existing built in Cupboards	Item		60,000.00
53	Allow for profit on above if required	Item		
54	Allow for giving every to specialist as described	Item		
	WORK EXECUTED BY SEPARATE DIRECT SERVICE PROVIDERS			
	The following work will be executed by Service Providers under direct agreement with the Employer. The Contractor is to accommodate these Service Providers and allow them to execute their work unhindered and allow them the use of water and toilet facilities. Damage caused by these Service Providers to work completed by the principal Contractor is to be recorded in detail to enable the Employer to counter-charge the direct Service Providers the cost of making good such damages.			
	Occupational Health and Safety Consultant			
55	Provide the sum of R350 000,00 (Three hundred fifty thousand rand) for Occupational Health and Safety Consultant to be appointed by Employer.	Item		350,000.00
56	Allow for profit on above if required	Item		
	Carried to Collection		R	
	Section No. 5 PROVISIONAL SUMS Bill No. 1 PROVISIONAL SUMS			
				0.00

		1 1		
57	Allow for giving every facility to Specialists as described			
		Item		
	Social Faciltator, etc.			
58	Provide the amount of R250 000.00 (Two hundred fifty			
	thousand rands) for the Social Facilitator	Item		250,000.00
59	Allow for profit on above if required			
		Item		
60	Allow for giving every facility to Specialists as described	Item		
	Carried to Collection		R	
	Section No. 5 PROVISIONAL SUMS			
	Bill No. 1 PROVISIONAL SUMS			
	LUNISIONAL SONIS			

Section No. 5				
PROVISIONAL SUMS				
Bill No. 1				
PROVISIONAL SUMS				
COLLECTION				
Total Brought Forward from Page No.	Page No 118 119 120 121 122 123 124		Amount	
Carried to Final Summary  Section No. 5 PROVISIONAL SUMS Bill No. 1 PROVISIONAL SUMS		R		

	FINAL SUMMARY			1
Section No	T IVAL GOIMBALL	Page No		Amount
1	PRELIMINARIES	26		
2	DEMOLITIONS ETC	30		
3	BUILDINGS	107		
4	SITE WORKS (PROVISIONAL)	117		
5	PROVISIONAL SUMS	125		
	Sub-total 1 - Building Cost		R	
	CONTINGENCY SUM			
	Allow for Contingencies, to be used as directed by the Principal Agent/PM and deducted in whole or in part if not required			
	not required	Item		1,692,000.00
	SPECIAL CONDITIONS			
	Allow for fluctuations in costs	Item		2,199,300.00
	Sub total BUILDINGS (VAT excl.)		R	
	Sub Total before VAT		R	
	Vat at the rate of 15%		R	
	Carried to Form of Tender		R	