

#### DEPARTMENT OF

#### **PUBLIC WORKS, ROADS & INFRASTRUCTURE**

BID NUMBER: LDPWRI-B/20459

APPOINTMENT OF A CONTRACTOR FOR THE SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C

#### For the

#### LIMPOPO DEPARTMENT OF PUBLIC WORKS, ROADS AND INFRASTRUCTURE

#### LIMPOPO PROVINCE

#### FRAMEWORK CATEGORY C (4GB & ABOVE)

#### Issued by:

Limpopo Department of Public Works, Roads and Infrastructure Works Towers Building 43 Church Street Polokwane 0700

Contact Person: General Queries
Name: Mr NJ Motsopye.

Tel No. : 015 284 7126

Email : motsopyen@dpw.limpopo.gov.za

**Technical: Technical Queries**Name : Ms Ruth Modipa

Tel No. : 015 284 7424

Email : modipar@dpw.limpopo.gov.za

Name of the Bidder :....

#### **CONTENTS**

#### THE TENDER

Part T1: Tendering procedures

T1.1 Tender notice and invitation to tender

T1.2 Tender data

#### Part T2: Returnable documents

T2.1 List of returnable documents

A - Mandatory Requirements

B - Non- Mandatory Requirements

C - Special Conditions and Departmental Rights

T2.2 Returnable schedules

#### THE CONTRACT

Part C1: Agreements and Contract data

C1.1 Form of offer and acceptance

C1.2 Contract data

Joint Venture Agreement (If Applicable)

Part C2: Pricing data

C2.1 Part 1 - Pricing Instructions C2.2 Part 2 - Bills of Quantities

Part C3: Scope of Works

C3.1 Special Notes to Bidders C3.2 **OHS Specifications** 

Part C4 **Drawings** 



DEPARTMENT OF PUBLIC WORKS, ROADS AND INFRASTRUCTURE

**PART T1: TENDERING PROCEDURE** 

#### T1.1 Tender Notice and Invitation to Tender

The Limpopo Department of Public Works, Roads and Infrastructure invites tenderers from contractors appointed on the framework agreement on category A for APPOINTMENT OF A CONTRACTOR FOR THE SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C: FOR LIMPOPO DEPARTMENT OF PUBLIC WORKS, ROADS AND INFRASTRUCTURE (LDPWRI) for a period of 4 months. It is estimated that tenderers must have a CIDB contractor grading designation of 4 GB or higher.

The conditions of the CIDB Standard for for Indirect Targeting for Enterprise Development through Construction Works Contracts Gazette Notice No. 36190 of 25 February 2013 will be applicable on this project

-									
Project Name		F A CONTRACTOR FOR THE SECURITY							
	UPGRADING AT								
		STRICT THROUGH THE FRAMEWORK							
	CONTRACT CATE								
	PUBLIC WORKS, ROADS AND INFRASTRUCTURE (LDPWRI):								
	FOR LIMPOPO DEPARTMENT OF PUBLIC WORKS, ROADS AND								
	INFRASTRUCTURE	INFRASTRUCTURE (LDPWRI) FOR A PERIOD OF 6 MONTHS							
		THE TOTAL (LDI WILL) TOTAL LINOD OF GRIONITIS							
Tender Number	LDPWRI- B/20459								
Tender documents availability		of Public Works, Roads and Infrastructure website							
Address for submission of tenders	DEPARTMENT OF PU	JBLIC WORKS, ROADS & INFRASTRUCTURE.							
	Physical address: Corr	ner River and Blaauwberg Streets, Ladanna, 0699.							
Closing date of the tender	As per Tender invite								
Closing time of the	As per Tender invite								
tender									
Compulsory briefing	Yes ⊠ N	Vo □							
meeting (Tenderers must	Meeting venue	As per Tender invite							
sign the attendance register in the name of the tendering		7.5 por consist myres							
entity, Addenda (if any) will									
be issued only to those	Date	As per Tender Invite							
tendering entities appearing	Time:	As per Tender invite							
on the attendance register)									
Evaluation criteria	<ol> <li>Compliance w</li> </ol>	ith mandatory or compulsory requirements							
	<ol><li>Risk assessme</li></ol>	ent on current projects							
	3. Price								
	4. Preference								
Mandatory or	Only tenderers who	are appointed on category C registered with the							
Compulsory	Construction Industry [	Development Board (CIDB) with designation of 4 GB or							
Requirements (failure to	higher than a contract	or grading designation determined in accordance with							
submit or comply with these requirements will lead to	the sum tendered, or a	a value determined in accordance with Regulation 25							
automatic disqualification)	(1B) or 25(7A) of the	Construction Industry Development Regulations are							
dutomano disquamidanony	eligible to have their te								
	Completed and signed								
	Priced Bills of Quantitie								
	- Amount in words sno	uld be the same as the amount in Numbers & the total							
	- All cootions of the BC	ry page of the Bill of Quantities							
	- All sections of the BC								
	Page must be exactly t	from Sections of the Bill of Quantities to the Summary he same, if not it will result to disqualification.							
	Record of addenda to								
	Proposed amendments								
		us of Administration compliance							
	CIDB grading certificat	e (Valid CIDB)							

Declaration of current projects



DEPARTMENT OF PUBLIC WORKS, ROADS AND INFRASTRUCTURE

#### T1.2 Tender Data

Clause number	Tender Data
	The conditions of tender are the Standard Conditions of Tender as contained in Annex C of Board Notice 423 of 2019 in Government Gazette No. 42622 of 08 August 2019, Construction Industry Development Board (CIDB) Standard for Uniformity in Construction Procurement. (See www.cidb.org.za) which are reproduced without amendment or alteration for the convenience of tenderers as an Annexure to this Tender Data.
	The Standard Conditions of Tender make several references to the Tender Data for details that apply specifically to this tender. The Tender Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the standard conditions of tender. Each item of data given below is cross-referenced to the clause in the Standard Conditions of Tender to which it mainly applies.
	The contractor shall achieve in the performance of the contract the Contract Participation Goals (CPG) relating to the engagement of targeted enterprises as established in the CIDB Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts Gazette Notice No. 36190 of 25 February 2013. In this case, contractor shall provide a minimum Contract Participation Goal (CPG) of 5% of the total project value and develop targeted enterprises stated under C3 of this document.
	The following variations, amendments and additions to the Standard Conditions of Tender as set out in the Tender Data below shall apply to this tender. Add the following to clauses in Standard Conditions of Tender:
C.1.1	The Employer is the Limpopo Department of Public Works, Roads and Infrastructure

C.1.2	The Tender Part T1: Tendering procedures T1.1 Tender notice and invitation to tender T1.2 Tender data
	Part T2: Returnable documents T2.1 List of returnable documents T2.2 Returnable schedules
	The Contract Part C1: Agreements and contract data C1.1 Form of offer and acceptance C1.2 Contract data
	C1.3 Joint Venture Agreement (If Applicable)
	The Contract Part C2: Pricing data C2.1 Pricing instructions C2.2 Bills of Quantities
	Part 3: Scope of work C3.1 Special Notes to Bidders C3.2 OHS Specifications
	Part 4: Site Information C4 Drawings
C.1.4	The employer's representative is:
	Name : Ms Ruth Modipa Tel No. : 015 284 7424 Email : modipar@dpw.limpopo.gov.za
	However, all communications related to this bid should be directed to the persons indicated under Enquires on this tender document.
	Attention is also drawn to the fact that verbal information, given by the Employer's agent during site visits/clarification meetings or at any other time prior to the award of the Contract, will not be regarded as binding on the Employer. Only information issued formally by the Employer in writing to Tenderers will be regarded as amending the Tender Documents.
C.1.5	The employer reserve to cancel the tender prior to the award of the tender.
C1.6.3	A two-stage system will not be followed.
C.2.1	Eligibility in respect of CIDB grading
	Only tenderers who are appointed on framework agreement category and registered with the Construction Industry Development Board (CIDB) with designation of 4 GB or higher than a contractor grading designation determined in accordance with the sum tendered, or a value determined in accordance with Regulation 25 (1B) or 25(7A) of the Construction Industry Development Regulations, are eligible to have their tenders evaluated.
C2.2	Cost of tendering
	The tenderer accept that, unless otherwise stated in the tender data, the employer will not compensate the tenderer for any costs incurred in the preparation and submission of a tender offer, including the costs of any testing necessary to demonstrate that aspects of the offer complies with requirements.

C.2.7	Compulsory site briefing
	A compulsory briefing meeting will be held as per Tender invite
	Failure to attend the site briefing will result in the bidders not being considered for the project
	Tenderers must sign the attendance list in the name of the tendering entity. Addenda (if any) will be issued only to those tendering entities appearing on the attendance list.
C.2.11	Alterations to the documents
	Bidders are required to not make any alterations or additions to the tender documents, except to comply with instructions issued by the employer, or necessary to correct errors made by the tenderer. All signatories to the tender offer shall initial all such alterations
C.2.12	Alternative tender offer
	No alternative tender offer is permitted in this tender.
C.2.13.2	Replace sub-clause C.2.13.2 with the following; Return all returnable documents to the employer after completing them in by writing in non-erasable black ink (Black pen)
C.2.13.3	Parts of each tender offer communicated on paper shall be submitted as an original
C.2.13.4	The tender shall be signed by a person duly authorized to do so.
C.2.13.5	The employer's details and address for delivery of tender offers and identification details that are to be shown on each tender offer package are:
	Location of tender box: DEPARTMENT OF PUBLIC WORKS, ROADS & INFRASTRUCTURE. Physical address: Corner River and Blaauwberg Streets, Ladanna, 0699 Identification details: Sealed Tender with Tender reference number, Title of Tender and the closing date and time of the tender.
	NOTE: Tenderers must submit both the physical printed tender document as well as a softcopy in a USB in the same envelope.
C.2.15.1	The closing time for submission of tender offers is as stated in the Tender Notice and Invitation to Tender. Telephonic, telegraphic, telex, facsimile or e-mailed tender offers will not be accepted.
C.2.16.1	The tender offer validity period is 120 days.
C.2.16.2	The tender accepts that a tender submission that has been submitted to the employer may only be withdrawn or substituted by giving the employer's agent written notice before the closing time for tenders that a tender is to be withdrawn or substituted. If the validity period stated in C.2.16.1 lapses before the employer evaluating tender, the contractor reserves the right to review the price based on Consumer Price Index (CPI).
C.3.1	The tenderer is required to indicate how they claim points for each preference point system and attached relevant supporting documents. The specific goals for claiming of preference points include the following:  - Persons who had no franchise in national elections prior to 1984 and 1994  - Women  - Disabled persons  - Promotion of SMMEs  - Enterprises located in Limpopo Province  - Promotion of youth  RDP GOAL: Promotion of South African owned enterprises

	CIDB Gr	ading Certificate				
	Tenders the categ	are required to provide proof of registration with the CIDB register of contractors indicating jory of registration, grading as well as the CRS number of the tenderer.				
	Letter of	Good Standing				
		's are required to submit, bound with the tender submission, a letter of good standing from tensation commissioner indicating that the bidder is in good standing.				
C3.2	deemed t	canding any requests for confirmation of receipt of Addenda issued, the tenderer shall be to have received such addenda if the employer can show proof of transmission thereof (or n respect thereof) via electronic mail, facsimile or registered post.				
C.3.4.1	Tenders	will <b>not</b> be opened immediately after the closing time for tenders.				
C.3.11	The tende (i) (ii) (iii) (iv)	erers will be evaluated in four stages Stage 1: Compliance with mandatory requirements as stated in Part T1.1 Stage 2: Risk assessment on current projects Stage 3: Price Stage 4: Preference				
	evaluation staff and contracto have simil contracto	nical capacity (functionality) of the contractors will not be evaluated any further during n of the RFQ. However, the contractors will be required to declare the status of their key any administrative compliance. In cases where there are changes in the key staff, the r should provide CVs and qualifications of the new staff to LDPWR&I. The new staff should ilar skills, qualifications and experience as the staff submitted during tender. Similarly, the rs will be expected to provide an update on any changes in their administrative compliances ould submit the required SBD document/forms in such cases.				
	The award will only be issued to contractors with valid Tax Clearance certificates, active CIDB grading and the contractor who meets all the legislative requirement – this shall be verified by SCM in line with the departmental SCM Policy.					
-		value of current projects for a contractor under consideration cannot exceed twice the value of their relevant CIDB grade.1				
	a)	Stage 1: Administrative Compliance: The Compliance or compulsory documents and returnables are detailed in Section T.2.1 of this tender document. Failure to submit, complete or comply with these requirements will lead to automatic disqualification.				
	b)	Stage 2: Risk assessment on current projects				
		The total value of current projects for a contractor under consideration cannot exceed twice the maximum value of their relevant CIDB grade. Should it exceed, the bidder will therefore not be appointed.				

#### Stage 3 and 4:

The procedure for final evaluation of responsive tenders is Method 2 (Financial offer and preference). The total number of tender evaluation points ( $T_{EV}$ ) shall be determined in accordance with the following formula.

 $T_{EV} = N_{FO} + N_{P}$ 

a) N<sub>FO</sub> is the number of tender evaluation points awarded for the financial offer made. The score for financial offer is calculated using the following formula:

$$P = A * \left(1 - \frac{(P_o - P_m)}{P_m}\right)$$

Where:


A is 80 since the estimated financial value of works inclusive of VAT is equals or is less than R 50.000,000.00.

P is the points awarded to the bid under consideration

 $P_m$  is the lowest Comparative bid price

 $P_o$  is the comparative price under consideration

b) N<sub>P</sub> is the number of tender evaluation points awarded for preferences claimed in accordance with the Preferencing Schedule in 3.18



### **PART T2: RETURNABLE DOCUMENTS**

SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459



#### T2.1: LIST OF RETURNABLE DOCUMENTS

The following documents will form part of the documents submitted to the Contractors as part of the Request for Proposals:

#### A -- MANDATORY REQUIREMENTS

- 2.1 Fully completed Form of Offer (Fully Completed and Signed Form of Offer)
- 2.2 Bills of Quantities (the carried to final summary amounts in the Bill of Quantities should match amounts in the final summary as per bill section)
- 2.3 Record of Addenda to tender documents (Records of addendum must be captured in full, whether applicable of not)
- 2.5 Declaration on the status of Administration compliance (Fully completed, circled and signed)
- 2.6 CIDB grading certificate (Valid CIDB)
- 2.7 Declaration of current projects (Fully completed, circled and signed)

#### **B - NON- MANDATORY REQUIREMENTS**

2.8 SBD 1 (Fully Completed and Signed)

2.9 SBD 6.1 (Failure on the part of a bidder to complete and submit proof or documentation required in terms of this tender to claim points for specific goals with tender, will be interpreted to mean that preference points for specific goals are not claimed)

SPECIFIC GOALS	REQUIRED ATTACHMENT
Persons who had no franchise in national elections prior to 1984 and 1994	Attach certified copy of South African ID as proof
Women	Attach Director's certified copy of South African ID as proof + company registration documents
Disabled Persons	Bidder with disability must attach medical certificate completed by registered medical practitioner which is registered with Health Professions Council of South Africa (HPCSA) as proof
Promotion of SMMEs	Attach latest financial statement as proof
Enterprises located in Limpopo Province	N.B: The physical address given in the SBD 1 will be used and it should be consistent or the same as the preferred address in the Central Supplier Database Report  a) A Title deed, Letter from a Traditional Authority or Municipal Statement which must not be older than three (3) months; or b) A Formal Lease Agreement together with Lessor's Municipal Account or Letter from Traditional Authority
Promotion of Youth	Attach Director's certified copy of South African ID as proof
South African owned enterprises	Attach Director's certified copy of South African ID as proof + company registration documents

SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459

2.11 Proposed amendments and qualifications (Proposed amendments and qualifications must be captured in full, whether applicable of not)

Failure by the service provider to submit or complete item 2.1, 2.2, 2.3, 2.5, 2.6, and 2.7 will render their proposal not responsive and will not be considered.


The bidder should also not appear on the National Treasury's list of black listed entities.

#### C -- SPECIAL NOTES TO BIDDERS AND DEPARTMENTAL RIGHTS

The following special conditions are for compliance and attention to bidders:

- I.1 LDPWR&I reserve the right to call interviews with short-listed bidders before final selection.
- I.2 LDPWR&I reserve the right to conduct supplier due diligence prior to final award or at any time during the contract period. This may include surprise site visits.
- 1.3 LDPWR&I reserves the right to appoint the bidder that proves to be fully capable and qualifies to handle and execute the job.
- I.4 The proposals submitted must be in line with the detailed specification.
- 1.5 LDPWR&I reserve the right to cancel or withdraw this bid if:
- i. Due to changed circumstances, there is no longer a need for these services; or
- ii. Funds are no longer available to cover the total envisaged expenditure; or
- iii. No acceptable bods are received; or
- There is a material irregularity in the Bid process.
- 1.6 In the case of sub-contracting or joint venture agreement, LDPWR&I will enter into a single contract with the principal bidder.
- 1.7 Bidders who are not registered on Central Supplier Database (CSD) must register before submission of bids.
- 1.8 Any completion of the bid document in pencil or erasable ink will not be acceptable and will automatically disqualify the submitted bid.
- 1.9 Successful bidder will be required to sign and enter into a formal contract upon the award.
- 1.10 Notwithstanding shortcomings and/or inconsistencies, if any, in this specification, which is only a minimum specification, a bidder shall make provision for a complete solution that will deliver the required service efficiently and cost-effectively.
- 1.11 Bid documents must be submitted physically to the closing address as reflected on the Request for Quotation/Tender.
- 1.12 Quotations/Tenders received after the closing date and time will not be accepted for consideration.
- 1.13 This request for bid document contains confidential information about LDPWR&I, which has been provided to supply potential bidders with the data necessary to provide a holistic response.
- 1.14 No part of the contents may be used, copied, disclosed or conveyed in whole or in part to any party, in any manner whatsoever without the prior written permission of LDPWR&I.
- 1.15 Any reproduction or transmission of information contained in this document except for the sole purpose of responding to this bid is strictly prohibited.
- 1.16 References to LDPWR&I must not be made in any literature, promotional material, and brochures or sales presentations without the express written consent of LDPWR&I

SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459




#### T 2.2: RETURNABLE SCHEDULE

	Document Name	Retur docu	
1.	Fully completed Form of Offer	□Yes	□ No
2.	Priced Bills of Quantities	□Yes	□ No
3.	Record of Addenda to tender documents	□Yes	□ No
4.	Proposed amendments and qualifications	□Yes	□ No
5.	Proof of specific goals for award of the preference points	□Yes	□ No
6.	SBD 1. Invitation to Tender	□Yes	□ No
7.	SBD 6.1: Reference Points claim form in terms of the Preferential Procurement Regulations 2022 or amended	□Yes	□ No
8.	Declaration on the status of Administration compliance.	□Yes	□ No
9.	Proof of CIDB class grading: 4GB or higher.	□Yes	□ No
10.	Full CSD Report	□Yes	□ No
11.	Declaration of current projects	□Yes	□ No

013


SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459



#### Declaration on the status of administrative compliance

Please indicate, by	/ circling eith	er Yes	or No, \	wheth	er the	e adm	inistrati	ive infori	natio	n subn	nitted	with th	e origir	nal
framework tender	documents	have	change	d or r	not. I	f yes,	kindly	provide	the	particu	ulars	below	with a	nv
supporting docume							-	•		•				,
•														
***************									· · · · ·			. <b></b> .		
										* * * * * * *			*****	
Signed					Dat	to.								
9.,00	1-0000000000000000000000000000000000000	**************************************			Da	, C					dr			
Name		·			_ Po:	sition								
Enterprise						•								
·														


SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459



#### Record of Addenda to tender documents

We c	onfirm that the following or offer, amending the ten	communications received from the Employer before the submission of this der documents, have been taken into account in this tender offer:
	Date	Title or Details
1.		
2.		
3.		
4.		
5.		
6.		· ·
7.		
8.		
9.		
10.		
Attac	h additional pages if more	space is required.
Signe	ed	Date
Name	)	Position
Tend	erer	

SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459



#### Proposed amendments and qualifications

The Tenderer should record any deviations or qualifications he may wish to make to the tender documents in this Returnable Schedule. Alternatively, a tenderer may state such deviations and qualifications in a covering letter to his tender and reference such letter in this schedule.

The Tenderer's attention is drawn to clause 5.8 of SANS 10845-3 regarding the employer's handling of material deviations and qualifications.

Page	Clause or item	Proposal

Signed		Date	
Name		Position	
Tenderer	***************************************	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	

SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459



# SBD 1 PART A: INVITATION TO BID

AND INFRASTRUCTURE

YOU ARE HERI	EBY INVITED TO B	ID FOR REQUIREM	MENTS OF	THE LIMPOF	O DEPARTMENT	OF PU	BLIC WORKS,	ROADS AND
BID NUMBER:	LDPWRI-B/20458		CLOSING		As per Tender Advert	CLOSI	NG TIME:	As per Tender Advert
DESCRIPTION BID RESPONSE	SECURITY UPGF THE FRAMEWOR CONTRACT No. DOCUMENTS MAY	RADING AT THE F RK CONTRACT CA LDPWRI-B/20459 BE DEPOSITED IN	ATEGORY	C. (4GB & A	ABOVE)			
DEPARTMEN	T OF PUBLIC WO	ORKS, ROADS 8	NFRAST	RUCTURE				
	EDURE ENQUIRIES			adama, oo				
CONTACT PERS	SON	Mr. NJ Motsopye			<u> </u>			
TELEPHONE NU	MBER	015 284 7126	E-MAIL A	DDRESS		motsop	yen@dpw.limpo	po.gov.za
CONTACT PERS	ON (TECHNICAL)	Mr. R Modipa						
TELEPHONE NU SUPPLIER INFO		015 284 7424	E-MAIL A			modipa	r@dpw.limpopo.	gov.za
NAME OF BIDDE								
POSTAL ADDRE	SS			··· .				
STREET ADDRE	SS							
TELEPHONE NU	MBER	CODE			NUMBER			
CELLPHONE NU	MBER							
E-MAIL ADDRES	S							
VAT REGISTRAT								
	PLIANCE STATUS	TAX COMPLIANCE SYSTEM PIN:		OR	CENTRAL SUPPLIER DATABASE No	: MA	<b>4</b> A	
ARE YOU THE REPRESENTA SOUTH AFRIC		∐Yes	□No	BASED S	J A FOREIGN SUPPLIER FOR <b>/SERVICES /W</b> I		☐Yes	□No
	VICES /WORKS	[iF YES ENCLOSE	E PROOF]	OFFERE			[IF YES, ANSV QUESTIONNA	
QUESTIONNAIR	E TO BIDDING FORE	EIGN SUPPLIERS					residente de la compositorio de la Compositorio de la compositorio de	25 A
IS THE ENTITY A	RESIDENT OF THE	REPUBLIC OF SOL	JTH AFRICA	(RSA)?				∕ES □ NO
DOES THE ENTI	TY HAVE A BRANCH	I IN THE RSA?						∕ES □NO
DOES THE ENTIT	TY HAVE A PERMAN	IENT ESTABLISHME	ENT IN THE	RSA?				YES NO
DOES THE ENTIT	ΓΥ HAVE ANY SOUR	RCE OF INCOME IN	THE RSA?					/ES □ NO
IS THE ENTITY L	IABLE IN THE RSA F	FOR ANY FORM OF	TAXATION?				□ Y	ES NO
IF THE ANSWER SYSTEM PIN CO	IS "NO" TO ALL OF DE FROM THE SOU	THE ABOVE, THEN TH AFRICAN REVE	I IT IS NOT A NUE SERVIC	REQUIREMI E (SARS) AI	ENT TO REGISTE ND IF NOT REGIS	R FOR A	TAX COMPLIA PER 2.3 BELOV	NCE STATUS N.

SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459

1. BID SUBMISSION:

- 1.1. BIDS MUST BE DELIVERED BY THE STIPULATED TIME TO THE CORRECT ADDRESS. LATE BIDS WILL NOT BE ACCEPTED FOR CONSIDERATION.
- 1.2. ALL BIDS MUST BE SUBMITTED ON THE OFFICIAL FORMS PROVIDED-(NOT TO BE RE-TYPED) OR IN THE MANNER PRESCRIBED IN THE BID DOCUMENT.
- 1.3. THIS BID IS SUBJECT TO THE PREFERENTIAL PROCUREMENT POLICY FRAMEWORK ACT, 2000 AND THE PREFERENTIAL PROCUREMENT REGULATIONS, 2022, THE GENERAL CONDITIONS OF CONTRACT (GCC) AND, IF APPLICABLE, ANY OTHER SPECIAL CONDITIONS OF CONTRACT.
- 1.4. THE SUCCESSFUL BIDDER WILL BE REQUIRED TO FILL IN AND SIGN A WRITTEN CONTRACT FORM.
- TAX COMPLIANCE REQUIREMENTS


DATE:

- BIDDERS MUST ENSURE COMPLIANCE WITH THEIR TAX OBLIGATIONS.
- BIDDERS ARE REQUIRED TO SUBMIT THEIR UNIQUE PERSONAL IDENTIFICATION NUMBER (PIN) ISSUED BY SARS TO ENABLE THE ORGAN OF STATE TO VERIFY THE TAXPAYER'S PROFILE AND TAX STATUS.
- APPLICATION FOR TAX COMPLIANCE STATUS (TCS) PIN MAY BE MADE VIA E-FILING THROUGH THE SARS WEBSITE WWW.SARS.GOV.ZA.
- BIDDERS MAY ALSO SUBMIT A PRINTED TCS CERTIFICATE TOGETHER WITH THE BID.
- IN BIDS WHERE CONSORTIA / JOINT VENTURES / SUB-CONTRACTORS ARE INVOLVED, EACH PARTY MUST SUBMIT A 2.5 SEPARATE TCS CERTIFICATE / PIN / CSD NUMBER.
- WHERE NO TCS PIN IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.
- NO BIDS WILL BE CONSIDERED FROM PERSONS IN THE SERVICE OF THE STATE, COMPANIES WITH DIRECTORS WHO 2.7 ARE PERSONS IN THE SERVICE OF THE STATE, OR CLOSE CORPORATIONS WITH MEMBERS PERSONS IN THE SERVICE OF THE STATE."

NB: FAILURE TO PROVIDE / OR COMPLY WITH ANY OF THE ABOVE PARTICULARS MAY RENDER THE BID INVALID. SIGNATURE OF BIDDER: CAPACITY UNDER WHICH THIS BID IS SIGNED: (Proof of authority must be submitted e.g. company resolution)

DIR

SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459



**SBD 6.1** 

# PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

#### 1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
  - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
  - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

#### 1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 90/10 preference point system.
- b) The applicable preference point system for this tender is the 80/20 preference point system.
- c) Either the 90/10 or 80/20 preference point system will be applicable in this tender. The lowest/ highest acceptable tender will be used to determine the accurate system once tenders are received.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
  - (a) Price; and
  - (b) Specific Goals.

SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459

The maximum points for this tender are allocated as follows:

ay nakang mili kang manggalan menggalan kelalan di kang salah sebagai kelalan penggalan kelalan salah sebagai Kelalan kelalan salah sebagai kelalan salah sebagai kelalan sebagai kelalan salah sebagai kelalan sebagai kela	POINTS
PRICE	80
SPECIFIC GOALS	20
Total points for Price and SPECIFIC GOALS	100

- 1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that preference points for specific goals are not claimed.
- 1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

#### 2. DEFINITIONS

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459

#### 3.1. POINTS AWARDED FOR PRICE

#### 3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or

$$Ps = 80\left(1 - \frac{Pt - Pmin}{Pmin}\right)$$
 or  $Ps = 90\left(1 - \frac{Pt - Pmin}{Pmin}\right)$ 

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

# 3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

#### 3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$Ps = 80\left(1 + rac{Pt - P \, max}{P \, max}\right)$$
 or  $Ps = 90\left(1 + rac{Pt - P \, max}{P \, max}\right)$ 

Where

4.3.

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

#### 4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
  - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or

021

(b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable

SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459 preference point system,

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

The specific goals allocated points in terms of this tender	Number of points allocated (80/20 system) (To be completed by the organ of state)	Number of points claimed (80/20 system) (To be completed by the tenderer)		
Persons who had no franchise in national elections prior to 1984 and 1993	6			
Women	3			
Disabled persons	2			
Promotion of SMMEs	2			
Enterprises located in Limpopo Province	4			
Promotion of youth	1			
South African owned enterprises	2			

#### **DECLARATION WITH REGARD TO COMPANY/FIRM**

4.4.	Name of company/firm
	Company registration number:
4.6.	TYPE OF COMPANY/ FIRM

Partnership/Joint Venture / Consortium
One-person business/sole propriety
Close corporation
Public Company
Personal Liability Company
(Pty) Limited
Non-Profit Company
State Owned Company
[TICK APPLICABLE BOX]

SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459

- 4.7. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
  - i) The information furnished is true and correct;
  - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
  - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
  - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have
    - (a) disqualify the person from the tendering process;
    - (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
    - (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
    - (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
    - (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE: ADDRESS:	



# **DECLARATION OF CURRENT PROJECTS**

Current value refers to current value of projects for both General Building (GB) and Civil Engineering (CE).

Please list the current projects which your company is busy executing in the table below.

If no projects at the moment the bidder must indicate/write on this table.

Misrepresentation of facts will render your bid non-responsive.

# Table 1 List of current projects executed by the bidder

- . Do you have the current projects being executed
- Please note that it is compulsory to answer the question above and if the answer is yes, complete the table below.

Yes/No? (circle the correct answer)


Failure by the service provider/bidder to answer the question above or complete the table below will render their proposal not responsive and will not be considered.

SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459

	ı	ı	,			
	 		<u></u> .			
-				1.	 	
ļ						
						-
	į					


Date	Position	
Signed	Name	Enterprise

SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459




#### THE CONTRACT

SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459



# PART C1: AGREEMENT AND CONTRACT DATA

SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE) CONTRACT No. LDPWRI-B/20459



#### C1.1. FORM OF OFFER AND ACCEPTANCE

#### Offer

The employer, identified in the acceptance signature block, has solicited offers to enter into a contract in respect of the following works:

APPOINTMENT OF A CONTRACTOR FOR THE SECURITY UPGRADING AT THE PARLIAMENTARY VILLAGE IN THE CAPRICORN DISTRICT THROUGH THE FRAMEWORK CONTRACT CATEGORY C. (4GB & ABOVE)

The tenderer, identified in the offer signature block, has examined the documents listed in the tender data and addenda thereto as listed in the tender schedules, and by submitting this offer has accepted the conditions of tender.

By the representative of the tenderer, deemed to be duly authorized, signing this part of the Form of Offer and Acceptance, the tenderer offers to perform all of the obligations and liabilities of the contractor under the contract including compliance with all its terms and conditions according to their true intent and meaning for an amount to be determined in accordance with the conditions of contract identified in the contract data.

#### THE OFFERED TOTAL OF THE PRICE INCLUSIVE OF VALUE ADDED TAX IS (CONTRACT PRICE)

Rand (in word	s); R
***************************************	
(in figures) R	
and returning tender data, w	be accepted by the employer by signing the acceptance part of this form of offer and acceptance one copy of this document to the tenderer before the end of the period of validity stated in the thereupon the tenderer becomes the party named as the contractor in the conditions of contract e contract data.
Signature(s)	
Name(s)	
Capacity	
For the tenderer:	
Name & signature of witness	Date

#### Acceptance (To be completed by the employer - not the bidder)

By signing this part of this Form of Offer and Acceptance, the *Employer* identified below accepts the tenderer's Offer. In consideration thereof, the *Employer* shall pay the Consultant the amount due in accordance with the *conditions of contract* identified in the Contract Data. Acceptance of the tenderer's Offer shall form an agreement between the *Employer* and the tenderer upon the terms and conditions contained in this agreement and in the contract that is the subject of this agreement.

Part C1	Agreements and Contract Data, (which includes this Form of Offer and Acceptance)
Part C2	Pricing Data

Part C3 Scope of Work

and drawings and documents (or parts thereof), which may be incorporated by reference into the above listed Parts.

Deviations from and amendments to the documents listed in the Tender Data and any addenda thereto listed in the Returnable Schedules as well as any changes to the terms of the Offer agreed by the tenderer and the *Employer* during this process of offer and acceptance, are contained in the Schedule of Deviations attached to and forming part of this Form of Offer and Acceptance. No amendments to or deviations from said documents are valid unless contained in this Schedule.

The tenderer shall within two weeks of receiving a completed copy of this agreement, including the Schedule of Deviations (if any), contact the *Employer's* agent (whose details are given in the Contract Data) to arrange the delivery of any securities, bonds, guarantees, proof of insurance and any other documentation to be provided in terms of the *conditions* of contract identified in the Contract Data. Failure to fulfil any of these obligations in accordance with those terms shall constitute a repudiation of this agreement.

Notwithstanding anything contained herein, this agreement comes into effect on the date when the tenderer receives one fully completed original copy of this document, including the Schedule of Deviations (if any). Unless the tenderer (now Consultant) within five working days of the date of such receipt notifies the Employer in writing of any reason why he cannot accept the contents of this agreement, this agreement shall constitute a binding contract between the Parties.


For the Em	ployer		
Signature			
Name			
Capacity			
Name and address of organization			
Signature a	nd Name of Witness		
Signature			
Name			
Capacity			

30

~ 029

#### **Schedule of Deviations**

1 Subject	
Details	
	••••••••••••••••••••••••
2 Subject	
Details	
	•••••••••••••••••••••••
1	
•	
40.11	
•	
addenda th	y authorised representatives signing this agreement, the <i>Employer</i> and the Tenderer agree to and accept the schedule of deviations as the only deviations from and amendments to the documents listed in the Tender Data and nereto as listed in the returnable schedules, as well as any confirmation, clarification or changes to the terms of the d by the Tenderer and the <i>Employer</i> during this process of offer and acceptance.
issue of the	esly agreed that no other matter whether in writing, oral communication or implied during the period between the e tender documents and the receipt by the tenderer of a completed signed copy of this Agreement shall have any r effect in the contract between the parties arising from this agreement.




#### **C2.1 CONTRACT DATA**

The Conditions of Contract are clauses 1 to 41 of the JBCC Series 2000 Principal Building Agreement (Edition 4.1 of March 2005) published by the Joint Building Contracts Committee.

Copies of these conditions of contract may be obtained from the Association of South African Quantity Surveyors (011-3154140), Master Builders Association (011-205-9000; 057- 3526269) South African Association of Consulting Engineers (011-4632022) or South African Institute of Architects (051-4474909; 011-4860684; 053-8312003;)

The JBCC Principal Building Agreement makes several references to the Contract Data for specific data, which together with these conditions collectively describe the risks, liabilities, and obligations of the contracting parties and the procedures for the administration of the Contract. The Contract Data shall have precedence in the interpretation of any ambiguity or inconsistency between it and the JBCC Principal Building Agreement.

The contractor shall achieve in the performance of the contract the Contract Participation Goals (CPG) relating to the engagement of targeted enterprises as established in the CIDB Standard for Indirect Targeting for Enterprise Development through Construction Works Contracts Gazette Notice No. 36190 of 25 February 2013."




#### **PART C2: PRICING DATA**

#### C2.1 Pricing instruction

- The Bills of Quantities have been drawn up in accordance with the Standard System of Measuring Building Work in accordance with the provisions of the Model Bills of Quantities or Electrical Work, published by the South African Association of Quantity Surveyors, (July, 2005).
- The agreement is under the JBCC N/S Subcontractor Agreement for use with the JBCC PBA (Edition 4.1 code 2101 March 2005) form of contract with Preliminaries (Code 2103 May 2005) incorporating the State Provisions of cl 41.0.
- It will be assumed that prices included in the Bills of Quantities are based on Acts, Ordinances, Regulations, By-laws, International Standards and National Standards that were published 28 days before the closing date for tenders.
- The prices and rates in these Bills of Quantities are fully inclusive prices for the work described under the items. Such prices and rates cover all costs and expenses that may be required in and for the execution of the work described in accordance with the provisions of the Scope of Work, and shall cover the cost of all general risks, liabilities, and obligations set forth or implied in the Contract Data, as well as overhead charges and profit. These prices will be used as a basis for assessment of payment for additional work that may have to be carried out.
- An item against which no price is entered will be considered to be covered by the other prices or rates in the Bills of Quantities. A single lump sum will apply should a number of items be grouped together for pricing purposes.
- The Contract Data and the standard form of contract referenced therein must be studied for the full extent and meaning of each and every clause set out in Section 1 (Preliminaries) of the Bills of Quantities.
- The Bills of Quantities is not intended for the ordering of materials. Any ordering of materials, based on the Bills of Quantities, is at the Contractor's risk.
- The bidder shall set aside a minimum of 5 % of the project value for sub-contractor/s and determine the amount to be paid for the Contract Participation Goal (CPG).

#### PART C3 SCOPE OF WORKS




#### PART C3.1: SPECIAL NOTES TO BIDDERS

The following special conditions are for compliance and attention to bidders:

- 1.1. LDPWR&I reserve the right to call interviews with short-listed bidders before final selection.
- 1.2.LDPWR&I reserve the right to conduct supplier due diligence prior to final award or at any time during the contract period. This may include surprise site visits.
- 1.3.LDPWR&I reserve the right to appoint the bidder that proves to be fully capable and qualified to handle and execute the job.
- 1.4. The proposals submitted must be in line with the detailed specification.
- 1.5. LDPWR&I reserve the right to cancel or withdraw this bid if:
  - i. Due to changed circumstances, there is no longer a need for this services; or
  - ii. Funds are no longer available to cover the total envisaged expenditure; or
  - iii. No acceptable bids are received; or
  - iv. There is a material irregularity in the Bid process.
- 1.6. In the case of sub-contracting or joint venture agreement, LDPWR&I will enter into a single contract with the principal bidder.
- 1.7. Bidders who are not registered on Central Supplier Database (CSD) must register before submission of bids.
- 1.8. Any completion of the bid document in pencil or erasable ink will not be acceptable and will automatically disqualify the submitted bid.
- 1.9. Successful bidder will be required to sign and enter into a formal contract upon the award.
- 1.10. Notwithstanding shortcomings and/or inconsistencies, if any, in this specification, which is only a minimum specification, a bidder shall make provision for a complete solution that will deliver the required service efficiently and cost-effectively.
- 1.11. Bid documents must be submitted physically to the closing address as reflected on the Request for Quotations/Tender.
- 1.12. Quotations received after the closing date and time will not be accepted for consideration.
- 1.13. This request for bid document contains confidential information about LDPWR&I, which has been provided to supply potential bidders with the data necessary to provide a holistic response.
- 1.14. No part of the contents may be used, copied, disclosed or conveyed in whole or in part to any party, in any manner whatsoever without the prior written permission of LDPWR&I.
- 1.15. Any reproduction or transmission of information contained in this document except for the sole purpose of responding to this bid is strictly prohibited.
- 1.16. References to LDPWR&I must not be made in any literature, promotional material, and brochures or sales presentations without the express written consent of LDPWR&I.

034



#### **PART C2.2: BILLS OF QUANTITIES**

## DEPARTMENT OF PUBLIC WORKS ,ROADS AND INFRASTRUCTURE PARLIMENTARY VILLAGE SECURITY UPGRADE

Item No		Quantity	Rate	Amount
	SECTION NO 1		:	
	BILL NO. 1			
	PRELIMINARIES			
	PRELIMINARIES			
	All prices/rates to be net, excluding Value Added Tax			
	<u>General</u>			
	i) The agreement is to be the JBCC Series 2000 Principal Building Agreement (Edition 4.1) prepared by the Joint Building Contracts Committee, March 2005			
	ii) The preliminaries are to be the JBCC Series 2000 Preliminaries prepared by the Joint Building Contracts Committee, March 2005 edition and shall be deemed to be incorporated herein			
	iv) Where standard clauses or alternatives are not entirely applicable to this contract such modifications, corrections or supplements as will apply are given under each relevant clause heading			
	iii) Tenderers are referred to the abovementioned documents for the full intent and meaning of each clause thereof (hereinafter referred to by heading and clause number only) for which such allowance must be made as may be considered necessary			
	<ul> <li>Where any item is not relevant to this specific contract such item is marked N/A (signifying "not applicable")</li> </ul>			
	vi) If Alternative A as set out in clause B10.3 hereinafter is to be used for the adjustment of the preliminaries each item priced is to be allocated to one or more of the three categories, where "F" denotes a fixed amount (amount not to be varied), "V" denotes an amount variable in proportion to value and "T" denotes an amount in proportion to time			
	Carried to Collection Section No. 1		R	
	PRELIMINARIES BIII No. 1 PRELIMINARIES & GENERAL			
	I INCLIMINATION & SCHICKE			

	1			
	vii) Any reference to the words "Tender" or "Tenderer" herein and/or in any other documentation shall be construed to have the same meaning as the words "Bid" or "Bidder"			
	SECTION A: JBCC PRINCIPAL BUILDING AGREEMENT			
	SECTION B: PRELIMINARIES			
	Management of contract (B4)			
1	Management of the works (B4.1)			
	Fixed	Item		
	Value Related	Item		
	Time Related	Item		
İ				
			<u></u>	
;				
	Carried to Collection		R	
	Section No. 1 PRELIMINARIES Bill No. 1			
	PRELIMINARIES & GENERAL			

Section No. 1	1	1		
PRELIMINARIES		:		
Bill No. 1				
PRELIMINARIES & GENERAL				
COLLECTION				
Total Brought Forward from Page No.	Page No 1 2		Amount	
Carried to Final Summary		R	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Section No. 1 PRELIMINARIES Bill No. 1 PRELIMINARIES & GENERAL				

Item No		Quantity	Rate	Amount
	SECTION NO.2			
	BILL NO. 1			
	ALTERATIONS			
	For preambles see "Model Preambles for Trades (2008 Edition)" and Supplementary preambles as specified in the Trades			
	REMOVAL OF EXISTING WORK:			
	NATURE OF WORK: Tenderers are advised to visit the site and to satisfy themselves as to the nature and extent of the work to be done and provide in their tenders any items not specifically mentioned which they may deem necessary for the proper completion of the work.			
	DIMENSIONS The Contractor is advised to take all dimensions affecting the existing buildings on the site, as he will be held solely responsible for all new work being of the correct size.			
	PIPES, ETC Special care is to be taken not to interfere unnecessary with any supply pipes or other piping that may be met with and found necessary to disconnect or cut, are to be effectively stopped off and any new connections that may be necessary are to be made with proper fittings and to the satisfaction of the Principal Agent to whom due notice must be given of any alterations to the existing services.			
	PROTECTION In taking down and removing existing work the utmost care is to be observed to avoid any structural or other damage to the remaining portions of the buildings. The Contractor must also protect all work not removed such as walls, floors, doors, windows or other joinery, loose and fixed fittings and electrical appliances, etc. from damage during the progress of the work and provide all necessary materilas for doing so. The Contractor will be held solely responsible for any damage to persons or property and for the safety of the structure throughout the whole of this Contract and must make good at his own expense any damage that may occur.			
	OLD USABLE MATERIALS from the			
	Carried to Collection		R	
	Section No. 2 ALTERATIONS Bill No. 1 ALTERATIONS			

	alterations/demolitions are to become the property of the Client. Old materials for re-use are to be carefully removed, stored and protected from injury including making good any damaged or defective parts as required before fixing. Old reusable materials are to be handed over to the Client are to be carefully removed and neatly stacked on site where directed. The remainder of the old materials and all rubbish to be immediately carted away and the site left clean and unencumbered. The Contractor should allow for removing of rubble from site on daily basis, failing which the client might stop the construction until the site has been cleaned. None of the old stock bricks from the pulling down are to be re-used for any new work. Materials to be handed over to the Client should be kept safely and handed over to the School Governing Body or the school principal who shall sign for all materials received.  MATERIALS, ETC The materials to be used and work to be done to be similar in all respects to that described for new work insofar as they concur. All work in making good is to be properly jointed to the existing.  Unless otherwise stated, all usable material from the demolitions should be kept safely and handed over to the client or the end user who shall sign for all material received.				
1	Breaking down and removing brickwork etc One brick walls	m2	540		
	Taking out and removing of carpentry & Joinery fittings	1114	540		
2	Built in Cupboards	m	8	i	
	Taking out and removing metalworks		ű		
3	Gates( 3m gates)	No	5		
4	High-speed tyre spikes	m	<b>1</b> 5		
5	Turnstile gate	No	1		
	Carried to Collection Section No. 2 ALTERATIONS			R	
	Bill No. 1 ALTERATIONS				

6	NTY Standard Residential type window "Code 5/2" size 1525x 1300 high	No	1			
	Taking out and removing doors, windows, etc from brickwork to be demolished					
7	Timber single door and frame 813 x 2032mm high	No	6			
	Hacking up/off and removing granolithic, screeds, plaster, etc from concrete or brickwork and preparing surfaces for new screeds, plaster, etc					
8	Wall tiles	m2	10			
9	Floor Tiles	m2	45			
	Taking out and removing glass and mirrors					
10	Glass from steel windows, including cleaning out rebates and preparing for new glass	m2	2			
	Taking out and removing sanitary fittings					
11	Washing Basins	No	1			
12	Toilet Complete	No	1			
	SERVICING OF DOORS AND WINDOWS & FENCE					
13	Replace window stays, handles and pegs (PC Amount R150-00 Vat excl supplied and delivered to site)	No	6			
					:	
		ı		1		
	Carried to Collection			R		-
	Section No. 2			K		<del> </del>
	ALTERATIONS Bill No. 1 ALTERATIONS					
]	ALTERATIONS					

Section No. 2				
ALTERATIONS				
Bill No. 1				
ALTERATIONS				
COLLECTION				
	Page No		Amount	
Total Brought Forward from Page No.	4			<u> </u>
	5			
	6			ļ
	•			
		•		
Carried to Final Summary		R	-	
Section No. 2 ALTERATIONS Bill No. 1 ALTERATIONS				

ltem No		Quantity	Rate	Amount
	SECTION NO.3			
	BILL NO.1	į		
	MASONRY			į
	For preambles see "Model Preambles for Trades (2008 Edition)" and Supplementary preambles as specified in the Trades			
	SUPPLEMENTARY PREAMBLES			
	BRICKWORK		1	
	Sizes in descriptions			
	Where sizes in descriptions are given in brick units, "one brick" shall represent the length and "half brick" the width of a brick		:	
	Linings to concrete			!
	Descriptions of linings to concrete, unless otherwise described, shall be deemed to include wire ties		·	
	Face bricks			
	Bricks shall be ordered timeously to obtain uniformity in size and colour			
	Pointing			
	Descriptions of recessed pointing to fair face brickwork and face brickwork shall be deemed to include square recessed, hollow recessed, weathered pointing, etc			
	BRICKWALL			
	Brickwork of NFP bricks in class II mortar		ļ	
1	Double brick walls m2	540	)	
	BRICKWORK SUNDRIES			
	Carried to Collection		R	
	Section No. 3 BUILDING Bill No. 1 MASONRY			
	I	I	I	II I

	Joint forming material in movement joints:				
2	12mm Bitumen impregnated fibre board built in vertically between brick skins not exceeding 300mm wide	m2	138		
	Brickwork reinforcement				
3	150mm Wide reinforcement built in horizontally	m	3 177		
	FACE BRICKWORK				
	Face bricks (Purchase price of R6 900,00/1000 VAT excl. delivered to site) pointed with recessed horizontal and vertical joints				
4	Extra over brickwork for face brickwork	m2	540		
5	Extra over brickwork for brick-on-edge header course lintel	m	300		
	Brick-on-edge header course copings, sills, etc of face bricks (Purchase price R3 500-00/1000 VAT excl. delivered to site) pointed with recessed joints on all exposed faces				
6	Coping on top of one brick wall	m	300		
	Carried to Collection			R	
	Section No. 3 BUILDING Bill No. 1 MASONRY				

Section No. 3				1
BUILDING				
Bill No. 1				1
MASONRY				
COLLECTION				
Total Brought Forward from Page No.	Page No 8 9		Amount	
•				
Comind Comment to Comm				<del> -</del>
Carried Forward to Summary of Section No. 3 Section No. 3 BUILDING Bill No. 1 MASONRY		R		

Item No		Quantity	Rate	Amount
	SECTION NO.3			
	BILL NO.2			
	WATERPROOFING			
	For preambles see "Model Preambles for Trades (2008 Edition)" and Supplementary preambles as specified in the Trades			
	SUPPLEMENTARY PREAMBLES			
	Waterproofing	ŧ		
	Waterproofing of roofs, basements, etc shall be laid under a ten year guarantee. Waterproofing to roofs shall be laid to even falls to outlets etc with necessary ridges, hips and valleys. Descriptions of sheet or membrane waterproofing shall be deemed to include additional labour to turn-ups and turn-downs			
	WATERPROOFING ON CONCREET SLAB			
	ROOF  Torch-on system waterproofing with aluminium coating			
1	In slab m2	2 45	;	
'	The state of the s		<u> </u> 	
				1
	·			
	,			
	Carried Forward to Summary of Section No. 3		R	
	Section No. 3 BUILDING	:	<u> </u>	
	Bill No. 2 WATERPROOFING			

Item No		Quantity	Rate	Amount	
	SECTION NO.3				
	BILL NO.3				
	CARPENTRY AND JOINERY				
	For preambles see "Model Preambles for Trades (2008 Edition)" and Supplementary preambles as specified in the Trades				
	SUPPLEMENTARY PREAMBLES				
	Particle board:				
	Particle board shall comply with the following specifications:				
	a) SABS 1300 Particle board: exterior and flooring type				
	b) SABS 1301 Particle board: interior type				
	Joinery:				
	Descriptions of frames shall be deemed to include frames, transomes, mullions, rails, etc				
	Descriptions of hardwood joinery shall be deemed to include pelleting of bolt holes				
	<u>Fixing</u>				
	Items described as "nailed" shall be deemed to be fixed with hardened steel nails or shot pins to brickwork or concrete				
	Decorative laminate finish:				
	Laminate finish shall be glued under pressure. Edge strips shall be butt jointed at junctions with adjacent similar finish				
	DOORS, ETC				
					-
	Carried to Collection Section No. 3		R		=
	BUILDING Bill No. 3				
	CARPENTRY AND JOINERY				
	•	'	•	n I	

1	44mm Wrought meranti framed, ledged, braced and battened door of 44 x 150mm top rails and stiles, 22 x 150mm middle legde and braces and 22 x 220mm bottom rail filled in with 22mm V-jointed one side boarding  2032x813x40mm thick framed & ledged batten door of meranti with 3mm tempered hardboard backing & weather bar manufactured according to SABS  40mm Solid core interior doors with Masonite® Plain standard hardboard door panel for paint (elsewhere	No	5			
2	specified).  2032x813x40mm thick solid core door with 3mm thick tempered hardboard . sides and concealed hardwood edges					
	FITTINGS	No	1			
	<del></del>					
	<u>Joinery Fittings, etc.</u>					
3	Provide the amount of R150 000.00 (One Hundred and Fifty Thousand Rand) for the supply and installation of Joinery Fittings by Specialists		ltem,		150 000 00	)
4	Allow for giving every facility to Specialists as described		ltem			
5	Allow for profit on above if required		ltem			
			1			
			·			_
	Carried to Collection Section No. 3 BUILDING BIII No. 3 CARPENTRY AND JOINERY		į.	R		=

Section No. 3				
BUILDING				
Bill No. 3				
CARPENTRY AND JOINERY				
COLLECTION				
Total Brought Forward from Page No.	Page No 12 13		Amount	
Carried Forward to Summary of Section No. 3 Section No. 3 BUILDING		R		
Bill No. 3 CARPENTRY AND JOINERY				

item No			Quantity	Rate	Amount
	SECTION NO.3				
	BILL NO.4				
	IRONMONGERY				
	For preambles see "Model Preambles for Trades (2008 Edition)" and Supplementary preambles as specified in the Trades				
	SUPPLEMENTARY PREAMBLES				
	Finishes to ironmongery				
	Where applicable finishes to ironmongery are indicated by suffixes in accordance with the following list: BS Satin bronze lacquered CH Chromium plated SC Satin chromium plated SE Silver enamelled GE Grey enamelled AS Anodised silver AB Anodised bronze AG Anodised gold ABL Anodised black PB Polished brass PL Polished and lacquered PT Epoxy coated SD Sanded				
	LOCKS				
	"Cisa"				
1	CISA solid hardened steel padlock (Code: 28056-55- KD) with a C2000 5 pin keying system with a 55mm body size and supplied keyed different.	No	1		
	"Dorma"				
2	"Code 2252-76SC" three lever upright lockset	No	6		
3	Dorma "DDS-NP-018" nickel plated door stop. (N/Plated)	No	2		
	LETTERS, NAMEPLATES, ETC				
	<u>"Union"</u>				
4	"Code AL5022-E10" Natural anodised aluminium plate with toilet symbol	No	1		
	Carried Forward to Summary of Section No. 3			R	
	Section No. 3 BUILDING				
	Bill No. 4 IRONMONGERY				
				l	l I

Item No		Quantity	Rate	Amount	
	SECTION NO.3				
	BILL NO.5				
	<u>METALWORK</u>	i			
	For preambles see "Model Preambles for Trades (2008 Edition)" and Supplementary preambles as specified in the Trades				-
	SUPPLEMENTARY PREAMBLES				
	<u>Descriptions</u>		:		
	Descriptions of bolts shall be deemed to include nuts and washers				
	Descriptions of expansion anchors and bolts and chemical anchors and bolts shall be deemed to include nuts, washers and mortices in brickwork or concrete				
:	Metalwork described as "holed for bolt(s)" shall be deemed to exclude the bolts unless otherwise described				
	WELDED SCREENS, GATES, ETC				
	Gates to external doors				
1	Double gate and frame size 1500 x 2100mm high (PC Amount R2200-00 each VAT excl. supplied and installed to site) (Laboratories, Enviro loo toilets, Administration block)	4			
	NATURAL ANODISED ALUMINIUM DOORS, WINDOWS, ETC.				
	· ·	:			
į		_			
	Carried to Collection		R		-
	Section No. 3 BUILDING Bill No. 5 METALWORK		K		=
			l	l l	

				н	1	
	Natural anodised aluminium windows, doors, etc including frames and sub-frames, fixing, silicone sealant all round, ironmongery and glazing with 6,5mm P.V.B faidband laminated safety glass	:				
2	Purpose made window size 1525 x 1300mm high (PC Amount R3 000-00 each VAT excl. supplied, delivered and installed on site)	No	1			
	STEEL SWING GATES AND TURNSTILES ETC					
	Galvanised roller shutters fixed to brickwork or concrete					
3	Dual wholesale automatic swing gate for 3000x 2400mm high by specialists	No	5			
4	Tribune single full height ultra secure industria turnstile	No	1			•
			ii.			
	Carried to Collection			R		
	Section No. 3		ļ	, ,		-
	BUILDING Bill No. 5 METALWORK					

Section No. 3				
BUILDING				
Bill No. 5				
METALWORK				
COLLECTION				
Total Brought Forward from Page No.	<b>Page No</b> 16		Amount	
Carried Forward to Summary of Section No. 3		R		
Section No. 3 BUILDING Bill No. 5 METALWORK				

ltem No			Quantity	Rate	Amount
	SECTION NO.3				
	BILL NO.6				
	<u>TILING</u>				
	For preambles see "Model Preambles for Trades (2008 Edition)" and Supplementary preambles as specified in the Trades.				
	SUPPLEMENTARY PREAMBLES				
	<u>Descriptions</u>				
	Unless described as "fixed with adhesive to plaster (plaster elsewhere)" descriptions of tiling on brick or concrete walls, columns, etc shall be deemed to include 1:4 cement plaster backing and descriptions of tiling on concrete floors etc shall be deemed to include 1:3 plaster bedding				
	WALL TILING				
	Glazed ceramic wall tiles fixed with adhesive to plaster (plaster elsewhere) (PC Amount R150-00/thousand Vatexcl supplied and delivered to site)				·
1	On walls	m2	10		
2	On narrow widths	m2	2		
3	On walls in isolated panels, splashbacks, etc	m2	4		
	FLOOR TILING				
	300 x 300 x 11,5mm Ceramic floor tiles fixed with adhesive to plaster (plaster elsewhere) and flush pointed with tinted waterproof jointing compound (PC Amount R150-00/thousand Vat excl supplied and delivered to site)				
4	On floors and landings	m2	<b>4</b> 5		
5	Skirting formed of ceramic tile cut to 300 x 75mm high	m	29		
	Carried Forward to Summary of Section No. 3			R	
	Section No. 3 BUILDING Bill No. 6 TILING				

Item No		Quantity	Rate	Amount
	SECTION NO.3			
	BILL NO.7			
	PLUMBING AND DRAINAGE			
	For preambles see "Model Preambles for Trades (2008 Edition)" and Supplementary preambles as specified in the Trades			
	SUPPLEMENTARY PREAMBLES			
	"Polycop" polypropylene pipes:			
	Polypropylene pipes 54mm diameter and under shall be seamless copper coloured class 16 pipes jointed with "Fast-fuse" heat welded thermoplastic or brass compression fittings as designed for use with copper pipes as stated			
	Pipes shall be firmly fixed to walls etc with coloured nylon snap-in pipe clips with provision for accommodating thermal movement and jointed and fixed strictly in accordance with the manufacturer's instructions			
	All pipe diameters are nominal external			
	"Polylink" polypropylene pipes:			
	Polypropylene pipes 63mm diameter and over shall be class 12 pipes jointed with cast iron "Supraclamp" running joints			
:	Fusion welded bends, once or twice mitred as necessary, and tees shall be factory manufactured			
	Fusion welded bends and tees shall include jointing to pipes with PVC rubber ring double Z joint couplers			
	Branch tees shall include flanged and bolted joints to "Polycop" branch pipes in addition and for brass compression male iron to copper straight couplers			
	Carried to Collection		R	
	Section No. 3 BUILDING Bill No. 7 PLUMBING AND DRAINAGE			

Reducers shall include jointing to pipes with PVC rubber ring double Z joint couplers and reducers shall be of sufficient overall length to accommodate same			
All pipes shall be jointed and fixed strictly in accordance with the manufacturer's instructions			
All pipe diameters are nominal external			
Concrete pipes:			
Pipes shall be jointed with ogee joints with rubber collars or socket and spigot joints with rubber rings			
Vitrified clay pipes:			
Pipes shall rest on solid ground and, where necessary, pockets of sufficient size shall be cut around joints to enable the jointing to be properly performed or, alternatively, pipes shall be bedded full length on and including unreinforced concrete laid in a semi-dry state immediately before pipes are laid			
Sewer and drainage pipes and fittings shall be jointed and sealed with butyl rubber rings			
uPVC pipes and fittings:			
Soil, waste and vent pipes and fittings shall be solvent weld jointed			
uPVC pressure pipes and fittings:			
Pipes for water supply shall be of the class stated			
Pipes of 40mm diameter and smaller shall be plain ended with solvent welded uPVC loose sockets and fittings			
Pipes of 50mm diameter and greater shall have sockets and spigots with push in type integral rubber ring joints. Bends shall be uPVC and all other fittings shall be cast iron, all with similar push-in type joints			
	į		
Carried to Collection		R	_
Section No. 3			_
BUILDING Bill No. 7			
PLUMBING AND DRAINAGE			

Copper pipes:			
Pipes shall be hard drawn and half-hard pipes of the class stated. Class 0 (thin walled hard drawn) pipes shall not be bent. Class 1 (thin walled half-hard), class 2 (half-hard) and class 3 (heavy walled half-hard) pipes shall only be bent with benders with inner and outer formers. Fittings to copper waste, vent and anti-syphon pipes, capillary solder fittings and compression fittings shall be "Cobra Watertech" type. Capillary solder fittings shall comply with ISO 2016. Only compression fittings shall be used in walls or in ground			
Fixing of pipes			
Unless specifically otherwise stated, descriptions of pipes shall be deemed to include fixing to walls etc, casting in, building in or suspending not exceeding 1m below suspension level			
Lead pipes and fittings			
All soldered joints shall be wiped and brass unions shall be used for jointing lead to steel	:		
Reducing fittings			
Where fittings have reducing ends or branches they are described as "reducing". In the case of pipes with diameters not exceeding 60mm only the largest end or branch size is given. Should the contractor wish to use other fittings and bushes or reducers he may do so on the understanding that no claim in this regard will be entertained. In the case of pipes with diameters exceeding 60mm all sizes are given and no claim for extra bushes, reducers, etc will be entertained			
Wire gratings			
Descriptions of gutter outlets etc shall be deemed to include wire balloon gratings			
Septic tanks		,	
Descriptions of septic tanks shall be deemed to include excavation, bedding and jointing, concrete base slabs, jointing to drains and backfilling, compaction, etc all in accordance with the manufacturer's instructions			
Carried to Collection	R		<u> </u>
Section No. 3 BUILDING			
Bill No. 7 PLUMBING AND DRAINAGE			ĺ

Exposed concrete surfaces		:	
Exposed surfaces of concrete stormwater channels, cover slabs, inspection eye marker slabs, gulley tops, cleaning eye tops, catchpits, inspection chambers, etc shall be finished smooth with plaster			
<u>Excavations</u>			
No claim for rock excavation will be entertained unless the contractor has timeously notified the quantity surveyor thereof prior to backfilling			
"Soft rock" and "hard rock" shall be as defined in "Earthworks"			
Laying, backfilling, bedding, etc. of pipes			
Pipes shall be laid and bedded and trenches shall be carefully backfilled in accordance with manufacturers' instructions			
Where no manufacturers' instructions exist pipes shall be laid in accordance with clauses 5.1 and 5.2 of each of the following: SABS 1200 L: Medium-pressure pipelines LD: Sewers LE: Stormwater drainage Pipe trenches etc shall be backfilled in accordance with clauses 3, 5.5, 5.6, 5.7 and 7 of SABS 1200 DB: Earthworks (Pipe trenches) Pipes shall be bedded in accordance with clauses 3.1 to 3.4.1, 5.1 to 5.3 and 7 of SABS 1200 LB: Bedding (Pipes). Unless otherwise described bedding of rigid pipes shall be class B bedding			
Flush pans	:		
Flush pans shall have straight or side outlets and "P" or "S" traps as necessary			
Stainless steelbasins, sinks, wash troughs, urinals, etc.			
Units shall have standard aprons on all exposed edges and tiling keys against walls where applicable			
Waste unions			
Descriptions of waste unions shall be deemed to include rubber or vulcanite plugs and chains fixed to fittings		-	
			 _
Carried to Collection		R	
Section No. 3			=
BUILDING   Bill No. 7   PLUMBING AND DRAINAGE			

	Steel sectional water tanks					
	Tanks shall comply with SABS CKS 114					
	"Densyl" petrolatum anti-corrosion tape as manufactured by Denso SA (Pty) Ltd.					:
	Pipes to be taped shall be coated with the appropriate primer and the tape shall be applied with minimum 15mm lap per spiral unless otherwise described					
	Couplings and fittings to pipes shall be taped in strict accordance with the manufacturer's instructions including all mastic, tape, "Layflat" sheeting, securing of same, etc					
	SANITARY FITTINGS					
	"Franke" stainless steel	,				
1	Franke Neptune Model NEX611 Grade 304 18/10 polished stainless steel single end bowl inset sink with left hand drainer (Code: 310075), overall size 860 x 510mm with one 360 x 420 x 200mm deep bowl, fitted onto cupboard (elsewhere specified) including 90mm waste fitting with overflow and PVC trap (trap elsewhere specified)	No	1	:		# c-1
		140	1			
	<u>"Vaal"</u>					
2	VAAL POTTERIES vitreous chin "Daisy" (or similar approved) semi-close coupled 90° outlet open rim washdown pan (Code 751400) and matching 9 liter cistern (Code 71165C) complete with lid,fitments and slush pipe.					
		No	1			
3	VAAL POTTERIES vitreous china 510x405mm rounded "Hibiscus" (Or similar approved) wash and basin with two semipunched tap holes, integrated overflow and chain stay hole with 2x wall brackets and bottle traps.					
	, ,	No	1			
	WASTE UNIONS ETC				:	
						<del>                                     </del>
	Carried to Collection Section No. 3			R		<u> </u>
	BUILDING Bill No. 7					
	PLUMBING AND DRAINAGE					

	"Cobra Watertech"				
4	Cobra Watertech 40mm chrome plated sink waste (Code: 316) with 70mm diameter flange, 45mm long shank, plug, chain and stay.	No	1		
5	Cobra Watertech 32mm chrome plated basin waste (Code: 308) with 62mm diameter flange, 80mm long shank and plug.	No	1		
	TRAPS ETC				
	"Marley"				
6	40 x 300mm Sink combination for single bowl with deepseal "P" trap	No	1		
7	40mm Flexi butyl rubber trap with reseal "P" trap	No	1		
	TAPS, VALVES, ETC				
8	Cobra Watertech 15mm MI x FI x 75mm long extension piece with sliding wall flange (Code: 059-15).	No	1		
9	Cobra Watertech 15mm compression type angle regulating valve with 10mm bendable copper outlet tube service connection (Code: 232/350).	No	1		
10	Cobra Watertech Star 15mm chrome plated sink mixer (Code: 296) with aerated swivel spout and 400mm long flexible inlets, manufactured in accordance with SANS 226:2009 Type 1 (BS 5412). (Laboratories - prep bowls)	No	1		
11	Cobra Ref. 166/041 wall type "Star" basin mixer with overarm swivel outlet	No	1		
	FIRE APPLIANCES ETC				
	'Chubb'				
12	9kg Dry chemical powder fire extinguisher, including standard hard wood backing plugged and backing finished with one coat dark stain and two coats clear suede polyurethane varnish	No	1		
٠					1
					ļ
	Carried to Collection			R	
	Section No. 3				 
	BUILDING BIII No. 7 PLUMBING AND DRAINAGE				
	I FOMPHIO VIAD DIVUINOE				

Section No. 3				
BUILDING				
Bill No. 7				
PLUMBING AND DRAINAGE		,		
COLLECTION				
COLLECTION  Total Brought Forward from Page No.	Page No 20 21 22 23 24 25		Amount	
Carried Forward to Summary of Section No. 3		R		<u> </u>
Section No. 3 BUILDING BIII No. 7 PLUMBING AND DRAINAGE				

Item No		Quantity	Rate	Amount
	SECTION NO.3			
	BILL NO.8			
	GLAZING			
	For preambles see "Model Preambles for Trades (2008 Edition)" and Supplementary preambles as specified in the Trades		0 0 0 0 0	
	GLAZING TO STEEL WITH PUTTY			
	6mm Rough cast glass			
1	Panes exceeding 0,5 and not exceeding 2m2	2		
	MIRRORS, ETC			
	6mm Silvered float glass copper backed mirrors with bevelled edges, holed for and fixed with chromium plated dome capped mirror screws with rubber buffers to plugs in brickwork or concrete			
2	Mirror 400 x 600mm high with four screws No	1		
	Carried Forward to Summary of Section No. 3 Section No. 3 BUILDING Bill No. 8 GLAZING		R	

Item No		Quantity	Rate	Amount
	SECTION NO.3		ĺ	
	BILL NO.9			
	PAINTWORK			
	For preambles see "Model Preambles for Trades (2008 Edition)" and Supplementary preambles as specified in the Trades			
	PAINTWORK ETC TO NEW WORK			
	PREPARATORY WORK TO EXISTING WORK			
	Previously painted plastered surfaces			
	Surfaces shall be thoroughly washed down and allowed to dry completely before any paint is applied. Blistered or peeling paint shall be completely removed and cracks shall be opened, filled with a suitable filler and finished smooth			
	Previously painted metal surfaces		-	
	Surfaces shall be thoroughly rubbed and cleaned down. Blistered or peeling paint shall be completely removed down to bare metal			
	Previously painted wood surfaces			
	Surfaces shall be thoroughly cleaned down. Blistered or peeling paint shall be completely removed and cracks and crevices shall be primed, filled with suitable filler and finished smooth			
	ON WOOD			
			ļ	3
			1	
	Carried to Collection		R	
	Section No. 3 BUILDING Bill No. 9 PAINTWORK			

	Plascon Woodcare Clear Varnish to exterior new wood.Surface to be dry, sound and clean, Wash knots and resinous areas with Lacquer Thinners (ILS 1) and coat with Woodcare Knot Seal (PK 2) and apply one coat of Plascon Woodcare Pretreatment (WWP 1), overcoated within 48 hours with a moisture content, measured with a Doser Hygrometer (or equivalent), of BD 2 scale (A1-A5) < 14% or less. Prime with one coat Woodcare Clear Varnish (CVE 5) with an overcoating time of 16 hours and finish with two coats Woodcare Clear Varnish (CVE 5) with 16 hours drying time between coats, for a maintenance cycle of 2 years in a C1 - inland environment.					F
1	On doors	m2	30			
	ON METAL					
2	On gates	m2	50			
:	PAINTWORK, ETC TO PREVIOUSLY PAINTED WORK					
	ON FLOATED PLASTER					
	Plascon Polvin Super Acrylic to exterior new cement plaster. Surface to be dry, sound and clean and cured for a minimum of 14 days, with a moisture content measured with a Doser Hygrometer (or equivalent), of BD 2 scale - 8% or less. Prime with one coat Plascon Plaster Primer (UC 56) with an overcoating time of 16 hours and finish with two coats Polvin Super Acrylic (EPL) with 1 hour drying time between coats, for a maintenance cycle of 5 years in a C1 - inland environment.				·	
3	On walls	m2	210	:		
4	Slab	m2	45			
	ON METAL					A STATE OF THE STA
	Carried to Collection			R		
	Section No. 3 BUILDING Bill No. 9 PAINTWORK					

	Plascon Velvaglo Satin to existing solvent based coated exterior mild steel (RD 683).Remove all paint and rust completely. Apply Plascon Rust Remover (RR 1) to rusted areas and scrub with hard bristle brush to remove rust. Rinse thoroughly with tap water. Repeat process if rust is not removed. Dry surface rapidly to prevent flash rust formation. In areas where rust cannot be removed completely, remove all loose rust by scraping and wire brushing, then apply Plascon Rusist Rust Converter (EMS 21) copiously, but only to areas where tightly adherent rust remains. Allow coating to turn black (minimum 4 hours) before overcoating. Remove Rust Converter with water where it has not reacted and turned black.Ensure surfaces are clean, dry and sound. Apply either Plascon Universal Undercoat (UC 1) or Professional Undercoat (PU 800) to bare and repaired areas. Allow 16 hours to dry; or apply Plascon Multisurface Primer (WUP 1) to bare and repaired areas. Allow 2 hours to dry. Finish with two coats of Velvaglo Satin (VLO) with 16 hours drying time between coats, for a maintenance cycle of 3 years in a C1 - inland environment.				
5	On door frames	m2	10		
6	On windows with burglar bars	m2	15		
	Carried to Collection Section No. 3 BUILDING Bill No. 9 PAINTWORK			R	

Section No. 3				
BUILDING				
Bill No. 9				
PAINTWORK				
COLLECTION				
Total Brought Forward from Page No.	Page No 28 29 30		Amount	
				İ
Carried Forward to Summary of Section No. 3		R		
Section No. 3 BUILDING Bill No. 9 PAINTWORK				

	Section No. 3			
	BUILDING	:		
	SECTION SUMMARY - BUILDING			
Bill No		Page No		Amount
1	MASONRY	10		
2	WATERPROOFING	11		
3	CARPENTRY AND JOINERY	14		
4	IRONMONGERY	15		
5	METALWORK	18		
6	TILING	19		
7	PLUMBING AND DRAINAGE	26		
8	GLAZING	27	***********	
9	PAINTWORK	31		
i				
	Carried to Final Summary			
	Section No. 3		R	
	BUILDING			
ļ				

ltem No		Quantity	Rate	Amount
	SECTION No. 1 BILL No. 1			
	ROADS AND PARKING			
	PREAMBLES			
	For Preambles see "Model Preambles For Trades"			!
	EXCAVATION, FILLING, ETC OTHER THAN BULK			
	Excavation			
1	Open face excavation in earth to reduce levels	3 180		
2	Allow for keeping all excavations entirely free from water and mud	Item		
	Filling, etc.			
3	Earth filling from the excavations to make up levels around buildings compacted to 90% modified AASHTO density	3 1 500		
4	Compaction of ground surface under pavings, etc. Including scarifying for a depth of 150mm, breaking down oversize material, adding suitable material where necessary and compact to 93% modified AASHTO density	2 5 000		
5	50mm Thick clean, dry, riversand layer treated with an approved weed killer at the rate of 50 grams per square metre, spread and levelled to receive paving blocks (elsewhere)	2 5 000		
	<u>Tests</u>			
6	Tests to determine the degree of compaction, etc. of ground or filling	0 10		
	Carried to Collection  Section No. 4  EXTERNAL WORKS Bill No. 1  PAVED WALKWAYS, ETC.		R	

	PRECAST CONCRETE				
7	85mm Interlocking concrete paving blocks in accordance with SABS Specification 1058 and laid to falls on sand layer (elsewhere) with joints filled in with sand and vibrated, including all straight cutting	m2	5 000		
8	Mountable kerbing to SABS 927 Fig. 3 in 1m lengths with 10mm wide butt joints filled in with (1:3) cement/sand mortar and pointed with grooved half round joints and 10mm wide open butt joints at 3m centres including 15MPa/19mm mass concrete bedding size 30mm thick x 400mm wide and 20MPa/19mm mass concrete hunching size 112.5mm long x 112.5mm high x 85mm thick at joints and backfilling at back of kerbs, topsoiled and levelled to adjacent surfaces	m	680		
					·
	Section No. 4 EXTERNAL WORKS Bill No. 1	n		R	-
	PAVED WALKWAYS, ETC.				

Section No. 4		1			
EXTERNAL WORKS					
Bill No. 1					
PAVED WALKWAYS, ETC.					
COLLECTION					
Total Brought Forward from Pa	ige No.	Page No 33 34		Amount	
Section No. 4 EXTERNAL WORKS Bill No. 1 PAVED WALKWAYS, ETC.	Carried to Final Summary		R		

Item No		Quantity	Rate	Amount
	SECTION NO. 4			
	BILL NO.1	:		-
	PROVISIONAL SUMS			
	For preambles see "Model Preambles for Trades (2008 Edition)" and Supplementary preambles as specified in the Trades			
	SUPPLEMENTARY PREAMBLES			
	NOTE: Tenderers are referred to the definition of general attendance on nominated sub-contractors given in Clause 9 of the Preliminaries			
	NOTE: Under no circumstances may any Prime Cost - Provisional Amount, etc be extended at an amount lower than the amount given in the Bill			
		·		
:				
1	Carried to Collection  Section No. 5 PROVISIONAL SUMS Bill No. 1		R	
	PROVISIONAL SUMS			

	-37-	1	ti .	1
	Section No. 5 PROVISIONAL SUMS Bill No. 1 PROVISIONAL SUMS		R	
	Carried to Collection		D	
}	Allow for giving every facility to Specialists as described	Item		
•	Allow for profit on above if required	Item		
	thousand rands) for the repairs and maintenance of the electric fence by specialists	ltem		200 000 00
	Servicing electric fence  Provide the amount of R200 000 ( tWO hundred			
	The procedure relating to the method of selection, obtaining of tenders, adjudication thereof and the appointment of the Selected Sub-contractor shall not create any contractual relationship between the Client and the Selected Sub-contractor			
	The Selected Sub-contractor shall be chosen by the Principal Agent/Engineer and the Contractor, and the Contractor shall satisfy himself that such selected sub-contractor can meet the requirements of the Sub-Contract agreement and the Contractor shall inform the Principal Agent/Engineer accordingly			
	Tender documents for such work shall be prepared by the Principal Agent/Engineer in consultation with and to the approval of the Contractor and such tender document shall be issued by the Principal Agent/Engineer to a list of tenderers agreed upon between the Principal Agent/Engineer and Contractor. Tenders shall be submitted to the Principal Agent/Engineer			
	A Selected Sub-Contractor shall be a Sub-contractor executing work for which a sum of money is provided for in the Bills of Quantities or a Sub-contractor executing additional specialist work which arises as a result of an instruction by the Principal Agent/Engineer			
	The following Provisional Sums are for specialists work to be executed by a selected Sub-contractor who upon appointment in terms of the Conditions of Contract shall be deemed to be a Domestic Sub-Contractor to the Contractor			
	THE FOLLOWING PROVISIONAL SUMS ARE FOR WORK TO BE EXECUTED BY SELECTED SUBCONTRACTORS			

Velocity-high-speed-spike vehicle harrier	1		
sixty thousand rand) for the supply and installation of the			
	Item		260 000 00
Allow for profit on above if required	Item		
Allow for giving every facility to Specialists as described	Item		
Landscaping			
Provide the amount of R1 500 000(one million five			
Transfer thousand randy for tandscaping by appointed	Item		1 500 000.00
Allow for profit on above if required	Item		
Allow for giving every facility to Specialists as described	Item		
Fridges, cookery, cutlery, etc			
Provide the amount of R10000 (Ten thousand rand) for			
the supply of mage and microwave	ltem		10 000.00
Allow for profit on above if required	Item		
Allow for giving every facility to Specialists as described	Item		
Electrical installations			
Provide the amount of R1 600 000 (One million six		-	
	Item		1 600 000.00
Allow for profit on above if required	Item		
Allow for giving every facility to Specialists as described	Item		
•		-	
Carried to Collection		R	
PROVISIONAL SUMS			
PROVISIONAL SUMS			
	Allow for profit on above if required Allow for giving every facility to Specialists as described  Landscaping Provide the amount of R1 500 000(one million five hundred thousand rand) for landscaping by specialist  Allow for profit on above if required Allow for giving every facility to Specialists as described  Fridges, cookery, cutlery, etc  Provide the amount of R10000 (Ten thousand rand) for the supply of fridge and microwave  Allow for giving every facility to Specialists as described  Electrical installations  Provide the amount of R1 600 000 (One million six hundred thousand rands) for electrical installations  Allow for profit on above if required  Allow for giving every facility to Specialists as described  Electrical installations  Provide the amount of R1 600 000 (One million six hundred thousand rands) for electrical installations  Allow for giving every facility to Specialists as described  Carried to Collection  Section No. 5  PROVISIONAL SUMS  Bill No. 1	Provide the amount of R250 000,00 (two hundred and sixty thousand rand) for the supply and installation of the velocity high speed vehicle barrier by specialist  Allow for profit on above if required  Allow for giving every facility to Specialists as described  Landscaping  Provide the amount of R1 500 000(one million five hundred thousand rand) for landscaping by specialist  Item  Allow for profit on above if required  Allow for giving every facility to Specialists as described  Fridges, cookery, cutlery, etc  Provide the amount of R10000 (Ten thousand rand) for the supply of fridge and microwave  Item  Allow for profit on above if required  Allow for profit on above if required  Allow for giving every facility to Specialists as described  Electrical Installations  Provide the amount of R1 600 000 (One million six hundred thousand rands) for electrical installations  Item  Allow for profit on above if required  Allow for profit on above if specialists as described  Item  Carried to Collection  Section No. 5  PROVISIONAL SUMS  Bill No. 1	Provide the amount of R260 000,00 (two hundred and sixty thousand rand) for the supply and installation of the velocity high speed vehicle barrier by specialist item.  Allow for profit on above if required Item.  Allow for giving every facility to Specialists as described Item.  Provide the amount of R1 500 000(one million five hundred thousand rand) for landscaping by specialist Item.  Allow for profit on above if required Item.  Allow for giving every facility to Specialists as described Item.  Provide the amount of R10000 (Ten thousand rand) for the supply of fridge and microwave Item.  Allow for profit on above if required Item.  Allow for profit on above if required Item.  Allow for giving every facility to Specialists as described Item.  Electrical installations  Provide the amount of R1 600 000 (One million six hundred thousand rands) for electrical installations  Item.  Allow for profit on above if required Item.  Allow for profit on above if required Item.  Allow for profit on above if required Item.  Allow for giving every facility to Specialists as described Item.  Electrical installations  Carried to Collection  R  Section No. 5  PROVISIONAL SUMS  Bill No. 1

Section No. 5				
PROVISIONAL SUMS				
Bill No. 1				
PROVISIONAL SUMS				
COLLECTION				
Total Brought Forward from Page No.	Page No 36 37 38		Amount	
		į.		
		:		
		·		
Carried to Final Summary		R		
Section No. 5 PROVISIONAL SUMS Bill No. 1 PROVISIONAL SUMS				

1	FINAL SUMMARY			1
Section No		Page No		Amount
1	PRELIMINARIES	3		
2	ALTERATIONS	7		
3	BUILDING	32		
4	EXTERNAL WORKS	35		
5	PROVISIONAL SUMS	39		1
į	Sub Total A - BUILDING COSTS		R	
	CONTINGENCY SUM			
	Allow the amount of R100 000-00 (One hundred thousand rands) for Contingencies for building work, to be used as directed by the Principal Agent and deducted in whole or in part if not required			
	addation in whole of the part in floct equilibria	Item	•	100 000.00
	Sub total BUILDINGS (VAT excl.)		R	
	Value Added Tax		R	
	Sub Total (VAT INCL.) CARRIED TO TENDER FORM		Ŕ	
•				
	Carried to Form of Tender		R	